



Volume 576

5 November 2013  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE


C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

The effect of Al doping on the structure and magnetism in cobaltite $\text{CaBaCo}_4\text{O}_7$ Y. Zou, Z. Qu, L. Zhang, W. Ning, L. Ling, L. Pi and Y. Zhang (Anhui, China) .....	1
Low temperature synthesis and photocatalytic property of perovskite-type $\text{LaCoO}_3$ hollow spheres S. Fu, H. Niu, Z. Tao, J. Song, C. Mao, S. Zhang, C. Chen (Hefei, PR China) and D. Wang (Gangwon-Do, Korea) .....	5
Soft magnetic property and high-frequency permeability of $[\text{Fe}_{80}\text{Ni}_{20}\text{-O}/\text{TiO}_2]_n$ multilayer thin films H. Geng, J.Q. Wei, Z.W. Wang, S.J. Nie, H.Z. Guo, L.S. Wang, Y. Chen, G.H. Yue and D.L. Peng (Xiamen, PR China) .....	13
Structure and electrochemical performances of $\text{LiFe}_{1-2x}\text{Ti}_x\text{PO}_4/\text{C}$ cathode doped with high valence $\text{Ti}^{4+}$ by carbothermal reduction method C.-I. Fan, S.-c. Han (Changsha, PR China), L.-f. Li (Changsha, Changde, PR China), Y.-m. Bai (Handan, PR China), K.-h. Zhang, J. Chen and X. Zhang (Changsha, PR China) .....	18
Structural evolution and dielectric properties of $(\text{Ba}_{1-x}\text{Nd}_x)(\text{Ti}_{1-y}\text{Fe}_y)\text{O}_3$ ceramics D.-D. Han (Jilin, Changchun, China), D.-Y. Lu and X.-Y. Sun (Jilin, China) .....	24
Corrigendum to "The experimental investigation of phase equilibria in the Al-rich corner within the ternary Al–Mn–Be system" [J. Alloys Compd. 570 (2013) 125–132] F. Zupanič (Maribor, Slovenia), B. Markoli, I. Naglič (Ljubljana, Slovenia) and T. Bončina (Maribor, Slovenia) .....	30
Properties of fluorine and tin co-doped ZnO thin films deposited by sol–gel method Z. Pan, P. Zhang, X. Tian, G. Cheng, Y. Xie (Guangdong, China), H. Zhang, X. Zeng (Huizhou, China), C. Xiao, G. Hu and Z. Wei (Guangdong, China) .....	31
Experimental determination of the Ta–Ge phase diagram A.A.A.P. da Silva (Lorena, Brazil), G.C. Coelho (Lorena, Volta Redonda, Brazil), C.A. Nunes, P.A. Suzuki (Lorena, Brazil), J.M. Fiorani, N. David and M. Vilasi (Vandœuvre-lès-Nancy, France) .....	38
Dielectric and microwave absorption properties of $\text{Ti}_3\text{SiC}_2$ powders Y. Liu, F. Luo, W. Zhou and D. Zhu (Xi'an, China) .....	43
Bipolar characteristics of $\text{AlGaIn}/\text{AlN}/\text{GaIn}/\text{AlGaIn}$ double heterojunction structure with $\text{AlGaIn}$ as buffer layer E. Peng, X. Wang, H. Xiao, C. Wang, H. Yin, H. Chen, C. Feng, L. Jiang, X. Hou and Z. Wang (Beijing, People's Republic of China) .....	48
Magnetocaloric behavior in perovskite manganites $\text{La}_{0.7}\text{A}_{0.3}\text{Mn}_{0.9}\text{Fe}_{0.1}\text{O}_3$ (A = Sr, Pb, Ba) Z. Wang and J. Huang (Nanjing, PR China) .....	54
Structural, optical and magnetic properties of Co-doped ZnO nanorods prepared by hydrothermal method S. Shi (Beijing, Tianjin, China), Y. Yang (Beijing, China), J. Xu, L. Li, X. Zhang (Tianjin, China), G.-H. Hu (Nancy, France) and Z.-M. Dang (Beijing, China) .....	59
Evaluation of corrosion properties of Al/nanosilica nanocomposite sheets produced by accumulative roll bonding (ARB) process M. Kadhodae, M. Babaiee, H. Danesh Manesh, M. Pakshir and B. Hashemi (Shiraz, Iran) .....	66
Sonochemical synthesis of Dy-doped ZnO nanostructures and their photocatalytic properties O. Yayapao, T. Thongtem (Chiang Mai, Thailand), A. Phuruangrat (Songkhla, Thailand) and S. Thongtem (Chiang Mai, Thailand) .....	72
Formation of metastable solid solutions by mechanical alloying of immiscible Ag and Bi E. Musu (Pula, Italy), G. Mura, G. Ligios and F. Delogu (Cagliari, Italy) .....	80
Facile synthesis of porous $\text{Mn}_2\text{O}_3$ hierarchical microspheres for lithium battery anode with improved lithium storage properties L. Hu, Y. Sun, F. Zhang and Q. Chen (Hefei, China) .....	86
Half-metallicity of bulk and (111) surface for full-Heusler alloy $\text{Co}_2\text{VAl}$ : A density functional study H. Han (Wuhan, Xuchang, People's Republic of China), Z. Bai (Xuchang, People's Republic of China) and K.L. Yao (Wuhan, Shenyang, People's Republic of China) .....	93
Spectral properties and laser performances of $\text{Yb}^{3+}:\text{LaCa}_4\text{O}(\text{BO}_3)_3$ crystal with high concentration doping Y. Ji (Fujian, Beijing City, China), J. Cao, J. Xu, Z. You, Z. Zhu, J. Li, Y. Wang and C. Tu (Fujian, China) .....	98

Annealing effect on optical parameters of $\text{Se}_{85-x}\text{Te}_{15}\text{Hg}_x$ thin films Neetu and M. Zulfequar (New Delhi, India) . . . . .	103
$\beta$ phase transformation kinetics in Ti60 alloy during continuous cooling F. Sun, J. Li, H. Kou, B. Tang, Y. Chen, H. Chang (Xi'an, China) and J. Cai (Beijing, China) . . . . .	108
Crystal structures and magnetic properties of the $\text{BaAl}_4$ -type structure derivatives in Gd–Al–Ga system N.N. Belyavina, M.G. Babich, V.Ya. Markiv, O.I. Nakonechna and M.I. Zakharenko (Kiev, Ukraine) . . . . .	114
Strain-assisted control of high stable dielectric tunability in (1 0 0) oriented $(\text{Pb,Sr})\text{TiO}_3$ thin films Z. Zheng, T. Hu, Y. Yao, W. Weng, G. Han, N. Ma and P. Du (Hangzhou, China) . . . . .	121
Modulated magnetic property, enhanced microwave absorption and Mössbauer spectroscopy of $\text{Ni}_{0.40}\text{Zn}_{0.40}\text{Cu}_{0.20}\text{Fe}_2\text{O}_4$ nanoparticles embedded in carbon nanotubes S. Sutradhar (Burdwan, Kolkata, India), K. Mukhopadhyay (Burdwan, India), S. Pati, S. Das, D. Das (Kolkata, India) and P.K. Chakrabarti (Burdwan, India) . . . . .	126
The crystal structure of novel silver sulphogermanate $\text{Ag}_{10}\text{Ge}_3\text{S}_{11}$ A.O. Fedorchuk (Lviv, Ukraine), G. Lakshminarayana (Los Alamos, USA), Y.O. Tokaychuk (Lviv, Ukraine) and O.V. Parasyuk (Lutsk, Ukraine) . . . . .	134
Microstructural and mechanical characterization of injection molded 718 superalloy powders Ö. Özgün (Bingöl, Turkey), H.Ö. Gülsoy (Istanbul, Turkey), R. Yılmaz (Sakarya, Turkey) and F. Fındık (Sakarya, Turkey), (Sarajevo, Bosnia and Herzegovina) . . . . .	140
Effect of isovalent ion substitution on electrical and dielectric properties of $\text{LaCrO}_3$ P. Kumar, R.K. Singh, A.S.K. Sinha and P. Singh (Varanasi, India) . . . . .	154
Effects of $\text{MgO}$ and $\text{Mg}(\text{OH})_2$ on phase formation and properties of strontium-doped $\text{MgTiO}_3$ microwave dielectric ceramics Y.-C. Liou, S.-L. Yang and S.-Y. Chu (Tainan City, Taiwan, ROC) . . . . .	161
Texture in ultra-strength Ti–25Ta–25Nb alloy strips V.D. Cocjaru, D. Raducanu (Bucharest, Romania), D.M. Gordin (Rennes Cedex, France) and I. Cinca (Bucharest, Romania) . . . . .	170
Influence of calcination temperature on synthesis and photoluminescence properties of $\text{Eu}^{3+}$ -doped $\text{La}_2\text{Zr}_2\text{O}_7$ particles K.-J. Hu, Z.-G. Liu, J.-Y. Wang, C. Zhu and J.-H. Ouyang (Harbin, China) . . . . .	177
Influence of substitution of La by Ce on the glass forming ability and crystallization behavior of Al–Ni–La alloys Z. Zhang, X.Z. Xiong, W. Zhou and J.F. Li (Shanghai, PR China) . . . . .	181
Microstructure evolution of laser remelted $\text{Al}_2\text{O}_3$ –13wt.% $\text{TiO}_2$ coatings C.G. Li, Z.S. Yu, Y.F. Zhang, P.L. Zhang, H. Yan, Q.H. Lu, W.G. Li (Shanghai, China) and Y. Wang (Harbin, China) . . . . .	187
Synthesis of $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Ce}^{3+}$ colloidal nanocrystals by pulsed laser ablation and their luminescent properties K.M. Kim (Tsukuba, Japan) and J.H. Ryu (Chungbuk, Republic of Korea) . . . . .	195
Novel Pd/ $\text{TiO}_2$ nanocomposite prepared by modified sol–gel method for photocatalytic degradation of methylene blue dye under visible light irradiation M.Y. Abdelaal (Jeddah, Saudi Arabia), (Mansoura, Egypt) and R.M. Mohamed (Jeddah, Saudi Arabia), (Cairo, Egypt) . . . . .	201
Behavior of calcium chloride in reduction process of titanium dioxide by calcium vapor B. Xu, B. Yang, J. Jia, D. Liu, H. Xiong and Y. Deng (Kunming, China) . . . . .	208
Preparation of superhydrophobic surfaces on Al substrates and the anti-icing behavior J. Yang and W. Li (China) . . . . .	215
The synthesis and characterization of copper–nickel alloy nanoparticles with a therapeutic Curie point using the microemulsion method J. Stergar, G. Ferk (Maribor, Slovenia), I. Ban, M. Drofenik (Maribor, Ljubljana, Slovenia), A. Hamler (Maribor, Slovenia), M. Jagodič and D. Makovec (Ljubljana, Slovenia) . . . . .	220
Preparation of spherical core–shell structured $\text{SiO}_2@\text{CaMoO}_4:\text{Eu}^{3+},\text{Li}^+$ red phosphors G.-h. Peng, X. Wang, Z.-h. Liang, Y.-c. Wang, X.-b. Han and J.-l. Wu (Guilin, China) . . . . .	227
In situ observation of the phase selection from the undercooled melt in Cu–Zr J. Gegner (Köln, Germany), O. Shuleshova (Dresden, Germany), R. Kobold, D. Holland-Moritz, F. Yang, W. Hornfeck (Köln, Germany), J. Bednarcik (Hamburg, Germany) and D.M. Herlach (Köln, Germany) . . . . .	232
Synthesis and luminescence properties of a novel red-emitting phosphor $\text{Ba}_3\text{La}(\text{PO}_4)_3:\text{Eu}^{3+}$ for solid-state lighting R. Yu (Shaanxi, PR China), (Busan, Republic of Korea), H.M. Noh, B.K. Moon, B.C. Choi, J.H. Jeong (Busan, Republic of Korea), K. Jang (Changwon, Republic of Korea), S.S. Yi (Busan, Republic of Korea) and J.K. Jang (Gimhae, Republic of Korea) . . . . .	236
Preparation and characterization of Cu–SDC anodes for low-temperature solid oxide fuel cell S. He, R. Li, L. Ge, H. Chen and L. Guo (Jiangsu, PR China) . . . . .	242
Thermoelectric properties of layered $\text{Sr}_{0.29}\text{CoO}_2$ crystals J. Liu, X. Huang, G. Xu and L. Chen (Shanghai, PR China) . . . . .	247
Solid solution softening of polycrystalline molybdenum–hafnium alloys C. Pöhl (Leoben, Austria), J. Schatte (Reutte, Austria) and H. Leitner (Leoben, Austria) . . . . .	250
Effect of interface morphology on intermetallics formation upon annealing of Al–Ni multilayer M. Swain, S. Singh, S. Basu (Mumbai, India) and M. Gupta (Indore, India) . . . . .	257
The structural and electrical properties of Mn-doped $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ films prepared by metal organic deposition method X. Wang, S. Lv, C. Zhang, Q. Hu and L. Li (Luoyang, PR China) . . . . .	262
Ultrafine nanocrystal precursor induced $J_c$ increase of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films prepared using advanced low-fluorine solution Y. Chen, F. Yan, C. You, G. Zhao and Y. Jiao (Xi'an, China) . . . . .	265

Electronic structure of the high-temperature tetragonal $Tl_3PbBr_5$ phase N.M. Denysyuk, V.L. Bekenev, M.V. Karpets (Kyiv, Ukraine), O.V. Parasyuk, S.P. Danylchuk (Lutsk, Ukraine) and O.Y. Khyzhun (Kyiv, Lutsk, Ukraine) . . . . .	271
Magnetism and half-metallicity in bulk $Ti_2CoSn$ Heusler alloy F. Ahmadian (Shahreza, Iran) . . . . .	279
Adsorption, diffusion, and incorporation of Pd in cubic (0 0 1) $Cu_3N$ : A DFT study J.A. Rodríguez M. (Ensenada Baja California, Mexico), (Bogotá, Colombia), M.G. Moreno-Armenta and N. Takeuchi (Ensenada Baja California, Mexico) . . . . .	285
Effect of high volume fraction of $B_4C$ particles on the microstructure and mechanical properties of aluminum alloy based composites R. Zheng, X. Hao, Y. Yuan, Z. Wang (Beijing, China), K. Ameyama (Shiga, Japan) and C. Ma (Beijing, China) . . . . .	291
Enhanced $d_{33}$ value in $HfO_2$ -modified $(Ba_{0.98}Ca_{0.02})(Ti_{0.94}Sn_{0.06})O_3$ ceramics J. Wu, T. Wang, X. Cheng, X. Wang, B. Zhang, J. Zhu and D. Xiao (Chengdu, PR China) . . . . .	299
<i>Ab initio</i> study of the cohesive properties, electronic structure and thermodynamic stability of the Ni–In and Ni–Sn intermetallics S. Ramos de Debiaggi, C. Deluque Toro (Neuquén, Argentina), G.F. Cabeza (Bahía Blanca, Argentina) and A. Fernández Guillermet (Bariolchoe, Argentina) . . . . .	302
Thermodynamic analysis of Ti–Al–C intermetallics formation by mechanical alloying E. Sadeghi, F. Karimzadeh and M.H. Abbasi (Isfahan, Iran) . . . . .	317
Experimental and numerical investigation of dielectric resonator antenna based on the $BiFeO_3$ ceramic matrix added with $Bi_2O_3$ or $PbO$ H.O. Rodrigues, A.J.M. Sales, G.F.M. Pires Junior, J.S. Almeida, M.A.S. Silva and A.S.B. Sombra (Ceará, Brazil) . . . . .	324
Fabrication and field emission properties of needle-shaped $MoO_3$ nanobelts W.-Q. Yang, Z.-R. Wei, M. Gao, Y. Chen, J. Xu (Chengdu, China), C.-L. Chen (San Antonio, Houston, USA) and Y. Lin (Chengdu, China) . . . . .	332
Absorption coefficients of $In_{0.8}Ga_{0.2}As$ at room temperature and 77K L. Zhou, Y.G. Zhang, Y. Gu, X.Y. Chen, Y.Y. Cao and H.S.B.Y. Li (Shanghai, People's Republic of China) . . . . .	336
$La_{0.75}Sr_{0.25-x}Ce_xCr_{0.5}Mn_{0.5}O_{3-δ}$ electrode material for symmetric solid oxide fuel cells with $H_2S$ -containing fuel Y. Song, W. Tan, D. Xu, Y. Bu and Q. Zhong (Nanjing, PR China) . . . . .	341
Structural and spectroscopic properties of $YOF:Eu^{3+}$ nanocrystals T. Grzyb, M. Węćławiak, J. Rozowska and S. Lis (Poznan, Poland) . . . . .	345
Characterization of microstructure and deformation texture during equal channel Angular pressing of Al–Zn–Mg–Cu alloy M.H. Shaeri, M.T. Salehi, S.H. Seyyedein, M.R. Abutalebi (Tehran, Iran) and J.K. Park (Daejeon, South Korea) . . . . .	350
Thermal and mechanical properties of $CNT-Se_{90-x}Te_{10}Ag_x$ ( $x = 0, 5$ and $10$ ) glassy composites I.S. Ram and K. Singh (Varanasi, India) . . . . .	358
Study of the focusing effect of silica microspheres on the upconversion of $Er^{3+}$ – $Yb^{3+}$ codoped glass ceramics C. Pérez-Rodríguez (Tenerife, Spain), M.H. Imanieh (Toledo, USA), (Tehran, Iran), L.L. Martín, S. Ríos, I.R. Martín (Tenerife, Spain) and B.E. Yekta (Tehran, Iran) . . . . .	363
Microstructure and transport properties of copper-doped p-type $BiSbTe$ alloy prepared by mechanical alloying and subsequent spark plasma sintering H. Li, H. Jing, Y. Han, Y. Xu, G.-Q. Lu and L. Xu (Tianjin, China) . . . . .	369
Glass-forming ability, fragility parameter, and mechanical properties of Co–Ir–Ta–B amorphous alloys J. Wang (Zhengzhou, PR China), L. Huang (Beijing, PR China), (Knoxville, USA), S. Zhu, Q. Li, S. Guan (Zhengzhou, PR China) and T. Zhang (Beijing, PR China) . . . . .	375
Effect of molybdenum carbide intermediate layers on thermal properties of copper–diamond composites Q. Kang, X. He, S. Ren, L. Zhang, M. Wu, C. Guo, Q. Liu, T. Liu and X. Qu (Beijing, China) . . . . .	380
Interface structure characterization of Fe36Ni alloy with ultrasonic soldering J. Wei, B. Deng, X. Gao, J. Yan and X. Chen (Harbin, China) . . . . .	386
Comparative studies of magnetic properties of Co films on annealed and unannealed rubrene/Si(1 0 0) C.-Y. Hsu, C.-H.-T. Chang, W.-H. Chen (Taipei, Taiwan), J.-L. Tsai (Taichung, Taiwan) and J.-S. Tsay (Taipei, Taiwan) . . . . .	393
First-principles study of $XNMg_3$ ( $X = P, As, Sb$ and $Bi$ ) antiperovskite compounds K. Amara, M. Zemouli, M. Elkeurti (Saida, Algeria), A. Belfedal (Oran, Algeria) and F. Saadaoui (Saida, Algeria) . . . . .	398
Electrical transport and magnetoresistance properties of $(1-x)La_{0.6}Sr_{0.4}MnO_3/x(Sb_2O_3)$ composites M. Nasri, M. Triki, E. Dhahri (Sfax, Tunisia), E.K. Hlil and P. Lachkar (Grenoble cedex, France) . . . . .	404
Magnetic properties of ferromagnetic $Pu_2Pt_3Si_5$ J.-C. Griveau, E. Colineau, D. Bouëxiere (Karlsruhe, Germany), K. Gofryk (Karlsruhe, Germany), (Los Alamos, USA), T. Klimczuk (Karlsruhe, Germany), (Gdansk, Poland) and J. Rebizant (Karlsruhe, Germany) . . . . .	409
Impact of carbon insertion on the microstructure and magnetic properties of nanocrystalline $Pr_2Co_7$ alloys R. Fersi (Tunis, Tunisia), (Thiais, France), M. Cabié (Marseille, France), N. Mliki (Tunis, Tunisia) and L. Bessais (Thiais, France) . . . . .	415
Interfacial reaction between n- and p-type thermoelectric materials and SAC305 solders H. Zhang, H.Y. Jing, Y.D. Han, L.Y. Xu and G.-Q. Lu (Tianjin, China) . . . . .	424
Keywords . . . . .	III