

Volume 577, Supplement 1

15 November 2013
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE

SI: ICOMAT2011


**Guest Editors: Shuichi Miyazaki
Tomoyuki Kakeshita
Minoru Nishida
Hee Young Kim**



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jallcom

Contents

Abstracting Services Abstracted / indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Editorial

- Proceedings of the International Conference on Martensitic Transformations (ICOMAT-2011) S1
S. Miyazaki, T. Kakeshita, M. Nishida (Japan)

1. Tributes

- A tribute to Prof. Dr. Ir. Luc Delaey, Dep. Metallurgy and Materials Science, Catholic University Leuven, Belgium S2
J. Van Humbeeck (Leuven, Belgium)
- A tribute to Prof. Rolf Gotthardt Ecole Polytechnique Fédérale de Lausanne Switzerland S5
J. Van Humbeeck (Leuven, Belgium)
- Tribute to Professor D. S. Lieberman: On the importance of being invariant S9
G.B. Olson (Evanston, IL, USA), D. Gupta (Yorktown Heights, NY, USA)
- Contribution of the Academician V.D. Sadovsky to studies of martensite transformation S13
V.M. Schastlivtsev (Ekaterinburg, Russia), V.S. Kraposhin (Moscow, Russia)

2. Fundamental aspects

- Epitaxial transformation of hcp–fcc Ti sublattices during nitriding processes of evaporated-Ti thin films due to nitrogen-implantation S18
Y. Chen, X. Feng, Y. Kasukabe (Sendai, Japan), S. Yamamoto, M. Yoshikawa (Takasaki, Japan), Y. Fujino (Sendai, Japan)
- Superelasticity and shape memory at nano-scale: Size effects on the martensitic transformation S25
J. San Juan, M.L. Nó (Bilbao, Spain)
- Microtwinning as a common mechanism for the martensitic and pearlitic transformations S30
V. Kraposhin (Moscow, Russia), I. Jakovleva, L. Karkina (Ekaterinburg, Russia), G. Nuzhny (Moscow, Russia), T. Zubkova (Ekaterinburg, Russia), A. Talis (Moscow, Russia)
- Nucleation of austenite in mechanically stabilized martensite by localized heating S37
J.M. Ball, K. Koumatos (Oxford, UK), H. Seiner (Prague, Czech Republic)
- An assessment of the contributing factors to the nanoscale structural refinement of advanced bainitic steels S43
J. Cornide, C. Garcia-Mateo, C. Capdevila, F.G. Caballero (Madrid, Spain)
- Kinetics of thermally induced first-order magnetic transition in $\text{La}(\text{Fe}_{0.88}\text{Si}_{0.12})_{13}$ itinerant electron metamagnet S48
A. Fujita, H. Yako (Sendai, Japan)
- Time dependent nature of first order antiferro–ferro magnetostructural transition in $\text{Fe}_{0.45}\text{Rh}_{0.45}\text{Pd}_{0.1}$ alloy S52
Y. Feng, T. Fukuda, T. Kakeshita (Osaka, Japan)
- On valence electron density, energy dissipation and plasticity of bulk metallic glasses S56
J.J. Pang, M.J. Tan (Singapore, Singapore), K.M. Liew (Kowloon, Hong Kong)
- Conversion times and energy/entropy barriers in isothermal/athermal martensites S66
N. Shankaraiah, K.P.N. Murthy (Hyderabad, India), T. Lookman (NM, USA), S.R. Shenoy (Trivandrum, India)
- Preliminary study on kinetics of carbon partitioning in a high Ni Q&P steel S72
X. Lu, H. Liu, X. Jin (Shanghai, China)

3. Theoretical approaches

- Mathematical modelling of pseudoelastic behaviour of tapered NiTi bars S76
B.S. Shariat, Y. Liu (Crawley, Australia), G. Rio (Lorient, France)

Simulation of the shape memory effect in a NiTi nano model system	S83
D. Mutter, P. Nielaba (Konstanz, Germany)	
A simple vector analysis for calculating potential habit planes of martensite	S88
X.F. Gu, W.Z. Zhang (Beijing, China)	
Competition between invariant habit plane and compatible junction plane in TiNb-based shape memory alloy	S92
T. Inamura (Yokohama, Japan), H.Y. Kim (Tsukuba, Japan), H. Hosoda (Yokohama, Japan), S. Miyazaki (Tsukuba, Japan)	
Plastic deformation: Shearing mountains atom by atom	S96
P. Müllner (Boise, ID, USA)	
Unique properties associated with normal martensitic transition and strain glass transition – A simulation study	S102
D. Wang, Y. Ni, J. Gao, Z. Zhang (Xi'an, China), X. Ren (Xi'an, China, Tsukuba, Japan), Y. Wang (Xi'an, China and Columbus, OH, USA)	
Optimization of smart Heusler alloys from first principles	S107
P. Entel, M. Siewert, M.E. Gruner (Duisburg, Germany), A. Chakrabarti (Duisburg, Germany and Indore, India), S.R. Barman (Indore, India), V.V. Sokolovskiy, V.D. Buchelnikov (Chelyabinsk, Russia)	
Molecular dynamics investigation on the deviation from stoichiometry in martensitic transformation	S113
T. Suzuki, M. Shimno, K. Otsuka, X. Ren (Tsukuba, Japan), A. Saxena (Japan and USA)	
Finite element calculation of B2–B19 transformation of TiNiCu shape memory alloy	S115
S.Y. Young (Chonan, Republic of Korea), T.H. Nam (Jinju, Republic of Korea)	
Experimental and theoretical investigations of the stress-induced twinning/detwinning in the martensite phase of a FSMA system	S119
P.K. Mukhopadhyay, M. Karmakar, B. Rajini Kanth (Kolkata, India), S.N. Kaul (Hyderabad, India)	
First-principles cluster variation calculations of tetragonal-cubic transition in ZrO ₂	S123
T. Mohri (Sapporo, Japan), Y. Chen (Sendai, Japan), N. Kiyokane (Sapporo, Japan)	
An explanation of phase deformation tension–compression asymmetry of TiNi by means of microstructural modeling	S127
A.E. Volkov, E.V. Emelyanova, M.E. Evard, N.A. Volkova (Saint-Petersburg, Russia)	

4. Precursor phenomena

Combined effect of structural softening and magneto-elastic coupling on elastic coefficients of Ni–Mn–Ga austenite	S131
H. Seiner, O. Heczko, P. Sedlák, L. Bodnárová, M. Novotný, J. Kopeček, M. Landa (Prague, Czech Republic)	
Influence of Ni on stability of martensitic transformation in Zr ₅₀ Cu _{50-x} Ni _x	S136
F. Meng, K. Tsuchiya, S. Ii (Tsukuba, Japan), Y. Yokoyama (Sendai, Japan)	
Effect of martensite embryo potency on the martensitic transformations in steels—A 3D phase-field study	S141
H.K. Yeddu, A. Borgenstam, J. Ågren (Stockholm, Sweden)	
Strengthening the alloys with elastic softening in shear modulus C'	S147
S. Kuramoto, N. Nagasako, T. Furuta (Aichi, Japan), Z. Horita (Fukuoka, Japan)	
Grain size dependent phase stability of pulse electrodeposited nano-grained Co-Ni films	S151
J. Li, J. Liu, M. Jin, X. Jin (Shanghai, China)	
Martensitic transformation and precursor phenomena in Au ₇ Cu ₅ Al ₄ alloys	S155
X. Jin, J. Liu, M. Jin (Shanghai, China)	

5. Novel smart materials and design

5(a) Ti-Ni shape memory alloys

Influence of annealing on martensitic transformations in porous TiNi-based alloys produced by self-propagating high-temperature synthesis	S159
N. Resnina, S. Belyaev (Saint-Petersburg, Russia)	
Nonmonotonic two-way shape memory in titanium nickelide	S164
A. Razov, A. Motorin, G. Nakhatova (St-Petersburg, Russia)	
Effect of proportional control treatment on transformation behavior of Ti–50.9 at.% Ni shape memory alloys	S168
S.H. Park, J.H. Lee (Busan, Republic of Korea), T.H. Nam (Jinju, Republic of Korea), Y.J. Lee (Daegu, Republic of Korea), K. Inoue, S.W. Lee (Yamagata, Japan), J.II. Kim (Busan, Republic of Korea)	
Damping characteristics of as-spun and annealed Ti ₅₁ Ni ₄₉ ribbons measured by dynamic mechanical analysis	S175
S.H. Chang (I-Lan, Taiwan), S.K. Wu (Taipei, Taiwan)	
Crystallization and grain refinement of Ti–30Ni–20Cu (at%) alloy ribbons prepared by melt spinning	S179
M.S. Kim, J.P. Noh, G.-B. Cho (Jinju, Republic of Korea), Y.W. Kim (Taegu, Republic of Korea), Y. Liu, H. Yang (Crawley, Australia), T.H. Nam (Jinju, Republic of Korea)	
Properties and applications of Ti–Ni–Cu shape-memory-alloy thin films	S184
A. Ishida, M. Sato, Z.Y. Gao (Tsukuba, Japan)	
Electrochemical properties of Si film electrodes with TiNi shape memory alloy as a current collector	S190
G.B. Cho, B.M. Kim, J.P. Noh, Y.M. Im, S.H. Lee, K.W. Kim, T.H. Nam (Jinju, Republic of Korea)	

Microstructure and martensitic transformation behavior of crystallized Ti–36Ni–7Sn (at%) alloy ribbons.	S195
H.J. Choe, J.H. Kim, S.H. Lee, J.P. Noh, Y.W. Kim (Jinju, Republic of Korea), S. Miyazaki (Tsukuba, Japan), T.H. Nam (Jinju, Republic of Korea)	
Martensitic transformation behavior of Ti–Ni–Sn alloys.	S200
J.H. Kim (Jinju, Republic of Korea), K.T. Jung (Jinju, Republic of Korea and Tsukuba, Japan), J.P. Noh, G.B. Cho (Jinju, Republic of Korea), S. Miyazaki (Jinju, Republic of Korea and Tsukuba, Japan), T.H. Nam (Jinju, Republic of Korea)	
Shape memory characteristics of Ti–Ni–Mo alloys sintered by sparks plasma sintering.	S205
Y.W. Kim, Y.J. Lee (Daegu, Republic of Korea), T.H. Nam (Jinju, Republic of Korea)	
Shape memory behavior of TiNi alloy films sputter-deposited on polyimide substrate.	S210
Y. Kishi, N. Ikenaga, N. Sakudo, Z. Yajima (Hakusan, Japan)	
Morphological characterization and distribution of autocatalytic-grown Ni ₄ Ti ₃ precipitates in a Ni–Ti single crystal.	S215
S. Cao (Guangzhou, China and Antwerp, Belgium), C.B. Ke, X.P. Zhang (Guangzhou, China), D. Schryvers (Antwerp, Belgium)	
Dependence of functional degradation on crystallographic orientation in NiTi shape memory alloys aged under stress.	S219
S.C. Weighardt, H.J. Maier (Paderborn, Germany), Y.I. Chumlyakov (Tomsk, Russia)	
Sputtering growth of Ni–Ti shape memory alloy nano fibers on porous alumina membrane.	S222
H. Kato, J. Hino, K. Sasaki (Sapporo, Japan), S. Inoue (Himeji, Japan)	
Microstructure and martensitic transformation characteristics of gas-atomized Ti–Ni–Cu powders.	S227
Y.W. Kim, K.C. Choi (Daegu, Republic of Korea), Y.S. Chung, E. Choi (Seoul, Republic of Korea), T.H. Nam (Jinju, Republic of Korea)	
Deformation of Ti–51.5 at.%Ni alloy during thermal cycling under different thermal-mechanical conditions.	S232
S. Belyaev, N. Resnina, R. Zhuravlev (Saint-Petersburg, Russia)	
In situ crystallization of sputter-deposited TiNi by ion irradiation.	S237
N. Ikenaga, Y. Kishi, Z. Yajima, N. Sakudo (Ishikawa, Japan)	
Determining transformation temperatures of equiatomic TiNi shape memory alloy by dynamic mechanical analysis test.	S241
S.H. Chang (Taiwan), S.K. Wu (Taipei, Taiwan)	
Ti–50.8 at.% Ni wire with variable mechanical properties created by spatial electrical resistance over-ageing.	S245
Q.G. Meng, H. Yang, Y. Liu (Crawley, Australia), T.H. Nam (Jinju, Republic of Korea), Denis Favier (Grenoble, France)	
Fabrication and characterization of amorphous-crystalline TiNiCu melt-spun ribbons.	S251
A.V. Shelyakov, N.N. Sitnikov, A.P. Menushenkov, A.A. Korneev, R.N. Rizakhanov, N.A. Sokolova (Moscow, Russian Federation)	
Abnormally high recovery strain in Ti–Ni-based shape memory alloys.	S255
E.P. Ryklina, S.D. Prokoshkin, A.Yu. Krejtsberg (Moscow, Russia)	
Effect of alloy composition on the B2–R transformation in rapidly solidified Ti–Ni alloys.	S259
H.J. Moon, S.J. Chun (Jinju, Republic of Korea), Y. Liu, H. Yang (Crawley, Australia), Y.W. Kim (Taegu, Republic of Korea), T.H. Nam (Jinju, Republic of Korea)	
High shape recovery Ni–Ti SMA wire produced from electron beam melted ingot.	S265
A.S. Antunes (Campos, SP, Brazil and Corumba, MS, Brazil), J.P.V. Tosetti, J. Otubo (Campos, Brazil)	
Quantitative microstructure analyses upon multistage martensitic transformation in an aged Ti–50.8 at.% Ni alloy.	S268
B. Karbakhsh Ravari (Fukuoka, Japan), N. Kizakibaru (Kumamoto, Japan), M. Nishida (Fukuoka, Japan)	
Influence of pulse current on deformation behavior during rolling and tension of Ti–Ni alloys.	S274
V.V. Stolyarov (Moscow, Russia)	
Mechanical and nanoindentation behavior of TiC–NiTi thermal spray coatings.	S277
A. Isalgue, J. Fernandez, N. Cinca, M. Villa, J.M. Guilemany (Barcelona, Spain)	
Effect of warm-working rate on shape memory properties in Ti–49.7 at.%Ni alloy.	S282
J.M. Ock, J. Il Kim (Busan, Republic of Korea)	
Impact of hydrogen-assisted heat treatments on microstructure and transformation path in a Ni-rich NiTi shape memory alloy.	S287
M. Kuběňová, J. Zálešák, J. Čermák, A. Dlouhý (Brno, Czech Republic)	
5(b) Ferromagnetic shape memory alloys	
Ferromagnetic shape memory effects in tetragonally distorted antiperovskite manganese nitrides.	S291
K. Takenaka, T. Hamada, T. Shibayama, K. Asano (Nagoya, Japan)	
Superelasticity and shape memory effects in polycrystalline Ni–Mn–Ga microwires.	S296
M.F. Qian, X.X. Zhang (Harbin, China), C. Witherspoon (Boise, ID, USA), J.F. Sun (Harbin, China), P. Müllner (Boise, USA)	
Magnetic properties of thin-film Fe–Pd alloy and magnetoelectric coupling in Fe–Pd/Ag/PZT/Ag/Fe–Pd laminate composites.	S300
T. Okazaki, K. Mikami, Y. Furuya (Hirosaki, Japan), Y. Kishi, Z. Yajima (Hakusan, Japan), T. Kubota (Aomori, Japan)	
Temperature dependent magnetostrains in polycrystalline magnetic shape memory Heusler alloys.	S305
V.A. Chernenko, J.M. Barandiarán (Bilbao, Spain), V.A. L'vov (Kiev, Ukraine), J. Gutiérrez, P. Lázpita (Bilbao, Spain), I. Orue (Leioa, Spain)	
Magnetic field direction and temperature dependences of rearrangement of crystallographic domains in an antiferromagnetic CoO.	S309
T. Terai, T. Kakeshita (Osaka, Japan)	

Sputter deposition and characterization of Mn ₃ CuN thin films	S314
M. Aoyama, K. Takenaka, H. Ikuta (Nagoya, Japan)	
TEM study of pseudo-twin in an off-stoichiometric Ni ₂ MnGa	S318
H. Maeda (Suita, Japan, Otsu, Japan), E. Taguchi (Ibaraki, Japan), T. Fukuda, T. Kakeshita (Suita, Japan)	
Concentration dependence of FCC to FCT martensitic transformation in Fe–Pd alloys	S323
F. Xiao, T. Fukuda, T. Kakeshita (Suita, Japan), K. Takahashi (Sendai, Japan)	
Microstructure evolution to reach the single variant in an ordered Fe–55at.%Pd alloy	S327
S. Farjami (Fukuoka, Japan), T. Fukuda, T. Kakeshita (Osaka, Japan)	
Compositional trends and magnetic excitations in binary and ternary Fe–Pd–X magnetic shape memory alloys	S333
M.E. Gruner (Duisburg, Germany), S. Hamann, H. Brunken, A. Ludwig (Bochum, Germany), P. Entel (Duisburg, Germany)	
Pseudoelasticity of thermo–mechanically treated Fe–Mn–Si–Cr–Ta alloys	S338
H.-C. Lin, S.-K. Wu, Y.-T. Peng, T.-C. Cheng (Taipei, Taiwan), K.-M. Lin (Taichung, Taiwan)	
Geometric factors on magnetically driven actuation behaviour for polycrystalline Ni–Mn–Ga and its composites	S344
J. Romberg, C. Hürriich, M. Pötschke, S. Kauffmann-Weiss, U. Gaitzsch, S. Roth (Dresden, Germany), P. Müllner (Boise, ID, USA), L. Schultz (Dresden, Germany)	
Effects of particle and grain sizes on martensitic transformation in an Fe–30.5 at.%Ni alloy	S348
J.M. Nam, T. Terai, T. Kakeshita (Osaka, Japan)	
Transformation behaviour of freestanding epitaxial Ni–Mn–Ga films	S353
S.R. Yeduru (Karlsruhe, Germany), A. Backen, S. Fähler, L. Schultz (Dresden, Germany), M. Kohl (Karlsruhe, Germany)	
Evolution of local strain bands of different orientation in single crystalline Ni–Mn–Ga foils under tension	S358
V. Pinneker, R.Yin, C. Eberl (Karlsruhe, Germany), A. Sozinov, Y. Ezer (Helsinki, Finland), M. Kohl (Karlsruhe, Germany)	
Inconvenient magnetocaloric effect in ferromagnetic shape memory alloys	S362
V. Khovaylo (Moscow, Russia)	
Nanoscale surface properties of a Ni–Mn–Ga 10M magnetic shape memory alloy	S367
I. Aaltio, X.W. Liu (Aalto, Finland), M. Valden, K. Lahtonen (Tampere, Finland), O. Söderberg, Y. Ge, S.-P. Hannula (Aalto, Finland)	
A large magnetic-field-induced strain in Ni–Fe–Mn–Ga–Co ferromagnetic shape memory alloy	S372
H. Morito, K. Oikawa, A. Fujita, K. Fukamichi, R. Kainuma, K. Ishida (Sendai, Japan)	
Magnetic entropy and magnetocaloric effect of ferromagnetic Heusler alloys Ni ₂ Mn _{0.75} Cu _{0.25} Ga and Ni ₂ MnGa _{0.88} Cu _{0.12}	S376
T. Sakon (Akita, Japan and Otsu, Japan), H. Nagashio, K. Sasaki, S. Susuga (Akita, Japan), K. Endo (Tagajo, Japan), H. Nojiri (Sendai, Japan), T. Kanomata (Tagajo, Japan)	
TTT diagram of martensitic transformation under magnetic field in a Ni ₄₅ Co ₅ Mn _{36.5} In _{13.5} (at.%) alloy	S380
Y.H. Lee, J.Y. Choi, T. Fukuda, T. Kakeshita (Osaka, Japan)	
5(c) High temperature shape memory alloys	
Effect of Cu addition on the high temperature shape memory properties of Ti ₅₀ Ni ₂₅ Pd ₂₅ alloy	S383
I.M. Khan, H.Y. Kim (Tsukuba, Japan), T.H. Nam (Jinju, Republic of Korea), S. Miyazaki (Tsukuba, Japan)	
Martensitic transformation and shape memory effect at very high temperatures in HfPd, and TiAu intermetallic compounds	S388
P. Vermaut, C. Declairieux (Paris, France), P. Ochin (Thiais, France), V. Kolomytsev (Kiev, Ukraine), A. Pasko (Cachan, France), G. Monastyrsky (Kyiv, Ukraine), A. Denquin (Châtillon, France), R. Portier (Paris, France)	
Shape memory effect and high-temperature superelasticity in high-strength single crystals	S393
Yu. Chumlyakov, I. Kireeva, E. Panchenko (Tomsk, Russia), I. Karaman (College Station, TX, USA), H.J. Maier (Paderborn, Germany), E. Timofeeva (Tomsk, Russia)	
Composition dependence of phase transformation behavior and shape memory effect of Ti(Pt, Ir)	S399
Y. Yamabe-Mitarai, T. Hara, T. Kitashima (Tsukuba, Japan), S. Miura (Sapporo, Japan), H. Hosoda (Yokohama, Japan)	
5(d) Biomedical shape memory alloys	
Role of interstitial atoms in the microstructure and non-linear elastic deformation behavior of Ti–Nb alloy	S404
M. Tahara (Yokohama, Japan), H.Y. Kim (Tsukuba, Japan), T. Inamura, H. Hosoda (Yokohama, Japan), S. Miyazaki (Tsukuba, Japan)	
Fabrication of Ti–Nb alloys by powder metallurgy process and their shape memory characteristics	S408
A. Terayama, N. Fuyama, Y. Yamashita, I. Ishizaki (Kure, Japan), H. Kyogoku (Higashihiroshima, Japan)	
Mechanical properties of porous metastable beta Ti–Nb–Zr alloys for biomedical applications	S413
V. Brailovski (Montreal (Quebec), Canada), S. Prokoshkin (Moscow, Russian Federation), M. Gauthier (Boucherville (Quebec), Canada), K. Inaekyan (Montreal (Quebec), Canada), S. Dubinskiy (Montreal (Quebec), Canada, Moscow, Russian Federation)	
Formation of nanostructures in thermomechanically-treated Ti–Ni and Ti–Nb–(Zr, Ta) SMAs and their roles in martensite crystal lattice changes and mechanical behavior	S418
S. Prokoshkin (Moscow, Russia), V. Brailovski (Montreal, Canada), A. Korotitskiy (Moscow, Russia), K. Inaekyan (Montreal, Canada), S. Dubinskiy (Moscow, Russia and Montreal, Canada), M. Filonov, M. Petrzhik (Moscow, Russia)	
Microstructural characterization on martensitic α' phase in Ti–Nb–Pd alloys	S423
S.Q. Wu (Tsukuba, Japan, Shenyang, China and Beijing, China), D.H. Ping, Y. Yamabe-Mitarai, T. Kitashima (Tsukuba, Japan), G.P. Li, R. Yang (Shenyang, China)	

Effect of α phase precipitation on martensitic transformation and mechanical properties of metastable β Ti–6Cr–3Sn biomedical alloy	S427
A. Wadood, T. Inamura, H. Hosoda (Yokohama, Japan), S. Miyazaki (Ibaraki, Japan)	
Relation between negative temperature coefficient in electrical resistivity and athermal ω phase in Ti–xNb ($26 \leq x \leq 29$ at.%) alloys	S431
M. Todai, T. Fukuda, T. Kakeshita (Osaka, Japan)	
Effect of Nb content on deformation behavior and shape memory properties of Ti–Nb alloys	S435
H. Tobe, H.Y. Kim (Tsukuba, Japan), T. Inamura, H. Hosoda (Yokohama, Japan), T.H. Nam (Jinju, Republic of Korea), S. Miyazaki (Tsukuba, Japan)	
Isothermal α'' formation in β metastable titanium alloys	S439
E. Aeby-Gautier (Nancy, France), A. Settefrati (Nancy, France and Toulouse, France), F. Bruneseaux (Nancy, France), B. Appolaire (Chatillon, France), B. Denand, M. Dehmas, G. Geandier, P. Boulet (Nancy, France)	
Hysteretic behavior of NiTi and NiTiNb SMA wires under recovery or pre-stressing stress	S444
E. Choi, H.K. Hong, H.S. Kim, Y.S. Chung (Seoul, Republic of Korea)	
Effect of plastic deformation on material properties and martensite structures in Ti–Nb alloys	S448
Y. Mantani (Suzuka, Japan), K. Kudou (Yokohama, Japan)	
Effect of annealing temperature on shape memory characteristics in Ti–20Nb–6Zr–0.5O(at%) biomedical alloy	S453
J.I. Kim, Y.C. Park, J.M. Ock (Busan, Republic of Korea)	
5(e) Other alloys	
Effect of multi-step structural transitions in parent phase on martensitic transformation in $\text{Au}_{7.01}\text{Cu}_{5.15}\text{Al}_{3.77}$ alloy	S459
J. Mingjiang, L. Jiayi, G. Yonghong, J. Xuejun (Shanghai, China)	
Thermal treatments and transformation behavior of Cu–Al–Be shape memory alloys	S463
I. Lopez-Ferreño, T. Breczewski, I. Ruiz-Larrea, A. Lopez-Echarri, M.L. Nó, J. San Juan (Bilbao, Spain)	
The effect of point defects on ferroelastic phase transition of lanthanum-doped calcium titanate ceramics	S468
Y. Ni, Z. Zhang, D. Wang, Y. Wang (Xi'an, China), X. Ren (Xi'an, China and Tsukuba, Japan)	
Spark plasma sintering of Cu–Al–Ni shape memory alloy	S472
R.A. Portier (Paris, France), P. Ochin, A. Pasko (Thiais, France), G.E. Monastyrsky, A.V. Gilchuk, V.I. Kolomytsev, Y.N. Koval (Kyiv, Ukraine)	
An attempt to lower Mn content of Fe–17Mn–6Si–0.3C shape memory alloy	S478
X.H. Min, T. Sawaguchi, K. Ogawa (Tsukuba, Japan), T. Maruyama (Tokyo, Japan), F.X. Yin (Tsukuba, Japan), K. Tsuzaki (Tsukuba, Japan and Ibaraki, Japan)	
Dielectric relaxation of the $\text{Ca}_2\text{MnO}_{4-\delta}$ system	S483
N. Chihaoui, M. Bejar, E. Dhahri (Sfax, Tunisia), M.A. Valente, M.P.F. Graça, L.C. Costa (Aveiro, Portugal)	
Relaxor and ferro/piezoelectric behavior in BiScO_3 –($\text{Na}_{0.5}\text{Bi}_{0.5}$) TiO_3 – PbTiO_3 piezoelectric ceramics	S488
Z. Yao, Z. Song, H. Liu, H. Hao, M. Cao, Z. Yu (Wuhan, PR China)	
Microstructure and mechanical properties of lanthanum oxide-doped Mo–12Si–8.5B(at%) alloys	S493
Z. Guo-jun, D. Qian, K. Hao, W. Rui-hong, L. Gang, S. Jun (Xi'an, China)	
The metastability and martensitic transformation of Co particles	S499
Q. Meng, X. Chen, S. Guo, X. Zhao (Beijing, PR China)	
Orthorhombic martensite formed in L1_2 -type Fe_3Pt Invar alloy	S503
M. Yamamoto, T. Fukuda, T. Kakeshita (Osaka, Japan), K. Takahashi (Sendai, Japan)	
Phase transformation behavior and pseudoelastic deformation in SrAl_2O_4	S507
H. Matsuo, K. Ikeda, S. Hata, H. Nakashima (Fukuoka, Japan), H. Yamada (Saga, Japan), C.N. Xu (Saga, Japan and Saitama, Japan)	
Effect of thermal and mechanical cycling on the elastic and dissipative energy in CuAl(11.5wt%)Ni(5.0wt%) shape memory alloy	S517
T.Y. Elrasasi, M.M. Dobróka, L. Daróczy, D.L. Beke (Debrecen, Hungary)	
Size effect for phase stability on Au–Cd–Ag of phase boundary composition	S521
Y. Matsuoka, K. Suzuki, N. Kudo (Nara, Japan)	
6. Novel structural materials and design	
Role of stress-induced martensitic transformation in TRIP effect of metastable austenitic steels	S525
N. Tsuchida (Himeji, Japan), S. Kawabata (Japan), K. Fukaura (Himeji, Japan), R. Ueji (Takamatsu, Japan)	
Variant selection of lath martensite and bainite transformation in low carbon steel by ausforming	S528
G. Miyamoto, N. Iwata, N. Takayama, T. Furuhashi (Sendai, Japan)	
Temperature dependence of intersection reactions of ϵ martensite plates in an Fe–30Mn–4Si–2Al TRIP/TWIP steel	S533
X. Zhang (China and Japan), T. Sawaguchi, K. Ogawa, F. Yin (Japan), X. Zhao (China)	
Tempforming in medium-carbon low-alloy steel	S538
Y. Kimura, T. Inoue, K. Tsuzaki (Tsukuba, Japan)	
In situ investigation of the martensitic transformation in Fe–12 wt.%Ni–0.6 wt.%C steel at subzero temperatures	S543
M. Villa, K. Pantleon, M.A.J. Somers (Lyngby, Denmark)	
Effect of quenching rate on hardness and microstructure of hot-stamped steel	S549
T. Nishibata, N. Kojima (Amagasaki, Japan)	

Micromechanical characterization of deformation behavior in ferrous lath martensite	S555
A. Shibata (Kyoto, Japan), T. Nagoshi, M. Sone, Y. Higo (Yokohama, Japan)	
Effect of nitrogen microalloying on structure and properties of quenched martensitic steels	S559
V. Prokoshkina, L. Kaputkina, G. Khadeev (Moscow, Russia)	
Effect of Ga concentration on twinning pseudoelasticity in Fe–Ga single crystals	S563
H.Y. Yasuda, Y. Oda, T. Kishimoto, T. Maruyama (Osaka, Japan)	
Strengthening and toughening mechanisms of quenching–partitioning–tempering (Q–P–T) steels	S568
T.Y. Hsu (Xu Zuyao), X.J. Jin, Y.H. Rong (Shanghai, China)	
Microstructural evaluation of austenite reversion during intercritical annealing of Fe–Ni–Mn martensitic steel	S572
H. Shirazi (Sendai, Japan and Tehran, Iran), G. Miyamoto (Sendai, Japan), S. Hossein Nedjad (Tabriz, Iran), H. Ghasemi-Nanesa, M. Nili Ahmadabadi (Tehran, Iran), T. Furuhashi (Sendai, Japan)	
Orientation relationships between phases arising during compression testing in ZrO ₂ –TRIP–steel composites	S578
S. Martin, S. Richter, A. Poklad, H. Berek, S. Decker, U. Martin, L. Krüger, D. Rafaja (Freiberg, Germany)	
Energetic stability of boundary between variants in lath martensite	S583
A.H. Pham, T. Ohba, S. Morito, T. Hayashi (Matsue, Japan)	
Quantitative analysis of three-dimensional morphology of martensite packets and blocks in iron-carbon-manganese steels	S587
S. Morito, Y. Edamatsu, K. Ichinotani, T. Ohba, T. Hayashi (Matsue, Japan), Y. Adachi (Tsukuba, Japan), T. Furuhashi, G. Miyamoto, N. Takayama (Sendai, Japan)	
Individual mechanical properties of ferrite and martensite in Fe–0.16 mass% C–1.0 mass% Si–1.5 mass% Mn steel	S593
K. Hayashi, K. Miyata, F. Katsuki (Amagasaki, Japan), T. Ishimoto, T. Nakano (Japan)	
Connectivity of slip systems between different phases in ferrite-martensite dual-phase steels	S597
S. Sakai, S. Morito, T. Ohba (Matsue, Japan), H. Yoshida (Fukuyama, Japan), S. Takagi (Chuo-ku, Japan)	
Variant selection of martensites in steel welded joints with low transformation temperature weld metals	S601
M. Takahashi, H.Y. Yasuda (Osaka, Japan)	
Effect of magnetic field on isothermal martensitic transformation in a sensitized SUS304 austenitic stainless steel	S605
J.Y. Choi, T. Fukuda, T. Kakeshita (Osaka, Japan)	
The influence of austenite texture on the martensitic transformation of an austenitic stainless steel	S609
P. Hilkhuijsen (Delft, Netherlands and Enschede, Netherlands), H.J.M. Geijselaers, T.C. Bor (Enschede, Netherlands)	
Influence of pre-strain on thermal stability of non-equilibrium microstructures in a low alloy steel	S614
C. Sun, S. Yang, X. Wang, R. Zhang, X. He (Beijing, China)	
Influence of combined Cu and Nb addition on the quenched microstructure and precipitation during tempering in ultra-low carbon steels	S619
H. Guo (Beijing, PR China), J. Cheng (Jiangsu, PR China), S. Yang, X. He (Beijing, PR China)	
New experimental evidence of the diffusionless transformation nature of bainite	S626
F.G. Caballero (Madrid, Spain), M.K. Miller (Oak Ridge, TN, USA), C. Garcia-Mateo, J. Cornide (Madrid, Spain)	
Effects of aging treatment on martensitic transformation of Fe–Ni–Co–Al–Ta–B alloys	S631
Y. Geng, M. Jin, W. Ren, W. Zhang, X. Jin (Shanghai, China)	
Transition in fracture mode from ductile to intergranular and cleavage in 0.05%P doped high strength steel	S636
M. Jafari, K. Tsuzaki (Tsukuba, Japan)	
Effect of austenite grain structure on the strength and toughness of direct-quenched martensite	S642
A.J. Kajjalainen, P.P. Suikkanen, T.J. Limnell, L.P. Karjalainen, J.I. Kömi, D.A. Porter (Finland)	
Martensite formation in a new manganese alloyed metastable austenitic steel (AISI 200-series)	S649
P. Seemann, S. Kurz (Konstanzerstrasse, Switzerland), P. Gümpel (Konstanz, Germany)	
Effect of retained austenite on austenite memory of a 13% Cr–5% Ni martensitic steel	S654
L. Liu, Z.-G. Yang, C. Zhang (Beijing, China)	
Effects of auto-tempering behaviour of martensite on mechanical properties of ultra high strength steel sheets	S661
H. Matsuda, R. Mizuno, Y. Funakawa, K. Seto, S. Matsuoka, Y. Tanaka (Kurashiki, Japan)	
Variant selection of martensite transformation from ultrafine-grained austenite in Fe–Ni–C alloy	S668
H. Jafarian (Kyoto, Japan and Tehran, Iran), E. Borhani (Kyoto, Japan and Semnan, Iran), A. Shibata, N. Tsuji (Kyoto, Japan)	
Characteristics of Japanese sword produced from <i>tatara</i> steel	S673
C. Matsumoto, A.K. Das, T. Ohba, S. Morito, T. Hayashi, G. Takami (Shimane, Japan)	
The microstructure and properties of high performance steels with low yield-to-tensile ratio	S678
X. Wang, H. Zhao, C. Shang, X. He (Beijing, China)	
The effect of martensitic transformation on residual stress in resistance spot welded high-strength steel sheets	S684
M. Iyota, Y. Mikami, T. Hashimoto (Osaka, Japan), K. Taniguchi, R. Ikeda (Chiba, Japan), M. Mochizuki (Osaka, Japan)	
Study of Japanese sword from a viewpoint of steel strength	S690
M. Yaso, T. Takaiwa, Y. Minagi, T. Kanaizumi, K. Kubota, T. Hayashi, S. Morito, T. Ohba (Shimane, Japan)	
Real-time structural analysis of quenching and partitioning (Q&P) in an experimental martensitic steel	S695
T.D. Bigg, D.V. Edmonds, E.S. Eardley (West Yorkshire, UK)	

7. Novel characterization and testing

Acoustic emission in martensitic transformations	S699
A. Planes, L. Mañosa, E. Vives (Barcelona, Spain)	
Recent EM investigations on nano- and micro-defect structures in SMAs	S705
D. Schryvers, S. Cao, S. Pourbabak, H. Shi, J.B. Lu (Antwerp, Belgium)	
3D defect structure of products in displacive phase transformations	S710
R.C. Pond (Exeter, UK), J.P. Hirth (Hereford, AZ, USA)	
HAADF-STEM studies of athermal and isothermal ω -phases in β -Zr alloy	S713
E. Okunishi, T. Kawai, M. Mitsuhashi, S. Farjami, M. Itakura (Kasuga, Japan), T. Hara (Tsukuba, Japan), M. Nishida (Kasuga, Japan)	
Application of orthogonally arranged FIB-SEM for precise microstructure analysis of materials	S717
T. Hara, K. Tsuchiya, K. Tsuzaki (Tsukuba, Japan), X. Man, T. Asahata, A. Uemoto (Oyama, Japan)	
Optical imaging and magnetocaloric effect measurements in pulsed high magnetic fields and their application to Ni-Co-Mn-In Heusler alloy	S722
T. Kihara, I. Katakura, M. Tokunaga, A. Matsuo, K. Kawaguchi, A. Kondo, K. Kindo (Kashiwa, Japan), W. Ito (Medeshima-Shiote, Japan), X. Xu, R. Kainuma (Sendai, Japan)	
Determining Ms temperature on a AISI D2 cold work tool steel using magnetic Barkhausen noise	S726
E.A. Huallpa (SP, Brazil), J.C. Sánchez (Santiago de Cuba, Cuba), L.R. Padovese, H. Goldenstein (SP, Brazil)	
TEM studies of domain formation mechanisms in MnV_2O_4	S731
Y. Murakami (Sendai, Japan and Wako, Japan), Y. Nii, T. Arima (Sendai, Japan), D. Shindo (Sendai, Japan and Wako, Japan), K. Yanagisawa (Wako, Japan and Okinawa, Japan), A. Tonomura (Wako, Japan, Hatoyama, Japan and Okinawa, Japan)	
Detecting martensitic transformations using spontaneous magnetic emission (SME)	S736
H. Goldenstein, E.A. Huallpa (SP, Brazil), J.C. Sánchez (Santiago de Cuba, Cuba), L.R. Padovese (SP, Brazil)	

8. Applications

Effect of change in coil orientation for SMA spring	S741
K.E. Kim (Seoul, Republic of Korea), J.H. Han (Daejeon, Republic of Korea), Y.M. Sung, K.K. Jee (Seoul, Republic of Korea), W.Y. Jang (Gwangju, Republic of Korea)	
Torsional deformation characteristics of TiNi SMA tape and application to rotary actuator	S745
H. Tobushi (Toyota, Japan), E. Pieczyska (Warsaw, Poland), K. Miyamoto (Nagoya, Japan), K. Mitsui (Toyota, Japan)	
Constrained martensitic transformation in nanocrystalline TiNi/NbTi shape memory composites	S749
D. Jiang, J. Jiang, X. Shi, X. Jiang, S. Jiao, L. Cui (Beijing, China)	
Peculiarities of behaviour of Ti-50.7% Ni alloy for suturing of blood vessels	S752
I. Khmelevskaya, E. Ryklina (Moscow, Russia), M. Soutorine (Brighton, Australia), S. Prokoshkin (Moscow, Russia)	
Lateral reinforcement of welded SMA rings for reinforced concrete columns	S756
E. Choi, S.-H. Park (Seoul, Republic of Korea), B.-S. Cho (Kimhae, Republic of Korea), D. Hui (LA, USA)	