


Volume 577

15 November 2013
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI


H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jallcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Understanding of the correlation between work function and surface morphology of metals and alloys M. Xue, W. Wang, F. Wang, J. Ou, C. Li and W. Li (Nanchang, PR China)	1
<i>In situ</i> synchrotron X-ray diffraction study on the improved dehydrogenation performance of NaAlH ₄ –Mg(AlH ₄) ₂ mixture C.-H. Yang, T.-T. Chen, W.-T. Tsai and B.H. Liu (Tainan, Taiwan)	6
Optical band gap and disordered structure in Li ₈ GeN ₄ H. Aoyama, S. Kuwano, K. Kuriyama (Tokyo, Japan) and K. Kushida (Osaka, Japan)	11
Effects of radio frequency power on the optical and electrical properties of germanium carbon films X.-S. Che, Z.-T. Liu, Y.-P. Li and T.-T. Tan (Xi'an, PR China)	15
Magnetic, transport and electronic properties of SmNi ₄ Si compound M. Falkowski (Poznań, Poland), (Auckland Park, South Africa), M. Pugaczowa-Michalska and A. Kowalczyk (Poznań, Poland)	19
Stages in room temperature torsional deformation of a Vitreloy bulk metallic glass M. Ezzeldien, Z. Kovács, J. Lendvai (Budapest, Hungary), F. Chmelík and K. Máthys (Czech Republic)	25
Electrical properties of Au/perylene-monoimide/p-Si Schottky diode Ö.F. Yüksel (Konya, Turkey), N. Tuğluoğlu (Ankara, Turkey), B. Gülveren, H. Şafak and M. Kuş (Konya, Turkey)	30
Wetting of B ₄ C by molten Ni–Ti alloys at 1753 K Q. Lin (Lanzhou, Changchun, PR China) and R. Sui (Lanzhou, PR China)	37
Hydrothermal epitaxial multiferroic BiFeO ₃ thick film by addition of the PVA H.-Y. Si (Shijiazhuang, China), (Singapore, Singapore), W.-I. Lu, J.-S. Chen, G.-M. Chow (Singapore, Singapore), X. Sun and J. Zhao (Shijiazhuang, China)	44
Enthalpies of formation of selected Co ₂ YZ Heusler compounds M. Yin, S. Chen and P. Nash (Chicago, USA)	49
On the La _{2/3–x} Li _{3x} TiO ₃ /Al ₂ O ₃ composite solid-electrolyte for Li-ion conduction H. Zhang, X. Liu (Morgantown, USA), Y. Qi and V. Liu (Warren, USA)	57
The catalysis mechanism of La hydrides on hydrogen storage properties of MgH ₂ in MgH ₂ +xwt.% LaH ₃ (x=0,10,20, and 30) composites X. Zhu, L. Pei, Z. Zhao, B. Liu, S. Han (Qinhuangdao, PR China) and R. Wang (Ontario, Canada)	64
Spark plasma sintering of dispersion hardened Cu–Cr–Nb alloy powders A.K. Shukla, S.V.S. Narayana Murty, R. Suresh Kumar (Trivandrum, India) and K. Mondal (Kanpur, India)	70
Composition dependent room temperature ferromagnetism and PL intensity of cobalt doped ZnS nanoparticles B. Poornaprakash, D. Amaranatha Reddy, G. Murali (Tirupati, India), N. Madhusudhana Rao (Vellore, India), R.P. Vijayalakshmi and B.K. Reddy (Tirupati, India)	79
Luminescence properties of Yb ³⁺ /Ho ³⁺ co-doped Sr ₃ YAl ₂ O _{7,5} and Sr ₃ LuAl ₂ O _{7,5} powders J. Yang, J. Ding, S. Xiao, Y. Liang and J. Chai (Changchun, PR China)	86
Optimization of synthesis conditions for plasma-sintered beryllium–titanium intermetallic compounds J.-H. Kim and M. Nakamichi (Aomori, Japan)	90
Solvent effect on electrospinning of nanotubes: The case of magnesium ferrite J. Fu, J. Zhang, C. Zhao, Y. Peng, X. Li, Y. He, Z. Zhang, X. Pan (Lanzhou, PR China), N.J. Mellors (Greater Manchester, UK) and E. Xie (Lanzhou, PR China)	97
Evolution of Fe based intermetallic phases in Al–Si hypoeutectic casting alloys: Influence of the Si and Fe concentrations, and solidification rate A. Gorny, J. Manickaraj (Hamilton, Canada), Z. Cai (Argonne, USA) and S. Shankar (Hamilton, Canada)	103
Structure of bicomponent metal–oxide composites synthesized by electron beam irradiation method J. Kugai, T. Moriya, S. Seino, T. Nakagawa, Y. Ohkubo, K. Ueno (Osaka, Japan), H. Nitani (Ibaraki, Japan) and T.A. Yamamoto (Osaka, Japan)	125

Hydrothermal synthesis of highly crystalline Zn ₂ SnO ₄ nanoflowers and their optical properties M. Mary Jaculine (Chennai, India), C. Justin Raj (Seoul, South Korea) and S. Jerome Das (Chennai, India)	131
Syntheses of spherical LiMn ₂ O ₄ with Mn ₃ O ₄ and its electrochemistry performance J. Jiang, K. Du, Y. Cao, Z. Peng, G. Hu and J. Duan (Changsha, PR China)	138
The interface states and series resistance analyzing of Au/SiO ₂ /n-GaAs at high temperatures H. Altuntas (Cankiri, Turkey) and S. Ozcelik (Ankara, Turkey)	143
Synthesis and thermochemistry of new phase BaCe _{0.7} Nd _{0.2} In _{0.1} O _{2.85} N.I. Matskevich, M.Y. Matskevich (Novosibirsk, Russia), T. Wolf (Karlsruhe, Germany), A.N. Bryzgalova (Novosibirsk, Russia), T.I. Chupakhina (Ekaterinburg, Russia) and O.I. Anyfrieva (Novosibirsk, Russia)	148
Enhanced superplasticity of ultra-fine grained Ti-17 powder compact prepared through HIP/IF Z.L. Zhao, H.Z. Guo (Xi'an, China), T. Wang (Beijing, China) and Z.K. Yao (Xi'an, China)	152
Facile synthetic route for producing one-dimensional zinc oxide nanoflowers and characterization of their optical properties D.M. Cunha and F.L. Souza (André, Brazil)	158
Critical phenomena in Pr _{0.52} Sr _{0.48} MnO ₃ single crystal Sk. Sabyasachi, A. Bhattacharyya, S. Majumdar, S. Giri (Kolkata, India) and T. Chatterji (Grenoble Cedex, France)	165
White light emission, quantum cutting, and afterglow luminescence of Eu ³⁺ -doped Ba ₅ Gd ₃ Zn ₄ O ₂₁ Y. Yang, Z. Li, Z. Li, F. Jiao, X. Su and D. Ge (Baoding, China)	170
Metamagnetic phase transformation and magnetocaloric effect in quinary Ni ₄₅ Co ₅ Mn ₄₀ In _x Sn _{10-x} heusler alloy Z. Guo (Yichang, Beijing, PR China), L. Pan (Yichang, PR China), M.Y. Rafique, X. Zheng, H. Qiu and Z. Liu (Beijing, PR China)	174
Suppression of oxygen vacancies in Be alloyed ZnO M. Chen, Y. Zhu, L. Su, Q. Zhang, R. Xiang, X. Gui, T. Wu (Guangzhou, China), X. Cao, P. Zhang, B. Wang (Beijing, China) and Z. Tang (Guangzhou, Hong Kong, China)	179
Effect of heavy doping of nickel in compound Mo ₃ Sb ₇ : Structure and thermoelectric properties X. Deng (Changchun, Beijing, People's Republic of China), M. Lü and J. Meng (Changchun, People's Republic of China)	183
Hydrogen trapping at dislocation cores at room temperature in deformed Pd B.J. Heuser, D.R. Trinkle, T.-N. Yang (Urbana, United States) and L. He (Oak Ridge, United States)	189
Ferromagnetic Fe ₃ O ₄ nanofibers: Electrospinning synthesis and characterization W. Pan, R. Han, X. Chi, Q. Liu and J. Wang (Lanzhou, PR China)	192
EPD and spark plasma sintering of bimodal alumina/titania concentrated suspensions A. Borrell, M.D. Salvador (Valencia, Spain), V.G. Rocha, A. Fernández (Llanera, Spain), T. Molina and R. Moreno (Madrid, Spain)	195
Magnetic properties of single-crystalline TbFe ₅ Al ₇ D.I. Gorbunov (Prague, Czech Republic) (Ekaterinburg, Russia) and A.V. Andreev (Prague, Czech Republic)	203
Revision of the Ge-Ti phase diagram and structural stability of the new phase Ge ₄ Ti ₅ R.W. Bittner (Wien, Austria), C. Colinet (Saint Martin d'Hères Cedex, France), J.-C. Tedenac (Montpellier Cedex, France) and K.W. Richter (Wien, Austria)	211
Effect of Si/B ratio on the microstructure and mechanical properties of lanthanum oxide-doped Mo-Si-B alloys G. Zhang, W. He, B. Li, Y. Zha and J. Sun (Xi'an, China)	217
Evidences of magneto-electric coupling in BFO-BT solid solutions M. Kumar (Varanasi, New Delhi, India), S. Shankar, R.K. Kotnala (New Delhi, India) and O. Parkash (Varanasi, India)	222
Comparison of aqueous- and non-aqueous-based tape casting for preparing YAG transparent ceramics X. Ba (Shanghai, Beijing, Qiqihar, PR China), J. Li, Y. Pan, Y. Zeng, H. Kou, W. Liu (Shanghai, PR China), J. Liu (Shanghai, Zhenjiang, PR China), L. Wu and J. Guo (Shanghai, PR China)	228
Effect of in situ γ -Al ₂ O ₃ particles on the microstructure of hypereutectic Al-20%Si alloy Q. Li, T. Xia, Y. Lan, W. Zhao, L. Fan and P. Li (Lanzhou, PR China)	232
Specific features of Yb ³⁺ ions in electronic band energy structure and optical functions of RbNd(WO ₄) ₂ crystals: Synchrotron ellipsometry measurements and DFT simulations B. Andriyevsky (Koszalin, Poland), M. Piasecki (Czestochowa, Poland), K. Dorywalski (Koszalin, Poland), C. Cobet (Berlin, Germany), (Linz, Austria), N. Esser (Berlin, Germany), M. Świrkowicz, A. Majchrowski, L.R. Jaroszewicz (Warsaw, Poland) and I.V. Kityk (Czestochowa, Poland)	237
Microstructure refinement and strengthening mechanisms of a 12Cr ODS steel processed by equal channel angular extrusion M. Song, C. Sun (College Station, USA), J. Jang, C.H. Han, T.K. Kim (Daejeon, South Korea), K.T. Hartwig and X. Zhang (College Station, USA)	247
Decoupling of pronounced beta and alpha relaxations and related mechanical property change D.D. Liang, X.D. Wang, Y. Ma, K. Ge, Q.P. Cao and J.Z. Jiang (Hangzhou, PR China)	257
Effect of post-deposition annealing on the growth of nanocrystalline TiO ₂ thin films and elastic anisotropy of rutile phase at different temperatures B.K. Sarma, A.R. Pal, H. Bailung and J. Chutia (Guwahati, India)	261
Versatile electronic behavior of the Li _x Mn _{3-x-y} Fe _y O ₄ spinels D. Alonso-Domínguez, I. Álvarez-Serrano, M.L. López, M.L. Veiga, C. Pico, F. Mompeán, M. García-Hernández (Madrid, Spain) and G.J. Cuello (Grenoble, France)	269
A ¹¹⁹ Sn Mössbauer effect investigation of carbon-rich Sn-C thin films R.A. Dunlap and J.S. Thorne (Nova Scotia, Canada)	278

Evolution of visible photoluminescence of Si quantum dots embedded in silicon oxide matrix A.Y. Karlash, V.A. Skryshevsky, G.V. Kuznetsov and V.P. Kladko (Kyiv, Ukraine)	283
Oxygen storage capacity and structural properties of Ni-doped LaMnO ₃ perovskites R. Ran, X. Wu, D. Weng and J. Fan (Beijing, China)	288
Structural and controllable thermal expansion properties of Sc _{2-x} Al _x Mo ₃ O ₁₂ M. Wu, J. Peng (Beijing, China), Y. Cheng (Zibo, China), X. Xiao, D. Chen and Z. Hu (Beijing, China)	295
Constant-volume heat capacity at glass transition M.B. Tang (Shanghai, China), W.H. Wang (Beijing, China), L. Xia and J.T. Zhao (Shanghai, China)	299
Dominant itinerant ferromagnetism in Eu _{0.5} Sr _{0.5} CoO ₃ : Evidences from both critical analysis and Rhodes-Wohlfarth's criterion R. Li, F. Li, J. Fang, W. Tong, C. Zhang, L. Pi and Y. Zhang (Hefei, People's Republic of China)	303
Microstructure evolution in laser surface remelting of Ni–33wt.%Sn alloy Z. Wang (Xi'an, Nanchang, PR China), X. Lin, Y. Cao and W. Huang (Xi'an, PR China)	309
Thermodynamic assessment for the Bi–Mn binary phase diagram in high magnetic fields Y. Mitsui, K. Oikawa (Sendai, Japan), K. Koyama (Kagoshima, Japan) and K. Watanabe (Sendai, Japan)	315
Glycothermal synthesis and photoluminescent properties of Ce ³⁺ -doped YBO ₃ mesocrystals H. Hara, S. Takeshita, T. Isobe (Yokohama, Japan), Y. Nanai, T. Okuno (Tokyo, Japan), T. Sawayama and S. Niikura (Kamakura, Japan)	320
High-pressure polymorphs of TbVO ₄ : A Raman and <i>ab initio</i> study D. Errandonea, F.J. Manjón (Valencia, Spain), A. Muñoz, P. Rodríguez-Hernández (Tenerife, Spain), V. Panchal (Valencia, Spain) (Mumbai, India), S.N. Achary and A.K. Tyagi (Mumbai, India)	327
Fabrication of 60 wt%W–40 wt%Cu composite with crystal orientation by combustion synthesis and melt-infiltration in ultrahigh-gravity field P. Zhao, S. Guo, G. Liu, Y. Chen and J. Li (Beijing, China)	336
Effects of rapid thermal annealing on Hf-doped ZnO films grown by atomic layer deposition S.-B. Zhu, Y. Geng, H.-L. Lu, Y. Zhang, Q.-Q. Sun, S.-J. Ding and D.W. Zhang (Shanghai, China)	340
Quaternary magnetic FeNiPC bulk metallic glasses with large plasticity X. Ma, X. Yang, Q. Li (Xinjiang, People's Republic of China) and S. Guo (Chongqing, People's Republic of China)	345
Reliability/unreliability of mixture rule in a low alloy ferrite–martensite dual phase steel E. Fereiduni and S.S. Ghasemi Banadkouki (Yazd, Iran)	351
Electrical resistivity of YSZ-coated stainless steel electrodes. A study by response surface methodology J. Mangas-Murillo, E.M. Cuerda-Correa, J.R. Domínguez, A. Macías-García and E. Bernalte (Badajoz, Spain)	360
The Fe–Mn enthalpy phase diagram from first principles S. Lintzen, J. von Appen, B. Hallstedt and R. Dronskowski (Aachen, Germany)	370
A study on structural and magnetic properties of Ni-substituted magnetite nanoparticles G. Rana and U.C. Johri (Pantnagar, India)	376
Synthesis and characterization of Al-substituted W-type hexagonal ferrites for high frequency applications M. Ahmad (Multan, Pakistan), R. Grössinger (Vienna, Austria), I. Ali, I. Ahmad and M.U. Rana (Multan, Pakistan)	382
A facile method for preparation ZnO with different morphology and their optical property K. Zhou, Q. Zhang, Y. Shi, S. Jiang, Y. Hu and Z. Gui (Anhui, PR China)	389
Physical and chemical contributions of a plasma treatment in the growth of ZnO nanorods J.T. Jang, H. Ryu (Gyeongnam, Republic of Korea), W.J. Lee (Busan, Republic of Korea) and J. Yun (Gyeongnam, Republic of Korea)	395
Single crystal ellipsoidal and spherical particles of α -Fe ₂ O ₃ : Hydrothermal synthesis, formation mechanism, and magnetic properties H. Jiao and J. Wang (Wei Nan, China)	402
Microstructural evolution and chemical redistribution in Fe–Cr–W–Ti–Y ₂ O ₃ nanostructured powders prepared by ball milling B. Dousti, R. Mojaver, H.R. Shahverdi and R.S. Mamoory (Tehran, Iran)	409
Effect of site disorder on the electronic properties of Fe ₂ VAl Heusler alloy Ch. Venkatesh (Kharagpur, India), V. Srinivas (Kharagpur, Chennai, India), V.V. Rao, S.K. Srivastava (Kharagpur, India) and P.S. Babu (Andhra Pradesh, India)	417
Up-conversion luminescence properties of Yb ³⁺ /Er ³⁺ co-doped AgGd(W,Mo) ₂ O ₈ phosphors W. Wang, N. Liu, Y. Du, Y. Wang, L. Li and H. Jiao (Xi'an, China)	426
Investigation of the quantum well width on the size effect of PbSe/ZnSe multiple quantum well structures by non-epitaxial growth V. Arivazhagan, M. Manonmani Parvathi and S. Rajesh (Coimbatore, India)	431
The dependence of the electron beam remelting parameters on the surface residual stress and hardness of NbSi ₂ coatings on niobium alloys J. He (Harbin, Lanzhou, PR China), B.G. Zhang and W.L. Li (Harbin, PR China)	436
Corrosion properties of tin–copper alloy coatings in aspect of tin whisker growth B. Horváth (Ibaraki, Japan), (Budapest, Hungary), T. Shinohara (Ibaraki, Japan) and B. Illés (Budapest, Hungary)	439
Effect of adhesion of metals on deterioration of Pd and Pd alloy membranes M. Miyamoto, M. Tokiwa, Y. Oumi and S. Uemiya (Gifu, Japan)	445
Glass formation of Zr–Cu–Ni–Al bulk metallic glasses correlated with L→Zr ₂ Cu+ZrCu pseudo binary eutectic reaction J.L. Cheng and G. Chen (Nanjing, PR China)	451

Effect of Mg and Sr co-doping on the electrical properties of ceria-based electrolyte materials for intermediate temperature solid oxide fuel cells N. Jaiswal, D. Kumar, S. Upadhyay and O. Parkash (Varanasi, India)	456
First principles methods for elpasolite halide crystal structure prediction at finite temperatures K.M. Nicholson, S.G. Kang and D.S. Sholl (Atlanta, United States)	463
Exploring the dielectric behavior of Co doped ZnO nanoparticles synthesized by wet chemical route using impedance spectroscopy M. Arshad, A.S. Ahmed (Aligarh, India), A. Azam (Aligarh, India), (Jeddah, Saudi Arabia) and A.H. Naqvi (Aligarh, India)	469
Ti substitution for Mn in MnCoGe – The magnetism of Mn _{0.9} Ti _{0.1} CoGe J.L. Wang (Wollongong, Lucas Heights, Australia), P. Shamba (Wollongong, Australia), W.D. Hutchison (Canberra, Australia), M.F. Md Din (Wollongong, Australia), J.C. Debnath (Wollongong, Australia), (Auckland Park, South Africa), M. Avdeev (Lucas Heights, Australia), R. Zeng (Wollongong, Sydney, Australia), S.J. Kennedy (Lucas Heights, Australia), S.J. Campbell (Canberra, Australia) and S.X. Dou (Wollongong, Australia)	475
Photoluminescence properties of Ca _{0.99} Eu _{0.01} (Mo _{1-x} Si _x)O ₄ nanocrystals red-phosphors obtained by the hydrothermal method Z.-w. Zhang, L. Liu, X.-h. Shen, Y.-s. Peng (Qinhuangdao, PR China), C.-y. Cao (Ji'an, PR China), W.-g. Zhang and D.-j. Wang (Qinhuangdao, PR China)	480
First-order magnetostructural transformation in Fe doped Mn–Co–Ge alloys Z. Wang, Z. Nie, J. Zeng, R. Su (Beijing, China), Y. Zhang (Argonne, USA), D.E. Brown (DeKalb, USA), Y. Ren (Argonne, USA) and Y. Wang (Beijing, China)	486
Flake-like ZnO nanostructures density for improved absorption using electrochemical deposition in UV detection N.K. Hassan (Penang, Malaysia), (Tikrit, Iraq) and M.R. Hashim (Penang, Malaysia)	491
Microstructure transformations in the heat-treated Mg–Zn–Y alloy J. Geng, X. Teng, G. Zhou and D. Zhao (Jinan, People's Republic of China)	498
Synthesis and electrochemical performance of macroporous LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ by a modified sol–gel method J.-Z. Kong, H.-F. Zhai, C. Ren, M.-Y. Gao, X. Zhang, H. Li (Nanjing, PR China), J.-X. Li, Z. Tang (Taixing, PR China) and F. Zhou (Nanjing, PR China)	507
Effect of Sr substitution for Ca on the Ca ₃ Co ₄ O ₉ thermoelectric properties G. Constantinescu, Sh. Rasekh, M.A. Torres, J.C. Diez, M.A. Madre and A. Sotelo (Zaragoza, Spain)	511
Evolution of the secondary α phase morphologies during isothermal heat treatment in Ti-7333 alloy X. Zhang, H. Kou, J. Li, F. Zhang and L. Zhou (Xi'an, PR China)	516
Luminescence and up-conversion mechanism of Er ³⁺ /Ho ³⁺ co-doped oxyfluoride tellurite glasses and glass–ceramics Z.-x. Hou, Z.-l. Xue, F. Li, M.-h. Wang, X.-d. Hu and S.-h. Wang (Shengyang, China)	523
Single-crystalline Fe ₃ O ₄ nanosheets: Facile sonochemical synthesis, evaluation and magnetic properties Q. Zhang, R. Chen, J. Gong, M. Yuan (Chongqing, China) and L. Chen (Chongqing, Nanjing, China)	528
Influence of annealing on the microwave-absorption properties of Ni/TiO ₂ nanocomposites N. Sun, B. Du, F. Liu (Shenyang, China), P. Si (Hangzhou, China), M. Zhao, X. Zhang and G. Shi (Shenyang, China)	533
Synthesis of PAA/NiFe ₂ O ₄ composite nanoparticles and the effect of microstructure on magnetism L. Zhang, W. Jiao, J. He and A. Zhang (Shandong, China)	538
Synthesis, electrical and dielectric properties of (Na ₂ O) _{0.5} –(P ₂ O ₅) _{0.5} glass S. Hraiech and M. Férid (Soliman, Tunisia)	543
Environmental remediation of Direct Blue dye solutions by photocatalytic oxidation with cuprous oxide E.S. Aazam (Jeddah, Saudi Arabia) and R.M. Mohamed (Jeddah, Saudi Arabia), (Cairo, Egypt)	550
Observation of magnetic behavior at low temperature in the Mg ₂ Al ₄ Si ₅ O ₁₈ system G. Kirat and M.A. Aksan (Malatya, Turkey)	556
Synthesis and properties of Li ₂ MnO ₃ -based cathode materials for lithium-ion batteries L. Xue, S. Zhang, S. Li, Y. Lu, O. Toprakci (Raleigh, USA), X. Xia (Raleigh, USA), (Urumchi, China), C. Chen (Urumchi, China), Y. Hu (Raleigh, USA), (Zhejiang, China) and X. Zhang (Raleigh, USA)	560
SiGe porous nanorod arrays as high-performance anode materials for lithium-ion batteries J. Yu, N. Du, J. Wang, H. Zhang and D. Yang (Hangzhou, People's Republic of China)	564
Fabrication, characterization and photocatalytic properties of millimeter-long TiO ₂ fiber with nanostructures using cellulose fiber as a template Y. Lu, Q. Sun (Harbin, PR China), T. Liu, D. Yang (Qingdao, PR China), Y. Liu and J. Li (Harbin, PR China)	569
Influence of Li and La content on phase structures and electrical properties of K _{0.5} Na _{0.5} NbO ₃ lead-free piezoelectric ceramics R. Rai (Aveiro, Portugal), R. Rani, S. Sharma (Patna, India) and A.L. Kholkin (Aveiro, Portugal)	575
AuAl ₂ and PtAl ₂ as potential plasmonic materials V.J. Keast, B. Zwan (Callaghan, Australia), S. Supansomboon, M.B. Cortie (Sydney, Australia) and P.O.Å. Persson (Linköping, Sweden)	581
First-principles prediction of the structural, elastic, electronic and optical properties of the Zintl phases MIn ₂ P ₂ (M=Ca,Sr) N. Guechi, A. Bouhemadou, A. Guechi, M. Reffas, L. Louail, A. Bourzami (Sétif, Algeria), M. Chegaar (Setif, Algeria) and S. Bin-Omran (Riyadh, Saudi Arabia)	587
Influence of the high energy ball milling on structure and reactivity of the Ni+Al powder mixture A.S. Rogachev (Chernogolovka, Moscow, Russia), N.F. Shkodich, S.G. Vadchenko (Chernogolovka, Russia), F. Baras (Dijon, France), D.Yu. Kovalev, S. Rouvimov, A.A. Nepapushev (Chernogolovka, Russia) and A.S. Mukasyan (Moscow, Russia), (United States)	600

Low-temperature preparation of self-polarized $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 films on well crystallized LaNiO_3 electrodes Y. Zhao (Jinan, China), X. Li (Shanghai, China), G. Hu (Jinan, China) and J. Xu (Shatin, Hong Kong)	606
Evaluation of the reducing product of carbonthermal reduction of ilmenite ores G. Chen, Z. Song, J. Chen, J. Peng (Kunming, PR China) and C. Srinivasakannan (Abu Dhabi, United Arab Emirates)	610
Elastic and electronic properties of antiperovskite-type Pd- and Pt-based ternary carbides from first-principles calculations V.V. Bannikov and A.L. Ivanovskii (Ekaterinburg, Russia)	615
Role of the β -phase in grain boundary and dislocation anelasticity in binary Al-Mg alloys I.S. Golovin, A.V. Mikhaylovskaya (Moscow, Russia) and H.-R. Sinning (Braunschweig, Germany)	622
Oxidation behavior and effect of oxidation on microstructure and tensile properties of Ti-5Al-5Mo-5V-1Cr-1Fe alloy W. Peng, W. Zeng, Y. Zhang, C. Shi, B. Quan and J. Wu (Xi'an, China)	633
Phase equilibria of the Ni-Si-P system at 800 °C Y. Liu (Changzhou, PR China), D. Cao (Xiangtan, PR China), H. Tu (Changzhou, PR China), X. Su (Changzhou, Xiangtan, PR China), J. Wang, C. Wu and H. Peng (Changzhou, PR China)	643
Nanoquasicrystalline Al-Fe-Cr-Nb alloys produced by powder metallurgy F. Audebert (Buenos Aires, Argentina), (Oxford, UK), M. Galano (Oxford, UK), C.T. Rios, H. Kasama, M. Peres, C. Kiminami, W.J. Botta and C. Bolfarini (São Carlos, Brazil)	650
Structure and optoelectronic properties of Mg-doped CuFeO_2 thin films prepared by sol-gel method Z. Deng, X. Fang, S. Wu, Y. Zhao, W. Dong, J. Shao and S. Wang (Hefei, PR China)	658
Hydrothermal self-assembly of hierarchical flower-like ZnO nanospheres with nanosheets and their application in Li-ion batteries F. Li (Hangzhou, China), L. Yang (Luoyang, China), G. Xu, H. Xiaoqiang, X. Yang, X. Wei, Z. Ren, G. Shen and G. Han (Hangzhou, China)	663
First-principles investigations of the structural, electronic, and magnetic properties of $\text{Pt}_{13-n}\text{Ni}_n$ clusters F. Zhao, C. Liu, P. Wang, S. Huang and H. Tian (Beijing, China)	669
Crystal structure and physical properties of CePd_4Sn : A new magnetically ordered Kondo lattice A. Tursina, S. Nesterenko, Y. Seropegin (Moscow, Russia), A.M. Strydom (Auckland Park, South Africa), (Beijing, China) and J.L. Snyman (Auckland Park, South Africa)	677
Crystal structure and luminescence properties of Eu^{2+} activated $\text{Sr}_{12}\text{Al}_{14}\text{O}_{32}\text{Cl}_2$: A potential green-emitting phosphor for near UV light-emitting diodes Z. Jiang, Z. Sun, X. Su, L. Duan and X. Yu (Xi'an, China)	683
Spectroscopic properties of $\text{KGd}(\text{WO}_4)_2$ single crystals doped with Er^{3+} , Ho^{3+} , Tm^{3+} and Yb^{3+} ions: Luminescence and micro-Raman investigations D. Kasprowicz (Poznan, Poland), M.G. Brik (Tartu, Estonia), A. Majchrowski, E. Michalski (Warszawa, Poland) and P. Głuchowski (Wroclaw, Poland)	687
Effect of high-intensity ultrasonic treatment on modification of primary Mg_2Si in the hypereutectic Mg-Si alloys M.E. Moussa, M.A. Waly (Halwan, Egypt) and A.M. El-Sheikh (Giza, Egypt)	693
Phase-field simulation on the heteroepitaxial nucleation of (Fe,Co) solid solution on facet phase in undercooled liquid W.J. Yao, Z.P. Ye, N. Wang (Xi'an, China) and J.H. Lee (Toechon-ro, Republic of Korea)	701
Influence of argon dilution on the growth of amorphous to ultra nanocrystalline silicon films using VHF PECVD process J. Gope (New Delhi, Varanasi, India), S. Kumar, S. Sudhakar, K. Lodhi, C.M.S. Rauthan (New Delhi, India) and P.C. Srivastava (Varanasi, India)	710
Graphene-Ag/ZnO nanocomposites as high performance photocatalysts under visible light irradiation M. Ahmad (Multan, Pakistan), (Hangzhou, China), E. Ahmed (Multan, Pakistan), Z.L. Hong (Hangzhou, China), N.R. Khalid (Multan, Pakistan), (Hangzhou, China), W. Ahmed and A. Elhissi (Preston, United Kingdom)	717
Photoluminescence and ferroelectric properties in Eu doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ - $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ intergrowth ferroelectric ceramics T. Wei, C.Z. Zhao, C.P. Li (Tianjin, China), Y.B. Lin (Guangzhou, China), X. Yang and H.G. Tan (Tianjin, China)	728
Keywords	I