

Volume 579

5 December 2013
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Influence of oxides addition on the reaction of Fe ₂ O ₃ –Al composite powders in plasma flame Y. Yang, D.-r. Yan, Y.-c. Dong, X.-g. Chen, L. Wang, Z.-h. Chu, J.-x. Zhang and J.-n. He (Tianjin, China)	1
Electrochemical performances of Si/TiO ₂ composite synthesized by hydrothermal method Y. Yang, Y. Bai, S. Zhao, Q. Chang and W. Zhang (Kaifeng, PR China)	7
Microstructure and magnetic properties of FePt(B ₄ C) and FePt(B ₄ C–Ag) granular films with perpendicular magnetization J.-L. Tsai, W.-C. Tsai, Y.-C. Lin and S.-C. Wu (Taichung, Taiwan)	12
Bismuth phosphate: A novel cathode material based on conversion reaction for lithium-ion batteries B. Hu, X. Wang, Q. Wei, H. Shu, X. Yang, Y. Bai, H. Wu, Y. Song and L. Liu (Xiangtan, China)	18
Cooperative downconversion and near-infrared luminescence of Tb ³⁺ /Yb ³⁺ co-doped tellurite glass X. Zhou, Y. Wang, G. Wang, L. Li, K. Zhou and Q. Li (Chongqing, PR China)	27
Structural characterization of Sr ₄ Mg ₄ H ₄ [CoH ₅] ₃ shows the importance of support from polarizing counter ions to 3d transition metal hydrido complexes H. Fahlquist, K. Kadir and D. Noréus (Stockholm, Sweden)	31
Characterisation of nano-sized Al–Mn–(Mg) particles in AZ91 and their effect on Mg ₁₇ Al ₁₂ precipitation R. Zeng, Y. Chiu and I.P. Jones (Birmingham, United Kingdom)	34
Effects of minor Sr addition on microstructure and mechanical properties of the as-cast Mg–4.5Zn–4.5Sn–2Al-based alloy system H. Xi, C. Jihua, Y. Hongge, S. Bin, Z. Guanghao and M. Chongming (Changsha, PR China)	39
Controlled synthesis, conversion and photoluminescence properties of hierarchical flower-like ZnS(En) _{0.5} superstructures, ZnS and ZnO J. Zhao, J. Yin (Huai'an, PR China) and M. Yang (Luoyang, PR China)	45
Structural and electronic properties of SnO ₂ F.A. Akgul (Nigde, Turkey), (Berkeley, USA), C. Gumus (Adana, Turkey), A.O. Er (Irvine, USA), A.H. Farha (Norfolk, USA), (Cairo, Egypt), G. Akgul (Nigde, Turkey), Y. Ufuktepe (Adana, Turkey) and Z. Liu (Berkeley, USA)	50
Effects of divalent ions substitution on the microstructure, magnetic and electromagnetic parameters of Co ₂ W hexagonal ferrites synthesized by sol–gel method M. Ahmad, I. Ali (Multan, Pakistan), R. Grössinger, M. Kriegisch, F. Kubel (Vienna, Austria) and M.U. Rana (Multan, Pakistan)	57
Importance of Avrami Index in the processing of bismuth based high temperature superconductors T. Kannan (Calicut, Hyderabad, India) and P. Predeep (Calicut, India)	65
In situ synthesis and bonding of Cu to W–Cu composite by combustion synthesis and centrifugal infiltration G. He, P. Zhao, S. Guo, Y. Chen, G. Liu and J. Li (Beijing, China)	71
Effects of Ni ₃ Sn ₄ and (Cu,Ni) ₆ Sn ₅ intermetallic layers on cross-interaction between Pd and Ni in solder joints Y.-H. Baek (Seoul, Suwon, Republic of Korea), B.-M. Chung (Seoul, Ansan, Republic of Korea), Y.-S. Choi (Suwon, Republic of Korea), J. Choi (Gangneung, Republic of Korea) and J.-Y. Huh (Seoul, Republic of Korea)	75
Afterglow luminescence properties and mechanism of novel orange afterglow phosphor: Ca ₂ Sb ₂ O ₇ :Sm ³⁺ L. Shi, J. Zhang, H. Li, P. Feng, X. Liu, Z. Fu and Y. Wang (Lanzhou, PR China)	82
Monte Carlo study of the double perovskite nano Sr ₂ VMoO ₆ M. El Yadari (Rabat, Errachidia, Morocco), L. Bahmad, A. El Kenz and A. Benyoussef (Rabat, Morocco)	86
Effects of minor Ti addition on as-cast microstructure and mechanical properties of Mg–3Sn–2Sr (wt.%) magnesium alloy M. Yang, H. Li, C. Duan and J. Zhang (Chongqing, China)	92
Stress-induced martensitic transformation in nanometric NiTi shape memory alloy strips: An in situ TEM study of the thickness/size effect S.C. Mao, H.X. Li (Beijing, People's Republic of China), Y. Liu (Crawley, Australia), Q.S. Deng, L.H. Wang, Y.F. Zhang (Beijing, People's Republic of China), Z. Zhang (Beijing, Hangzhou, People's Republic of China) and X.D. Han (Beijing, People's Republic of China)	100

New ternary indide $\text{La}_2\text{Pd}_3\text{In}_4$ S.N. Nesterenko, A.I. Tursina (Moscow, Russia), H. Noël (Rennes, France), Y.D. Seropegin (Moscow, Russia) and D. Kaczorowski (Wroclaw, Poland)	112
Morphology controllable synthesis of silver nanoparticles: Optical properties study and SERS application W. Wu, M. Wu, Z. Sun, G. Li, Y. Ma, X. Liu (Hefei, PR China), X. Wang and X. Chen (Shanghai, PR China)	117
Interdiffusion and atomic mobility studies in Ni-rich fcc Ni–Al–Mn alloys K. Cheng, D. Liu, L. Zhang, Y. Du, S. Liu (Hunan, PR China) and C. Tang (Guangxi, PR China)	124
Nickel substitution effect on superconducting properties of Bi-2212 ceramics B. Özkurt (Mersin, Turkey)	132
Phase transformation and precipitation of an Al–Cu alloy during non-isothermal heating studied by in situ small-angle and wide-angle scattering C.-S. Tsao, E.-W. Huang, M.-H. Wen (Taoyuan, Taiwan), T.-Y. Kuo (Tainan, Taiwan), S.-L. Jeng (Taoyuan, Taiwan), U.-S. Jeng (Hsinchu, Taiwan) and Y.-S. Sun (Taoyuan, Taiwan)	138
Structural and thermoelectric characterization of Ba substituted LaCoO_3 perovskite-type materials obtained by polymerized gel combustion method R. Kun (Bremen, Germany), S. Populoh, L. Karvonen (Duebendorf, Switzerland), J. Gumbert (Bremen, Germany), A. Weidenkaff (Duebendorf, Switzerland) and M. Busse (Bremen, Germany)	147
Magnetic properties and magneto-caloric effect in pseudo-binary intermetallic $(\text{Pr,Dy})_2\text{Fe}_{17}$ R. Guetari, R. Bez (Tunis, Tunisia), (Thiais, France), C.B. Cizmas (Brasov, Romania), N. Mliki (Tunis, Tunisia) and L. Bessais (Thiais, France)	156
p-Type NiZnO thin films grown by photo-assist metal–organic chemical vapor deposition J. Wang, X. Dong, B. Zhang, Y. Zhang, H. Wang, Z. Shi, S. Zhang, W. Yin and G. Du (ChangChun, PR China)	160
Wet chemical synthesis of LiBaF_3 phosphor V.S. Singh, C.P. Joshi and S.V. Moharil (Nagpur, India)	165
Microstructure evolution and mechanical properties of Al–Zn–Mg–Cu alloy reprocessed by spray-forming and heat treated at peak aged condition E.M. Mazzer, C.R.M. Afonso (São Carlos, Brazil), M. Galano (Oxford, UK), C.S. Kiminami and C. Bolfarini (São Carlos, Brazil)	169
Differences in the structural and magnetic properties of nanosized barium hexaferrite powders prepared by single and double microemulsion techniques T. Koutzarova, S. Kolev, Ch. Ghelev, I. Nedkov (Sofia, Bulgaria), B. Vertruen, R. Cloots, C. Henrist (Liege, Belgium) and A. Zaleski (Wroclaw, Poland)	174
Effect of Gd-substitution on physical and magnetic properties of $\text{Li}_{1.2}\text{Mg}_{0.4}\text{Gd}_x\text{Fe}_{(2-x)}\text{O}_4$ ferrites M. Asif Iqbal, M.-u. Islam, M.N. Ashiq, I. Ali, A. Iftikhar and H.M. Khan (Multan, Pakistan)	181
Magnetic, dielectric and magnetoelectric properties of CoFe_2O_4 – $\text{Bi}_{0.85}\text{La}_{0.15}\text{FeO}_3$ multiferroic composites H.-L. Mo, D.-M. Jiang, C.-M. Wang, W.-G. Zhang and J.-S. Jiang (Shanghai, PR China)	187
Enhanced dielectric relaxor properties in $(1-x)(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$ – $x(\text{Ba}_{0.6}\text{Sr}_{0.4})_{0.7}\text{Bi}_{0.2}\text{TiO}_3$ lead-free ceramic H. Cheng, W. Zhou, H. Du, F. Luo, D. Zhu, D. Jiang (Shaanxi, China) and B. Xu (Singapore, Singapore)	192
Optical and structural investigations on $\text{Sb}_2\text{S}_2\text{O}$ new kermesite alloy for optoelectronic applications M. Haj Lakhdar, T. Larbi, B. Ouni and M. Amlouk (Tunis, Tunisia)	198
Dielectric and optical properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{Ti}_{0.99}\text{Fe}_{0.01}\text{O}_3$ thin films deposited by pulsed laser deposition technique for microwave tunable devices R. Laishram, S.K. Pandey, O.P. Thakur and D.K. Bhattacharya (Delhi, India)	205
Facile synthesis of sulfur doped Sb_2Se_3 nanosheets with enhanced electrochemical performance R. Jin (Yantai, PR China), Z. Liu (Qingdao, PR China), L. Yang, J. Liu, Y. Xu and G. Li (Yantai, PR China)	209
Phase transition and electrical properties of strontium orthovanadate B. Pati (Bhubaneswar, Kalahandi, India), R.N.P. Choudhary and P.R. Das (Bhubaneswar, India)	218
Luminescent properties of hybrid materials prepared by the polymeric precursor method L.H. Oliveira, A.P. de Moura, E. Longo, J.A. Varela (Araraquara, Brazil) and I.L.V. Rosa (São Carlos, Brazil)	227
Pressure-induced phase transitions in β - $\text{BaTeMo}_2\text{O}_9$ M. Maczka (Wroclaw, Poland), P.T.C. Freire (Fortaleza, Brazil), A. Majchrowski (Warszawa, Poland), P.S. Pizani (São Carlos, Brazil) and I.V. Kityk (Czestochowa, Poland)	236
Size-dependent thermal properties of multiferroic ErMnO_3 nanoparticles using photopyroelectric technique B. Raneesh (Kottayam, India), H. Soumya, J. Philip (Cochin, India) and N. Kalarikkal (Kottayam, India)	243
Characteristics of the stress-induced formation of R-phase in ultrafine-grained NiTi shape memory wire J. Olbricht (Bochum, Berlin, Germany), A. Yawny, J.L. Pelegrina (San Carlos de Bariloche, Argentina), G. Eggeler and V.A. Yardley (Bochum, Germany)	249
Tensile necking and enhanced plasticity of cold rolled β -Ti dendrite reinforced Ti-based bulk metallic glass matrix composite K.R. Rim (Gyeongnam, Republic of Korea), J.M. Park (Gyeonggi-do, Republic of Korea), W.T. Kim (Cheongju, Republic of Korea) and D.H. Kim (Seoul, Republic of Korea)	253
The thermoluminescence and optically stimulated luminescence properties of Cr-doped alpha alumina transparent ceramics Q. Liu, Q.H. Yang, G.G. Zhao, S.Z. Lu and H.J. Zhang (Shanghai, China)	259
Photoluminescence properties of red phosphor $\text{Gd}_3\text{PO}_7:\text{Eu}^{3+}$ for UV-pumped light-emitting diodes Y. Jin (Chongqing, China), J. Zhang and W. Qin (Changchun, China)	263

<i>In situ</i> Raman spectroscopy and X-ray diffraction of pressure-induced phase transition in columbite CaNb_2O_6 J. Zhou (Changchun, China), G. Feng (Changchun, Guangzhou, China), L. Li, F. Huang, H. Shen, H. Yang, W. Wang, Q. Zhou and D. Xu (Changchun, China)	267
Improvement of physical properties of CdO thin films by Au–Ag nanocluster codoping S. Akın, G. Karanfil, A. Gültekin and S. Sönmezöğlü (Karaman, Turkey)	272
Characteristics of $\text{Cu}_2\text{ZnSnSe}_4$ and $\text{Cu}_2\text{ZnSn}(\text{Se},\text{S})_4$ absorber thin films prepared by post selenization and sequential sulfurization of co-evaporated Cu–Zn–Sn precursors S.M. Lee and Y.S. Cho (Seoul, Republic of Korea)	279
The evolution of photoluminescence from Si cluster to nanocrystal in Si-rich oxide/ SiO_2 multilayer films G. Fu, X. Wang, H. Feng, X. Yu, W. Dai, W. Lu and W. Yu (Baoding, China)	284
Preparation and characterization of chrome doped sphene pigments prepared via precursor mechanochemical activation J. Pantić, M. Prekajski, M. Dramićanin, N. Abazović, N. Vuković, A. Kremenović and B. Matović (Belgrade, Serbia)	290
Large inverse magnetocaloric effect in $\text{Ni}_{48.5-x}\text{Co}_x\text{Mn}_{37}\text{Sn}_{14.5}$ ($x = 0, 1$ and 2) with negligible hysteresis A. Ghosh and K. Mandal (Kolkata, India)	295
Facile hydrothermal synthesis of Mn doped ZnS nanocrystals and luminescence properties investigations Q. Pan, D. Yang, Y. Zhao, Z. Ma, G. Dong and J. Qiu (Guangzhou, China)	300
Research on the preparation and sintering process of $(\text{U},\text{Ti})\text{O}_2$ dispersion fuel microspheres H. Wang, C. Yin and J. Liu (Chengdu, PR China)	305
Subsolidus phase equilibria and magnetic characterization of the pyrochlore in the $\text{Bi}_2\text{O}_3\text{--Fe}_2\text{O}_3\text{--Sb}_2\text{O}_x$ system A.V. Egorysheva, O.G. Ellert, Yu.V. Maksimov, V.D. Volodin, N.N. Efimov and V.M. Novotortsev (Moscow, Russia)	311
Microstructural dependence of mechanical properties in Hf-based bulk metallic glasses and their composites B.R. Sun, L. Qi and Z.J. Zhan (Qinhuangdao, China)	315
Low temperature fabrication of nanoflower arrays of rutile TiO_2 on mica particles with enhanced photocatalytic activity Q. Gao, X. Wu, Y. Fan and X. Zhou (Guangzhou, People's Republic of China)	322
Optical properties of CdTe/ZnTe self-assembled quantum dots: Raman and photoluminescence spectroscopy M. Gilic, N. Romcevic, M. Romcevic, D. Stojanovic, R. Kostic, J. Trajic (Belgrade, Serbia), W.D. Dobrowolski, G. Karczewski and R. Galazka (Warsaw, Poland)	330
Synthesis of magnetic ZnFe_2O_4 /graphene composite and its application in photocatalytic degradation of dyes D. Lu, Y. Zhang, S. Lin, L. Wang and C. Wang (Lanzhou, PR China)	336
Microwave assisted co-precipitation synthesis and photoluminescence characterization of spherical $\text{Sr}_2\text{P}_2\text{O}_7\text{:Ce}^{3+}, \text{Tb}^{3+}$ phosphors L. Wang, M. Xu, R. Sheng, L. Liu and D. Jia (Xinjiang, PR China)	343
Synthesis of monophase $\text{Al}_4\text{O}_4\text{C}$ and the effect of $\text{Al}_4\text{O}_4\text{C}$ addition to MgO–C refractory C. Yu, H. Zhu, W. Yuan, C. Deng, P. Cui and S. Zhou (Wuhan, PR China)	348
The influence of pelletization pressure on normal and superconducting properties of $(\text{Bi},\text{Pb})\text{:}2223$ bulk system D. Marconi, C. Lung and A.V. Pop (Cluj-Napoca, Romania)	355
Ab initio study of different structures of CaC: Magnetism, bonding, and lattice dynamics Z. Nourbakhsh, S.J. Hashemifar and H. Akbarzadeh (Isfahan, Iran)	360
New devices Si-rich and C-rich $\alpha\text{-Si}_{1-x}\text{C}_x$ thin films gas sensors based M.A. Ouadfel, C. Yaddaden (Algiers, Algeria), S. Merazga (Constantine, Algeria), A. Cheriet, L. Talb, S. Kaci, Y. Belkacem, Y. Ouadah, I. Menous, M. Kechouane, N. Gabouze, A. Keffous and H. Menari (Algiers, Algeria)	365
<i>In situ</i> synthesis of CoS_2/RGO nanocomposites with enhanced electrode performance for lithium-ion batteries B. Qiu, X. Zhao and D. Xia (Beijing, China)	372
A monodispersed nano-hexahedral LiFePO_4 with improved power capability by carbon-coatings J. Li, Q. Qu, L. Zhang, L. Zhang and H. Zheng (Jiangsu, PR China)	377
Fiber-like stripe ATO ($\text{SnO}_2\text{:Sb}$) nanostructured thin films grown by sol–gel method: Optical, topographical and electrical properties J. Mazloom, F.E. Ghodsi (Rasht, Iran) and M. Gholami (Tehran, Iran)	384
AC conductivity and dielectric properties of $\text{SiO}_2\text{--Na}_2\text{O--B}_2\text{O}_3\text{--Gd}_2\text{O}_3$ glasses R.M. Mahani and S.Y. Marzouk (Cairo, Egypt)	394
X-ray photoelectron study and first principle calculations of the electronic structure of $\text{PbFe}_{1/2}\text{Nb}_{1/2}\text{O}_3$ single crystal in the ferroelectric and paraelectric phases A.T. Kozakov, O.E. Polozhentsev, A.V. Soldatov, K.A. Googlev, A.V. Nikolsky and I.P. Raevski (Rostov-on-Don, Russia)	401
Influence of Sm-doping on the structural, magnetic, and electrical properties of $\text{La}_{0.8-x}\text{Sm}_x\text{Sr}_{0.2}\text{MnO}_3$ ($0 < x < 0.45$) manganites M.H. Ehsani (Semnan, Iran), P. Kameli (Isfahan, Iran), F.S. Razavi (St. Catharines, Canada), M.E. Ghazi (Shahrood, Iran) and B. Aslibeiki (Isfahan, Iran)	406
Microstructure and tensile behavior of hybrid nano-micro SiC reinforced iron matrix composites produced by selective laser melting B. Song, S. Dong, P. Coddet (Belfort Cedex, France), G. Zhou, S. Ouyang (Xi'an, China), H. Liao and C. Coddet (Belfort Cedex, France)	415
Strain induced decomposition and precipitation of carbides in a molybdenum–hafnium–carbon alloy C. Pöhl, D. Lang (Leoben, Austria), J. Schatte (Reutte, Austria) and H. Leitner (Leoben, Austria)	422
Enhanced luminescence intensity of $\text{Sr}_3\text{B}_2\text{O}_6\text{:Eu}^{2+}$ phosphor prepared by sol–gel method L. Fan, X. Zhao, S. Zhang, Y. Ding, Z. Li (Nanjing, PR China) and Z. Zou (Nanjing, Kunshan, PR China)	432

Effect of high and low temperature on the electrochemical performance of $\text{LaNi}_{4.4-x}\text{Co}_{0.3}\text{Mn}_{0.3}\text{Al}_x$ hydrogen storage alloys M.-S. Balogun, Z. Wang, H. Zhang, Q. Yao, J. Deng and H. Zhou (Guilin, PR China)	438
Hydrothermal growth and characterizations of dandelion-like ZnO nanostructures R.B. Kale (Mumbai, India) and S.-Y. Lu (Hsinchu, Taiwan, ROC)	444
Conductivity dependence on synthesis parameters in hydrothermally synthesized ceria nanoparticles M. Anis-ur-Rehman, A.S. Saleemi and A. Abdullah (Islamabad, Pakistan)	450
Anisotropic elastic and thermal properties of titanium borides by first-principles calculations L. Sun, Y. Gao (Xi'an, China), B. Xiao (New Orleans, USA), Y. Li and G. Wang (Xi'an, China)	457
Electronic and optical properties of $\text{Cu}_2\text{ZnGeX}_4$ (X = S, Se and Te) quaternary semiconductors D. Chen and N.M. Ravindra (Newark, USA)	468
Characterization and Rietveld Refinement of A-site deficient Lanthanum doped Barium Titanate M. Ganguly, S.K. Rout (Ranchi, India), T.P. Sinha (Kolkata, India), S.K. Sharma (Dhanbad, India), H.Y. Park, C.W. Ahn and I.W. Kim (Ulsan, Republic of Korea)	473
Orientation-dependent low field magnetic anomalies and room-temperature spintronic material – Mn doped ZnO films by aerosol spray pyrolysis S.S. Nkosi (Pretoria, Johannesburg, South Africa), I. Kortidis (Heraklion, Greece), D.E. Motaung (Pretoria, South Africa), G.F. Malgas (Pretoria, Bellville, South Africa), J. Keartland, E. Sideras-Haddad (Johannesburg, South Africa), A. Forbes (Pretoria, Johannesburg, South Africa), B.W. Mwakikunga, S. Sinha-Ray (Pretoria, South Africa) and G. Kiriakidis (Heraklion, Greece)	485
Phase, size and shape controlled formation of aerosol generated nickel and nickel oxide nanoparticles D. Ortega (London, UK), M.V. Kuznetsov (Republic of Mordovia, Russia), Y.G. Morozov, O.V. Belousova (Moscow Region, Russia) and I.P. Parkin (London, UK)	495
Effect of excess oxygen on crystal structures and dielectric responses of $\text{Nd}_2\text{NiO}_{4+\delta}$ ceramics G. Liu, T.T. Chen, J. Wang, X.Q. Liu and X.M. Chen (Hangzhou, People's Republic of China)	502
Local structure and defect chemistry of $[(\text{SnSe})_{1.15}]_m(\text{TaSe}_2)$ ferecrystals – A new type of layered intergrowth compound C. Grosse (Eugene, USA), (Berlin, Germany), R. Atkins (Eugene, USA), H. Kirmse, A. Mogilatenko (Berlin, Germany), W. Neumann (Eugene, USA), (Berlin, Germany) and D.C. Johnson (Eugene, USA)	507
X-ray photoelectron spectroscopy studies of the electronic structure of superconducting Nb_2SnC and Nb_2SC M. Romero, L. Huerta, T. Akachi (México, Mexico), J.L.S. Llamazares (San Luis Potosí, Mexico) and R. Escamilla (México, Mexico)	516
Phase diagram and magnetic moment of $\text{Ni}_{50+x}\text{Mn}_{27-x}\text{Ga}_{23}$ ferromagnetic shape memory alloys R.Y. Umetsu (Sendai, Tokyo, Japan), H. Ando, S. Yamashita (Tagajo, Japan), K. Endo (Tagajo, Sendai, Japan), H. Nishihara (Otsu, Japan), R. Kainuma (Sendai, Japan), T. Kanomata (Sendai, Tagajo, Japan) and K.R.A. Ziebeck (Cambridge, UK)	521
Aluminum–silicon and aluminum–silicon/carbon nanoparticles with core–shell structure synthesized by arc discharge method K. Tulugan, H. Kim (Gyeongnam, Republic of Korea), W. Park (Gyeonbuk, Republic of Korea), Y. Choi (Higashi-Hiroshima, Japan) and W. Park (Gyeongnam, Republic of Korea)	529
Thermodynamic description of the binary Au–Sb and ternary Au–In–Sb systems W. Gierlotka (Chungli, Hualien, Taiwan)	533
Low-cycle fatigue behaviors of hot-rolled AZ91 magnesium alloy under asymmetrical stress-controlled cyclic loadings X.-M. Chen, Y.C. Lin and J. Chen (Changsha, China)	540
Morphology evolution and photoluminescence of barium molybdate controlled by poly (sodium-4-styrenesulfonate) S.S. Ding, M. Lei, H. Xiao, G. Liu, Y.C. Zhang, K. Huang, C. Liang, Y.J. Wang, R. Zhang, D.Y. Fan, H.J. Yang and Y.G. Wang (Beijing, China)	549
Modification of the α -Ti laths to near equiaxed α -Ti grains in as-sintered titanium and titanium alloys by a small addition of boron Y.F. Yang, M. Yan, S.D. Luo, G.B. Schaffer and M. Qian (Brisbane, Australia)	553
Impact of first-step potential and time on the vertical growth of ZnO nanorods on ITO substrate by two-step electrochemical deposition T.G. Kim, J.-T. Jang, H. Ryu (Gyeongnam, Republic of Korea) and W.-J. Lee (Busan, Republic of Korea)	558
Structural, magnetic and magnetocaloric properties of Ag-doped $\text{La}_{0.5}\text{Ca}_{0.5-x}\text{Ag}_x\text{MnO}_3$ compounds with $0 \leq x \leq 0.4$ M. Smari (Sfax, Tunisie), (Grenoble cedex, France), I. Walha, E. Dhahri (Sfax, Tunisie) and E.K. HLIL (Grenoble cedex, France)	564
Room temperature ferromagnetic properties of Cu_2O microcrystals G. Prabhakaran and R. Murugan (Puducherry, India)	572
Effect of Tb–Mn substitution on DC and AC conductivity of Y-type hexagonal ferrite I. Ali, M.U. Islam, M.N. Ashiq, M.A. Iqbal, H.M. Khan and N. Karamat (Multan, Pakistan)	576
A first-principles study on the structural, elastic, electronic, optical, lattice dynamical, and thermodynamic properties of zinc-blende CdX (X = S, Se, and Te) L. Guo, S. Zhang (Chongqing, PR China), W. Feng (Shenyang, PR China), G. Hu and W. Li (Chongqing, PR China)	583
Investigation on a one-pot hydrothermal approach for synthesizing high quality SnS quantum dots A. Muthuvinayagam, T. Manovah David and P. Sagayaraj (Chennai, India)	594
Effects of carbide precipitate on the mechanical properties and irradiation behavior of the low activation martensitic steel P.P. Liu, M.Z. Zhao, Y.M. Zhu, J.W. Bai, F.R. Wan and Q. Zhan (Beijing, China)	599
Structural, optical and electrical properties of sol–gel prepared mesoporous $\text{Co}_3\text{O}_4/\text{SiO}_2$ nanocomposites G.A.M. Ali (Assiut, Egypt), (Kuantan, Malaysia), O.A. Fouad (Helwan, Egypt) and S.A. Makhlof (Assiut, Egypt), (Riyadh, Saudi Arabia)	606
Investigation on phase transformation of titania slag using microwave irradiation G. Chen, Z. Song, J. Chen (Kunming, PR China), C. Srinivasakannan (Abu Dhabi, United Arab Emirates) and J. Peng (Kunming, PR China)	612

Fabrication and characterization of size-controlled single-crystal-like PZT nanofibers by sol-gel based electrospinning J. Wang, Q. Gao, H. He, X. Li, Z. Ren, Y. Liu, G. Shen, G. Xu, X. Zhang and G. Han (Hangzhou, People's Republic of China)	617
Grain boundary character distributions of coincidence site lattice boundaries in WC-Co composites with different WC grain sizes X. Yuan (Beijing, China)	622
Structural and magnetic properties of cobalt-doped ZnO thin films on sapphire (0 0 0 1) substrate deposited by pulsed laser deposition S. Yang, R. Lv, C. Wang, Y. Liu and Z. Song (Shandong Province, PR China)	628
Internal friction in a Ni-Ti-based glassy-crystal alloy I.S. Golovin (Moscow, Russia), V.Yu. Zadorozhnyy (Moscow, Russia), (Sendai, Japan), A.Yu. Churyumov (Moscow, Russia) and D.V. Louzguine-Luzgin (Sendai, Japan)	633
Effects of temperature and Mo ₂ C layer on stress and structural properties in CVD diamond film grown on Mo foil F. Long, Q. Wei, Z.M. Yu, J. Luo, X. Zhang, H. Long and X. Wu (Changsha, PR China)	638
Electron-irradiation-induced phase transition in Cr ₂ M (M = Ti and Al) intermetallic compounds S. Anada, T. Nagase, H. Yasuda and H. Mori (Osaka, Japan)	646
Corrigendum to "Investigation of aluminum-gallium co-doped zinc oxide targets for sputtering thin film and photovoltaic application" [J. Alloys Comp. 575 (2013) 174-182] J. Liu, W. Zhang (Beijing, China), D. Song (Baoding, China), Q. Ma (Beijing, China), L. Zhang, H. Zhang (Baoding, China), L. Zhang and R. Wu (Beijing, China)	654
Keywords.	I