


Volume 580, Supplement 1

15 December 2013
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN


V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE

SI: MH2012

**Guest Editors: Yoshitsugu Kojima
Yumiko Nakamura
Shin-ichi Orimo**



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Preface

Y. Kojima, Y. Nakamura and S.-i. Orimo (Japan) S1

Fundamental

F1. Surface and interface effects

Reaction kinetics of H₂, O₂, and H₂O with rare earths (Y, La, Ce, Pr, Nd, Gd, Tb, Dy, and Er) at 298 K
M. Enomoto, Y. Ohata and H. Uchida (Kanagawa, Japan) S3

Water co-adsorption and electric field effects on borohydride structures on Os(111) by first-principles calculations
M.C.S. Escaño (Fukui, Japan), R.L. Arevalo (Osaka, Japan), E. Gyenge (Vancouver, Canada) and H. Kasai (Osaka, Japan) S6

Hydrogen induced phase transition in magnesium: An *Ab initio* study
K. Klyukin, M.G. Shelyapina (St. Petersburg, Russia) and D. Fruchart (Grenoble Cedex, France) S10

SIMS analysis on austenitic stainless steel: The influence of type of oxide surface layer on hydrogen embrittlement
C. Izawa, S. Wagner (Göttingen, Germany), M. Martin, S. Weber (Bochum, Germany), R. Pargeter (Cambridge, United Kingdom), T. Michler (Ruesselsheim, Germany), H.H. Uchida (Kanagawa, Japan) and A. Pundt (Göttingen, Germany) S13

Small-angle neutron scattering observation of the surface structure of Ti_{0.31}Cr_{0.33}V_{0.36} alloy in hydrogenation
K. Mori (Osaka, Japan), K. Iwase (Ibaraki, Japan), Y. Nishikawa, M. Sugiyama, Y. Oba and T. Fukunaga (Osaka, Japan) S18

F2. Catalysis and reaction kinetics

Kinetics of hydrogen absorption by TiCr₂ and Ti–Cr based alloys at low temperatures
R. Sato (Sendai, Japan), I. Tajima (Tokyo, Japan), T. Nakagawa and H. Uchida (Kanagawa, Japan) S21

The catalytic effect of Nb, NbO and Nb₂O₅ with different surface planes on dehydrogenation in MgH₂: Density functional theory study
K. Takahashi (Sapporo, Japan), S. Isobe (Japan) and S. Ohnuki (Sapporo, Japan) S25

Magnesium growth in magnesium deuteride thin films during deuterium desorption
R. Checchetto, A. Miotello (Trento, Italy), P. Mengucci and G. Barucca (Ancona, Italy) S29

Hydrogen sorption kinetics of FeTi alloy with nano-structured surface layers
I. Tajima, M. Abe (Tokyo, Japan), H. Uchida, M. Hattori, Y. Miyamoto and T. Haraki (Kanagawa, Japan) S33

F3. Diffusion, tunneling, trapping, transport, and related phenomena

Quantum mechanical calculation of diffusion of hydrogen isotopes in vanadium
O. Yoshinari (Nagoya, Japan) S36

Hydrogen absorption in thin ZnO films prepared by pulsed laser deposition
O. Melikhova, J. Čížek, F. Lukáč, M. Vlček (Praha, Czech Republic), M. Novotný, J. Bulíř, J. Lančok (Prague, Czech Republic), W. Anwand, G. Brauer (Dresden, Germany), J. Connolly, E. McCarthy, S. Krishnamurthy and J.-P. Mosnier (Dublin, Ireland) S40

Depth profiling of hydrogen in ferritic/martensitic steels by means of a tritium imaging plate technique
T. Otsuka and T. Tanabe (Fukuoka, Japan) S44

Mapping trends in the reorientational mobilities of tetrahydroborate anions via neutron-scattering fixed-window scans
T.J. Udovic (Gaithersburg, USA), N. Verdál, J.J. Rush (Gaithersburg, College Park, USA), D.J. De Vries (JB Delft, Netherlands), M.R. Hartman (Ann Arbor, USA), J.J. Vajo, A.F. Gross (Malibu, USA) and A.V. Skripov (Ekaterinburg, Russia) S47

Hydrogen absorption and diffusivity in ZnO single crystals
J. Čížek, F. Lukáč, M. Vlček, O. Melikhova (Praha, Czech Republic), F. Traeger, D. Rogalla and H.-W. Becker (Bochum, Germany) S51

Hydrogen-induced enhancement of atomic diffusion in electrodeposited Pd films
N. Fukumuro, M. Yokota, S. Yae, H. Matsuda (Hyogo, Japan) and Y. Fukai (Tokyo, Japan) S55

Deuterium diffusion along the three principal directions in anisotropic Zr–2.5Nb D. Khatamian (Chalk River, Canada)	S58
Rotational dynamics in ammonia borane: Evidence of strong isotope effects R. Cantelli, A. Paolone, O. Palumbo, F. Leardini (Rome, Italy), T. Autrey, A. Karkamkar and A.T. Luedtke (Richland, USA)	S63
A spectroscopic investigation of hydrogenated Li doped fullerene A. Paolone, O. Palumbo, F. Leardini, R. Cantelli (Rome, Italy), D.A. Knight, J.A. Teprovich Jr. and R. Zidan (Aiken, USA)	S67
Anelastic spectroscopy investigation of nano-confined alanates F. Leardini, A. Paolone, O. Palumbo, R. Cantelli (Rome, Italy), T.K. Nielsen and T.R. Jensen (Aarhus, Denmark)	S70
Determination of hydrogen diffusion and permeation coefficients in pure copper at near room temperature by means of tritium tracer techniques H. Horinouchi, M. Shinohara, T. Otsuka, K. Hashizume and T. Tanabe (Fukuoka, Japan)	S73
F4. Crystal structures, thermodynamics, phase changes, and phase diagrams	
Structure of La ₂ Ni ₇ hydride from first-principles calculations M. Mizuno, H. Araki (Osaka, Japan) and Y. Shirai (Kyoto, Japan)	S76
Hydrogenation-induced microstructure changes of pseudo-binary (Pr _x Mg _{1-x})Ni ₂ Laves compounds I. Park (Tokyo, Japan), N. Terashita (Yamagata, Japan) and E. Abe (Tokyo, Japan)	S81
Dehydrogenation properties and crystal structure analysis of Mg(BH ₄)(NH ₂) T. Noritake, K. Miwa, M. Aoki, M. Matsumoto, S.-i. Towata (Nagakute, Japan), H.-W. Li (Fukuoka, Japan) and S.-i. Orimo (Sendai, Japan)	S85
Hydrogen interaction with intermetallic compounds and alloys at high pressure S. Mitrokhin, T. Zotov, E. Movlaev and V. Verbetsky (Moscow, Russian Federation)	S90
Phase transformations in Ti–V hydrides N. Skryabina (Perm, Russia), D. Fruchart (Grenoble Cedex, France), M.G. Shelyapina (St. Petersburg, Russia), S. Dolukhanyan and A. Aleksanyan (Erevan, Armenia)	S94
F5. Electric, optical, magnetic properties, electronic structures, and ionic conductivity	
Sodium and magnesium ionic conduction in complex hydrides M. Matsuo, H. Oguchi, T. Sato, H. Takamura (Sendai, Japan), E. Tsuchida (Tsukuba, Japan), T. Ikeshoji (Sendai, Tsukuba, Japan) and S.-i. Orimo (Sendai, Japan)	S98
Magnetic susceptibility of the Pd–Co–H system S. Akamaru, T. Matsumoto, M. Hara, K. Nishimura, N. Nunomura and M. Matsuyama (Toyama, Japan)	S102
Hydrogen absorption in RE ₂ T ₂ In compounds S. Mašková (Prague, Czech Republic), A. Kolomiets (Prague, Czech Republic), (Lviv, Ukraine), L. Havela, A.V. Andreev, P. Svoboda (Prague, Czech Republic), H. Nakotte (Las Cruces, USA) and R. Černý (Geneva, Switzerland)	S105
Neutron spectroscopy of nickel deuteride V.E. Antonov (Chernogolovka, Russia), A.S. Ivanov (Grenoble, France), M.A. Kuzovnikov (Chernogolovka, Russia) and M. Tkacz (Warsaw, Poland)	S109
Hydrogen induced changes in the optical properties of Pd capped V thin films D.E. Azofeifa, N. Clark, W.E. Vargas, H. Solís (San José, Costa Rica), G.K. Pálsson and B. Hjörvarsson (Uppsala, Sweden)	S114
Lattice contraction in photochromic yttrium hydride J.P. Maehlen, T.T. Mongstad, C.C. You and S. Karazhanov (Kjeller, Norway)	S119
F6. Material design and advanced analysis	
Vibrational spectra and structure of borohydrides V. D'Anna, L.M. Lawson Daku and H. Hagemann (Geneva, Switzerland)	S122
Evaluation of stability of hydrogen in alloys using energy density formalism K. Miwa, T. Noritake, S.-i. Towata and M. Aoki (Aichi, Japan)	S125
Development and application of a window-type environmental cell in high voltage electron microscope T. Wakasugi, S. Isobe, A. Umeda, Y. Wang, N. Hashimoto and S. Ohnuki (Sapporo, Japan)	S127
Computational study of lattice defects in metal–hydrogen systems H. Ogawa (Tsukuba, Japan)	S131
Semiempirical quantum model approach for hydrogen adsorption in ZrNi alloys B.-H. Chen, C.-C. Huang, Y.-L. Yeh, M.-J. Jang (Tainan City, Taiwan, ROC)	S135
Material	
M1. Hydrogen storage and properties of metal hydrides	
Hydrogen desorption of Mg–Mg ₂ Ni hypo-eutectic alloys in air, Ar, CO ₂ , N ₂ and H ₂ K. Nogita, S.D. McDonald (St. Lucia, Australia), A. Duguid (Yeerongpilly, Australia), M. Tsubota (Hiroshima, Japan) and Q.F. Gu (Clayton, Australia)	S140
Hydrogen absorption study of high-energy reactive ball milled Mg composites with palladium additives M. Williams, J.M. Sibanyoni, M. Lototsky and B.G. Pollet (Bellville, South Africa)	S144

Investigation of hydride powder bed swelling and shrinking during hydrogen absorption/desorption cycles under different compressive stresses	
B. Charlas, A. Chaise, O. Gillia, P. Doremus and D. Imbault (Grenoble Cedex, France)	S149
Hydrogen desorption properties of MgH ₂ -Ni-Ni ₂ Si composites prepared by mechanochemical method	
M. Shimada, E. Higuchi and H. Inoue (Osaka, Japan)	S153
Surface properties of V ₄₀ (TiCr) ₅₁ Fe ₈ Mn alloy during hydrogenation/dehydrogenation cycles	
C. Wu (Chengdu, China), (Dübendorf, Switzerland), A. Borgschulte, U. Frischknecht, Y. Yan (Dübendorf, Switzerland), F. Yang, L. Luo, Y. Chen (Chengdu, China) and A. Züttel (Dübendorf, Switzerland)	S156
Study on La-Mg based ternary system for hydrogen storage	
G. Capurso, M.-u. Naik, S. Lo Russo, A. Maddalena (Padova, Italy), A. Saccone, F. Gastaldo and S. De Negri (Genova, Italy)	S159
Dehydrogenation process of AlH ₃ observed by TEM	
Y. Nakagawa, S. Isobe, Y. Wang, N. Hashimoto, S. Ohnuki (Sapporo, Japan), L. Zeng, S. Liu, T. Ichikawa and Y. Kojima (Higashi-Hiroshima, Japan)	S163
Hydrogen storage properties of a Mg-Ce oxide nano-composite prepared through arc plasma method	
S. Long, J. Zou, Y. Liu, X. Zeng and W. Ding (Shanghai, PR China)	S167
Hydrogen storage properties of ZrV _x Ni _{3.5-x} (x = 0.0-0.9) metal hydride alloys	
M. Young (USA), S. Chang (Taoyuan, Taiwan, ROC), K. Young and J. Nei (Rochester Hills, USA)	S171
Thickness effects in hydrogen sorption of Mg/Pd thin films	
A.G. Gharavi (Ankara, Turkey), H. Akyıldız (Konya, Turkey) and T. Öztürk (Ankara, Turkey)	S175
Hydrogen absorption kinetics in powdered V + 80wt.% LaNi ₅ composite	
S. Kumar, A. Tirpude, M. Taxak and N. Krishnamurthy (Mumbai, India)	S179
In situ dilatometry measurements of MgH ₂ compacted disks	
S. Nachev, P. de Rango, B. Delhomme, D. Plante, B. Zawilski, F. Longa, Ph. Marty, S. Miraglia and D. Fruchart (Grenoble Cedex, France)	S183
H-sorption properties and structural evolution of Mg processed by severe plastic deformation	
W.J. Botta, A.M. Jorge Jr. (São Carlos, Brazil), M. Veron, E.F. Rauch, E. Ferrie, A.R. Yavari (Saint-Martin-d'Hères, France), J. Huot (Trois-Rivières Qué bec, Canada) and D.R. Leiva (Limeira, Brazil)	S187
Improvement of hydrogen sorption properties of compounds based on Vanadium "bcc" alloys by mean of intergranular phase development	
D. Planté, C. Raufast, S. Miraglia, P. de Rango and D. Fruchart (Grenoble Cedex, France)	S192
Catalysis and hydrolysis properties of perovskite hydride NaMgH ₃	
H. Wang, J. Zhang, J.W. Liu, L.Z. Ouyang and M. Zhu (Guangzhou, China)	S197
Evaluation of terminal composition of palladium-silver hydrides in plateau region by electronic structure calculations	
M. Hara, H. Fujinami, S. Akamaru, N. Nunomura, K. Watanabe, K. Nishimura and M. Matsuyama (Toyama, Japan)	S202
Characterization and analyses of degradation and recovery of LaNi _{4.78} Sn _{0.22} hydrides following thermal aging	
R.C. Bowman Jr., E.A. Payzant (Oak Ridge, USA), P.R. Wilson, D.P. Pearson (Pasadena, USA), A. Ledovskikh, D. Danilov, P.H.L. Notten (MB Eindhoven, The Netherlands), K. An, H.D. Skorpenske and D.L. Wood (Oak Ridge, USA)	S207
Correlation between electrochemical behavior and hydrogen storage properties of Li-Sn system	
A. Jain, H. Miyaoka, T. Ichikawa and Y. Kojima (Higashi-Hiroshima, Japan)	S211
Hydrogen storage characteristics of Ti ₄₅ Zr ₃₈ Ni _{17-x} Co _x (x = 4, 8) alloy and quasicrystal powders produced by mechanical alloying	
A. Takasaki (Tokyo, Japan), A. Żywczak, Ł. Gondek and H. Figiel (Krakow, Poland)	S216
Synergic effects of ion irradiations (La, Ce) and alkaline pretreatment (KOH) on hydriding kinetic property of a Mm-Ni based alloy	
H. Abe (Gunma, Japan), S. Aone, R. Morimoto and H. Uchida (Kanagawa, Japan)	S219
The effect of initial structures of Mg/Cu super-laminates on hydrogen absorption/desorption properties	
K. Tanaka, H.T. Takeshita, K. Kurumatani (Osaka, Japan), H. Miyamura and S. Kikuchi (Shiga, Japan)	S222
Cycle durability of Ti-Cr-V alloys partially substituted by Nb or Fe	
S.-i. Towata, T. Noritake, A. Itoh, M. Aoki and K. Miwa (Aichi, Japan)	S226
Ab initio study of the role of niobium oxides as catalysts in magnesium hydride	
T. Kobayashi and A. Takasaki (Tokyo, Japan)	S229
Ti-V-Mn based metal hydrides for hydrogen storage	
L. Pickering, J. Li, D. Reed, A.I. Bevan and D. Book (Birmingham, UK)	S233
Effect of mechanical milling on electrochemical properties of Ti ₄₅ Zr ₃₈ Ni _{17+x} (x = 0, 8) quasicrystals produced by rapid-quenching	
D. Baster (Krakow, Poland), A. Takasaki, C. Kuroda (Tokyo, Japan), E. Hanc (Krakow, Poland), S.-H. Lee (Seoul, South Korea), K. Świerczek, J.S. Szymd (Krakow, Poland), J.-Y. Kim (Seoul, South Korea) and J. Molenda (Krakow, Poland)	S238
Decomposition kinetics of metal hydrides: Experiments and modeling	
I.E. Gabis (Saint-Petersburg, Russia), I.A. Chernov (Petrozavodsk, Russia) and A.P. Voyt (Saint-Petersburg, Russia)	S243
Evaluation of hydrogenation behaviors of MgH _x -SCZY (Sr(Ce _{0.9} Zr _{0.1}) _{0.95} Yb _{0.05} O _{3-δ}) composites by ball-milling	
N.-R. Lee, S.-S. Lee, K.-I. Kim and T.-W. Hong (Chungbuk, Republic of Korea)	S247
Electrochemical properties of Ti _{45-x} Zr _{30+x} Ni ₂₅ (x = -4, 0, 4) quasicrystal and amorphous electrodes produced by mechanical alloying	
Y. Ariga, A. Takasaki, C. Kuroda (Tokyo, Japan) and A. Kulka (Krakow, Poland)	S251
Cyclic stability test of AB ₂ type (Ti, Zr)(Ni, Mn, V, Fe) _{2.18} for stationary hydrogen storage in water contaminated hydrogen	
T. Maeda (Ibaraki, Japan), T. Fuura (Yamagata, Japan), I. Matsumoto (Ibaraki, Japan), Y. Kawakami and M. Masuda (Kanagawa, Japan)	S255

Development of Mg based hydrogen absorbing alloys prepared by mechanical alloying T. Nobuki, S. Kanekawa, M. Hatate, H. Takenaka (Hiroshima, Japan) and T. Kuji (Kanagawa, Japan)	S259
In situ synchrotron ⁵⁷ Fe Mössbauer spectroscopy of RFe ₂ (R = Y,Gd) hydrides synthesized under ultra-high-pressure hydrogen T. Mitsui (Hyogo, Japan), R. Masuda, M. Seto (Osaka, Japan), N. Hirao (Hyogo, Japan), T. Matsuoka (Osaka, Japan), Y. Nakamura, K. Sakaki and H. Enoki (Ibaraki, Japan)	S264
The effect of compositional changes on the structural and hydrogen storage properties of (La-Ce)Ni ₅ type intermetallics towards compounds suitable for metal hydride hydrogen compression M. Odysseos (Nicosia-Cyprus, France), P. De Rango (Grenoble Cedex, France), C.N. Christodoulou (Nicosia-Cyprus, France), E.K. Hlil (Grenoble Cedex, France), T. Steriotis (Athens, Greece), G. Karagiorgis (Nicosia-Cyprus, France), G. Charalambopoulou (Athens, Greece), T. Papapanagiotou (Nicosia-Cyprus, France), A. Ampoumogli, V. Psycharis (Athens, Greece), E. Kouloukous (La Motte-Fanjas, France), D. Fruchart (Grenoble Cedex, France) and A. Stubos (Athens, Greece)	S268
M2. Hydrogen storage and properties of non-metal hydrides	
Determination of the role of Li ₂ O on the corrosion of lithium hydride A. Sifuentes, A.C. Stowe and N. Smyrl (Oak Ridge, USA)	S271
Hexavalent hydrogen complex in hypothetical Y ₂ CrH ₆ S. Takagi (Sendai, Japan), K. Miwa (Nagakute, Japan), T. Ikeshoji, R. Sato, M. Matsuo, G. Li, K. Aoki and S.-i. Orimo (Sendai, Japan)	S274
In situ synchrotron radiation powder X-ray diffraction study of the 2LiNH ₂ + LiH + KBH ₄ system M. Sale (Sassari, Italy), C. Pistidda (Geesthacht, Germany), A. Taras, E. Napolitano (Sassari, Italy), C. Milanese (Pavia, Italy), F. Karimi, M. Dornheim (Geesthacht, Germany), S. Garroni, S. Enzo and G. Mulas (Sassari, Italy)	S278
Theoretical and experimental study on Mg(BH ₄) ₂ -Zn(BH ₄) ₂ mixed borohydrides E. Albanese (Torino, Italy), G.N. Kalantzopoulos (Kjeller, Norway), J.G. Vitillo, E. Pinatel, B. Civalleri (Torino, Italy), S. Deledda (Kjeller, Norway), S. Bordiga (Torino, Italy), B.C. Hauback (Kjeller, Norway) and M. Baricco (Torino, Italy)	S282
Investigations of the thermal decomposition of MBH ₄ -2NH ₃ BH ₃ , M = Na, K L.H. Jepsen, J. Skibsted and T.R. Jensen (Aarhus C, Denmark)	S287
Comparative study on the reversibility of pure metal borohydrides H.-W. Li, E. Akiba (Fukuoka, Japan) and S.-i. Orimo (Sendai, Japan)	S292
Investigation of dehydrogenation processes in disordered γ-Mg(BH ₄) ₂ S. Guo, H.Y.L. Chan, D. Reed and D. Book (Birmingham, UK)	S296
M3. Hydrogen storage and properties of high-surface-area materials	
Synthesis of KOH-activated porous carbon materials and study of hydrogen adsorption A. Minoda (Yokohama, Fukuoka, Japan), S. Oshima, H. Iki (Yokohama, Japan) and E. Akiba (Fukuoka, Japan)	S301
Hydrogen sorption by porous materials composed of one to three elements selected from boron, carbon and nitrogen and metal modification to enhance the sorption N. Nishimiya (Tokyo, Japan), Y. Date (Tottori, Japan), Y. Kojima and T. Toyama (Tokyo, Japan)	S305
Ammonia-free infiltration of NaBH ₄ into highly-ordered mesoporous silica and carbon matrices for hydrogen storage F. Peru, S. Garroni (Sassari, Italy), R. Campesi (Petten, The Netherlands), C. Milanese, A. Marini (Pavia, Italy), E. Pellicer, M.D. Baró (Bellaterra, Spain) and G. Mulas (Sassari, Italy)	S309
M4. Novel materials and Chemical Hydrides	
In situ synthesized spherical nickel-silica composite particles for hydrolytic dehydrogenation of ammonia borane T. Umegaki (Tokyo, Japan), Q. Xu (Osaka, Japan) and Y. Kojima (Tokyo, Japan)	S313
The high capacity and controllable hydrolysis rate of Mg ₃ La hydride L.Z. Ouyang, J.M. Huang, C.J. Fang, H. Wang, J.W. Liu (Guangzhou, People's Republic of China), Q.A. Zhang (Anhui, People's Republic of China), D.L. Sun (Shanghai, Guangzhou, People's Republic of China) and M. Zhu (Guangzhou, People's Republic of China)	S317
Improved hydrogen desorption from lithium hydrazide by alkali metal hydride L. Zeng, H. Miyaoka, T. Ichikawa and Y. Kojima (Higashi-Hiroshima, Japan)	S320
Application	
A1. Hydrogen storage and transportation	
Various tools for optimizing large scale magnesium hydride storage Ph. Marty (Grenoble, France), P. de Rango (Grenoble Cedex, France), B. Delhomme and S. Garrier (Grenoble, Grenoble Cedex, France) ..	S324
Systems based on hypo-eutectic Mg-Mg ₂ Ni alloys for medium to large scale hydrogen storage and delivery S. Moroz, X.F. Tan, J. Pierce, M. Greaves, A. Duguid, K. Dumur and J. Ng (Yeerongpilly, Australia)	S329
The use of application-specific performance targets and engineering considerations to guide hydrogen storage materials development N.T. Stetson, G. Ordaz, J. Adams, K. Randolph (Washington, USA) and S. McWhorter (Aiken, USA)	S333
Advancement of system designs and key engineering technologies for materials-based hydrogen storage B.A. van Hassel, M. Gorbounov, J. Holowczak, I. Fedchenia, X. Tang and R. Brown (Connecticut, USA)	S337
McPhy-Energy's proposal for solid state hydrogen storage materials and systems M. Jehan (La Motte-Fanjas, France) and D. Fruchart (La Motte-Fanjas, Grenoble Cedex 9, France)	S343

A2. Electrochemical applications

Electrochemical performance of AB ₂ metal hydride alloys measured at -40 °C K. Young, B. Reichman and M.A. Fetcenko (Rochester Hills, USA)	S349
Introduction of large-sized nickel-metal hydride battery GIGACELL® for industrial applications K. Nishimura, T. Takasaki (Hyogo, Japan) and T. Sakai (Osaka, Japan)	S353
Displacement preparation-induced effects on structure of Ag-Pd nanobrushes for catalyzing oxygen reduction C.-W. Chen, Y.-S. Hsieh, C.-C. Syu, H.-R. Chen and C.-L. Lee (Kaohsiung, Taiwan)	S359
Comparative study of reversible hydrogen storage in alkali-doped fullerenes J.A. Teprovich Jr., D.A. Knight, B. Peters and R. Zidan (Aiken, USA)	S364
Electrochemical and structural characterization of electroless nickel coating on Mg ₂ Ni hydrogen storage alloy R. Ohara, C.-H. Lan (Tainan City, Taiwan, ROC) and C.-S. Hwang (Taiwan, ROC)	S368
Degradation mechanisms of high-energy bipolar nickel metal hydride battery with AB ₅ and A ₂ B ₇ alloys X. Zhou (Alachua, USA), K. Young (Rochester Hills, USA), J. West, J. Regalado and K. Cherisol (Alachua, USA)	S373
Cobalt-free nickel-metal hydride battery for industrial applications T. Takasaki (Osaka, Akashi, Japan), K. Nishimura (Akashi, Japan), M. Saito (Osaka, Japan), H. Fukunaga (Akashi, Japan), T. Iwaki and T. Sakai (Osaka, Japan)	S378

A3. Separation and membrane materials

Application of surface-modified metal hydrides for hydrogen separation from gas mixtures containing carbon dioxide and monoxide M. Lototskyy, K.D. Modibane, M. Williams, Ye. Klochko, V. Linkov and B.G. Pollet (Bellville, South Africa)	S382
Hydrogen solubility and permeability of V-W-Mo alloy membrane for hydrogen separation and purification H. Yukawa, C. Tsukada (Aichi, Japan), T. Nambu (Mie, Japan) and Y. Matsumoto (Oita, Japan)	S386
Design of Nb-W-Mo alloy membrane for hydrogen separation and purification K. Tsuchimoto, H. Yukawa (Aichi, Japan), T. Nambu (Mie, Japan), Y. Matsumoto (Oita, Japan) and Y. Murata (Aichi, Japan)	S391

A4. Electric-, optical-, and magnetic-applications, processing, hydrogen-induced new function in materials

Fabrication of high-strength and high-conductivity Cu-Ti alloy wire by aging in a hydrogen atmosphere S. Semboshi and T. Takasugi (Osaka, Japan)	S397
New useful function of hydrogen in materials M. Okada (Hachinohe, Sendai, Japan), J. Nakahigashi (Fukuyama, Japan), A. Fujita (Sendai, Japan), M. Yamauchi (Fukuoka, Japan) and A. Kamegawa (Sendai, Japan)	S401

A5. Various applications using hydrogen storage materials and hydrogen systems

Metal hydride bed system model for renewable source driven Regenerative Fuel Cell C. Corgnale, T. Motyka, S. Greenway, J.M. Perez-Berrios (Aiken, USA), A. Nakano, H. Ito and T. Maeda (Ibaraki, Japan)	S406
Hydrogen production via thermochemical water-splitting by lithium redox reaction N. Nakamura, H. Miyaoka, T. Ichikawa and Y. Kojima (Higashi-Hiroshima, Japan)	S410
A hydrogen purification and storage system using CO adsorbent and metal hydride S. Miura, A. Fujisawa, S. Tomekawa, Y. Taniguchi (Hyogo, Japan), N. Hanada and M. Ishida (Ibaraki, Japan)	S414
Study on a metal hydride tank to support energy storage for renewable energy A. Nakano, H. Ito, T. Maeda, T. Munakata (Ibaraki, Japan), T. Motyka, C. Corgnale, S. Greenway and J.M. Perez-Berrios (Aiken, USA)	S418
Simulation study of hydrogen purification using metal hydride A. Fujisawa, S. Miura (Hyogo, Japan), Y. Mitsutake and M. Monde (Saga, Japan)	S423
Keywords.	I