

Volume 581

25 December 2013
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

SnO ₂ nanorods grown on MCMB as the anode material for lithium ion battery B. Zhang, C. Wang, Q. Ru, S. Hu, D. Sun, X. Song and J. Li (Guangzhou, PR China)	1
Fluorescence enhancement of Ru(bpy) ₃ ³⁺ by core-shell Ag@SiO ₂ nanocomposites N. Yin (Hefei, People's Republic of China), Y. Liu (Hefei, Mianyang, People's Republic of China), L. Liu, J. Lei, T. Jiang, H. Wang, L. Zhu and X. Xu (Hefei, People's Republic of China)	6
Preparation and performance of ZnO nanowires modified carbon fibers reinforced NiFe ₂ O ₄ ceramic matrix composite L. Zhang and W. Jiao (Zibo, PR China)	11
In situ (Al ₃ Zr+Al ₂ O _{3np})/2024Al metal matrix composite with novel reinforcement distributions fabricated by reaction hot pressing B. Kaveendran, G.S. Wang, L.J. Huang, L. Geng (Harbin, PR China) and H.X. Peng (Bristol, United Kingdom)	16
Changes of nitrides characteristics in Li–N system synthesized at different pressures O.V. Ignatenko, V.A. Komar, S.V. Leonchik, N.A. Shempel (Minsk, Belarus), A. Ene, A. Cantaragiu (Galati, Romania), M.V. Frontasyeva and V.N. Shvetsov (Moscow Region, Russia)	23
A novel ITO/AZO/SiO ₂ /p-Si frame SIS heterojunction fabricated by magnetron sputtering B. He, H. Wang, Y. Li, Z. Ma, J. Xu, Q. Zhang, C. Wang, H. Xing, L. Zhao and Y. Rui (Shanghai, People's Republic of China)	28
Effects of Sr ²⁺ ion-doped on the microstructure and photoluminescence properties of Ca ₂ La _{0.97} Pr _{0.03} TaO ₆ phosphor Y.-Y. Tsai (Kaohsiung, Taiwan), M.-T. Tsai, H.-Z. Lin and Y.-S. Chang (Yunlin, Taiwan)	35
Two-step hydrothermal process for synthesis of F-doped BiVO ₄ spheres with enhanced photocatalytic activity J.-Q. Li, Z.-Y. Guo, H. Liu, J. Du and Z.-F. Zhu (Xi'an, China)	40
Effects of pore size on microstructure, mechanical and dielectric properties of gel casting BN/Si ₃ N ₄ ceramics with spherical-shaped pore structures S. Wang, Z. Yang, X. Duan, D. Jia, W. Cui, B. Sun and Y. Zhou (Harbin, China)	46
Effect of La ₂ O ₃ on high-temperature thermoelectric properties of WO ₃ X. Dong, Y. Gan, Y. Wang, S. Peng and L. Dong (Chengdu, China)	52
Mechanical niobium doping in barium titanate electroceramics I.A. Velasco-Davalos (Zacatenco, Mexico), (Varennes, Canada), A. Ruediger (Varennes, Canada), J.J. Cruz-Rivera (Lomas, Mexico) and C. Gomez-Yanez (Zacatenco, Mexico)	56
Theoretical study on the structure and dehydrogenation mechanism of mixed metal amidoborane, Na[Li(NH ₂ BH ₃) ₂] K. Wang, J.-G. Zhang and P. He (Beijing, PR China)	59
Magnetic properties and microstructure investigation of electrodeposited FeNi/ITO films with different thickness D. Cao, Z. Wang, E. Feng, J. Wei, J. Wang and Q. Liu (Lanzhou, People's Republic of China)	66
The structural, optical, magnetic and photocatalytic properties of transition metal ions doped TiO ₂ nanoparticles M.M. Rashad, E.M. Elsayed, M.S. Al-Kotb and A.E. Shalan (Cairo, Egypt)	71
Stabilized γ-BIMNVOX solid electrolyte: Ethylene glycol-citrate sol–gel synthesis, microwave-assisted calcination, and structural and electrical characterization N.A.S. Al-Areqi (Taiz, Republic of Yemen), S. Beg (Aligarh, India), A. Al-Alas (Taiz, Republic of Yemen) and S. Hafeez (Aligarh, India)	79
Structural modifications in a Mn ₅₄ Al ₄₃ C ₃ melt-spun alloy induced by mechanical milling and subsequent annealing investigated by atom probe tomography J.M. Le Breton, J. Bran, E. Folcke (Saint Etienne du Rouvray, France), M. Lucis (United States), R. Lardé, M. Jean (Saint Etienne du Rouvray, France) and J.E. Shield (United States)	86
Nanocrystalline intermetallic compounds in the Ni–Al–Cr system synthesized by mechanical alloying and their thermodynamic analysis A.R. Shirani Bidabadi (Ontario, Canada), M.H. Enayati, E. Dastanpoor (Isfahan, Iran), R.A. Varin and M. Biglari (Ontario, Canada)	91
Solid state synthesis, characterization and optical properties of Tb doped SrSnO ₃ phosphor Z. Kotan (Bornova-İzmir, Turkey), M. Ayvacikli, Y. Karabulut (Muradiye-Manisa, Turkey), J. Garcia-Guinea, L. Tormo (Madrid, Spain), A. Animoglu (Niğde, Turkey), T. Karali (Bornova-İzmir, Turkey) and N. Can (Muradiye-Manisa, Turkey)	101

First-principles study of structural and electronic properties of Al–Os intermetallic compounds G. Yao (Mianyang, China), Y. Liu, W. Zhang (Leshan, China), X. An (Mianyang, China), Y. Chen (Hohhot, China), H. Lei, Y. Fu, Z. Jiang, Y. Zhao, X. Wang, L. Cao and W. Wu (Mianyang, China)	109
PVP-assisted synthesis and visible light catalytic property of Ag/AgBr/TiO ₂ ternary nanostructures C. Liu, W. Sun, Y. Zhuo, C. Liu and Y. Chu (Jilin, PR China)	115
Preparation and electrochemical performance of LiNi _{0.5} Mn _{0.5} O _{2-x} F _x (0 ≤ x ≤ 0.04) cathode material synthesized with hydroxide co-precipitation for lithium ion batteries C. Hu, J. Guo, J. Wen, Y. Peng and Y. Chen (Hunan, China)	121
Synthesis of boron carbide nanoflakes via a bamboo-based carbon thermal reduction method J. Du, Q. Li, Y. Xia, X. Cheng, Y. Gan, H. Huang, W. Zhang and X. Tao (Hangzhou, China)	128
Influence of sputtering parameters on the electrical property of indium tin oxide film used for microwave absorbing Y. Ye (Shanghai, Beijing, PR China), L. Song (Shanghai, PR China), X. Song (Shanghai, Beijing, PR China) and T. Zhang (Shanghai, PR China)	133
First-principles calculations of structural, electronic and optical properties of ZnGa _x Al _{2-x} O ₄ spinel-type oxides C. Xiang, H. Tan, J. Lu, Y. Yang and C. Ni (Kunming, China)	139
Room temperature ferromagnetism in combustion synthesized nanocrystalline Co, Al co-doped ZnO R. Siddheswaran, R.V. Mangalaraja (Concepcion, Chile), M.E. Gómez (Cali, Colombia), R.E. Avila (Santiago, Chile) and C. Esther Jeyanthi (Coimbatore, Chennai, India)	146
Sintering characteristics and electrical properties of BaBi ₄ Ti ₄ O ₁₅ ferroelectric ceramics A. Khokhar (Delhi, India), M.L.V. Mahesh, A.R. James (Hyderabad, India), P.K. Goyal and K. Sreenivas (Delhi, India)	150
Microstructure evolution of copper strips with gradient temperature in electropulsing treatment R.F. Zhu, G.Y. Tang (Shenzhen, Beijing, PR China), S.Q. Shi and M.W. Fu (Hong Kong, PR China)	160
Thermodynamic assessment and experimental study of Mg–Gd alloys M. Hampl (Clausthal-Zellerfeld, Germany), C. Blawert, M.R. Silva Campos, N. Hort, Q. Peng, K.U. Kainer (Geesthacht, Germany) and R. Schmid-Fetzer (Clausthal-Zellerfeld, Germany)	166
Study of structural, morphological and electrical properties of Ce doped NiFe ₂ O ₄ nanoparticles and their electronic structure investigation G. Dixit (New Delhi, India), (Pantnagar, India), J.P. Singh (New Delhi, India), C.L. Chen (Taipei, Taiwan), C.L. Dong (Hsinchu, Taiwan), R.C. Srivastava, H.M. Agrawal (Pantnagar, India), W.F. Pong (Taipei County, Taiwan) and K. Asokan (New Delhi, India)	178
Layered co-sensitization for enhancement of conversion efficiency of natural dye sensitized solar cells N.T.R.N. Kumara, P. Ekanayake, A. Lim, L.Y.C. Liew, M. Iskandar, L.C. Ming (Brunei Darussalam) and G.K.R. Senadeera (Kandy, Sri Lanka)	186
Mechanochemical synthesis of erbium borohydride: Polymorphism, thermal decomposition and hydrogen storage F.C. Gennari (S. C. de Bariloche, Argentina)	192
Fabrication of ZnO nanorods for NO ₂ sensor applications: Effect of dimensions and electrode position S. Öztürk (Gebze, Turkey), N. Kılınc (Gebze, Saryer, Turkey) and Z.Z. Öztürk (Gebze, Turkey)	196
Effects of Ni-coated Carbon Nanotubes addition on the electromigration of Sn–Ag–Cu solder joints Z. Yang, W. Zhou and P. Wu (Tianjin, PR China)	202
Phase stability, physical properties of rhenium diboride under high pressure and the effect of metallic bonding on its hardness M.-M. Zhong, X.-Y. Kuang, Z.-H. Wang, P. Shao, L.-P. Ding and X.-F. Huang (Chengdu, China)	206
Measurement of the effective atomic number of Fe _x Cr _{1-x} and Fe _x Ni _x alloys using scattering of gamma rays D. Demir and A. Turşucu (Erzurum, Turkey)	213
Solvothermal synthesis of Ni(HCO ₃) ₂ /graphene composites toward supercapacitors and the faradiac redox mechanism in KOH solution J. Sun (Lanzhou, Beijing, PR China), Z. Li, J. Wang, Z. Wang (Lanzhou, PR China), L. Niu, P. Gong (Lanzhou, Beijing, PR China), X. Liu, H. Wang and S. Yang (Lanzhou, PR China)	217
Structural, vibrational and microwave dielectric properties of (1-x)Mg _{0.95} Co _{0.05} TiO ₃ –(x)Ca _{0.8} Sr _{0.2} TiO ₃ ceramic composites S.S. Rajput and S. Keshri (Ranchi, India)	223
Enhancement of tensile ductility and stretch formability of AZ31 magnesium alloy sheet processed by cross-wavy bending Q. Huo, X. Yang, H. Sun, B. Li, J. Qin, J. Wang and J. Ma (Changsha, China)	230
Synthesis process investigation and electrochemical performance characterization of SrLi ₂ Ti ₆ O ₁₄ by <i>ex situ</i> XRD J. Liu, Y. Li, X. Wang, Y. Gao, N. Wu and B. Wu (Beijing, China)	236
Phase evolution and thermal stability of 2 Mg–Cu alloys processed by mechanical alloying C. Martínez, S. Ordoñez (Santiago, Chile), D. Guzmán (Copiapó, Chile), D. Serafini (Santiago, Chile), I. Iturriza (San Sebastián, España) and O. Bustos (Santiago, Chile)	241
A new reversible Mg ₃ Ag–H ₂ system for hydrogen storage T.Z. Si, J.B. Zhang, D.M. Liu and Q.A. Zhang (Anhui, PR China)	246
Effects of Ga accumulation on the microstructure of Cu(In _{1-x} Ga _x)Se ₂ thin films during selenization K.-H. Liao, C.-Y. Su and Y.-T. Ding (Taipei, Taiwan, ROC)	250
Influence of Mg substitutions for Zn on the phase relation and microwave dielectric properties of (Zn _{1-x} Mg _x) ₃ Nb ₂ O ₈ (x=0.02–1.0) system W.-R. Yang, C.-C. Pan and C.-L. Huang (Tainan, Taiwan)	257
Giant exchange bias and exchange enhancement observed in CoFe ₂ O ₄ -based composites F.L. Zan, Y.Q. Ma, Q. Ma, Y.F. Xu, Z.X. Dai and G.H. Zheng (Hefei, People's Republic of China)	263

Effect of LaH ₃ -TiH ₂ composite additive on the hydrogen storage properties of Mg ₂ Ni alloys X. Zhao, S. Han, X. Zhu (Qinhuangdao, PR China), B. Liu (Qinhuangdao, Jiaozuo, PR China), X. Chen, Y. Liu (Qinhuangdao, PR China) and R. Wang (Ontario, Canada)	270
Influence of RE ³⁺ co-substitution on the structure and magnetic properties of Sr _{0.82} RE _{0.18} Fe ₁₂ O ₁₉ (RE: La _{0.18-x} Pr _x) ferrites B.K. Rai, S.R. Mishra (Memphis, TN, United States), V.V. Nguyen and J.P. Liu (United States).	275
Direct synthesis of amorphous carbon nanotubes on Fe ₇₆ Si ₉ B ₁₀ P ₅ glassy alloy particles C. He, L. Chen, C. Shi, C. Zhang, E. Liu, J. Li, N. Zhao (Tianjin, China), X. Wang, A. Makino and A. Inoue (Miyagi, Japan)	282
Temperature and frequency dependence of negative differential capacitance in a planar GaN-based p-i-n photodetector X. Bao (Qingdao, Shanghai, China), J. Xu, C. Li, H. Qiao, Y. Zhang and X. Li (Shanghai, China)	289
Effect of heat treatment on magnetic properties of iron-based soft magnetic composites with Al ₂ O ₃ insulation coating produced by sol-gel method M. Yaghtin, A.H. Taghvaei, B. Hashemi and K. Janghorban (Shiraz, Iran)	293
Surface area effects on the early stages of the mechanical alloying of Ag ₅₀ Cu ₅₀ powder mixtures S. Garroni, A. Contini, S. Enzo (Sassari, Italy), P. Meloni and F. Delogu (Cagliari, Italy).	298
One-step solution-phase synthesis of a novel RGO-Cu ₂ O-TiO ₂ ternary nanocomposite with excellent cycling stability for supercapacitors D. Luo, Y. Li, J. Liu, H. Feng, D. Qian, S. Peng, J. Jiang and Y. Liu (Changsha, PR China)	303
Synthesis and characterization of low-dimensional ZnO nanocrystals in an aqueous solution M.-H. Wang, F. Zhou, B. Zhang and C. Yao (Changzhou, PR China)	308
The influence of chromium on the structure and superplasticity of Al-Mg-Mn alloys V.K. Portnoy, D.S. Rylov, V.S. Levchenko and A.V. Mikhaylovskaya (Russian Federation)	313
Structural, magnetic and optical properties of Ni-doped TiO ₂ thin films deposited on silicon(100) substrates by sol-gel process J. Tian (Kaifeng, Shanghai, China), H. Gao (Kaifeng, China), H. Deng, L. Sun, H. Kong, P. Yang and J. Chu (Shanghai, China)	318
Solid-state amorphization in a Ti ₂ Pd intermetallic compound under fast-electron irradiation S. Anada, T. Nagase, H. Yasuda and H. Mori (Osaka, Japan)	324
Synthesis, structure and luminescence properties of TiO ₂ :Eu ³⁺ for white light-emitting diode W. Chen, A. Zhou, X. Yang and Y. Liu (Huaihua, PR China).	330
Synthesis and microstructural properties of α-Fe _{1-x} Ga _x OOH solid solutions S. Krehula, L. Kratofil Krehula and S. Musić (Zagreb, Croatia).	335
Behavior and effect of Ti ₂ Ni phase during processing of NiTi shape memory alloy wire from cast ingot J. Bhagyaraj (Kanpur, India), K.V. Ramaiah, C.N. Saikrishna and S.K. Bhaumik (Bangalore, India) Gouthama (Kanpur, India)	344
Structural, electrical and magnetic study of polycrystalline La _{0.4} Bi _{0.1} Ca _{0.5} MnO ₃ A. Krichene, W. Boujelben (Sfax, Tunisia) and A. Cheikhrouhou (Sfax, Tunisia), (Grenoble Cedex, France)	352
Non-radiative recombination process in BGaAs/GaAs alloys: Two layer photothermal deflection model S. Ilahi (Merazka, Tunisia), M. Baira, F. Saidi (Monastir, Tunisia), N. Yacoubi (Merazka, Tunisia), L. Auvray (Villeurbanne Cedex, France) and H. Maaref (Monastir, Tunisia).	358
Structural, optical and magnetic properties of Co doped CdS nanoparticles G. Giribabu, G. Murali (Tirupati, India), D. Amaranatha Reddy, C. Liu (Gyeonggi Do, South Korea) and R.P. Vijayalakshmi (Tirupati, India)	363
Lattice defects in V-Ti BCC alloys before and after hydrogenation J. Matsuda and E. Akiba (Fukuoka, Japan)	369
The effects of high magnetic field on crystallization of Fe ₇₁ (Nb _{0.8} Zr _{0.2}) ₆ B ₂₃ bulk metallic glass P. Jia, J.-m. Liu, E.-g. Wang (Shenyang, China) and K. Han (Tallahassee, United States)	373
Structural and Mössbauer study of the Brownmillerite oxides LaSrMn _{2-x} Fe _x O ₅ (0 ≤ x ≤ 0.5) M. Mohamed (Sfax, Tunisia), N. Rammeh (Borj Cedrea, Tunisia), A. Kabadou (Sfax, Tunisia), M.T. Sougrati and A. van der Lee (Montpellier, France).	378
Preparation and photocatalytic activity of TiO ₂ /CeO ₂ /Bi ₂ O ₃ composite for Rhodamine B degradation under visible light irradiation Z. Zou, C. Xie, S. Zhang, X. Yu, T. Zou and J. Li (Wuhan, PR China).	385
Photocatalytic degradation of Eriochrome Black T dye using well-crystalline anatase TiO ₂ nanoparticles S.K. Kansal, S. Sood (Chandigarh, India), A. Umar (Najran, Kingdom of Saudi Arabia) and S.K. Mehta (Chandigarh, India).	392
Microstructural characteristics of high-velocity oxygen-fuel (HVOF) sprayed nickel-based alloy coating S. Hong, Y. Wu, G. Li, B. Wang, W. Gao and G. Ying (Nanjing, PR China).	398
Mechanical and electronic properties of A _{1-x} B _x H _y (A and B=Ti, Zr, Hf) hydride alloys: A first-principles study Y. Dai, L. Yang, J. Nie (Chengdu, China), K. Fan (Dazhou, China), S. Peng, X. Long, X. Zhou, W. Bing (Mianyang, China), X. Zu (Chengdu, China) and F. Gao (Richland, USA).	404
Large anisotropy of electrical conductivity induced high thermoelectric performance of p-type CrSi ₂ X.J. Zhang, Y.L. Yan (Kaifeng, People's Republic of China) and Y.X. Wang (Kaifeng, Guiyang, People's Republic of China)	413
Sonochemical assisted synthesis of nano-structured titanium oxide by anodic oxidation M.P. Neupane, I.S. Park, T.S. Bae and M.H. Lee (Jeonju, South Korea).	418
Magnetism of ordered and disordered alloys of R ₂ Fe ₁₄ B (R=Nd, Er) type A.E. Teplykh, Yu.G. Chukalkin (Ekaterinburg, Russia), S. Lee (Daejeon, Republic of Korea), S.G. Bogdanov, N.V. Kudrevatykh, E.V. Rosenfeld, Yu.N. Skryabin (Ekaterinburg, Russia), Y. Choi (Cheonan, Republic of Korea), A.V. Andreev (Prague, Czech Republic) and A.N. Pirogov (Ekaterinburg, Russia).	423

The properties of lattice, electronic and magnetic subsystems of erbium tetraboride based on calorimetric data at temperatures of 2–300 K	
V.V. Novikov (Bryansk, Russia), A.V. Morozov (Moscow, Russia), A.V. Matovnikov, N.V. Mitroshenkov, D.V. Avdashchenko, S.V. Kuznetsov, B.I. Kornev, O.A. Marakhina (Bryansk, Russia), V.V. Novikova (Khmelnytsky, Ukraine) and E.O. Bordacheva (Bryansk, Russia)	431
A vaporization study of the Ru–Te binary system by Knudsen effusion mass spectrometry	
T.S. Lakshmi Narasimhan, R. Balasubramanian, P. Manikandan and R. Viswanathan (Kalpakkam, India)	435
Enhanced d_{33} value in $(1-x)[(K_{0.50}Na_{0.50})_{0.97}Li_{0.03}Nb_{0.97}Sb_{0.03}O_3]-xBaZrO_3$ lead-free ceramics with an orthorhombic-rhombohedral phase boundary	
B. Zhang, X. Wang, X. Cheng, J. Zhu, D. Xiao and J. Wu (Chengdu, PR China)	446
Zirconia-based nanocomposite toughened by functionalized multi-wall carbon nanotubes	
J. Yi (Taizhou, Beijing, PR China), T. Wang, Z. Xie and W. Xue (Beijing, PR China)	452
Enhancing biological properties of porous coatings through the incorporation of manganese	
Y.-T. Liu, K.-C. Kung, T.-M. Lee and T.-S. Lui (Tainan, Taiwan)	459
Origin of the low piezoelectric coefficient of metal core $0.3Pb(Zn_{1/3}Nb_{2/3})O_3-0.7Pb(Zr,Ti)O_3$ piezoelectric fibers	
J. Luo, J. Qiu, K. Zhu, H. Ji and D. Liang (Nanjing, China)	468
Evolution of magnesium during reactive milling under hydrogen atmosphere with crystallitic carbon as milling aid	
S. Zhou, Q. Zhang, W. Ran, Z. Han, H. Niu, S. Han, L. Cui, T. Zhang, H. Chen and D. Liu (Qingdao, China)	472
Epitaxial $BiFe_{0.95}Mn_{0.05}O_3$ thin films on transparent $La_{0.07}Ba_{0.93}SnO_3$ electrodes	
Q. Liu, H. Li (HuaiBei, PR China) and L. Fan (Hefei, PR China)	479
Co-precipitation synthesis of YAG:Dy nanophosphor and its thermometric properties	
J.-Y. Chong, Y. Zhang, B.K. Wagner and Z. Kang (Atlanta, USA)	484
Effect of Al components on the properties of $CuAlO_2$ thin films deposited by RF magnetron sputtering	
Z. Sun (Hefei, PR China), X. Jiang (Hefei, Chuzhou, PR China), J. Li, G. He and X. Song (Hefei, PR China)	488
Calculation of Jackson's factor of Mg_2Si in Mg melt using coordination polyhedron	
Y. He, H. Zhang, T. Li and X. Wang (Beijing, PR China)	494
Comparisons of grain size-density trajectory during microwave and conventional sintering of titanium nitride	
D. Demirskyi (Ibaraki, Japan), (University Park, USA), (Kyiv, Ukraine), D. Agrawal (University Park, USA) and A. Ragulya (Kyiv, Ukraine)	498
Magnetic, electrical and optical properties of p-type Fe-doped $CuCrO_2$ semiconductor thin films	
F. Lin, C. Gao, X. Zhou, W. Shi and A. Liu (Shanghai, PR China)	502
Theoretical study on tetragonal transition metal dinitrides from first principles calculations	
H. Yan, M. Zhang (Baoji, People's Republic of China), Q. Wei and P. Guo (Xi'an, People's Republic of China)	508
Fast crystallization and low power of Al-doped Sn_2Se_3 thin films for phase change memory applications	
Y. Hu (Shanghai, Changzhou, China), S. Li, T. Lai (Guangzhou, China), S. Song, Z. Song and J. Zhai (Shanghai, China)	515
Reaction pathway of Ni/Al clad particles under thermal loading: A molecular dynamics simulation	
H.-Z. Wu and S.-J. Zhao (Shanghai, China)	519
High performance DLC/BP and ZnS/YbF_3 double-layer protective and antireflective coatings	
W. Liu, H. Tu (Beijing, PR China), M. Gao (Xi'an, PR China), X. Su, S. Zhang, C. Huo and H. Yang (Beijing, PR China)	526
The strain effect and the ferroelectric field effect in $LaMnO_{3+\delta}$ film/ $Pb(Mg_{1/3}Nb_{2/3})O_3-PbTiO_3$ single-crystal heterostructures	
Q.X. Zhu, M.M. Yang, M. Zheng, W. Wang (Shanghai, China), Y. Wang (Hong Kong, China), X.M. Li, H.S. Luo (Shanghai, China), X.G. Li (Hefei, China), H.L.W. Chan (Hong Kong, China) and R.K. Zheng (Shanghai, China)	530
Enhancement of the 1.53 μm fluorescence and energy transfer in $Er^{3+}/Yb^{3+}/Ce^{3+}$ tri-doped WO_3 modified tellurite-based glass	
D. Yin, S. Peng, Y. Qi, S. Zheng, Y. Zhou and X. Wang (Zhejiang, China)	534
Interband critical points in $TiGa_xIn_{1-x}S_2$ layered mixed crystals ($0 \leq x \leq 1$)	
M. Isik and N.M. Gasanly (Ankara, Turkey)	542
Preparation and dielectric properties of unfilled tungsten bronze ferroelectrics $Ba_4RETiNb_9O_{30}$	
C. Hu, L. Hou, L. Fang and L. Liu (Guilin, China)	547
Microwave dielectric properties of AWO_4 (A=Ca, Ba, Sr) ceramics synthesized via high energy ball milling method	
L. Cheng, P. Liu, S.-X. Qu (Xi'an, PR China) and H.-W. Zhang (Chengdu, PR China)	553
Microwave combustion synthesis, structural, optical and magnetic properties of $Zn_{1-x}Co_xAl_2O_4$ ($0 \leq x \leq 0.5$) spinel nanostructures	
G.T. Anand (Chennai, India), (Tirupattur, India), L.J. Kennedy (Chennai, India) and J.J. Vijaya (Chennai, India)	558
Dealloying behavior of amorphous binary Ti–Cu alloys in hydrofluoric acid solutions at various temperatures	
Z. Dan, F. Qin, S.-i. Yamaura, Y. Sugawara, I. Muto and N. Hara (Sendai, Japan)	567
La_2O_3 -doped $0.6Y_2O_3-0.4YCr_{0.5}Mn_{0.5}O_3$ composite NTC ceramics for wide range of temperature sensing	
B. Zhang (Urumqi, PR China), (Beijing, PR China), Q. Zhao, A. Chang, X. Huang (Urumqi, PR China), J. Hou, P. Zhao and G. Ji (Urumqi, PR China), (Beijing, PR China)	573
Local structure of metallic chips examined by X-ray microdiffraction	
K. Saksl (Košice, Slovakia), P. Rokicki (Rzeszow, Poland), C. Siemers (Braunschweig, Germany), D. Ostroushko (Ostrava, Czech Republic), J. Bednarčík and U. Rütt (Hamburg, Germany)	579
Formation of long-period stacking ordered phase only within grains in Mg–Gd–Y–Zn–Zr casting by friction stir processing	
Q. Yang, B.L. Xiao, D. Wang (Shenyang, China), M.Y. Zheng, K. Wu (Harbin, China) and Z.Y. Ma (Shenyang, China)	585

Morphology-controlled synthesis of $\text{Y}_2\text{O}_3:\text{Eu}^{3+}$ and the photoluminescence property Y. Liu, Y. Ruan, L. Song, W. Dong and C. Li (Hangzhou, China)	590
Optical and structural characterization of tungsten oxide electrodeposited on nanostructured porous silicon: Effect of annealing atmosphere and temperature N. Mendoza-Agüero and V. Agarwal (Cuernavaca, Mexico)	596
Metal carbonates as anode materials for lithium ion batteries L. Shao, R. Ma, K. Wu, M. Shui, M. Lao, D. Wang, N. Long, Y. Ren and J. Shu (Ningbo, People's Republic of China)	602
A novel hierarchical ZnO disordered/ordered bilayer nanostructured film for dye sensitized solar cells Y. Feng, F. Wu, J. Jiang, J. Zhu, G.J. Fodjouong, G. Meng, Y. Xing, W. Wang and X. Huang (Wuhan, PR China)	610
Estimation of cation distribution in spinel ferrites $\text{Co}_{1-x}\text{Fe}_{2-x}\text{O}_4$ ($0.0 \leq x \leq 2.0$) using the magnetic moments measured at 10 K S.R. Liu, D.H. Ji, J. Xu, Z.Z. Li, G.D. Tang, R.R. Bian, W.H. Qi, Z.F. Shang and X.Y. Zhang (Shijiazhuang City, People's Republic of China)	616
The kinetics of ordering in an equiatomic CuPd alloy: A resistometric study A.Yu. Volkov, O.S. Novikova and B.D. Antonov (Ekaterinburg, Russia)	625
Design and development of low-power driven hybrid electroluminescent lamp from carbon nanotube embedded phosphor material D. Yadav, S. Mishra, V. Shanker and D. Haranath (New Delhi, India)	632
Measuring the frequency-dependent dielectric properties of microwave composites using simple measurement methods C.-C. Wu and C.-F. Yang (Kaohsiung, Taiwan)	636
High piezoelectric coefficient and temperature stability of Ga_2O_3 -doped $(\text{Ba}_{0.99}\text{Ca}_{0.01})(\text{Zr}_{0.02}\text{Ti}_{0.98})\text{O}_3$ lead-free ceramics by low-temperature sintering J. Ma (Changsha, China), X. Liu (Changsha, China), (Guilin, China) and W. Li (Guilin, China)	642
Hot-injection synthesis and characterization of monodispersed ternary Cu_2SnSe_3 nanocrystals for thermoelectric applications J.-M. Song, Y. Liu, H.-L. Niu, C.-J. Mao, L.-J. Cheng, S.-Y. Zhang and Y.-H. Shen (Hefei, PR China)	646
Low temperature operating $\text{In}_{2-x}\text{Ni}_x\text{O}_3$ sensors with high response and good selectivity for NO_2 gas Y. Chen (Beijing, PR China), L. Zhu, C. Feng, J. Liu, C. Li, S. Wen and S. Ruan (Changchun, PR China)	653
Crystal structure and physical properties of LaPd_2Ge and a novel compound LaPdGe_3 R. Troć, R. Wawryk (Wrocław, Poland) and A.V. Gribanov (Moscow, Russia)	659
The incorporation of neptunium and plutonium in thorutite (ThTi_2O_6) Y. Zhang, D.J. Gregg, G.R. Lumpkin, B.D. Begg and M. Jovanovic (Karrawee DC, Australia)	665
Effect of melt superheated treatment on glass forming ability and thermal expansion of $\text{Gd}_{55}\text{Al}_{25}\text{Cu}_{10}\text{Co}_{10}$ alloys J. Liu, J. Guo, X. Hu, S. Guo, W. Meng and Q. Xiao (Shandong, China)	671
A simple preparation of highly photoactive Fe(III) -doped titania nanocrystals by annealing-free approach A.V. Vinogradov, V.V. Vinogradov and A.V. Agafonov (Ivanovo, Russian Federation)	675
An extension to isothermal processes of the theoretical method developed (TMD) to analyze the glass-crystal transformation kinetics by differential scanning calorimetry. Application to the crystallization of the $\text{Sb}_{0.16}\text{As}_{0.22}\text{Se}_{0.62}$ glassy alloy J.L. Cárdenas-Leal, J. Vázquez, D.G.-G. Barreda, P.L. López-Aleman, R. González-Palma and P. Villares (Puerto Real, Spain)	679
Full-scale magnetic, microstructural, and physical properties of bilayered CoSiB/FeSiB ribbons O. Životský, A. Titov (Ostrava-Poruba, Czech Republic), Y. Jirásková, J. Buršík (Brno, Czech Republic), J. Kalbáčová (Ostrava-Poruba, Czech Republic), D. Janičkovič and P. Švec (Bratislava, Slovakia)	685
Effects of PuNi_3 - and Ce_2Ni_7 -type phase abundance on electrochemical characteristics of La-Mg-Ni -based alloys J. Zhang, S. Han, Y. Li, J. Liu, S. Yang, L. Zhang and J. Wang (Qinhuangdao, PR China)	693
Characteristics of power loss in soft magnetic composites a key for designing the best values of technological parameters B. Ślusarek, B. Jankowski (Warszawa, Poland), K. Sokalski and J. Szczygłowski (Częstochowa, Poland)	699
Effect of recrystallization and heat treatment on strength and SCC of an Al-Zn-Mg-Cu alloy S. Chen, K. Chen, P. Dong, S. Ye and L. Huang (Changsha, China)	705
XRD and HRTEM characterization of mechanosynthesized $\text{Ti}_{0.9}\text{W}_{0.1}\text{C}$ cermet S. Bandyopadhyay, H. Dutta and S.K. Pradhan (West Bengal, India)	710
Hierarchical wheat-like Au-Pd heterostructures with enhanced catalytic activity toward methanol electrooxidation Z.-Y. Lv, Y. Fei, W.-Y. Chen, Y.-F. Tan, C.-Q. Sun, J.-R. Chen, A.-J. Wang and J.-J. Feng (Jinhua, China)	717
Synthesis of PVDF-graphene nanocomposites and their properties Md. Aatur Rahman and G.-S. Chung (Ulsan, Republic of Korea)	724
Effects of Li and Na intercalation on electronic, bonding and thermoelectric transport properties of MX_2 ($\text{M}=\text{Ta}$; $\text{X}=\text{S}$ or Se) dichalcogenides – Ab initio investigation S. Meziane, H. Feraoun (Algeria), T. Ouahrani (Tlemcen, Algeria) and C. Esling (Metz, France), (Metz Cedex, France)	731
Effect of CaTiO_3 addition on microwave dielectric properties of NdNbO_4 ceramics as multi-function material P. Zhang, Z. Song, Y. Wang, Y. Han, H. Dong and L. Li (Tianjin, China)	741
Phase transition character and thermodynamic modeling of the $\text{P}\bar{6}$ and $\text{P}\bar{6}'$ hexagonal Si-N system supplemented by first-principles calculations B.-H. Yu and D. Chen (Xinyang, PR China)	747
Magnetostrictive properties of $\text{Tb}_x(\text{Pr}_{0.5}\text{Nd}_{0.5})_{1-x}\text{Fe}_{1.93}$ cubic Laves alloys Y.G. Shi, X.G. Zhou, C.C. Hu, D.N. Shi, L.Y. Lv and S.L. Tang (Nanjing, China)	753

Phase analysis and improvement of quality factor of $\text{Li}_2\text{ZnTi}_3\text{O}_8$ ceramics by annealing treatment H. Taghipour Armaki, E. Taheri-Nassaj and M. Bari (Tehran, Iran)	757
Phase equilibrium in the system $\text{Ti}_2\text{Te}-\text{TiBr}-\text{TiI}$ and thermodynamic properties of the solid solution $\text{Ti}_5\text{Te}_2\text{Br}_x\text{I}_{1-x}$ D.M. Babanly, S.M. Bagheri (Baku, Azerbaijan), A.V. Shevelkov (Moscow, Russia) and Z.S. Aliyev (Baku, Azerbaijan)	762
Investigation on the formation mechanism of irregular dendrite during directional solidification of Al-Cu alloys under a high magnetic field X. Li (Shanghai, PR China), (St. Martin d'Heres Cedex, France), Q. Li, Z. Ren (Shanghai, PR China), Y. Fautrelle (St. Martin d'Heres Cedex, France), X. Lu (Shanghai, PR China), A. Gagnoud (St. Martin d'Heres Cedex, France), Y. Zhang, C. Esling (Metz, France), H. Wang, Y. Dai and Q. Wang (Beijing, PR China)	769
Synthesis and super-paramagnetic properties of neodymium ferrites nanorods H. El moussaoui, O. Mounkachi (Rabat, Morocco), R. Masrour (Safi, Morocco), M. Hamedoun (Rabat, Morocco), E.K. Hlil (Grenoble Cedex, France) and A. Benyoussef (Rabat, Morocco)	776
Mechanochemical synthesis of ZrB_2 -SiC-ZrC nanocomposite powder by metallothermic reduction of zircon M. Jalaly, M. Tamizifar, M.Sh. Bafghi (Tehran, Iran) and F.J. Gotor (Sevilla, Spain)	782
Microstructural and mechanical studies of reactor pressure vessel steel under proton irradiation R. Wang, C. Xu, X. Liu, P. Huang and A. Ren (Suzhou, China)	788
Study of molar ratio on the characteristics of metal-organic decomposed $\text{La}_x\text{Ce}_{1-x}\text{O}_z$ film as a metal reactive oxide on Si substrate W.F. Lim and K.Y. Cheong (Penang, Malaysia)	793
High light yield Ce^{3+} -doped dense scintillating glasses Q. Wang, B. Yang, Y. Zhang, H. Xia (China), T. Zhao (Seattle, USA) and H. Jiang (China)	801
Structural, optical and vibrational studies of Na^+ doped $\text{Cd}_{0.8}\text{Zn}_{0.2}\text{S}$ semiconductor compounds G. Yellaiah, K. Hadasa and M. Nagabhushanam (Hyderabad, India)	805
Fe substitution induced intermartensitic transition and its internal stress dependent transforming behavior in Ni-Mn-Ga based alloy C. Huang, Y. Wang, H. Wu, X. Liao, S. Yang, S. Wei, J. Wang and X. Song (Xi'an, China)	812
Facile synthesis and electrochemical property of Cu_2Te nanorods H. Wang, P. Zuo, A. Wang, S. Zhang, C. Mao, J. Song, H. Niu, B. Jin and Y. Tian (Hefei, China)	816
The influence of milling and annealing on the structural and magnetic behavior of $\text{Nd}_2\text{Fe}_{14}\text{B}/\alpha\text{-Fe}$ magnetic nanocomposite V. Pop, S. Gutoiu, E. Dorolti, C. Leostean (Cluj-Napoca, Romania), O. Isnard (Grenoble, Cédex, France), I. Chichinas and O. Pana (Cluj-Napoca, Romania)	821
Excellent glass forming ability and refrigeration capacity of a $\text{Gd}_{55}\text{Al}_{18}\text{Ni}_{25}\text{Sn}_2$ bulk metallic glass D. Ding, M.B. Tang and L. Xia (Shanghai, China)	828
High-performance anode-supported solid oxide fuel cells based on nickel-based cathode and $\text{Ba}(\text{Zr}_{0.1}\text{Ce}_{0.7}\text{Y}_{0.2})\text{O}_{3-\delta}$ electrolyte Z. Zhu, J. Qian, Z. Wang, J. Dang and W. Liu (Hefei, PR China)	832
Enhancement of electrochemical performance of Al-doped LiVPO_4F using AlF_3 as aluminum source J. Wang, X. Li, Z. Wang, H. Guo, Y. Li, Z. He and B. Huang (PR China)	836
Two-step preparation of nano-scaled magnetic chitosan particles using Triton X-100 reversed-phase water-in-oil microemulsion system Z. Zhou, F. Jiang (Yangling, PR China), T.-C. Lee (New Brunswick, NJ, USA) and T. Yue (Yangling, PR China)	843
Room temperature ferromagnetism in Mn doped CdS nanowires G. Murali (Tirupati, India), D. Amaranatha Reddy (Yongin, Republic of Korea), G. Giribabu, R.P. Vijayalakshmi (Tirupati, India) and R. Venugopal (Puttur, India)	849
First-principles phase stability in the Ti-V alloy system P. Söderlind, A. Landa, L.H. Yang and A.M. Teweldeberhan (Livermore, USA)	856
SWAXS analysis on some quasicrystalline alloys: Nanoclusters and nanoaggregates C. Tükel (Ankara, Turkey), S. İde, L. Yıldırım (Ankara, Turkey) and M. Erbudak (Zürich, Switzerland)	860
Theoretical investigations on the elastic, electronic and thermal properties of orthorhombic $\text{Li}_2\text{CdGeS}_4$ under pressure X. Li (Luoyang, Beijing, PR China), W. Peng and H. Fu (Luoyang, PR China)	867
Surface modification of NiTi alloys using nitrogen doped diamond-like carbon coating fabricated by plasma immersion ion implantation and deposition Y.-L. Pei (Beijing, China) and Y. Luan (Dalian, China)	873
Keywords.	I