


Volume 582

5 January 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Microstructure and properties of Ag–SnO ₂ materials with high SnO ₂ content J. Wang, D. Li and Y. Wang (Xi'an, PR China)	1
NaAuS chicken-wire-like semiconductor: Electronic structure and optical properties A.H. Reshak (Nove Hradý, Czech Republic), (Kangar, Malaysia), S.A. Khan (Nove Hradý, Czech Republic), H. Kamarudin (Kangar, Malaysia) and J. Bila (Prague, Czech Republic)	6
Sonicated sol–gel preparation of nanoparticulate ZnO thin films with various deposition speeds: The highly preferred <i>c</i> -axis (002) orientation enhances the final properties M.F. Malek, M.H. Mamat, Z. Khusaimi (Shah Alam, Malaysia), M.Z. Sahdan (Batu Pahat, Malaysia), M.Z. Musa (Shah Alam, Malaysia), A.R. Zainun (Kuantan, Malaysia), A.B. Suriani (Tanjung Malim, Malaysia), N.D. Md Sin (Shah Alam, Malaysia), S.B. Abd Hamid (Kuala Lumpur, Malaysia) and M. Rusop (Shah Alam, Malaysia)	12
A novel photoluminescent nanohybrid of poly(ϵ -caprolactone) grafted Mg/Al layered double hydroxides and Tb ³⁺ ions: Synthesis and characterization L.G. Bach (Busan, Republic of Korea), (Ho Chi Minh City, Viet Nam), Md. R. Islam (Busan, Republic of Korea), (Dhaka, Bangladesh), X.T. Cao (Busan, Republic of Korea), J.M. Park (Pohang, Republic of Korea) and K.T. Lim (Busan, Republic of Korea)	22
A comparison study between ZnO nanorods coated with graphene oxide and reduced graphene oxide J. Ding, M. Wang, J. Deng, W. Gao, Z. Yang, C. Ran and X. Zhang (Xi'an, China)	29
Synthesis of BSO (Bi ₄ Si ₃ O ₁₂) scintillation thin film by sol–gel method X. Zhu, J. Xie, D. Lin, Z. Guo, J. Xu, Y. Shi, F. Lei and Y. Wang (Shanghai, China)	33
High-temperature metal-insulator transition in Y _x Ca _{1-x} MnO ₃ (0.005 ≤ <i>x</i> ≤ 0.12): An electron-spin resonance study C. Wang, L. Shi, S. Zhou, J. Zhao, Y. Guo, H. Liu, L. He, X. Cai (Anhui, People's Republic of China)	37
Phosphine synthetic route features and postsynthetic treatment of InP quantum dots N. Mordvinova, A. Vinokurov, S. Dorofeev, T. Kuznetsova and K. Znamenkov (Moscow, Russian Federation)	43
Thermodynamic calculations in the development of high-temperature Co–Re-based alloys B. Gorr, H.-J. Christ (Siegen, Germany), D. Mukherji and J. Rösler (Braunschweig, Germany)	50
Power factor enhancement in Na _x CoO ₂ doped by Bi X. Yang, X. Wang, J. Liu and Z. Hu (Shanghai, China)	59
First-principle study on O–A–O dumbbell of delafossite crystal H.F. Jiang (Hefei, Chizhou, China), C.Y. Gui (Chizhou, China), Y.Y. Zhu (Shanghai, China), D.J. Wu (Hefei, China), S.P. Sun, C. Xiong (Changzhou, China) and X.B. Zhu (Hefei, China)	64
Investigation of the LiCo _{1-x} Mg _x PO ₄ (0 ≤ <i>x</i> ≤ 0.1) system L. Dimesso, C. Spanheimer and W. Jaegermann (Darmstadt, Germany)	69
The preparation and antiferromagnetic properties of epitaxial rocksalt-type CoN films X. Liu, H. Lu, M. He, K. Jin, G. Yang, H. Ni and K. Zhao (Beijing, China)	75
Effect of annealing on soft magnetic behavior of nanostructured (Fe _{0.5} Co _{0.5}) _{73.5} Si _{13.5} B ₉ Nb ₃ Cu ₁ ribbons T. Gheiratmand, H.R. Madaah Hosseini, P. Davami (Tehran, Iran), M. Gjoka, G. Loizos (Athens, Greece) and H. Aashuri (Tehran, Iran)	79
Nanoporous hematite nanoparticles: Synthesis and applications for benzylation of benzene and aromatic compounds N.D. Cuong (Hanoi, Hue City, Viet Nam), N.D. Hoa (Hanoi, Viet Nam), T.T. Hoa, D.Q. Khieu, D.T. Quang (Hue City, Viet Nam), V.V. Quang and N.V. Hieu (Hanoi, Viet Nam)	83
Crystallization and nanostructure of transparent gel-derived KTiOPO ₄ /SiO ₂ nano-glass–ceramics D. Li, M. Tian, R. Xie, Q. Li, S. Ma, Y. Shi, F. Li, H. Lin, L. Gou, X. Fan, P. Zhao, X. Wang and X. Yao (Xi'an, China)	88
Molten salt synthesis of mullite whiskers on the surface of SiC ceramics W. Wang, C. Zhou (Xi'an, China), G. Liu (Zhenjiang, China) and G. Qiao (Xi'an, Zhenjiang, China)	96
First-principle calculations of the electronic, optical and elastic properties of ZnSiP ₂ semiconductor V. Kumar and S.K. Tripathy (Dhanbad, India)	101

High-energy milling of nonstoichiometric carbides: Effect of nonstoichiometry on particle size of nanopowders A.S. Kurlov and A.I. Gusev (Ekaterinburg, Russia)	108
TEM study of structural and phase transformations in the Ni ₇₅ Mo ₂₀ Al ₅ alloy Y. Ustinovshikov (Izhevsk, Russia)	119
The origins of flow softening during high-temperature deformation of a Ti–6Al–4V alloy with a lamellar microstructure C.H. Park, J.H. Kim, Y.-T. Hyun, J.-T. Yeom (Changwon, Republic of Korea) and N.S. Reddy (Jinju, Republic of Korea)	126
Intermetallic phases in Mg–Co–Y alloys Q.-Q. Jin (Shenyang, People's Republic of China) and S.-B. Mi (Shenyang, Xi'an, People's Republic of China)	130
Effect of ECAP combined cold working on mechanical properties and electrical conductivity of Conform-produced Cu–Mg alloys C. Zhu, A. Ma, J. Jiang (Nanjing, China), X. Li (Jiangyin, China), D. Song, D. Yang (Nanjing, Changzhou, China), Y. Yuan (Jiangyin, China) and J. Chen (Nanjing, China)	135
On the nanomechanical characteristics of thermally-treated alloy 690: Grain boundaries versus grain interior Y. Zhao, I.-C. Choi, Y.-J. Kim and J.-i. Jang (Seoul, Republic of Korea)	141
Electrochemical synthesis of Ti ₅ Si ₃ in CaCl ₂ melt H. Jiao, Q. Wang, J. Ge, H. Sun and S. Jiao (Beijing, PR China)	146
Chemical bonding characterization, expansivity and compressibility of RECrO ₄ H. Li (Liaocheng, PR China), H.M. Noh, B.K. Moon, B.C. Choi and J.H. Jeong (Busan, Republic of Korea)	151
Lattice deformation of wurtzite Mg _x Zn _{1-x} O alloys: An extended X-ray absorption fine structure study W. Zheng (Shenzhen, China), Z.C. Feng (Taipei, Taiwan), J.-F. Lee (Hsinchu, Taiwan), D.-S. Wu (Taichung, Taiwan) and R.S. Zheng (Shenzhen, China)	157
Mechanical properties of the icosahedral phase reinforced duplex Mg–Li alloy both at room and elevated temperatures D.K. Xu (Shenyang, China), T.T. Zu (Shenyang, Beijing, China), M. Yin, Y.B. Xu and E.H. Han (Shenyang, China)	161
Magnetic anisotropy and lattice dynamics in FeAs studied by Mössbauer spectroscopy A. Blachowski, K. Ruebenbauer, J. Żukrowski (Kraków, Poland) and Z. Bukowski (Wrocław, Poland)	167
Thermoelectric properties of P-type Sb ₂ Te ₃ thick film processed by a screen-printing technique and a subsequent annealing process S.J. Kim, J.H. We (Yuseong, Republic of Korea), J.S. Kim (Seoul, Republic of Korea), G.S. Kim (Gumi-si, Republic of Korea) and B.J. Cho (Yuseong, Republic of Korea)	177
Structural stability and electronic structures of (111) twin boundaries in the rock-salt MnS Y.B. Xue, Y.T. Zhou, D. Chen and X.L. Ma (Shenyang, China)	181
Crystal structure and magnetic properties of Y ₂ (Cu _{1-x} Mg _x) ₂ O ₅ obtained by SHS method Z. Gebrel, J. Blanusa, V. Kusigerski, V. Spasojevic, A. Mrakovic, M. Perovic and A. Alqat (Belgrade, Serbia)	186
Effect of nano-scaled styrene butadiene rubber based nucleating agent on the thermal, crystallization and physical properties of isotactic polypropylene N. Petchwattana, S. Covavisaruch (Bangkok, Thailand) and P. Sripanya (Rayong, Thailand)	190
Bulk Fe ₂ B crystal fabricated by mechanical ball milling and plasma activated sintering Z. Huang, S. Ma, J. Xing and B. Wang (Xi'an, PR China)	196
Synthesis, characterization and catalytic activity of CoFe ₂ O ₄ -APTES-Pd magnetic recyclable catalyst M. Demirelli (Istanbul, Turkey), E. Karaoğlu (Istanbul, Korucuk, Turkey), A. Baykal (Istanbul, Turkey), H. Sözeri and E. Uysal (Gebze, Turkey)	201
Effect of temperature on optical spectra and relaxation dynamics of Sm ³⁺ in Gd ₃ Ga ₅ O ₁₂ single crystals R. Lisiecki, W. Ryba-Romanowski, P. Solarz, A. Strzyp (Wrocław, Poland) and M. Berkowski (Warsaw, Poland)	208
Physical, mechanical and dry sliding wear properties of an Al–Si–Mg–Ni–Cu alloy under different processing conditions R. Ashiri, B. Niroumand and F. Karimzadeh (Isfahan, Iran)	213
Effect of heat treatment on the phase transformation and magnetic properties of BPSCCO/LPMO composites A.D. Staneva, B.S. Blagoev, B.L. Shivachev (Sofia, Bulgaria), A.J. Zaleski (Wroclaw, Poland), V. Mikli (Tallinn, Estonia), J.B. Mateeva, Y.B. Dimitriev and A.K. Stoyanova-Ivanova (Sofia, Bulgaria)	223
Effects of aging time on the mechanical properties of Sn–9Zn–1.5Ag–xBi lead-free solder alloys C.-Y. Liu (Tainan, Taiwan), M.-H. Hon (Tainan, Kaohsiung, Taiwan), M.-C. Wang (Kaohsiung, Taiwan), Y.-R. Chen, K.-M. Chang and W.-L. Li (Tainan, Taiwan)	229
One-step hydrothermal synthesis of anatase TiO ₂ /reduced graphene oxide nanocomposites with enhanced photocatalytic activity D. Liang, C. Cui, H. Hu, Y. Wang, S. Xu, B. Ying, P. Li, B. Lu and H. Shen (Hangzhou, China)	236
Bulk compound synthesis and oxygen deficiency effect on electronic and magnetic properties of the Zn-based oxyarsenide LaZnAsO _{1-δ} X. Wang, Y. Guo, B. Li, Y. Tsujimoto (Tsukuba, Japan) and K. Yamaura (Tsukuba, Sapporo, Japan)	241
Properties of the BaTiO ₃ coating prepared by supersonic plasma spraying Z. Xing, H. Wang, L. Zhu, X. Zhou and Y. Huang (Beijing, China)	246
Preparation, ionic conductivity and thermochemistry of new Bi _{12.5} Lu _{1.5} ReO _{24.5} phase N.I. Matskevich (Novosibirsk, Russia), Th. Wolf (Karlsruhe, Germany), C. Greaves (Birmingham, United Kingdom) and A.N. Bryzgalova (Novosibirsk, Russia)	253
Effect of Al doping on the structural, optical and photoluminescence properties of ZnS nanoparticles D. Amaranatha Reddy, C. Liu (Yongin, Republic of Korea), R.P. Vijayalakshmi and B.K. Reddy (Tirupati, India)	257
Multi-channel transition emissions of Sm ³⁺ in lithium yttrium aluminum silicate glasses and derived opalescent glass ceramics F. Fu (Dalian, China), B. Chen (Hong Kong, China), L. Shen (Dalian, Hong Kong, China), E.Y.B. Pun (Hong Kong, China) and H. Lin (Dalian, Hong Kong, China)	265

Enhanced dielectric and ferroelectric properties of Ba and Ti co-doped BiFeO ₃ multiferroic ceramics H. Deng (Beijing, Tianjin, China), M. Zhang, Z. Hu, Q. Xie, Q. Zhong, J. Wei and H. Yan (Beijing, China)	273
Kinetic study of crystallisation of sol-gel derived calcia-alumina binary compounds M. Zahedi, N. Roohpour and A.K. Ray (London, United Kingdom)	277
Aging improvement in Cu-containing NTC ceramics prepared by co-precipitation method D.-F. Li (Shenzhen, Beijing, China), S.-X. Zhao (Shenzhen, China), K. Xiong (Shenzhen, Beijing, China), H.-Q. Bao (Shenzhen, China) and C.-W. Nan (Beijing, China)	283
AB ₅ -alloy oxide/graphene composite anode with excellent cyclic stability for lithium ion batteries S. Wu, Y. Zhu, C. Li, S. Xiao and H. Wang (Zhengzhou, China)	289
Fabrication and thermoelectric properties of highly textured Ca ₉ Co ₁₂ O ₂₈ ceramic H. Wang, X. Sun, X. Yan, D. Huo, X. Li (Shenyang, China), J.-G. Li (Shenyang, China), (Tsukuba, Japan) and X. Ding (Shenyang, China)	294
Synergistic effect of rhenium and ruthenium in nickel-based single-crystal superalloys X.X. Yu, C.Y. Wang, X.N. Zhang, P. Yan (Beijing, China) and Z. Zhang (Hangzhou, China)	299
Effect of Li and Mg substitution on the crystal structure and magnetism of the REGa ₂ (RE=Ce and Eu) and EuGa ₄ compounds A.K. Iyer, L. Balisetty, S. Sarkar and S.C. Peter (Bangalore, India)	305
Effect of Ag addition to Zn-12Al alloy on kinetics of growth of intermediate phases on Cu substrate T. Gancarz, J. Pstruś, P. Fima (Krakow, Poland) and S. Mosińska (Wroclaw, Poland)	313
Thermally-induced crystallization behaviour of 80GeSe ₂ -20Ga ₂ Se ₃ glass as probed by combined X-ray diffraction and PAL spectroscopy O. Shpotyuk (Lviv, Ukraine), (Czestochowa, Poland), L. Calvez, E. Petracovschi (Rennes Cedex, France), H. Klym (Lviv, Ukraine), A. Ingram (Opole, Poland) and P. Demchenko (Lviv, Ukraine)	323
Hydrothermal synthesis of α-Ni(OH) ₂ and its conversion to NiO with electrochemical properties Y. Cai, J. Ma and T. Wang (Changsha, PR China)	328
Confine sulfur in mesoporous metal-organic framework @ reduced graphene oxide for lithium sulfur battery W. Bao (Changsha, China), Z. Zhang (Changsha, Shenzhen, China), Y. Qu, C. Zhou, X. Wang (Changsha, China) and J. Li (Changsha, Shenzhen, China)	334
Interfacial reaction and IMC growth between Bi-containing Sn0.7Cu solders and Cu substrate during soldering and aging X. Hu, Y. Li (Nanchang, China) and Z. Min (Hefei, China)	341
Influence of recrystallization and subsequent aging treatment on superelastic behavior and martensitic transformation of Ni _{50.9} Ti wires K. Kazemi-Choobi, J. Khalil-Allafi (Tabriz, Iran) and V. Abbasi-Chianeh (Tabriz, Urmia, Iran)	348
Microwave dielectric properties of Ca _{0.4-x} Mg _x Sm _{0.4} TiO ₃ ceramics C.-H. Hsu, P.-S. Tsai, C.-F. Tseng, S.-H. Hung and I.C. Huang (Miao-Li, Taiwan)	355
In situ X-ray diffraction study of the phase transformation in the non-stoichiometric intermetallic compound Ti ₃ Sn O. Ivanova (Kiev, Ukraine), (Saint-Martin d'Heres Campus, France), M. Karpets (Kiev, Ukraine), A.R. Yavari, K. Georganakis (Saint-Martin d'Heres Campus, France) and Y. Podrezov (Kiev, Ukraine)	360
On relationship between annealing treatment and magnetostriction behavior of Fe-16Cr-2.5Mo damping alloy Y.-g. Xu and X.-g. Chen (Chengdu, PR China)	364
The influence of Ge substitution on the magnetostucture transition and magnetocaloric effect of Mn-Ni-Sn-Ge alloys H.C. Xuan, P.D. Han (Taiyuan, People's Republic of China), D.H. Wang and Y.W. Du (Nanjing, People's Republic of China)	369
New alkali-metal bidentate borate-malate NaB(DL-C ₄ H ₄ O ₅) ₂ and CsB(DL-C ₄ H ₄ O ₅) ₂ ·H ₂ O: Effect of cations on the framework structures and macroscopic centricities H. Huang, W. Yao, Z. Lin, Y. He, N. Tian, C. Chen and Y. Zhang (Beijing, China)	374
Experimental evaluation of the influence of processing parameters on the mechanical properties of SiC particle reinforced AA6061 aluminium alloy matrix composite by powder processing V. Umasankar, M. Anthony Xavier and S. Karthikeyan (Vellore, India)	380
Role of substrate temperature on the properties of Na-doped ZnO thin film nanorods and performance of ammonia gas sensors using nebulizer spray pyrolysis technique R. Mariappan (Coimbatore, Hosur, India), V. Ponnuswamy, R. Suresh (Coimbatore, India), P. Suresh (Bangalore, India), A. Chandra Bose (Tiruchirappalli, India) and M. Ragavendar (Coimbatore, India)	387
Thermoluminescent dosimetry properties of double doped calcium tetraborate (CaB ₄ O ₇ :Cu-Mn) nanophosphor exposed to gamma radiation M. Erfani Haghiri, E. Saion, N. Soltani (UPM Serdang, Malaysia), W.S. wan Abdullah (Kajang, Malaysia), M. Navasery (UPM Serdang, Malaysia), K. Rezaee Ebrahim Saraee (Isfahan, Iran) and N. Deyhimi (UPM Serdang, Malaysia)	392
Microstructure and magnetic properties of iron nitride thin films X. Li, X. Sun, J. Wang and Q. Liu (Lanzhou, PR China)	398
X-ray photoelectron spectroscopic study of the formation of Cu/Ni interface mediated by oxide phase T. Satoh, K. Akedo and T. Ishizaki (Nagakute, Japan)	403
Solid state diffusion between Sn and Cu microcones on Cu microcones Y. Huang, T. Hang, A. Hu, Z. Chen, Q. Lu and M. Li (Shanghai, People's Republic of China)	408
Influence of copper doping on structural, optical and sensing properties of spray deposited zinc oxide thin films G.K. Mani and J.B.B. Rayappan (Thanjavur, India)	414

Employment of boron-doped carbon materials for the anode materials of lithium ion batteries Y.-J. Chae (Seoul, Daejeon, Republic of Korea), S.-O. Kim (seoul, Republic of Korea) and J.K. Lee (seoul, Daejeon, Republic of Korea)	420
Microstructural characterization and thermodynamic analysis of precipitates in ultra-low-carbon bake hardened steel T.-W. Lee (Chuncheon, Republic of Korea), Sung-Il. Kim (Gwangyang, Republic of Korea), M.-H. Hong (Gangnam-gu, Republic of Korea), W.-Y. Kim (Gangneung, Republic of Korea), Y.-G. Yoo (Incheon, Republic of Korea) and S.-H. Lim (Chuncheon, Republic of Korea)	428
Effects of aging on Sn-1Ag-0.5Cu solder alloys containing 0.1wt.% and 0.5wt.% Al M.F.M. Sabri, D.A. Shnawah, I.A. Badruddin and S.B.M. Said (Kuala Lumpur, Malaysia)	437
Preparation by a facile method and characterization of amorphous and crystalline nickel sulfide nanophases S. Nagaveena and C.K. Mahadevan (Nagercoil, India)	447
Improved corrosion resistance of AZ91D magnesium alloy by a zinc-yttrium coating H. Wang, B. Yu, W. Wang, G. Ren, W. Liang and J. Zhang (Taiyuan, PR China)	457
Anisotropic magnetocaloric effect in ErGa ₂ and HoGa ₂ single-crystals R.D. dos Reis (Campinas, Brazil), L.M. da Silva, A.O. dos Santos (Imperatriz, Brazil), A.M.N. Medina (Maringá, Brazil), L.P. Cardoso and F.C.G. Gandra (Campinas, Brazil)	461
DFT study of the CaNi ₅ H _x compounds (0.0 ≤ x ≤ 1.0) G.I. Miletić and A. Drašner (Zagreb, Croatia)	466
First-principles study of Mn, Al and C distribution and their effect on stacking fault energies in fcc Fe N.I. Medvedeva (Rolla, United States), (Yekaterinburg, Russia), M.S. Park, D.C. Van Aken and J.E. Medvedeva (Rolla, United States)	475
Magnetic nanocomposites of periodic mesoporous silica: The influence of the silica substrate dimensionality on the inter-particle magnetic interactions A. Zelenáková, V. Zelenák (Košice, Slovakia), J. Bednarčík (Hamburg, Germany), P. Hrubovčák and J. Kováč (Košice, Slovakia)	483
Laser-induced microstructural development and phase evolution in magnesium alloy Y.C. Guan, W. Zhou, Z.L. Li and H.Y. Zheng (Singapore, Singapore)	491
Effects of annealing on structures and properties of Cu-Hf-Al amorphous thin films B. Zhang, Y.G. Chen and H.B. Guo (Shanghai, China)	496
First principles study the stability and mechanical properties of MC (M=Ti, V, Zr, Nb, Hf and Ta) compounds Y. Liu, Y. Jiang, R. Zhou (Kunming, PR China) and J. Feng (Cambridge, USA)	500
Phase diagram and specific conductivity of the DyBr ₃ -CsBr binary system I. Chojnacka, L. Rycerz (Wroclaw, Poland), M. Berkani (Béjaia, Algeria) and M. Gaune-Escard (Marseille Cedex, France)	505
L1 ₀ CoPt-Cu nanoparticles for high-density magnetic recoding by sol-gel technique Y. Wang, X. Zhang, Y. Liu, S. Lv, Y. Jiang, Y. Zhang, H. Liu, Y. Liu and J. Yang (Siping, People's Republic of China)	511
Influence of sub-solvus solution heat treatment on γ' morphological instability in a new Ni-Cr-Co-based powder metallurgy superalloy W.P. Yang, G.Q. Liu, K. Wu and B.F. Hu (Beijing, China)	515
Microwave hydrothermal synthesis of urchin-like NiO nanospheres as electrode materials for lithium-ion batteries and supercapacitors with enhanced electrochemical performances A.K. Mondal, D. Su, Y. Wang, S. Chen (Sydney, Australia), Q. Liu (Changzhou, PR China) and G. Wang (Sydney, Australia)	522
CZTS stoichiometry effects on the band gap energy C. Malerba (Trento, Roma, Italy), F. Biccari (Roma, Italy), C.L. Azanza Ricardo (Trento, Italy), M. Valentini (Roma, Italy), R. Chierchia (Roma, Italy), M. Müller (Trento, Italy), (Stuttgart, Germany), A. Santoni (Frascati, Italy), E. Esposito (Portici (Napoli), Italy), P. Mangiapane (Roma, Italy), P. Scardi (Trento, Italy) and A. Mittiga (Roma, Italy)	528
Structural and optical properties of ZnSO alloy thin films with different S contents grown by pulsed laser deposition J. Jiang, H. Xu, L. Zhu, W. Niu, Y. Guo, Y. Li, L. Hu, H. He and Z. Ye (Hangzhou, People's Republic of China)	535
The effects of rapid solidification on microstructure and hydrogen sorption properties of binary BCC Ti-V alloys S. Suwarno, J.K. Solberg (Trondheim, Norway), J.P. Maehlen (Kjeller, Norway), B. Krogh (Trondheim, Norway) and V.A. Yartys (Trondheim, Kjeller, Norway)	540
Influence of Mg doping on electrical properties of Cu(In,Ga)Se ₂ bulk materials M. Monsefi and D.-H. Kuo (Taipei, Taiwan)	547
Study on phase formation mechanism and electrochemical properties of La _{0.75-x} Nd _x Mg _{0.25} Ni _{3.3} (x=0, 0.15) alloys prepared by powder sintering J. Wang, S. Han, Y. Li, J. Liu (Qinhuangdao, PR China), L. Che (Phoenix, USA), L. Zhang and J. Zhang (Qinhuangdao, PR China)	552
The evolution of microstructure and magnetic properties of Fe-Si-Cr powders on ball-milling process X. Zhang, D. Liang, X. Wang and P. Zhou (Chengdu, China)	558
Scalable synthesis of Fe ₃ O ₄ /C composites with enhanced electrochemical performance as anode materials for lithium-ion batteries M. Hu, Y. Jiang and M. Yan (Hangzhou, China)	563
Effects of extrusion on microstructure and tensile properties of 3D network structured TiBw/Ti60 composites fabricated by reaction hot pressing H.T. Hu, L.J. Huang, L. Geng, C. Liu and B. Wang (Harbin, China)	569
One-pot solvothermal synthesis of highly efficient, daylight active and recyclable Ag/AgBr coupled photocatalysts with synergistic dual photoexcitation C. Zhang, L. Ai, L. Li and J. Jiang (Nanchong, PR China)	576

Magnetostriction of $Tb_xDy_{0.9-x}Nd_{0.1}(Fe_{0.8}Co_{0.2})_{1.93}$ compounds and their composites ($0.20 \leq x \leq 0.60$) H.Y. Yin, J.J. Liu, Z.B. Pan, X.Y. Liu, X.C. Liu, L.D. Liu, J. Du (Ningbo, China) and P.Z. Si (Hangzhou, China)	583
Annealing effect on the crystal structure and exchange bias in Heusler $Ni_{45.5}Mn_{43.0}In_{11.5}$ alloy ribbons L. González-Legarreta (Oviedo, Spain), W.O. Rosa (Rio de Janeiro, Brazil), J. García (Oviedo, Spain), M. Ipatov, M. Nazmunnahar (San Sebastian, Spain), L. Escoda, J.J. Suñol (Girona, Spain), V.M. Prida (Oviedo, Spain), R.L. Sommer (Rio de Janeiro, Brazil), J. González (San Sebastian, Spain), M. Leoni (Trento, Italy) and B. Hernando (Oviedo, Spain)	588
XPS study of arsenic doped ZnO grown by Atomic Layer Deposition D. Snigurenko, R. Jakiela, E. Guziewicz, E. Przewdzicka, M. Stachowicz, K. Kopalko, A. Barcz, W. Lisowski, J.W. Sobczak, M. Krawczyk and A. Jablonski (Warsaw, Poland)	594
Magnetic and structural properties of heat-treated high-moment mechanically alloyed MnAlC powders O. Obi (Boston, USA), L. Burns (Canton, USA), Y. Chen, T. Fitchorov (Boston, USA), S. Kim (Sharon, USA), K. Hsu (Bethesda, USA), D. Heiman, L.H. Lewis and V.G. Harris (Boston, USA)	598
Morphology controllable and highly luminescent monoclinic $LaPO_4:Eu^{3+}$ microspheres M. Yang (Wenzhou, China), H. You (Changchun, China), Y. Liang, J. Xu, F. Lu (Wenzhou, China), L. Dai (Wenzhou, China), (Cleveland, United States) and Y. Liu (Wenzhou, China)	603
Field induced ferromagnetic phase transition and large magnetocaloric effect in $Sm_{0.55}Sr_{0.45}MnO_3$ phase separated manganites S.K. Giri, P. Dasgupta, A. Poddar, (Kharagpur, India) A.K. Nigam (Mumbai, India) and T.K. Nath (Kharagpur, India)	609
Band gap-tunable $(CuAg)_xIn_{2-x}Zn_{2(1-2x)}S_2$ solid solutions synthesized by hydrothermal method with ultrasonic assistance and their photocatalytic H_2 production performance X. Zhang (Xi'an, Luoyang, PR China), J. Zhao (Luoyang, PR China) and L. Guo (Xi'an, PR China)	617
Photoluminescent properties of new up-conversion phosphors of Yb/Tm co-doped $(Gd_{1-x}Lu_x)_3Al_5O_{12}$ ($x=0.1-0.5$) garnet solid solutions J. Li (Shenyang, China), J.-G. Li (Shenyang, China), (Tsukuba, Japan), J. Li, S. Liu, X. Li, X. Sun (Shenyang, China) and Y. Sakka (Tsukuba, Japan)	623
Observation of multiferroic properties and magnetoelectric effect in $(x)CoFe_2O_4-(1-x)Pb_{0.7}Ca_{0.3}TiO_3$ composites A. Sharma (Shimla, India), R.K. Kotnala (New Delhi, India) and N.S. Negi (Shimla, India)	628
Spectroscopic properties of $Dy^{3+}:Bi_4Si_3O_{12}$ single crystal Y. Zhang, J. Xu and B. Lu (Shanghai, PR China)	635
Correlation between structural, magnetic and electrical transport properties of barium vacancies in the $La_{0.67}Ba_{0.33-x}MnO_3$ ($x=0, 0.05,$ and 0.1) manganite M. Oumezzine (Tunisia, Rennes cedex, France), S. Kallel (Tunisia), O. Peña (Rennes cedex, France), N. Kallel (Tunisia), T. Guizouarn, F. Gouttefangeas (Rennes cedex, France) and M. Oumezzine (Tunisia)	640
Influence of Co and Pd on the formation of nanostructured $LaMg_2Ni$ and its hydrogen reactivity A. Teresiak, M. Uhlemann, J. Thomas, J. Eckert and A. Gebert (Dresden, Germany)	647
Study of the $3Tl_2S + Sb_2Te_3 \leftrightarrow 3Tl_2Te + Sb_2S_3$ reciprocal system Y.I. Jafarov, M.B. Babanly (Azerbaijan), I.R. Amiraslanov (Azerbaijan, Baku, Azerbaijan), V.A. Gasimov (Baku, Azerbaijan), A.V. Shevelkov (Russia) and Z.S. Aliev (Azerbaijan)	659
Magnetic properties and large reversible magnetocaloric effect in $TmMn_2Si_2$ L. Li (Hangzhou, China), (Toyama, Japan), B. Saensunon, W.D. Hutchison (Canberra, Australia), D. Huo (Hangzhou, China) and K. Nishimura (Toyama, Japan)	670
Subsolidus phase relations of the $SrO-SbO_x-CuO$ system at 1140 K in air J.-C. Grivel, P. Norby (Roskilde, Denmark) and N.H. Andersen (Kgs Lyngby, Denmark)	674
Local order of $Pb_{1-x}La_xZr_{0.40}Ti_{0.60}O_3$ ferroelectric ceramic materials probed by X-ray absorption and Raman spectroscopies A. Mesquita (Rio Claro, Brazil, Thiais, France), A. Michalowicz (Thiais, France), P.S. Pizani (São Carlos, Brazil), K. Provost (Thiais, France) and V.R. Mastelaro (Brazil)	680
Cu_6Sn_5 precipitation during Sn-based solder/Cu joint solidification and its effects on the growth of interfacial intermetallic compounds M. Yang, Y. Cao (Shenzhen, People's Republic of China), S. Joo (Ulsan, Republic of Korea), H. Chen, X. Ma and M. Li (Shenzhen, People's Republic of China)	688
Investigation of optical band gap and device parameters of rubrene thin film prepared using spin coating technique N. Tuğluoğlu (Saray, Turkey), B. Barış, H. Gürel (Giresun, Turkey), S. Karadeniz (Saray, Turkey) and Ö.F. Yüksel (Campus Konya, Turkey)	696
Microstructural dependence on middle eigenvalue in Ti-Ni-Au H. Shi (Antwerp, Belgium), R. Delville (Antwerp, Mol, Belgium), V. Srivastava (Minneapolis, Schenectady, USA), R.D. James (Minneapolis, USA) and D. Schryvers (Antwerp, Belgium)	703
Estimation of the mechanical properties of metallic materials by means of the small punch test T.E. García, C. Rodríguez, F.J. Belzunce and C. Suárez (Gijón, Spain)	708
Magnetic and transport properties of $Gd_{7-x}Y_xPd_3$ ($x=0-6$) system E. Talik, M. Oboz, J. Kusz, A. Winiarski (Katowice, Poland) and W. Hofmeister (Mainz, Germany)	718
Raman Spectroscopy of $SiO_2-Na_2O-Al_2O_3-B_2O_3$ glass doped with Nd^{3+} and CdS nanocrystals E.O. Serqueira, N.O. Dantas (Uberlândia, Brazil), V. Anjos and M.J.V. Bell (Juiz de Fora, Brazil)	730
Phase and microstructural characterization of Mo-Si-B multiphase intermetallic alloys produced by pressureless sintering P.R. Taleghani, S.R. Bakhshi, G.H. Borhani and M. Erfanmanesh (Shahin Shahr, Iran)	734
Enhanced 2.7 μm emission of Er/Pr-codoped water-free fluorotellurite glasses H. Zhan, A. Zhang, J. He, Z. Zhou, L. Li, T. Shi, X. Xiao, J. Si and A. Lin (Xi'an, PR China)	742

Liquid phase sintering behavior and improvement of giant dielectric properties by modifying microstructure and electrical response at grain boundaries of $\text{CaCu}_3\text{Ti}_{4-x}\text{Mo}_x\text{O}_{12}$ ceramics P. Thongbai (Khon Kaen, Thailand), B. Putasaeng, T. Yamwong (Pathumthani, Thailand), V. Amornkitbamrung (Khon Kaen, Thailand) and S. Maensiri (Nakhon Ratchasima, Thailand)	747
Titanium effect on the thermoluminescence and optically stimulated luminescence of $\text{Ti,Mg}:\alpha\text{-Al}_2\text{O}_3$ transparent ceramics Q. Liu, Q. Yang, G. Zhao and S. Lu (Shanghai, China)	754
Effects of thickness on structures and electrical properties of Mn-doped $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ films L. Wang, W. Ren, P. Shi, X. Wu and X. Yao (Xi'an, China)	759
Characterization and interpretation on the new crystallographic features of a twin-related ϵ' - $\text{Mg}_{54}\text{Ag}_{17}$ precipitates in an Mg-Sn-Mn-Ag-Zn alloy X. Huang and W. Zhang (Beijing, China)	764
An <i>in situ</i> powder neutron diffraction study of nano-precipitate formation during processing of oxide-dispersion-strengthened ferritic steels H. Zhang, M.J. Gorley (Oxford, UK), K.B. Chong, M.E. Fitzpatrick (Milton Keynes, UK), S.G. Roberts and P.S. Grant (Oxford, UK)	769
Reduced graphene oxides loaded-ZnS/CuS heteronanostructures as high-activity visible-light-driven photocatalysts B. Zeng (Changsha, Changde, People's Republic of China), X. Chen, C. Chen, X. Ning and W. Deng (Changsha, People's Republic of China)	774
Properties of 10% Dy-doped $\text{La}_2\text{Mo}_2\text{O}_9$ and its electrolyte performance in single chamber solid oxide fuel cell M.-V. Le, D.-S. Tsai, C.-C. Yao, J.-C. Lo and T.P.G. Vo (Taipei, Taiwan)	780
Effects of Zr and (Ni, Si) additions on properties and microstructure of Cu-Cr alloy Y. Pang (Changsha, PR China), C. Xia (Wenzhou, PR China), M. Wang, Z. Li, Z. Xiao, H. Wei, X. Sheng, Y. Jia and C. Chen (Changsha, PR China)	786
Effect of ball milling on properties of porous Ti-7.5Mo alloy for biomedical applications H.-C. Hsu, S.-C. Wu, S.-K. Hsu (Taichung, Taiwan, ROC), T.-Y. Chang and W.-F. Ho (Changhua, Taiwan, ROC)	793
First-principles band-structure calculations and X-ray photoelectron spectroscopy studies of the electronic structure of TlPb_2Cl_5 O.Y. Khyzhun, V.L. Bekenev, N.M. Denysyuk (Kyiv, Ukraine), O.V. Parasyuk (Lutsk, Ukraine) and A.O. Fedorchuk (Lviv, Ukraine)	802
Study of nickel doping effects on structural, electrical and optical properties of sprayed ZnO semiconductor layers A. Mhamdi, B. Ouni, A. Amlouk, K. Boubaker and M. Amlouk (Tunis, Tunisia)	810
Synthesis and crystal structure of K_2NiF_4 -type novel $\text{Gd}_{1+x}\text{Ca}_{1-x}\text{AlO}_{4-x}\text{N}_x$ oxynitrides Y. Masubuchi, T. Hata, T. Motohashi and S. Kikkawa (Sapporo, Japan)	823
Characterization of the interface between an Fe-Cr alloy and the p-type thermoelectric oxide $\text{Ca}_3\text{Co}_4\text{O}_9$ T.C. Holgate, L. Han, N. Wu (Roskilde, Denmark), E.D. Bøjesen, M. Christensen, B.B. Iversen (Aarhus C, Denmark), N.V. Nong and N. Pryds (Roskilde, Denmark)	827
Characterization of potassium-modified $\text{Li}_{0.12}\text{Na}_{0.88}\text{Nb}_{0.97}\text{Sb}_{0.03}\text{O}_3$ lead-free piezoceramics Z. Peng, Q. Chen, D. Yan, D. Xiao and J. Zhu (Chengdu, China)	834
Tailoring the magnetic anisotropy and domain patterns of sputtered TbFeGa alloys R. Ranchal (Madrid, Spain), S. Fin, D. Bisero (Ferrara, Italy) and C. Aroca (Madrid, Spain)	839
Keywords	1