


Volume 583

15 January 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

A novel method for multi-doped LiFePO ₄ /C preparation with phosphating sludge H.-f. Yue (Shanghai, China), Z.-j. Wu (Maanshan, China) and L.-s. Li (Shanghai, Maanshan, China)	1
Synthesis of BaBi _{0.2} Co _{0.35} Fe _{0.45} O _{3-δ} by a novel aqueous soft chemical method and its characterizations Q.A. Islam, M.W. Raja and R.N. Basu (Kolkata, India)	7
Microstructure and mechanical properties of Mg–xLi–3Al–1Sn–0.4Mn alloys (x = 5, 8 and 11 wt%) Y.-H. Kim (Gwangju, Republic of Korea), J.-H. Kim, H.-S. Yu (Gwangju, Chonnam, Republic of Korea), J.-W. Choi (Gwangju, Chonbuk, Republic of Korea) and H.-T. Son (Gwangju, Republic of Korea)	15
Hydrothermal synthesis and magnetic properties of multiferroic rare-earth orthoferrites Z. Zhou, L. Guo, H. Yang, Q. Liu and F. Ye (Harbin, PR China)	21
Highly transparent and conductive Sn/F and Al co-doped ZnO thin films prepared by sol-gel method Z. Pan, J. Luo, X. Tian (Guangzhou, China), S. Wu, C. Chen, J. Deng (Huizhou, China), C. Xiao, G. Hu and Z. Wei (Guangzhou, China)	32
Low-temperature growth of high c-orientated crystalline GaN films on amorphous Ni/glass substrates with ECR-PEMOCVD M.M. Zhong, F.W. Qin, Y.M. Liu, C. Wang (Dalian, China), J.M. Bian (Dalian, Shanghai, China), E.P. Wang, H. Wang and D. Zhang (Dalian, China)	39
Microstructural evolution and mechanical properties of Ti–Zr beta titanium alloy after laser surface remelting Y. Yao, X. Li, Y.Y. Wang, W. Zhao, G. Li and R.P. Liu (Qinhuangdao, China)	43
Magnetic hardening of Fe–Nb–B–Tb type of bulk nanocrystalline alloys A. Chrobak (Katowice, Poland), G. Ziólkowski (Katowice, Poland), (Le Mans Cedex, France) and N. Randrianantoandro (Le Mans Cedex, France)	48
Magnetic properties of carbon-encapsulated Fe–Ni alloy nanocomposites A. Wu (Changchun, Tangshan, PR China), J. Gao, X. Chen, X. Yang and H. Yang (Changchun, PR China)	55
Preparation of hierarchical micro-mesoporous aluminosilicate composites by simple Y zeolite/MCM-48 silica assembly M. Enterría, F. Suárez-García, A. Martínez-Alonso and J.M.D. Tascón (Oviedo, Spain)	60
Structural and elastic properties of defect chalcopyrite HgGa ₂ S ₄ under high pressure O. Gomis (València, Spain), D. Santamaría-Pérez (València, Madrid, Spain), R. Vilaplana, R. Luna, J.A. Sans, F.J. Manjón, D. Errandonea (València, Spain), E. Pérez-González, P. Rodríguez-Hernández, A. Muñoz (Tenerife, Spain), I.M. Tiginyanu, V.V. Ursaki (Chisinau, Moldova)	70
Electronic and elastic properties of ε-phases Cr _{2-x} V _x N (x = 0, 1, 2) from density-functional calculations Z.Q. Lv, Z.P. Shi, Y. Gao, Z.H. Wang, S.H. Sun and W.T. Fu (Qinhuangdao, China)	79
Effect of Sn content on microstructure and boron distribution in Si–Al alloy Y. Li, Y. Tan, J. Li, Q. Xu and Y. Liu (Dalian, China)	85
Luminescence of dysprosium doped strontium aluminate phosphors by codoping with manganese ion Y. Karabulut (Manisa, Turkey), A. Canimoglu (Niğde, Turkey), Z. Kotan (Bornova-İzmir, Turkey), O. Akyuz and E. Ekdal (Bornova-İzmir, Turkey)	91
Cooperative downconversion and near infrared luminescence of Tm ³⁺ /Yb ³⁺ codoped Calcium Scandate phosphor J. Li (Changchun, Beijing, China), J. Zhang, X. Zhang, Z. Hao and Y. Luo (Changchun, China)	96
Elastic, electronic properties and intra-atomic bonding in orthorhombic and tetragonal polymorphs of BaZn ₂ As ₂ from first-principles calculations I.R. Shein and A.L. Ivanovskii (Ekaterinburg, Russia)	100
Structural and optical properties of manganese substituted nanocrystalline bismuth ferrite thin films by sol-gel process H.B. Sharma, Ng. Boinis Singh, K. Nomita Devi (Canchipur, India), J.H. Lee (Jeonju, Republic of Korea) and S. Bobby Singh (Canchipur, India)	106
Enhanced thermoelectric properties of thermal treated Sb ₂ Te ₃ thin films J.-E. Hong (Daejeon, Republic of Korea), S.-K. Lee (Seoul, Republic of Korea) and S.-G. Yoon (Daejeon, Republic of Korea)	111

Hydrogenation rate limiting step, diffusion and thermal conductivity in cold rolled magnesium hydride J. Lang (Trois-Rivières, Canada), M. Eagles, M.S. Conradi (Saint Louis, USA) and J. Huot (Trois-Rivières, Canada)	116
Synthesis of TiN from FeTiO ₃ by microwave-assisted carbothermic reduction–nitridation J. Ru, Y. Hua, C. Xu, Q. Zhang, D. Wang and K. Gong (Kunming, PR China)	121
Preparation and characterization of superparamagnetic graphene oxide nanohybrids anchored with Fe ₃ O ₄ nanoparticles J.H. Yang (Daejeon, Republic of Korea), B. Ramaraj (Ahmedabad, India) and K.R. Yoon (Daejeon, Republic of Korea).	128
Topological characteristics for isobaric multicomponent phase diagrams constrained by paraequilibrium Y. Liu (Guangzhou, PR China).	134
Thermopower and electrical resistivity of La _{1-x} Sr _x MnO ₃ (x = 0.2, 0.3): Effect of nanostructure on small polaron transport D. Salazar (Ciudad Real, Spain), D. Arias (Armenia, Colombia), O.J. Durá and M.A. López de la Torre (Ciudad Real, Spain)	141
Barium hexaferrite nanoparticles with high magnetic properties by salt-assisted ultrasonic spray pyrolysis G.-H. An, T.-Y. Hwang, J. Kim (Ansan, South Korea), J. Kim, N. Kang (Seoul, South Korea), S. Kim, Y.-M. Choi and Y.-H. Choa (Ansan, South Korea)	145
LaPd ₂ Sb ₂ : A pnictide superconductor with CaBe ₂ Ge ₂ type structure S. Ganesanpotti, T. Yajima, T. Tohyama, Z. Li, K. Nakano, Y. Nozaki, C. Tassel, Y. Kobayashi and H. Kageyama (Kyoto, Japan).	151
Fabrication and interfacial reaction of carbon nanotube-embedded Sn–3.5Ag solder balls for ball grid arrays Y.-K. Ko, S.-H. Kwon, Y.-K. Lee, J.-K. Kim, C.-W. Lee and S. Yoo (Incheon, Republic of Korea).	155
Microstructure and oxidation behavior of new refractory high entropy alloys C.M. Liu, H.M. Wang, S.Q. Zhang, H.B. Tang and A.L. Zhang (Beijing, China)	162
Structural characterizations of PtRu nanoparticles by galvanostatic pulse electrodeposition Y.-C. Hsieh, L.-C. Chang, Y.-C. Tseng, P.-W. Wu and J.-F. Lee (Hsin-Chu, Taiwan, ROC).	170
Thermodynamic properties of Ag ₃ AuSe ₂ from 300 to 500 K by a solid state galvanic cell D. Feng and P. Taskinen (Aalto, Finland)	176
Optical dynamics of MgO/Ga ₄ Se ₃ S interface A.F. Qasrawi (Jenin, Palestine), (Ankara, Turkey), M.M. Abd-Alrazq (Jenin, Palestine) and N.M. Gasanly (Ankara, Turkey).	180
Growth ambient dependence of defects, structural disorder and photoluminescence in SnO ₂ films deposited by reactive magnetron sputtering S. Bansal, D.K. Pandya, S.C. Kashyap and D. Haranath (New Delhi, India)	186
Mössbauer study of fine structure features of equiatomic FePd alloy after severe plastic deformation and ordering annealing N.I. Vlasova, N.M. Kleinerman, V.V. Serikov and A.G. Popov (Ekaterinburg, Russia)	191
Improved ferroelectric and pyroelectric properties of Pb-doped SrBi ₄ Ti ₄ O ₁₅ ceramics for high temperature applications E. Venkata Ramana, M.P.F. Graça, M.A. Valente (Aveiro, Portugal) and T. Bhima Sankaram (Hyderabad, India)	198
Optimization of phase composition of Al–Cu–Mn–Zr–Sc alloys for rolled products without requirement for solution treatment and quenching N.A. Belov, A.N. Alabin and I.A. Matveeva (Moscow, Russia)	206
Effect of annealing on β-Ga ₂ O ₃ film grown by pulsed laser deposition technique A. Goyal, B.S. Yadav, O.P. Thakur, A.K. Kapoor and R. Muralidharan (Timar Pur, India)	214
Synthesis of barium ferrite ultrafine powders by a sol–gel combustion method using glycine gels Y.Y. Meng, M.H. He, Q. Zeng, D.L. Jiao (Guangzhou, PR China), S. Shukla, R.V. Ramanujan (Singapore, Singapore) and Z.W. Liu (Guangzhou, PR China).	220
Multi-dome forming test for determining the strain rate sensitivity index of a superplastic 7075Al alloy sheet G. Kumaresan and K. Kalaichelvan (Chennai, India)	226
High surface enhanced Raman scattering activity of BN nanosheets–Ag nanoparticles hybrids S. Yang, Z. Zhang, J. Zhao and H. Zheng (Shanghai, China)	231
Polymorphs and dielectric properties of BaTi _{1-x} Ni _x O ₃ P.T. Phong (Gyeonbuk, Republic of Korea), B.T. Huy, Y.-I. Lee (Changwoon, Republic of Korea) and I.-J. Lee (Gyeonbuk, Republic of Korea)	237
Theoretical investigation for the EPR g factors and the local structure for the two tetragonal Ni ³⁺ centers in ACoO ₂ (A = H, Li) H.-M. Zhang, W.-B. Xiao and X. Wan (Nanchang, PR China).	244
Fabrication and characterization of low temperature co-fired cordierite glass–ceramics from potassium feldspar J. Wu, Z. Li, Y. Huang, F. Li and Q. Yang (Wuhan, PR China).	248
Effect of Nd ³⁺ substitution on electric field induced strain behavior in lead zirconate stannate titanate (68/22/10) ceramics Q. Zhang, T. Yang (Shanghai, China), Y. Zhang (Zhengzhou, China) and X. Yao (Shanghai, China)	254
Luminescence behavior of YVO ₄ :Dy ³⁺ phosphors with enhanced photoluminescence on co-doping Bi ³⁺ ions Ch. Victory Devi (Canchipur, India), G. Phaomei (Berhampur, India), N. Yaiphaba (Imphal, India) and N. Rajmuhon Singh (Canchipur, India)	259
Green synthesis of monodisperse silver nanoparticles using hydroxy propyl methyl cellulose C. Dong, X. Zhang and H. Cai (Wuhan, PR China)	267
Extracellular biosynthesis of silver nanoparticle using <i>Azadirachta indica</i> leaf extract and its anti-microbial activity G.M. Nazeruddin (Pune, India), N.R. Prasad, S.R. Waghmare, K.M. Garadkar (Kolhapur, India) and I.S. Mulla (Pune, India).	272
Improved electrical properties of Nb doped BaCe _{0.9} Y _{0.1} O _{2.95} electrolyte for intermediate temperature SOFCs obtained by autocombustion method A. Radojković, S.M. Savić, S. Pršić, Z. Branković and G. Branković (Belgrade, Serbia).	278

Subsolidus phase relationships and photocatalytic properties in the ternary system $\text{TiO}_2\text{-Bi}_2\text{O}_3\text{-V}_2\text{O}_5$ P. Lv, M. Zheng, X. Wang and F. Huang (Fuzhou, People's Republic of China)	285
Photoluminescence properties of the Eu-doped $\alpha\text{-Al}_2\text{O}_3$ microspheres D. Liu and Z. Zhu (Xi'an, China)	291
Enhanced mechanical property of Fe-Al alloy due to Mn insertion: <i>ab initio</i> study S.J. Kang, S. Park, M. Kim, H.N. Han (Seoul, Republic of Korea), S.-K. Lee, K.Y. Lee (Kwangyang, Republic of Korea) and Y.-K. Kwon (Seoul, Republic of Korea)	295
General strategy for improving dye-sensitized solar cells by using sub-micrometer cavities P. Qiang, P. Yang, Z. Liang, Y. Luo, J. Yu, Y. Lan, X. Cai, S. Tan, P. Liu and W. Mai (Guangzhou, China)	300
Improved piezoelectric property and bright upconversion luminescence in Er doped $(\text{Ba}_{0.99}\text{Ca}_{0.01})(\text{Ti}_{0.98}\text{Zr}_{0.02})\text{O}_3$ ceramics W. Li, Z. Xu, R. Chu, P. Fu (Liaocheng, China) and G. Zang (Luoyang, China)	305
Hydrothermal synthesis of DyMn_2O_5 nanorods and their magnetic properties S. Wu and Y. Mei (Guangzhou, China)	309
A novel carbamide-assistant hydrothermal process for coating Al_2O_3 onto $\text{LiMn}_{1.5}\text{Ni}_{0.5}\text{O}_4$ particles used for cathode material of lithium-ion batteries B. Huang, X. Li, Z. Wang, H. Guo, X. Xiong and J. Wang (Changsha, China)	313
Characterization and magnetic properties of LaFeO_3 nanofibers synthesized by electrospinning W.-Y. Lee (Cheonan, Republic of Korea), H.J. Yun (Daejeon, Republic of Korea) and J.-W. Yoon (Cheonan, Republic of Korea)	320
Effect of Ti-Zn substitution on structural, magnetic and microwave absorption characteristics of strontium hexaferrite A. Baniasadi (Tehran, Iran), A. Ghasemi (Shahin Shahr, Iran), A. Nemati, M. Azami Ghadikolaei (Tehran, Iran) and E. Paimozd (Shahin Shahr, Iran)	325
Morphology stability of Al_3BC phase in aluminum alloys W. Tian, P. Li and X. Liu (Shandong Jinan, People's Republic of China)	329
A Strategy for Synthesizing CaZnOS:Eu^{2+} Phosphor and Comparison of Optical Properties with CaS:Eu^{2+} Z. Qiu, C. Rong, W. Zhou, J. Zhang, C. Li, L. Yu, S. Liu and S. Lian (Changsha, China)	335
The investigation of perpendicular anisotropy of ternary-alloy magnetic nanowire arrays using first-order-reversal-curve (FORC) diagrams M. Arefpour, M. Almasi-Kashi, A. Ramazani and E. Golafshan (Kashan, Iran)	340
Magnetic hardening of $\text{CeFe}_{12-x}\text{Mo}_x$ and the effect of nitrogenation C. Zhou (Southfield, USA) and F.E. Pinkerton (Warren, USA)	345
$\text{LiV}_3\text{O}_8/\text{Ag}$ composite nanobelts with enhanced performance as cathode material for rechargeable lithium batteries S. Liang, J. Zhou, G. Fang, X. Li, A. Pan, J. Wu, Y. Tang and J. Liu (Changsha, China)	351
The effects of multi-cyclic thermo-mechanical treatment on the grain refinement and tensile properties of a metastable austenitic steel C.-Y. Lee, C.-S. Yoo (Seoul, Republic of Korea), A. Kermanpur (Isfahan, Iran) and Y.-K. Lee (Seoul, Republic of Korea)	357
High temperature amperometric NO_2 sensor based on nano-structured $\text{Gd}_{0.2}\text{Sr}_{0.8}\text{FeO}_{3-\delta}$ prepared by impregnating method L. Wang, Y. Wang, L. Dai, Y. Li, J. Zhu and H. Zhou (Tangshan, PR China)	361
CoNiO nanowire arrays as a high-performance anode material for lithium-ion batteries J. Yao, P. Xiao, Y. Zhang, M. Zhan, F. Yang and X. Meng (Chongqing, PR China)	366
Preparation and spectroscopic properties of $\text{Tm}^{3+}:(\text{Y}_{0.9}\text{La}_{0.1})_2\text{O}_3$ transparent ceramics G. Zhao, Q. Yang, Q. Liu and S. Lu (Shanghai, China)	372
Preparation, characterization and mechanical properties of $\text{Bi}_{12}\text{SiO}_{20}\text{-PMMA}$ composite films R.M. Dukali, I. Radovic, D.B. Stojanovic, P.S. Uskokovic (Belgrade, Serbia), N. Romcevic (Zemun, Serbia), V. Radojevic and R. Aleksic (Belgrade, Serbia)	376
Characterization of submicron-size layer produced by pulsed bipolar plasma electrolytic carbonitriding H. Tavakoli, S.M. Mousavi Khoie, S.P.H. Marashi and S.A. Hosseini Mogadam (Tehran, Iran)	382
CdS sensitized TiO_2 film for photocatalytic reduction of Cr(VI) by microwave-assisted chemical bath deposition method X. Liu, L. Pan, T. Lv and Z. Sun (Shanghai, China)	390
Effect of oxygen partial pressure on the properties of NiO-Ag composite films grown by DC reactive magnetron sputtering Y. Ashok Kumar Reddy (Tirupathi, India), A. Sivasankar Reddy (Cheonan City, South Korea) and P. Sreedhara Reddy (Tirupathi, India)	396
Selective laser melting of Ti6Al4V alloy for biomedical applications: Temperature monitoring and microstructural evolution I. Yadroitssev (Saint-Etienne, France), P. Krakhmalev (Karlstad, Sweden) and I. Yadroitsava (Saint-Etienne, France)	404
Solid solutioning in equiatomic alloys: Limit set by topological instability S. Guo (Gothenburg, Sweden), C. Ng, Z. Wang and C.T. Liu (Hong Kong, PR China)	410
2% ZnO increases the conversion efficiency of TiO_2 based dye sensitized solar cells by 12% G. Wang, Z. Cai, F. Li, S. Tan, S. Xie (Xiangtan, People's Republic of China) and J. Li (Washington, USA)	414
Alloying, thermal stability and strengthening in spark plasma sintered $\text{Al}_x\text{CoCrCuFeNi}$ high entropy alloys R. Sriharitha, B.S. Murty and R.S. Kottada (Chennai, India)	419
Role of Si on structure and soft magnetic properties of $\text{Fe}_{87-x}\text{Si}_x\text{B}_9\text{Nb}_3\text{Cu}_1$ ribbons M. Srinivas, B. Majumdar, S. Bysakh, M. Manivel Raja and D. Akhtar (Hyderabad, India)	427
Precipitation evolution and kinetics in a magnesium-neodymium-zinc alloy A. Sanaty-Zadeh, X. Xia (Madison, USA), A.A. Luo (Madison, Warren, USA) and D.S. Stone (Madison, USA)	434

Interactive microwave and structural studies of C-Er ₂ Si ₂ O ₇ K. Khan (Islamabad, Pakistan)	441
Crystal substructures of the rotation-twinned T (Al ₂₀ Cu ₂ Mn ₃) phase in 2024 aluminum alloy Z.Q. Feng, Y.Q. Yang, B. Huang, M.H. Li, Y.X. Chen (Xi'an, China) and J.G. Ru (Beijing, China)	445
Low-temperature preparation and characterization of the PZT ferroelectric thin films sputtered on FTO glass substrate Z.D. Wang, Z.Q. Lai and Z.G. Hu (Nanchang, People's Republic of China)	452
An overview of NiTi shape memory alloy: Corrosion resistance and antibacterial inhibition for dental application S.A. Fadlallah, N. El-Bagoury (Taif, Saudi Arabia), (Cairo, Egypt), S.M.F. Gad El-Rab (Taif, Saudi Arabia), (Asuit, Egypt), R.A. Ahmed (Taif, Saudi Arabia), (Cairo, Egypt) and G. El-Ousamii (Taif, Saudi Arabia)	455
Structural and optical properties of WO ₃ films deposited by pulsed laser deposition Y.S. Zou, Y.C. Zhang, D. Lou, H.P. Wang, L. Gu, Y.H. Dong, K. Dou, X.F. Song and H.B. Zeng (Nanjing, China)	465
Evolution of double magnetic resonance behavior and electromagnetic properties of flake carbonyl iron and multi-walled carbon nanotubes filled epoxy-silicone Y. Qing, W. Zhou, S. Huang, Z. Huang, F. Luo and D. Zhu (Xi'an, China)	471
Frequency dependent electrical characteristics of BiFeO ₃ MOS capacitors S. Kaya, R. Lok, A. Aktag (Bolu, Turkey), J. Seidel (Sydney, Australia) and E. Yilmaz (Bolu, Turkey), (Cork, Ireland)	476
Application of the thermodynamic calculation of the Pt-Ni-Ru-(O ₂) system to the development of Pt-based catalyst S. Serena, B. Moreno, E. Chinarro, J.R. Jurado and A. Caballero (Cantoblanco, Spain)	481
Red shift and higher photoluminescence emission of CCTO thin films undergoing pressure treatment T. Sequinel, I.G. Garcia (Araraquara, Brazil), S.M. Tebcherani, E.T. Kubaski (Ponta Grossa, Brazil), L.H. Oliveira (Araraquara, Brazil), M. Siu Li (São Carlos, Brazil), E. Longo and J.A. Varela (Araraquara, Brazil)	488
Optical and magnetic properties of Al/Fe ₃ O ₄ core-shell low infrared emissivity pigments L. Yuan, X. Weng, W. Du, J. Xie and L. Deng (Chengdu, China)	492
Microstructure, mechanical, thermal, EPR, and optical properties of MgAl ₂ O ₄ :Cr ³⁺ spinel glass-ceramic nanocomposites A.R. Molla (Kolkata, India), C.R. Kesavulu (Tirupati, India), R.P.S. Chakradhar (Bangalore, India), A. Tarafder, S.K. Mohanty (Kolkata, India), J.L. Rao (Tirupati, India), B. Karmakar and S.K. Biswas (Kolkata, India)	498
Self assembled flower like CdS-ZnO nanocomposite and its photo catalytic activity T.K. Jana, A. Pal and K. Chatterjee (Midnapore, India)	510
Thermal radiative properties of plasma sprayed thermochromic coating Q. Li, D. Fan and Y. Xuan (Nanjing, China)	516
Characterization of Ti-based solid solution cermets prepared by mechanically induced self-sustained reaction and subsequent pressureless sintering X. Chen, W. Xiong, Z. Yao, G. Zhang, S. Chen and Q. Yang (Wuhan, China)	523
Luminescent properties of red long-lasting phosphor Y ₂ O ₂ S:Eu ³⁺ , M ²⁺ (M = Mg, Ca, Sr, Ba), Ti ⁴⁺ nanotubes via hydrothermal method D. Liu, C. Cui, P. Huang, L. Wang and G. Jiang (Taiyuan, China)	530
Effects of annealing and plasma treatment on the electrical and optical properties of spin-coated ITZO films D.-m. Lee, J.-K. Kim (Sunchon, South Korea), J. Hao, H.-K. Kim (Yongin-si, South Korea), J.-S. Yoon (Daejeon, South Korea) and J.-M. Lee (Sunchon, South Korea)	535
Synthesis and photocatalytic properties of LaMnO ₃ -graphene nanocomposites J. Hu, J. Ma, L. Wang and H. Huang (Qinhuangdao, PR China)	539
Improved quality factor of NdNbO ₄ microwave dielectric ceramic by Mn ²⁺ substitution Z. Song, P. Zhang, Y. Wang and L. Li (Tianjin, China)	546
Development and properties study of microstructure silver-doped silica nanocomposites by chemical process S. Duhan, V.K. Tomer, A.K. Sharma and B.S. Dehiya (Sonapat, India)	550
Structure and magnetic properties of SmCo _{7-x} Ga _x (0 ≤ x ≤ 1.2) alloys J.-B. Sun, S.-J. Bu, W. Yang, H.-W. Ding, C.-X. Cui and H.-X. Zheng (Tianjin, People's Republic of China)	554
Annealing impact on the structural and photoluminescence properties of ZnO thin films on Ag substrates L. Xu, G. Zheng, M. Lai and S. Pei (Nanjing, China)	560
Structural development and dynamic process in sulfurizing precursors to prepare Cu ₂ ZnSnS ₄ absorber layer D. Fan (Jiangmen, PR China), R. Zhang (Shanghai, PR China), Y. Zhu (Huaian, PR China), H. Peng and J. Zhang (Jiangmen, PR China)	566
Microstructures of Nb/Nb ₅ Si ₃ composites and it alloyed with W, Mo and W-Mo fabricated by spark plasma sintering B. Xiong, C. Cai and Z. Wang (Nanchang, PR China)	574
Effect of manganese doping on the optical property and photocatalytic activity of nanocrystalline titania: Experimental and theoretical investigation S. Paul, P. Chetri and A. Choudhury (Napaam, India)	578
Structural evolution of Ba ₈ Ti ₃ Nb ₄ O ₂₄ from BaTiO ₃ using a series of Ba(Ti _{1-5x} Nb _{4x})O ₃ solid solutions F.R. Barrientos Hernández (Mineral de la Reforma, Mexico City, Mexico), I.A. Lira Hernández (Mexico City, Pachuca de Soto, Mexico), C. Gómez Yáñez (Mexico City, Mexico), A. Arenas Flores (Mineral de la Reforma, Mexico), R. Cabrera Sierra (Mexico City, Mexico) and M. Pérez Labra (Mineral de la Reforma, Mexico)	587
Dendrite size dependence of tensile plasticity of <i>in situ</i> Ti-based metallic glass matrix composites T. Zhang, H.Y. Ye, J.Y. Shi, H.J. Yang and J.W. Qiao (Taiyuan, China)	593

A thermodynamic assessment of the iron–yttrium system	
S. Kardellass (Agadir, Morocco), C. Servant (Orsay Cedex, France), N. Selhaoui, A. Iddaoudi, M.A. Amar and L. Bouriden (Agadir, Morocco)	598
A first-principles study on the structural, mechanical, electronic and optical properties of the $\text{Cr}_2(\text{Al}_x\text{Ge}_{1-x})\text{C}$ alloys	
J. Zhao-Yong, M. Shu-Hong (Xinxiang, China) and H. Xiao-Fen (Chengdu, China)	607
$\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ thin films prepared by OTS monomolecular film reverse induction and liquid phase self-assembly method	
Z. Gaoyang, T. Guoqiang, Y. Jun, H. Weiguang, X. Ao and R. Huijun (Xi'an, China)	614
Keywords	I