

Volume 586

15 February 2014
ISSN 0925-8388



ELSEVIER

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Effect of grit blasting on the thermal cycling behavior of diffusion aluminide/YSZ TBCs Z. Xu, G. Huang, L. He, R. Mu, K. Wang and J. Dai (Beijing, China).....	1
Preparation of half-cell by bi-layer wet powder spraying and tape casting for anode-supported SOFCs L. Zhang, M. Li, X. Song, T. Guo, S. Zhu, W. Ji and H. Wang (Hefei, PR China).....	10
Dislocation assisted face-centered-cubic/body-centered-cubic interface mixing during severe plastic deformation J. Liu, L. Zhang, L. Song, L. Meng, Y. Zeng, M. Wang, Y. Fang and J. Ma (Hangzhou, China).....	16
Ionization energies of amphoteric-doped $\text{Cu}_2\text{ZnSnS}_4$: Photovoltaic application C. Tablero (Madrid, Spain).....	22
Facile synthesis and lithium storage performance of $\text{SnO}_2\text{-Co}_3\text{O}_4$ core-shell nanoneedle arrays on copper foil L.-L. Xing, Y.-Y. Zhao, J. Zhao, Y.-X. Nie, P. Deng, Q. Wang and X.-Y. Xue (Shenyang, China).....	28
Enhanced magnetocaloric effect in quasi-one-dimensional $S = 1/2$ Heisenberg antiferromagnet $[\text{Cu}(\text{dmen})_2(\text{H}_2\text{O})]\text{SiF}_6$ M. Orendáč, E. Čížmár, A. Orendáčová, J. Tkáčová, J. Kuchár and J. Černák (Košice, Slovakia).....	34
The nucleation crystallography and wettability of Mg grains on active Al_2Y inoculants in an Mg-10 wt% Y Alloy D. Qiu and M.-X. Zhang (St Lucia, Australia).....	39
Synthesis and characterization of the superparamagnetic iron oxide nanoparticles modified with cationic chitosan and coated with silica shell J. Lewandowska-Łańcucka, M. Staszewska, M. Szuwarzyński, M. Kępczyński (Krakow, Poland), M. Romek (Krakow, Poland), W. Tokarz (Krakow, Poland), A. Szpak, G. Kania and M. Nowakowska (Krakow, Poland).....	45
Electrical conductivity mechanisms in titania hollow microspheres with dominant {0 0 1} facets T. Georgakopoulos (Patras, Greece), M.V. Sofianou (Paraskevi Attikis, Greece), K. Pomoni (Patras, Greece) and C. Trapalis (Paraskevi Attikis, Greece).....	52
Plastic deformation and hysteresis for hydrogen storage in Pd-Rh alloys P.J. Cappillino (Livermore, USA), E.J. Lavernia (Davis, USA), M.D. Ong (Spokane, USA), W.G. Wolfer and N.Y. Yang (Livermore, USA).....	59
Effects of compositional changes on luminescence of lead-free Eu^{3+} -doped $\text{K}_{1-x}\text{Na}_x\text{NbO}_3$ piezoelectric ceramics Y. Jia, Y. Wei, Z. Wu, Z. Zhou, J. Chen (Jinhua, China), Y. Jia (Shanghai, China), Y. Zhang (Beijing, China), J. Zhou and H. Wang (Jinhua, China).....	66
Inherent internal friction of $\text{Ti}_{50}\text{Ni}_{50-x}\text{Cu}_x$ shape memory alloys measured under isothermal conditions S.-H. Chang and S.-H. Hsiao (I-Lan, Taiwan).....	69
Structure, sintering and electrical properties of new ionic conductor $\text{Ag}_4\text{Co}_7(\text{AsO}_4)_6$ R. Marzouki, A. Guesmi (Tunisia), S. Georges (France), M.F. Zid and A. Driss (Tunisia).....	74
Effects of direct current on the wetting behavior and interfacial morphology between molten Sn and Cu substrate Y. Gu, P. Shen, N.-N. Yang and K.-Z. Cao (Changchun, People's Republic of China).....	80
Antiphase boundary-like structure of B19' martensite via R-phase transformation in Ti-Ni-Fe alloy M. Matsuda, R. Yamashita, S. Tsurekawa, K. Takashima (Kumamoto, Japan), M. Mitsuhara and M. Nishida (Fukuoka, Japan).....	87
Prominent Fe-based bulk amorphous steel alloy with large supercooled liquid region and superior corrosion resistance P.H. Tsai, A.C. Xiao, J.B. Li, J.S.C. Jang (Taoyuan, Taiwan), J.P. Chu (Taipei, Taiwan) and J.C. Huang (Kaohsiung, Taiwan).....	94
Graphene modulated assembly of PtPd bimetallic catalysts for electro-oxidation of methanol A. Liu, M. Yuan, M. Zhao, C. Lu, T. Zhao, P. Li (Hangzhou, China) and W. Tang (Beijing, China).....	99
Chemical deposition of nanocrystalline lead sulfide powders with controllable particle size S.I. Sadovnikov and A.I. Gusev (Ekaterinburg, Russia).....	105

Enhanced dehydriding thermodynamics and kinetics in Mg(In)-MgF ₂ composite directly synthesized by plasma milling L.Z. Ouyang, Z.J. Cao, H. Wang, J.W. Liu (Guangzhou, People's Republic of China), D.L. Sun (Shanghai, Guangzhou, People's Republic of China), Q.A. Zhang (Maanshan, People's Republic of China) and M. Zhu (Guangzhou, People's Republic of China) . . .	113
Thermophysical properties of pyrochlore and fluorite phases in the Ln ₂ Zr ₂ O ₇ -Y ₂ O ₃ systems (Ln = La, Nd, Sm): 1. Pure pyrochlores and phases in the La ₂ Zr ₂ O ₇ -Y ₂ O ₃ system O. Fabricnaya, R. Wulf, M.J. Kriegel, G. Savinykh, M. Dopita, J. Seidel, H.C. Heitz, O. Nashed, U. Gross (Freiberg, Germany) and H.J. Seifert (Karlsruhe, Germany)	118
Carbon diffusion in carbon-supersaturated ferrite and austenite J. Cermak and L. Kral (Brno, Czech Republic)	129
Novel X7R BaTiO ₃ ceramics co-doped with La ³⁺ and Ca ²⁺ ions D.-Y. Lu, Y. Yue and X.-Y. Sun (China)	136
AC electrical conductivity and dielectric studies on evaporated nanostructured InSe thin films A.A.A. Darwish (Al-Mahweet, Yemen), (Tabuk, Saudi Arabia), M.M. El-Nahass (Cairo, Egypt) and A.E. Bekheet (Tabuk, Saudi Arabia), (Cairo, Egypt)	142
Fabrication of a micro-porous Ti-Zr alloy by electroless reduction with a calcium reductant for electrolytic capacitor applications T. Kikuchi, M. Yoshida, Y. Taguchi, H. Habazaki and R.O. Suzuki (Sapporo, Japan)	148
Zr-based bulk metallic glass composite with <i>in situ</i> precipitated nanocrystals S. Zhu (Tianjin, China), G. Xie, H. Wang (Sendai, Japan), X. Yang, Z. Cui and A. Inoue (Tianjin, China)	155
Influence of modifier oxide on Spectroscopic properties of Ho ³⁺ : V ⁴⁺ co-doped Na ₂ O-SiO ₂ -ZrO ₂ glasses K. Neeraja, T.G.V.M. Rao, A. Rupesh Kumar, N. Veeraiiah and M. Rami Reddy (Guntur, India)	159
Controlled growth of zinc oxide microrods by hydrothermal process on porous ceramic supports for catalytic application S. Danwittayakul (Klong Luang, Thailand) and J. Dutta (Klong Luang, Thailand), (Oman)	169
A first-principles study on the electronic and magnetic properties of armchair SiC/AlN nanoribbons X.-J. Du, Z. Chen, J. Zhang, Z.-R. Ning and X.-L. Fan (Xi'an, PR China)	176
The effect of Ca and P interaction on the Al-Si eutectic in a hypoeutectic Al-Si alloy T.H. Ludwig, E. Schonhovd Dæhlen (Trondheim, Norway), P.L. Schaffer (Sunndalsora, Norway) and L. Arnberg (Trondheim, Norway)	180
Electrochemical capacitor behavior of copper sulfide (CuS) nanoplatelets C. Justin Raj, B.C. Kim, W.-J. Cho, W.-G. Lee, Y. Seo and K.-H. Yu (Republic of Korea)	191
Surface engineering of self-assembled TiO ₂ nanotube arrays: A practical route towards energy storage applications M. Salari, S.H. Aboutalebi, A.T. Chidembo, K. Konstantinov and H.K. Liu (Wollongong, Australia)	197
Preparation, characterization and enhancement of the visible-light photocatalytic activity of In ₂ O ₃ /rectorite composite X. Bu (Xi'an, Jinan, China), B. Wu (Liuzhou, China), T. Long (Xi'an, China) and M. Hu (Liuzhou, China)	202
Facile fabrication of CuO nanosheets on Cu substrate as anode materials for electrochemical energy storage Y. Liu, Y. Qiao, W. Zhang, P. Hu, C. Chen, Z. Li, L. Yuan, X. Hu and Y. Huang (Wuhan, China)	208
Early stage crystallization kinetics in metallic glass-forming alloys D.V. Louzguine-Luzgin (Sendai, Japan)	216
Simulation of grain selection during single crystal casting of a Ni-base superalloy N. Wang (Xi'an, Beijing, China), L. Liu, S. Gao, X. Zhao, T. Huang, J. Zhang and H. Fu (Xi'an, China)	220
First-principles studies on (0 0 1) surface electronic bonding and magnetic properties of ZnCMn ₃ and ZnNMn ₃ intermetallic antiperovskites type compounds D. Cherrad (Setif, Algeria)	230
Microwave absorption properties of oriented Pr ₂ Fe ₁₇ N _{3-δ} particles/paraffin composite with planar anisotropy R. Li, T. Wang, G. Tan, W. Zuo, J. Wei, L. Qiao and F. Li (Lanzhou, China)	239
Local atomic structural investigations of precursory phenomenon of the hydrogen release from LiAlD ₄ T. Sato, K. Tomiyasu (Sendai, Japan), K. Ikeda, T. Otomo (Tsukuba, Japan), M. Feyngenson, J. Neuefeind (Oak Ridge, USA), K. Yamada (Tsukuba, Japan) and S.-i. Orimo (Sendai, Japan)	244
Hydrothermal synthesis and characterization of (1 - x)K _{0.5} Na _{0.5} NbO ₃ -xBi _{0.5} Na _{0.5} TiO ₃ lead-free ceramics S. Li, Y. Yue, X. Ning, M. Guo and M. Zhang (Beijing, PR China)	248
TiO ₂ -poly(3,4-ethylenedioxythiophene) composite counter electrode to improve the performance of CdS quantum-dot-sensitized solar cell with polysulfide electrolyte T. Shu (Xianning, Wuhan, PR China) and Z.-L. Ku (Wuhan, PR China)	257
DC magnetization studies of nano- and micro-particles of bilayered manganite LaSr ₂ Mn ₂ O ₇ M.H. Ehsani (Shahrood, Semnan, Iran), M.E. Ghazi (Shahrood, Iran), P. Kameli (Isfahan, Iran) and F.S. Razavi (St. Catharines, Canada)	261
Photocatalytic studies of Ag/ZnO nanocomposite particles produced via ultrasonic spray pyrolysis method K.B. Dermenci (Eskisehir, Istanbul, Turkey), B. Genc, B. Ebin, T. Olmez-Hanci and S. Gürmen (Istanbul, Turkey)	267
Preparation and characterization of doped TiO ₂ nanofibers by coaxial electrospinning combined with sol-gel process H. Tong, X. Tao, D. Wu, X. Zhang, D. Li and L. Zhang (Changsha, China)	274
High-pressure phase transition and unusual compressibility of apatite-type La ₁₀ Si ₆ O ₂₇ G. Yin, H. Yin, H. Zhu, X. Wu, L. Zhong, M. Sun, R. Cong, J. Zhang, W. Gao and Q. Cui (Changchun, China)	279

Enhanced thermoelectric properties of Ag-doped compounds $\text{CuAg}_x\text{Ga}_{1-x}\text{Te}_2$ ($0 \leq x \leq 0.05$) J. Zhang, X. Qin, D. Li, H. Xin, C. Song, L. Li, Z. Wang, G. Guo and L. Wang (Hefei, PR China)	285
Theoretical prediction of half-metallic materials in double perovskites $\text{Sr}_2\text{Cr}(\text{Co})\text{B}'\text{O}_6$ ($\text{B}' = \text{Y, La, Zr, and Hf}$) and $\text{Sr}_2\text{V}(\text{Fe})\text{B}'\text{O}_6$ ($\text{B}' = \text{Zr and Hf}$) Y.P. Liu, H.R. Fuh, Z.R. Xiao and Y.K. Wang (Taipei, Taiwan).	289
The 680 °C and 800 °C isothermal sections of the Fe–Al–Sb system T. Hou, Z. Zhu, Y. Zhao, F. Yin and M. Zhao (PR China).	295
Study on the electrical properties of Co–Ti double substituted $\text{Bi}_4\text{V}_2\text{O}_{11}$ S. Beg and N.S. Salami (Aligarh, India).	302
Local atomic structure and electrical properties of $\text{Ge}_{20}\text{Se}_{80-x}\text{Te}_x$ ($x = 0, 5, 10, \text{ and } 15$) glasses doped with Ho M. Kubliha (Trnava, Slovakia), P. Kostka (Prague, Czech Republic), V. Trnovcová (Ružomberok, Slovakia), J. Zavadil (Prague, Czech Republic), J. Bednarcik (Hamburg, Germany), V. Labaš (Ružomberok, Slovakia), J. Pedlíková (Prague, Czech Republic), A.-Ch. Dippel, H.-P. Liermann (Hamburg, Germany) and J. Psota (Trnava, Slovakia)	308
Synthesis and influence of Ce^{3+} codopant on the luminescence sensitivity of $\text{SrZnP}_2\text{O}_7:\text{Dy}^{3+}$ phosphor R.L. Kohale and S.J. Dhoble (Nagpur, India)	314
Effective suppression of interfacial intermetallic compound growth between Sn–58 wt.% Bi solders and Cu substrates by minor Ga addition S.-k. Lin, T.L. Nguyen, S.-c. Wu and Y.-h. Wang (Tainan, Taiwan).	319
Large temperature and magnetic field induced strain in polycrystalline $\text{Ni}_{50}\text{Mn}_{36}\text{In}_{14-x}\text{Sb}_x$ alloys S.Y. Yu, J.J. Wei, S.S. Kang (Jinan, People's Republic of China), J.L. Chen and G.H. Wu (Beijing, People's Republic of China)	328
Optical properties and structural characteristics of zinc oxide–cerium oxide doped polyvinyl alcohol films H.N. Chandrakala (Tumkur, Mysore, India), B. Ramaraj (Ahmedabad, India), Shivakumaraiah (Tumkur, India) and Siddaramaiah (Mysore, India)	333
Electronic density of states and metastability of icosahedral Au–Al–Yb quasicrystal S. Jazbec, S. Vrtnik, Z. Jagličič (Ljubljana, Slovenia), S. Kashimoto (Sapporo, Japan), J. Ivkov, P. Popčević, A. Smontara (Zagreb, Croatia), H.J. Kim, J.G. Kim (Daejeon , Republic of Korea) and J. Dolinšek (Ljubljana, Slovenia)	343
Fabrication of anisotropic MnBi nanoparticles by mechanochemical process N.V. Rama Rao, A.M. Gabay, X. Hu and G.C. Hadjipanayis (Newark, USA)	349
2D tin dioxide nanoplatelets decorated graphene with enhanced performance supercapacitor Z. Li, T. Chang, G. Yun, J. Guo and B. Yang (Zhengzhou, PR China).	353
One dimensional CuO nanocrystals synthesis by electrical explosion: A study on structural, optical and electronic properties S. Krishnan (Kuala Lumpur, Seremban, Malaysia), A.S.M.A. Haseeb and M.R. Johan (Kuala Lumpur, Malaysia).	360
Fabrication and mechanical properties of bulk NiTi/Al composites prepared by friction stir processing D.R. Ni, J.J. Wang, Z.N. Zhou and Z.Y. Ma (Shenyang, China).	368
Growth and characterization of epitaxial iron–nitride thin films E.Z. Frątczak (Madrid, Spain), (Łódź, Poland), J.E. Prieto (Madrid, Spain) and M.E. Moneta (Łódź, Poland)	375
Facile synthesis of gradient alloyed $\text{Zn}_x\text{Cd}_{1-x}\text{S}$ nanocrystals using a microwave-assisted method H. Alehdaghi (Tehran, Iran), M. Marandi (Arak, Iran), M. Molaei (Rafsanjan, Iran), A. Irajizad and N. Taghavinia (Tehran, Iran)	380
Suppression of the critical temperature in binary vanadium hydrides M.D. Dolan, K.G. McLennan (Pullenvale, Australia), D. Chandra (Reno, USA), M.A. Kochanek (Pullenvale, Australia) and G. Song (Clayton, Australia)	385
Phase transition, electronic, elastic and thermodynamic properties of Bi_2Te_3 under high pressure Z. Xiong (Chengdu, PR China), X. An (Nanchong, PR China), Z. Li (Chengdu, PR China), T. Xiao (Chongqing, PR China) and X. Chen (Chengdu, PR China)	392
Preparation of Au-sensitized 3D hollow SnO_2 microspheres with an enhanced sensing performance Y. Li, L. Qiao, D. Yan, L. Wang, Y. Zeng and H. Yang (Changchun, PR China)	399
High frequency dielectric properties of Eu^{+3} -substituted Li–Mg ferrites synthesized by sol–gel auto-combustion method M. Asif Iqbal (Multan, Islamabad, Pakistan), M.U. Islam, I. Ali (Multan, Pakistan), M.A. Khan (Bahawalpur, Pakistan), I. Sadiq and I. Ali (Multan, Pakistan).	404
Gd, C, N and P quaternary doped anatase- TiO_2 nano-photocatalyst for enhanced photocatalytic degradation of 4-chlorophenol under simulated sunlight irradiation Q. Wang, H. Jiang, S. Zang, J. Li and Q. Wang (Harbin, PR China).	411
$\text{Ba}_{0.4}\text{Sr}_{0.6}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ ceramics with extended giant dielectric constant step and reduced dielectric loss Z. Wang, L.L. Zhang and Y.P. Pu (Xi'an, China).	420
Effect of Sb doping on structural, electrical and optical properties of epitaxial SnO_2 films grown on r-cut sapphire C. Luan, Z. Zhu, W. Mi and J. Ma (Jinan, PR China)	426
Effects of different nitrogen-to-titanium atomic ratios on the evolution of Ti–Si–N islands on $\text{TiN}(0\ 0\ 1)$ surfaces: First-principle studies X. Liu, F. Lu, S. Wu and Y. Ren (Baotou, PR China)	431
Diameter regulated ZnO nanorod synthesis and its application in gas sensor optimization M. Yin, M. Liu (Xi'an, PR China) and S. Liu (Xi'an, Dalian, PR China)	436

Hollow and hollow core/shell CeO ₂ /SiO ₂ @CeO ₂ spheres: Synthesis, structure evolution and catalytic properties Y. Sun, L. Zhang, Y. Wang, P. Chen, S. Xin, H. Jiu (Taiyuan, People's Republic of China) and J. Liu (Lawrence, USA)	441
Optical, ferroelectric and magnetic properties of multiferroelectric BiFeO ₃ -(K _{0.5} Na _{0.5}) _{0.4} (Sr _{0.6} Ba _{0.4}) _{0.8} Nb ₂ O ₆ thin films Y.B. Yao (Hung Hom, Kowloon, Hong Kong), (Thuwal, Jeddah, Saudi Arabia) and C.L. Mak (Hung Hom, Kowloon, Hong Kong)	448
A facile hydrothermal synthesis of SrTiO ₃ for dye sensitized solar cell application P. Jayabal (Madurai, India), V. Sasirekha (Coimbatore, India), J. Mayandi (Madurai, India), K. Jeganathan (Tiruchirapalli, India) and V. Ramakrishnan (Madurai, India)	456
Preparation of Ag _{core} /Au _{shell} bimetallic nanoparticles from physical mixtures of Au clusters and Ag ions under dark conditions and their catalytic activity for aerobic glucose oxidation H. Zhang (Wuhan, China), N. Toshima, K. Takasaki (SanyoOnoda-shi, Japan) and M. Okumura (Osaka, Japan)	462
Enhancement of room temperature ferromagnetism in Cu-doped AlN thin film by defect engineering J.T. Luo, Y.Z. Li (Shenzhen, China), X.Y. Kang, F. Zeng, F. Pan (Beijing, China), P. Fan (Shenzhen, China), Z. Jiang and Y. Wang (Shanghai, China)	469
ARXPS and DFT studies of thermally induced Pb surface segregation on Au/Cu alloys E. Völker (Liverpool, United Kingdom), (Buenos Aires, Argentina), F.J. Williams (Buenos Aires, Argentina), T. Jacob (Ulm, Germany) and D.J. Schiffrin (Liverpool, United Kingdom)	475
Large stress concentrations around micropore near a crack-tip induced deformation twinning in Ni-based single crystal superalloy F. Sun (Jinan, China), S. Zhang (Shenyang, China), S. Tian (Shenyang, China), J. Zhang (Jinan, China), (Tsukuba, Japan) and H. Harada (Tsukuba, Japan)	479
Upconversion luminescence properties of three-dimensional ordered macroporous CeO ₂ : Er ³⁺ , Yb ³⁺ H. Wu, Z. Yang, J. Liao, S. Lai, J. Qiu, Z. Song, Y. Yang, D. Zhou and Z. Yin (Kunming, China)	485
Resistivity switching induced in ferroelectric phase of PbTiO ₃ studied by XPS and electric conductivity tests M. Pilch and A. Molak (Katowice, Poland)	488
Phase separation and electronic structure of ZnS _{0.3} O _{0.7} alloy thin film with and without (Ag, Li) co-doping K. Dileep and R. Datta (Bangalore, India)	499
High-yield water-based synthesis of truncated silver nanocubes Y.-M. Chang, I.-T. Lu, C.-Y. Chen, Y.-C. Hsieh and P.-W. Wu (Hsin-Chu, Taiwan, ROC)	507
XAFS study of the local structure of (Yb _{0.03} Sc _{0.97-x} Y _x) ₂ O ₃ transparent ceramics J. Cen, Q. Yang, Y. Ye, Q. Lu and S. Lu (Shanghai, China)	512
Effect of partial substitution of Fe by Mn in Ni ₅₅ Fe ₁₉ Ga ₂₆ on its microstructure and magnetic properties S.K. Sarkar, A. Biswas, P.D. Babu, S.D. Kaushik, A. Srivastava, V. Siruguri and M. Krishnan (Mumbai, India)	515
Domain matched epitaxial growth of Bi _{1.5} Zn ₁ Nb _{1.5} O ₇ thin films by pulsed laser deposition P.S. Krishnaprasad (Kochi, India), A. Antony (Spain), (Bombay, India), F. Rojas, J. Bertomeu (Spain) and M.K. Jayaraj (Kochi, India)	524
The effects of 5f localization on the electronic and magnetic properties of the hexagonal U ₃ ZrSb ₅ O. Merabiha, T. Seddik, R. Khenata (Mascara, Algeria), G. Murtaza (Peshawar, Pakistan), A. Bouhemadou (Setif, Algeria), Y. Takagiwa (Japan), S. Bin Omran (Riyadh, Saudi Arabia) and D. Rached (Sidi Bel-Abbes, Algeria)	529
Luminescent properties and energy transfer of Sr ₃ La(PO ₄) ₃ :Sm ³⁺ , Eu ³⁺ for white LEDs Z. Wang (Beijing, Baoding, China), S. Lou (Beijing, China) and P. Li (Baoding, China)	536
Intrinsic relationship between crystallization mechanism of metallic glass powder and microstructure of bulk alloys fabricated by powder consolidation and crystallization of amorphous phase C. Yang, L.H. Liu, Y.G. Yao, Y.H. Li and Y.Y. Li (Guangzhou, People's Republic of China)	542
Ferroelectric and piezoelectric properties of lead-free Bi _{0.5} Na _{0.5} TiO ₃ -Bi _{0.5} K _{0.5} TiO ₃ -BaTiO ₃ -thin films near the morphotropic phase boundary S.K. Acharya, T.-M. Kim, J.-H. Hyung, B.-G. Ahn (Jeonju, Republic of Korea) and S.-K. Lee (Seoul, Republic of Korea)	549
Effect of Yb ³⁺ concentration on upconversion luminescence in Yb ³⁺ , Tm ³⁺ co-doped Lu ₂ O ₃ nanophosphors L. Li, H. Lin, X. Zhao, Y. Wang, X. Zhou, C. Ma (Chongqing, PR China) and X. Wei (Hefei, PR China)	555
On the evolution of long-range order from short-range order in a Ni ₂ (Cr _{0.5} Mo _{0.5}) alloy A. Verma (Berlin, Germany), (Mumbai, India), N. Wanderka (Berlin, Germany), J.B. Singh (Mumbai, India), M. Sundararaman (Mumbai, Hyderabad, India) and J. Banhart (Berlin, Germany)	561
Sinterability of the oxynitride LaTiO ₂ N with perovskite-type structure D. Li (Stockholm, Sweden), W. Li, C. Fasel (Darmstadt, Germany), J. Shen (Stockholm, Sweden) and R. Riedel (Darmstadt, Germany)	567
Characterization of surface-modified LiMn ₂ O ₄ cathode materials with indium tin oxide (ITO) coatings and their electrochemical performance C.-S. Kim (Seoul, Republic of Korea), S.-H. Kwon (Seoul, Cheonan, Republic of Korea) and J.-W. Yoon (Cheonan, Republic of Korea)	574
Some studies on ceria-zirconia reinforced solvothermally synthesized cordierite nano-composites A. Srivastava, V.K. Singh, V. Kumar, P. Hemanth Kumar, H. Tripathi, A. Chaudhary, K. Asiwali, R. Pandey and S.K. Suman (Varanasi, India)	581
Effect of aging heat treatment on microstructure and tensile properties of a new β high strength titanium alloy Y. Chen, Z. Du, S. Xiao, L. Xu and J. Tian (Harbin, PR China)	588
Fast production of ZnO nanorods by arc discharge in de-ionized water and applications in dye-sensitized solar cells S. Sönmezöglü (Karaman, Turkey), V. Eskizeybek (Çanakkale, Turkey), A. Toumiat (Algeria) and A. Avcı (Konya, Turkey)	593
Observation of large positive magnetoresistance and its sign reversal in GdRhGe S. Gupta, K.G. Suresh and A.K. Nigam (Mumbai, India)	600

Study the effect of alkali/alkaline earth addition on the environment of borochromate glasses by means of spectroscopic analysis F. Ahmad (Cairo, Egypt)	605
A hybrid functional study of the electronic and optical properties of tetragonal PbO-type phase of ZnO under pressure Q. Wang, Y. Wen, R. Chen (Wuhan, People's Republic of China) and B. Shan (Wuhan, People's Republic of China), (Richardson, USA) . . .	611
Deformation mechanisms in ultrahigh-strength and high-ductility nanostructured FeMnAlC alloy C.-L. Lin, C.-G. Chao, J.-Y. Juang (Hsinchu, Taiwan), J.-M. Yang (Los Angeles, USA) and T.-F. Liu (Hsinchu, Taiwan)	616
Electrochemical properties of opal-V ₆ O ₁₃ composites D. Vernardou, M. Apostolopoulou, D. Louloudakis, E. Spanakis, N. Katsarakis, E. Koudoumas (Heraklion, Greece), J. McGrath and M.E. Pemble (Cork, Ireland)	621
Microwave properties of low-fired Li ₂ ZnTi ₃ O ₈ ceramics doped with CuO–Bi ₂ O ₃ –V ₂ O ₅ M. He and H. Zhang (Chengdu, China)	627
Improving the impact toughness of Sn–Ag–Cu/Cu–Zn Pb-free solder joints under high speed shear testing C.-Y. Yu, W.-Y. Chen and J.-G. Duh (Hsinchu, Taiwan)	633
Effects of high pressure and SiC content on microstructure and precipitation kinetics of Al–20Si alloy P. Ma (Harbin, People's Republic of China), (Dresden, Germany), C.M. Zou, H.W. Wang (Harbin, People's Republic of China), S. Scudino (Dresden, Germany), B.G. Fu, Z.J. Wei (Harbin, People's Republic of China), U. Kühn and J. Eckert (Dresden, Dresden, Germany)	639
Bulk amorphous Al ₇₅ V _{12.5} Fe _{12.5-x} Cu _x alloys fabricated by consolidation of mechanically alloyed amorphous powders B. Zhu, X. Wang, X. Li, D. Wang, Y. Qin and F. Han (Hefei, China)	645
Effect of the composition and annealing on the electron transport in Zn _x Cd _{1-x} Se nanocrystalline films D. Nesheva, Z. Aneva, Z. Levi, I. Bineva and I. Miloushev (Sofia, Bulgaria)	650
Electronic structures of long periodic stacking order structures in Mg: A first-principles study W.Y. Wang (USA), (Beijing, China), S.L. Shang, Y. Wang (USA), K.A. Darling (Beijing, China), L.J. Kecskes, S.N. Mathaudhu (USA), X.D. Hui (Beijing, China) and Z.-K. Liu (USA)	656
Enhanced photocatalytic performance of Au–Ag alloy modified ZnO nanocomposite films Y. Li, B.-P. Zhang and J.-X. Zhao (Beijing, China)	663
Phase change characteristics of Sb-rich Ga–Sb–Se materials Y. Lu (Ningbo, China), S. Song (Shanghai, China), X. Shen, G. Wang (Ningbo, China), L. Wu, Z. Song, B. Liu (Shanghai, China) and S. Dai (Ningbo, China)	669
Dielectric properties and energy-storage performances of (1 – x)(Na _{0.5} Bi _{0.5})TiO ₃ –xSrTiO ₃ thick films prepared by screen printing technique L. Zhang and X. Hao (Baotou, China)	674
Preparation and characterization of bulk composite constructed of Bi ₂ Te ₃ @SiO ₂ nanoparticles O. Ivanov, O. Maradudina and R. Lyubushkin (Belgorod, Russian Federation)	679
Effects of annealing temperature on the microstructure, electrical properties of Fe-doped Na _{0.5} Bi _{0.5} TiO ₃ thin films H. Sui, C. Yang, M. Zhao, W. Lin and C. Feng (Jinan, China)	683
A facile synthesis of FeNi ₃ @C nanowires for electromagnetic wave absorber Y. Sun, X. Liu, C. Feng, J. Fan, Y. Lv, Y. Wang and C. Li (Maanshan, PR China)	688
Alpha to omega martensitic phase transformation pathways in pure Zr P.S. Ghosh, A. Arya, R. Tewari and G.K. Dey (Mumbai, India)	693
The effect of boron on mechanical behavior and microstructure for Fe–Cr matrix alloy prepared by P/M G. Cui and Z. Kou (Taiyuan, PR China)	699
Enthalpy of formation of intermetallic phases from Al–Li system by solution and direct reaction calorimetric method W. Gąsior, A. Dębski, A. Góral and R. Major (Kraków, Poland)	703
Solid state phase transformation study on a series of Pu–Ga alloys containing 0.18–0.63 wt.% Ga M. Ling, R.F.E. Jenkins and N. Park (Reading, UK)	709
Martensitic and intermartensitic transitions in Ni ₅₀ Mn ₂₀ Cu ₅ Ga ₂₁ Al ₄ Heusler alloy C.S. Mejía, A.M. Gomes (Rio de Janeiro, Brazil)	718
Photoluminescence properties of Tb ³⁺ and Eu ³⁺ ions co-doped SrMg ₂ La ₂ W ₂ O ₁₂ phosphors for solid state lighting applications K. Pavani (Tirupati, India), J. Suresh Kumar (Aveiro, Portugal) and L. Rama Moorthy (Tirupati, India)	722
Carbonitridation of mechanically activated mixtures of zircon and carbon N. Setoudeh (Yasouj, Iran) and N.J. Welham (Perth, Australia)	730
Synthesis, structure, physicochemical characterization and electronic structure of thio-lithium super ionic conductors, Li ₄ GeS ₄ and Li ₄ SnS ₄ J.H. MacNeil, D.M. Massi, J.-H. Zhang, K.A. Rosmus, C.D. Brunetta, T.A. Gentile and J.A. Aitken (Pittsburgh, USA)	736
Direct synthesis of RGO/Cu ₂ O composite films on Cu foil for supercapacitors X. Dong, K. Wang (Shanghai, PR China), C. Zhao (Shanghai, PR China), (Wollongong, Australia), X. Qian (Shanghai, PR China), S. Chen (Wuhan, PR China), Z. Li, H. Liu and S. Dou (Wollongong, Australia)	745
Crystal structure of the new compound UO ₂ Zn ₂₀ P. Swatek, M. Daszkiewicz and D. Kaczorowski (Wrocław, Poland)	754
Effects of minor Gd addition on microstructures and mechanical properties of the high strain-rate rolled Mg–Zn–Zr alloys H. Yu, Y. Hongge, C. Jihua, S. Bin, Z. Yi, S. Yanjin and M. Zhaojie (Changsha, PR China)	757

Facile and fast one-pot synthesis of ultra-long porous ZnO nanowire arrays for efficient dye-sensitized solar cells L. Chen, X. Li, L. Qu, C. Gao, Y. Wang, F. Teng, Z. Zhang, X. Pan and E. Xie (Lanzhou, People's Republic of China)	766
Cation distribution and dielectric properties of nanocrystalline gallium substituted nickel ferrite Z.K. Heiba (Cairo, Egypt), (Taif, Saudi Arabia), M.B. Mohamed, M.A. Ahmed (Cairo, Egypt), M.A.A. Moussa (Taif, Saudi Arabia), (Cairo, Egypt) and H.H. Hamdeh (Wichita, USA).	773
Keywords.	III