



Volume 587

25 February 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
M. HENINI
H. KLEINKE
C. KOCH
H.G. PAN
V. PECHARSKY
M. RICHTER
H. SAKAGUCHI
H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Onion-like carbon coated CuO nanocapsules: A highly reversible anode material for lithium ion batteries X. Liu, N. Bi, C. Feng (Maanshan, PR China), S.W. Or (Kowloon, Hong Kong), Y. Sun, C. Jin, W. Li and F. Xiao (Maanshan, PR China)	1
Enhanced thermoelectric performance of chloride doped bismuth sulfide prepared by mechanical alloying and spark plasma sintering X. Du, F. Cai and X. Wang (Tianjin, China).	6
Low-temperature large magnetocaloric effect in the antiferromagnetic CeSi compound L.C. Wang (Beijing, China), Q.Y. Dong (Beijing, China), J. Lu, X.P. Shao (Beijing, China), Z.J. Mo (Tianjin, China), Z.Y. Xu, J.R. Sun, F.X. Hu and B.G. Shen (Beijing, China).	10
Tuning the band gap of PbCrO ₄ through high-pressure: Evidence of wide-to-narrow semiconductor transitions D. Errandonea, E. Bandiello, A. Segura (Burjassot, Spain), J.J. Hamlin, M.B. Maple (La Jolla, USA), P. Rodriguez-Hernandez and A. Muñoz (Tenerife, Spain)	14
Improved capacity and rate capability of Fe ₂ O ₃ modified Li ₄ Ti ₅ O ₁₂ anode material B. Wang, J. Cao, Y. Liu, T. Zeng and L. Li (Shanghai, China).	21
Influence of liquid phase lead borate glass on dielectric response of lead iron niobate T. Quazi (Nagpur, India), K. Singh, S. Sayyed and S. Acharya (Nagpur, India)	26
Improved creep resistance and thermal behavior of Ni-doped Sn-3.0Ag-0.5Cu lead-free solder A.A. El-Daly, A.M. El-Taher (Zagazig, Egypt) and T.R. Dalloul (Gaza, Palestine)	32
High temperature spin state transitions in misfit-layered Ca ₃ Co ₄ O ₉ S. Altin, M.A. Aksan and A. Bayri (Malatya, Turkey)	40
Preparation, structural and microwave dielectric properties of CaLa ₄ (Zr _x Ti _{1-x}) ₄ O ₁₅ ceramics C.-H. Hsu and C.-J. Huang (Kung-Ching Li, Taiwan)	45
Effect of zinc substitution on the nanocobalt ferrite powders for nanoelectronic devices D.M. Jnaneshwara (Tumkur, Bangalore, India), D.N. Avadhani, B. Daruka Prasad, B.M. Nagabhushana (Bangalore, India), H. Nagabhushana (Tumkur, India), S.C. Sharma, S.C. Prashantha and C. Shivakumara (Bangalore, India)	50
Effects of mechanical compression and autoclave treatment on the backbone clusters in the Al ₈₆ Ni ₉ La ₅ amorphous alloy Y. Liu, S.L. Ye, B. An, Y.G. Wang, Y.J. Li (Jinan, China), L.C. Zhang (Perth, Australia) and W.M. Wang (Jinan, China)	59
Bismuth modified physical, structural and optical properties of mid-IR transparent zinc boro-tellurite glasses R.S. Kundu, S. Dhankhar, R. Punia, K. Nanda and N. Kishore (Hisar, India)	66
Visual and quantitative determination of dopamine based on Co _x Fe _{3-x} O ₄ magnetic nanoparticles as peroxidase mimetics X. Niu, Y. Xu (Lanzhou, China), Y. Dong (Beijing, China), L. Qi, S. Qi, H. Chen and X. Chen (Lanzhou, China)	74
Fabrication and gas sensing properties of hollow core-shell SnO ₂ /α-Fe ₂ O ₃ heterogeneous structures B.B. Wang, X.X. Fu, F. Liu, S.L. Shi, J.P. Cheng and X.B. Zhang (Hangzhou, China)	82
Structure and spectroscopy of rare earth – Doped lead phosphate glasses W.A. Pisarski, L. Żur, T. Goryczka, M. Sołtys and J. Pisarska (Katowice, Poland)	90
Adsorption of acid red from dye wastewater by Zn ₂ Al-NO ₃ LDHs and the resource of adsorbent sludge as nanofiller for polypropylene T. Xue, Y. Gao, Z. Zhang (Beijing, PR China), A. Umar (Najran, Saudi Arabia), X. Yan, X. Zhang, Z. Guo (Beaumont, USA) and Q. Wang (Beijing, PR China)	99
Modelling high temperature oxidation behaviour of Ni-Cr-W-Mo alloys with Bayesian neural network D.W. Yun, S.M. Seo, H.W. Jeong, I.S. Kim and Y.S. Yoo (Changwon, South Korea)	105
On the formation of disordered solid solutions in multi-component alloys A.K. Singh and A. Subramanian (Kanpur, India)	113
Huge susceptibility increase within the (1-x) TeO ₂ + x TeO ₃ crystal system: <i>Ab initio</i> calculation study A. Plat, J. Cornette, M. Colas, A.P. Mirgorodsky (Limoges Cedex, France), M.B. Smirnov (Saint Petersburg, Russia), O. Noguera, O. Masson and P. Thomas (Limoges Cedex, France)	120

Thermal barrier coatings of new rare-earth composite oxide by EB-PVD Z.H. Xu, X. Zhou, K. Wang, J.W. Dai and L.M. He (Beijing, China)	126
Electrochemical performance and stability of LiMn _{0.6} Fe _{0.4} PO ₄ /C composite J. Liu, W. Liao and A. Yu (Shanghai, China)	133
Anisotropy of the piezoelectric properties of the domain-engineered pseudotetragonal ferroelectric relaxor-PbTiO ₃ single crystals V.I. Aleshin and I.P. Raevski (Rostov-on-Don, Russia)	138
Hydrothermal synthesis and white light emission of cubic ZrO ₂ :Eu ³⁺ nanocrystals S.D. Meetei and S.D. Singh (Canchipur, India)	143
New solid solution Pb _{2-x} Sr _x FeV ₃ O ₁₁ – Synthesis, homogeneity range and characterization A. Blonska-Tabero and E. Filipek (Szczecin, Poland)	148
Characterization of temperature-dependent photoluminescence properties of InAlGaN quaternary alloys S.Y. Hu (Kaohsiung, Taiwan), Y.C. Lee (New Taipei, Taiwan), Y.H. Weng (Keelung, Taiwan), I.T. Ferguson (Charlotte, USA) and Z.C. Feng (Taipei, Taiwan)	153
Simulation of precipitate evolution in Fe–25 Co–15 Mo with Si addition based on computational thermodynamics E. Povoden-Karadeniz (Vienna, Austria), E. Eidenberger, P. Lang, G. Stechauner (Leoben, Austria), H. Leitner (Austria) and E. Kozeschnik (Vienna, Austria)	158
Mesoporous Li ₄ Ti ₅ O ₁₂ /carbon nanofibers for high-rate lithium-ion batteries J. Wang, L. Shen, H. Li, B. Ding, P. Nie, H. Dou and X. Zhang (Nanjing, China)	171
Abnormal broadband photoluminescence from Yb ³⁺ /Mn ²⁺ codoped barium octaborate F. Xiao, E.H. Song, S. Ye and Q.Y. Zhang (Guangzhou, PR China)	177
Hot deformation behavior of Ti–6.0Al–7.0Nb biomedical alloy by using processing map Y. Liu, Y. Ning, Z. Yao and H. Guo (Xi'an, China)	183
Electron transport and magnetic properties of semimetallic LuAs O. Żogał, R. Wawryk, M. Matusiak and Z. Henkie (Wrocław, Poland)	190
Microstructure evolution at the onset of discontinuous dynamic recrystallization: A physics-based model of subgrain critical size A. Momeni (Hamedan, Iran), G.R. Ebrahimi (Sabzevar, Iran), M. Jahazi and P. Bocher (Montréal, Canada)	199
Effect of calcining temperature on structural and dielectric properties of Li _{0.30} Cr _{0.02} Ni _{0.68} O ceramics B. Khumpaitool and J. Khemprasit (Khon Kaen, Thailand)	211
Growth of InGaN layers on (1 1 1) silicon substrates by reactive sputtering Q. Guo (Shanghai, China), (Saga, Japan), T. Nakao, T. Ushijima (Saga, Japan), W. Shi, F. Liu (Shanghai, China), K. Saito, T. Tanaka and M. Nishio (Saga, Japan)	217
Effects of annealing atmosphere on structure, optical and magnetic properties of Zn _{0.95} Cu _{0.02} Cr _{0.03} O diluted magnetic semiconductors H. Liu, L. Fei, H. Liu, J. Lang, J. Yang, Y. Liu, M. Gao, X. Liu, X. Cheng and M. Wei (Siping, People's Republic of China)	222
First-principles study on NO ₂ -adsorbed tungsten oxide nanowires for sensing application Y. Qin, D. Hua and M. Liu (Tianjin, China)	227
The Al–B–Nb–Ti system. VI. Experimental studies and thermodynamic modeling of the constituent Al–B–Nb system V.T. Witusiewicz (Aachen, Germany), A.A. Bondar (Kyiv, Ukraine), U. Hecht (Aachen, Germany), J. Zollinger (Nancy, France) and T.Ya. Velikanova (Kyiv, Ukraine)	234
Ta L ₃ -edge XANES study of perovskite oxynitrides ATaO ₂ N (A = Ca, Sr, Ba) S.-M. Paek (Taegu, Republic of Korea) and Y.-I. Kim (Gyeongsan, Republic of Korea)	251
Thermophysical properties and microstructure of graphite flake/copper composites processed by electroless copper coating Q. Liu, X.-B. He, S.-B. Ren, C. Zhang, L. Ting-Ting and X.-H. Qu (Beijing, People's Republic of China)	255
Characterization of magnetic NiFe nanoparticles with controlled bimetallic composition Y. Liu (Shenyang, China), (Binghamton, USA), Y. Chi (Shenyang, China), S. Shan, J. Yin, J. Luo and C.-J. Zhong (Binghamton, USA)	260
Study on improvement of hard phase morphology and properties of hypoeutectic Fe–C–B alloy F. Li and Z. Li (Kunming, China)	267
High-resolution Brillouin scattering studies of phase transitions and precursor phenomena in PbZr _{0.78} Sn _{0.22} O ₃ single crystals M. Maćzka (Wrocław, Poland), T.H. Kim (Ibaraki, Japan), M. Ptak (Wrocław, Poland), I. Jankowska-Sumara (Kraków, Poland), A. Majchrowski (Warszawa, Poland) and S. Kojima (Ibaraki, Japan)	273
Synthesis and reversible hydrogen storage property of novel FCC Mg _{0.8} Sc _{0.2} H _x prepared by high GPa pressure technique T. Takasaki, T. Mukai, N. Kitamura and T. Sakai (Osaka, Japan)	278
Fabrication and properties of Co doped ZnO spherical assemblies K.C. Barick, M. Aslam and D. Bahadur (Mumbai, India)	282
Enhanced magnetoelectric effect in magnetostrictive/piezoelectric laminates through adopting magnetic warm compaction Terfenol-D Z. Zuo, D. Pan (Beijing, PR China), Y. Jia (Jinhua, PR China), J. Tian, S. Zhang and L. Qiao (Beijing, PR China)	287
Fabrication and microstructure of CNTs activated sintered W–Nb alloys J.J. Sha, X.N. Hao, J. Li and Z. Wang (Dalian, China)	290
The reaction mechanism for the low temperature synthesis of Cr ₂ AIC under electronic field H.-C. Oh (Seoul, Changwon, Republic of Korea), S.-H. Lee (Changwon, Republic of Korea) and S.-C. Choi (Seoul, Republic of Korea)	296

Chemical bath composition effect on the properties of electrodeposited CuInSe ₂ thin films O. Meglali (M'Sila, Algeria), N. Attaf (Constantine, Algeria), A. Bouraiou (Djelfa, Algeria), J. Bougdira (Nancy, France), M.S. Aida (Constantine, Algeria) and G. Medjahdi (Nancy, France).....	303
Structure transition and enhanced multiferroic properties of Dy-doped BiFeO ₃ J. Xu, G. Ye and M. Zeng (Wuhan, China)	308
Nanoindentation-induced interfacial fracture of ZnO thin films deposited on Si(1 1 1) substrates by atomic layer deposition S.-R. Jian and Y.-H. Lee (Kaohsiung, Taiwan).....	313
Tunable blue–white–red photoluminescence and long lasting phosphorescence properties of a novel zirconate phosphor: La ₂ Zr ₂ O ₇ :Sm ³⁺ ,Ti ⁴⁺ B. Duan, J. Zhang, X. Liu, Q. Yuan and Y. Wang (Lanzhou, PR China).....	318
Sr _{1-x} Ca _x MoO ₃ –Gd _{0.2} Ce _{0.8} O _{1.9} as the anode in solid oxide fuel cells: Effects of Mo precipitation P. Xiao, X. Ge, Z. Liu (Singapore, Singapore), J.-Y. Wang (Singapore) and X. Wang (Singapore, Singapore)	326
Fluorescence and radiative properties of Nd ³⁺ ions doped zinc bismuth silicate glasses I. Pal, A. Agarwal, S. Sanghi (Hisar, India), M.P. Aggarwal (Yamunanagar, India) and S. Bhardwaj (Sonipat, India).....	332
Enhancement of photovoltaic properties with Nb modified (Bi, Na) TiO ₃ –BaTiO ₃ ferroelectric ceramics L. Chen, B.C. Luo (Kensington, Australia), N.Y. Chan, J.Y. Dai (Kowloon, China), M. Hoffman, S. Li and D.Y. Wang (Kensington, Australia) ..	339
Upconversion emission colour modulation of Y ₂ O ₂ S: Yb, Er under 1.55 μm and 980 nm excitation H. Wang, M. Xing, X. Luo, X. Zhou, Y. Fu, T. Jiang, Y. Peng, Y. Ma and X. Duan (PR China).....	344
The equilibrium between metallic titanium and titanium ions in LiCl–KCl melts X. Zhu, Q. Wang, J. Song, J. Hou, S. Jiao and H. Zhu (Beijing, China).....	349
Direct growth of MnO ₂ on carbon fiber cloth for electrochemical capacitor H.Z. Chi, S. Tian, X. Hu, H. Qin and J. Xi (Hangzhou, China)	354
Dielectric function and critical points of AlP determined by spectroscopic ellipsometry S.Y. Hwang, T.J. Kim, Y.W. Jung, N.S. Barange, H.G. Park, J.Y. Kim, Y.R. Kang, Y.D. Kim, S.H. Shin, J.D. Song (Seoul, Republic of Korea), C.-T. Liang and Y.-C. Chang (Taipei, Taiwan)	361
Transient liquid phase Ag-based solder technology for high-temperature packaging applications A. Sharif (Dhaka, Bangladesh), C.L. Gan and Z. Chen (Singapore, Singapore).....	365
Structural and optical properties of single-phase ZnO _{1-x} S _x alloy films epitaxially grown by pulsed laser deposition Y. He, L. Zhang, L. Wang, M. Li, X. Shang, X. Liu (Wuhan, China), Y. Lu (Wuhan, China), (Gießen, Germany) and B.K. Meyer (Gießen, Germany)	369
Effect of chloride substitution on the order–disorder transition in NaBH ₄ and Na ¹¹ BD ₄ J.E. Olsen (Kjeller, Norway), P. Karen (Oslo, Norway), M.H. Sørby and B.C. Hauback (Kjeller, Norway)	374
Elastic, thermochemical and thermophysical properties of rock salt-type transition metal carbides and nitrides: A first principles study G. Sai Gautam and K.C. Hari Kumar (Chennai, India)	380
Influence of Ni or Pt addition on dealloying behavior of Al ₂ Au-based precursors in a NaOH aqueous solution Y. Wang, Z. Zhao and B. Wu (Jinan, PR China).....	387
Exciton spectra and energy band structure of Cu ₂ ZnSiSe ₄ M. Guc (Chisinau, Republic of Moldova), S. Levchenko (Berlin, Germany), L. Dermenji (Chisinau, Republic of Moldova), G. Gurieva, S. Schorr (Berlin, Germany), N.N. Syrbu and E. Arushanov (Chisinau, Republic of Moldova)	393
Study of non-isothermal crystallization of Eu ³⁺ doped Zn ₂ SiO ₄ powders through the application of various macrokinetic models B. Janković, M. Marinović-Cincović and M.D. Dramićanin (Belgrade, Serbia)	398
Plastic deformation behavior of Fe–Co–B–Si–Nb–Cr bulk metallic glasses under nanoindentation J.T. Kim, S.H. Hong, C.H. Lee (Seoul, Republic of Korea), J.M. Park (Gyeonggi-do, Republic of Korea), T.W. Kim, W.H. Lee, H.I. Yim and K.B. Kim (Seoul, Republic of Korea)	415
Facile precipitation of two phase alloys in SnTe _{0.75} Se _{0.25} with improved power factor L.P. Tan, T. Sun, S. Fan, R.V. Ramanujan and H.H. Hng (Singapore, Singapore)	420
Identifying the nature of interaction between LiBH ₄ and two-dimensional substrates: DFT study with van der Waals correction S.H. Hwang, Y.-S. Lee and Y.W. Cho (Seoul, Republic of Korea)	428
Magnetodielectric effect in BaTiO ₃ /ZnFe ₂ O ₄ core/shell nanoparticles S. Singh, N. Kumar, R. Bhargava (Allahabad, India), M. Sahni (Allahabad, Greater Noida, India), K.-d. Sung and J.H. Jung (Incheon, South Korea)	437
Mechanism and optimization of titanium carbide-reinforced iron composite formation through carbothermal reduction of hematite and anatase M.R. Hasniyati, H. Zuhailawati, S. Ramakrishnan and S.A.R.S.A. Hamid (Nibong Tebal, Malaysia)	442
I-II-V and I-III-IV half-Heusler compounds for optoelectronic applications: Comparative <i>ab initio</i> study S. Kacimi, H. Mehnane and A. Zaoui (Sidi Bel-Abbès, Algeria)	451
Electronic transport and dielectric properties of low-dimensional structures of layered transition metal dichalcogenides A. Kumar and P.K. Ahluwalia (Shimla, India)	459
First-principles study on the structure, hardness and electronic structure of TMB _{1.1} (TM = Rh, Ir and Ru) compounds Y. Pan, W.T. Zheng, X.Y. Hu, L. Qiao (Changchun, PR China) and S. Chen (Kunming, PR China)	468

Structural, electronic, phonon and thermodynamic properties of hypothetical type-VIII clathrates $\text{Ba}_8\text{Si}_{46}$ and $\text{Ba}_8\text{Al}_{16}\text{Si}_{30}$ investigated by first principles	474
P. Norouzzadeh (Tulsa, USA), C.W. Myles (Lubbock, USA) and D. Vashaee (Tulsa, USA)	
Investigation of electric transport behavior of bulk CoFe_2O_4 by complex impedance spectroscopy	481
R.K. Panda and D. Behera (Rourkela, India)	
Alloying behaviour of electroplated Ag film with its underlying Pd/Ti film stack for low resistivity interconnect metallization	487
H. Ezawa, M. Miyata and K. Tatsumi (Japan)	
New orange-red phosphor $\text{Sr}_9\text{Sc}(\text{PO}_4)_7:\text{Eu}^{3+}$ for NUV-LEDs application	493
X. Dong (Changchun, Beijing, China), J. Zhang, X. Zhang, Z. Hao and Y. Luo (Changchun, China)	
Experimental investigation and thermodynamic modeling of the Ga-Zr system	497
W. Luo, S. Liu, Y. Tang (Changsha, PR China), M. Yin (Chicago, USA), B. Sundman (France), Y. Du (Changsha, PR China), P. Nash (Chicago, USA) and H. Tao (Changsha, PR China)	
Correlation between flow and relaxation dynamics in supercooled metallic liquid	506
M. Zhang and L. Liu (Wuhan, China)	
Influence of alternating current electric field on the photocatalytic activity of Mo^{6+} -doped and Ag^0 -loaded nano- TiO_2	511
P. Zhang, X. Wu, T. Zhao, P. Hou and L. Wen (Changsha, China)	
Thin film annealing and alloying of a Au/Cu two-layer system studied by positron annihilation spectroscopy	515
M. Reiner, P. Pikart and C. Hugenschmidt (Garching, Germany)	
Effect of intermediate phases on the formation of nanostructured lead-free $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ piezoceramics by mechanical alloying	520
R. Amini and M.R. Ghazanfari (Shiraz, Iran)	
Nanomechanical properties of Mg-Al intermetallic compounds produced by packed powder diffusion coating (PPDC) on the surface of AZ91E	527
H.-W. Chang, M.-X. Zhang, A. Atrens and H. Huang (Brisbane, Australia)	
Thermodynamic assessment of the Cu-Fe-Ni system	533
L.A. Dreval, M.A. Turchanin and P.G. Agraval (Kramatorsk, Ukraine)	
Microstructure and texture evolution during annealing of equiatomic CoCrFeMnNi high-entropy alloy	544
P.P. Bhattacharjee, G.D. Sathiaraj, M. Zaid, J.R. Gatti (Yeddu-mailaram, India), C. Lee, C.-W. Tsai and J.-W. Yeh (Hsinchu, Taiwan)	
Synthesis, structural characterization and dielectric properties of Nb doped $\text{BaTiO}_3/\text{SiO}_2$ core-shell heterostructure	553
M. Cernea (Bucharest-Magurele, Romania), B.S. Vasile (Bucharest, Romania), A. Boni and A. Iuga (Bucharest-Magurele, Romania)	
Optical properties and low temperature magnetoresistance of $\text{In}_4(\text{Se}_{1-x}\text{Te}_x)_3$ alloy	560
W. Su, S. Zhao, L. Li and D. Huo (Hangzhou, China)	
Iso-conversional approach for study of glass transition and crystallization kinetics of ternary glassy $\text{Se}_{98-x}\text{Ag}_2\text{In}_x$ ($x = 0, 2, 4, 6$) system	565
C. Dohare and N. Mehta (Varanasi, India)	
Crystal structure and magnetic properties of $\text{Dy}_{11}\text{Ni}_4\text{In}_9$	573
Yu. Tyvanchuk (Lviv, Ukraine), S. Baran (Kraków, Poland), R. Duraj (Kraków, Poland), Ya.M. Kalychak (Lviv, Ukraine), J. Przewoźnik (Kraków, Poland) and A. Szytuła (Kraków, Poland)	
Magnetic hardening of $\text{Zr}_2\text{Co}_{11}:(\text{Ti}, \text{Si})$ nanomaterials	578
W.Y. Zhang, S. Valloppilly, X.Z. Li, Y. Liu, S. Michalski, T.A. George, R. Skomski and D.J. Sellmyer (Lincoln, USA)	
Influence of film thickness and In-doping on physical properties of CdS thin films	582
S. Butt (Islamabad, Pakistan), N.A. Shah (Islamabad, Pakistan), A. Nazir (Genova, Italy), Z. Ali and A. Maqsood (Islamabad, Pakistan)	
Solidification behaviour in laser cladding of AlCoCrCuFeNi high-entropy alloy on magnesium substrates	588
T.M. Yue, H. Xie (Hung Hom, Hong Kong), X. Lin, H.O. Yang (Xi'an, PR China) and G.H. Meng (Hung Hom, Hong Kong)	
Effect of additives on the sintering of MgAl_2O_4	594
T. Kim, D. Kim and S. Kang (Seoul, Republic of Korea)	
Tunable and white photoluminescence from $\text{Tb}^{3+}-\text{Eu}^{3+}$ activated $\text{Ca}_{0.3}\text{Sr}_{0.7}\text{Al}_2\text{O}_4$ phosphors and analysis of chemical states by X-ray photoelectron spectroscopy	600
S.K.K. Shaat (Bloemfontein, South Africa), (Gaza, Palestine), H.C. Swart and O.M. Ntwaeborwa (Bloemfontein, South Africa)	
Microstructure and band gap tailoring of $\text{Zn}_{0.96-x}\text{Cu}_{0.04}\text{Co}_x\text{O}$ ($0 \leq x \leq 0.04$) nanoparticles prepared by co-precipitation method	606
M. Ashokkumar and S. Muthukumaran (Pudukkottai, India)	
ZnSe passivation layer for the efficiency enhancement of CuInS_2 quantum dots sensitized solar cells	613
Z. Peng, Y. Liu, Y. Zhao, K. Chen, Y. Cheng (Wuhan, PR China), V. Kovalev (Moscow, Russia) and W. Chen (Wuhan, PR China)	
Enhancement in dielectric, ferroelectric, and electrostrictive properties of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.9}\text{Ti}_{0.1}\text{O}_3$ ceramics by CuO addition	618
M. Promsawat (Muang, Thailand), J.Y.Y. Wong, Z. Ren, H.N. Tailor (Burnaby, Canada), A. Watcharapasorn (Muang, Thailand), Z.-G. Ye (Burnaby, Canada) and S. Jiansirisomboon (Muang, Thailand)	
Hydrothermal synthesis of barium germanate microrods and photocatalytic degradation performance for methyl blue	625
L.Z. Pei, S. Wang, Y.K. Xie, H.Y. Yu (Ma'anshan, PR China) and Y.H. Guo (Shanghai, PR China)	
Co_3O_4 nanoplates: Synthesis, characterization and study of optical and magnetic properties	632
S. Farhadi, K. Pourzare and S. Bazgir (Khoramabad, Iran)	
High pressure phase transitions in SnO_2 polymorphs by first-principles calculations	638
I. Erdem, H.H. Kart (Denizli, Turkey) and T. Cagin (USA)	

The effect of Al_2O_3 and CaO presence on the kinetics of mechanochemical reduction of MoS_2 by Zn A. Hoseinpur, M.M. Bezanaj and J.V. Khaki (Mashhad, Islamic Republic of Iran).....	646
Structural, electronic and magnetic properties of electron-doped double perovskite $\text{Ba}_{2-x}\text{La}_x\text{CrMoO}_6$ ($x = 0, 1, 2$): From LMTO-PLW + (LSDA+U) technique M.M. Saad H.-E. (Buraidah, Saudi Arabia)	652
Influence of grain boundaries on the EPIR effect in $\text{Nd}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ ceramics D.-W. Shi, C.-P. Yang, S.-S. Chen, R.-L. Wang, H.-B. Xiao, F.-j. Yang (Wuhan, China) and K. Bärner (Göttingen, Germany)	659
Yttrium doped BaCeO_3 thin films by spray pyrolysis technique for application in solid oxide fuel cell S.U. Dubal, A.P. Jamale, S.T. Jadhav, S.P. Patil, C.H. Bhosale and L.D. Jadhav (Kolhapur, India)	664
Spinodal decomposition and precipitation in Cu-Cr nanocomposite S. Sheibani, S. Heshmati-Manesh, A. Ataei (Tehran, Iran), A. Caballero and J.M. Criado (Spain)	670
Effect of milling on reduction behavior of blue dust R. Sakthivel (Bhubaneswar, India), D. Bhattacharyya (Bhubaneswar, India), (Salt Lake City, USA), C. Eswaraiah (Bhubaneswar, India), D. Das (Kolkata, India), K. Jayasankar and B.K. Mishra (Bhubaneswar, India)	677
Thickness effect on the properties of $\text{BaTiO}_3\text{-CoFe}_2\text{O}_4$ multilayer thin films prepared by chemical solution deposition Y.Q. Dai, J.M. Dai, X.W. Tang, K.J. Zhang, X.B. Zhu, J. Yang and Y.P. Sun (Hefei, PR China)	681
Closed magnetic circuit $\text{FeGa/BaTiO}_3\text{/FeGa}$ sandwich structure for high magnetoelectric effect Z. Du (Beijing, China), S. Zhang (Singapore, Singapore), C. He (Shenyang, China), H. Ding and D. Zhao (Beijing, China)	688
Sol-gel-hydrothermal synthesis and conductive properties of Al-doped ZnO nanopowders with controllable morphology Z. Chen, G. Zhan, Y. Wu, X. He and Z. Lu (Guangzhou, China)	692
Wet-chemical synthesis of quaternary chalcopyrite $\text{Cu}(\text{In}_{1-x}\text{Al}_x)\text{Se}_2$ nanocrystals by triethylenetetramine-assisted triethylene glycol solution process D. Wang, Z. Jin, J. Wang, T. Liu, J. Li and J. Lai (Tianjin, PR China)	698
Single crystal growth and characterization of the large-unit-cell compound Cu_{13}Ba A. Jesche, S.L. Bud'ko and P.C. Canfield (Ames, USA)	705
Core-shell structured $\text{Li}[(\text{Ni}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1})_{0.7}(\text{Ni}_{0.45}\text{Co}_{0.1}\text{Mn}_{0.45})_{0.3}]\text{O}_2$ cathode material for high-energy lithium ion batteries H. Shi, X. Wang, P. Hou, E. Zhou (Tianjin, China), J. Guo, J. Zhang (Shanghai, China), D. Wang, F. Guo, D. Song, X. Shi and L. Zhang (Tianjin, China)	710
X-ray diffraction and Raman scattering investigations on $\text{Ba}[\text{Mg}_{(1-x)/3}\text{Zr}_x\text{Ta}_{2(1-x)/3}]\text{O}_3$ solid solutions H. Zhang, C. Diao, S. Liu, S. Jiang, F. Shi (Jinan, PR China) and X. Jing (Beijing, PR China)	717
Electro-optical characterization of ZnO/ZnMgO structure grown on p-type Si (1 1 1) by PA-MBE method M.A. Pietrzyk (Warsaw, Poland), E. Zielony (Wroclaw, Poland), M. Stachowicz, A. Reszka (Warsaw, Poland), E. Płaczek-Popko (Wroclaw, Poland), A. Wierzbicka, E. Przedzniecka, A. Droba and A. Kozanecki (Warsaw, Poland)	724
Influence of the sintering temperature and Ag_2O dopants on microstructure and piezoelectric properties of $0.94(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3\text{-}0.06\text{LiNbO}_3$ lead-free ceramics M.-S. Chae, J.-H. Koh and S.-K. Lee (Seoul, Republic of Korea)	729
Raman and time resolved photoluminescence studies on the effect of temperature on disorder production in SHI irradiated N-doped 6H-SiC crystals K. Sivaji, E. Viswanathan (Chennai, India), S. Selvakumar (Chennai, India), (Ibaraki, Japan), S. Sankar (Chennai, India) and D. Kanjilal (New Delhi, India)	733
Changes in magnetic state of $\text{Y}_2(\text{Fe,Mn})_{17}\text{-H}$ systems: Regularities and potentialities W. Iwasieczko (Wroclaw, Poland), N.Y. Pankratov (Moscow, Russia), (Wroclaw, Poland), E.A. Tereshina (Prague, Czech Republic), S.A. Nikitin (Moscow, Russia), (Wroclaw, Poland), I.S. Tereshina (Wroclaw, Poland), (Moscow, Russia), K.P. Skokov (Tver, Russia), A.Y. Karpenkov (Wroclaw, Poland), (Tver, Russia), R.M. Grechishkin (Tver, Russia) and H. Drulis (Wroclaw, Poland)	739
Thermoelectric properties of Au-containing type-I clathrates $\text{Ba}_8\text{Au}_x\text{Ga}_{16-3x}\text{Ge}_{30+2x}$ Z. Ye, J.Y. Cho, M.M. Tessema (Plymouth, United States), J.R. Salvador, R.A. Waldo (Warren, United States), J. Yang, H. Wang, W. Cai, M.J. Kirkham (United States), J. Yang and W. Zhang (Shanghai, China)	747
Hydrothermal synthesis of $\text{Gd}_2\text{O}_3\text{:Eu}^{3+}$ nanophosphors: Effect of surfactant on structural and luminescence properties N. Dhananjaya (Bangalore, India), H. Nagabhushana (Tumkur, India), S.C. Sharma, B. Rudraswamy, C. Shivakumara and B.M. Nagabhushana (Bangalore, India)	755
Structural and electrical properties of Al^{3+} ions doped nanocrystalline $\text{Mg}_{0.2}\text{Mn}_{0.5}\text{Ni}_{0.3}\text{Al}_y\text{Fe}_{2-y}\text{O}_4$ ferrites synthesized by citrate precursor method S. Verma (Solan, India), J. Chand and M. Singh (Shimla, India)	763
Magnetic, magnetocaloric, magnetotransport and magnetoresistance properties of calcium deficient manganites $\text{La}_{0.8}\text{Ca}_{0.2-x}\square_x\text{MnO}_3$ post-annealed at 800 °C M. Khelifi (Sfax, Kairouan, Tunisia), E. Dhahri (Sfax, Tunisia) and E.K. Hlil (Grenoble, France)	771
Exchange interaction, electronic structure and magnetic properties of $(\text{LaMnO}_3)_m/(\text{SrTiO}_3)_n$ superlattices: Ab initio study A. Aezami, M. Abolhassani and M. Elahi (Tehran, Iran)	778
Systematics and anomalies in formation and crystal structures of RScSb and $\text{R}_3\text{Sc}_2\text{Sb}_3$ rare earth compounds A. Provino (Genova, Italy), (Ames, USA), D. Paudyal (Ames, USA), A.V. Morozkin (Moscow, Russia), P. Manfrinetti (Genova, Italy), (Ames, USA) and K.A. Gschneidner Jr. (Ames, USA)	783

AlMgB₁₄-TiB₂ synthesized by a two-step heat-treatment method	790
C.S. Li, F. Yang, G. Yan, X.M. Xiong, G.Q. Liu, Y.Y. Sun, S.N. Zhang, Q.Y. Wang and J.Q. Feng (Xi'an, PR China)	790
Hydrogen accommodation in α-iron and nickel	794
M.L. Fullarton, R.E. Voskoboinikov and S.C. Middleburgh (Lucas Heights, Australia).	794
States of hydrogen and deuterium in chemically charged high purity aluminum	800
P. Rozenak (Omer, Israel)	800
Improved cyclic stability of Mg₂Si by direct carbon coating as anode materials for lithium-ion batteries	807
C. Xiao, N. Du, H. Zhang and D. Yang (Hangzhou, People's Republic of China)	807
A comparative study of β-Ga₂O₃ nanowires grown on different substrates using CVD technique	812
S. Kumar (Hauz Khas, India), C. Tessarek (Erlangen, Germany), S. Christiansen (Erlangen, Berlin, Germany) and R. Singh (Hauz Khas, India)	812
Stability and elastic properties of Y-C binary compounds investigated by first principles calculations	819
X. Gao, Y. Jiang, R. Zhou (Kunming, People's Republic of China) and J. Feng (Cambridge, USA)	819
DC electric field dependence for the dielectric permittivity in antiferroelectric and ferroelectric states	827
J. Wang, T. Yang, S. Chen, X. Yao (Shanghai, China) and A. Peláiz-Barranco (Vedado La Habana, Cuba)	827
Corrigenda	
Corrigendum to "Environmental remediation of Direct Blue dye solutions by photocatalytic oxidation with cuprous oxide" [J. Alloys Compd. (2013) 550–555]	830
E.S. Aazam (Jeddah, Saudi Arabia) and R.M. Mohamed (Jeddah, Saudi Arabia), (Helwan, Egypt)	830
Corrigendum to "Magnetic susceptibility and electron magnetic resonance study of monovalent potassium doped manganites Pr _{0.6} Sr _{0.4-x} K _x MnO ₃ " [J. Alloys Compd. 580 (2013) 137–142]	831
R. Thaljaoui, K. Pękała, M. Pękała, W. Boujelben, J. Szydłowska, J.-F. Fagnard, P. Vanderbemden and A. Cheikhrouhou (Sfax, Tunisia)	831
Keywords	I