

Volume 588

5 March 2014  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER


H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

# Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jalcom](http://www.elsevier.com/locate/jalcom)

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Effects of particle/matrix interfaces on the mechanical properties for SiC <sub>p</sub> or YAl <sub>2p</sub> reinforced Mg–Li composites Q.Q. Zhang, G.Q. Wu, Z. Huang and Y. Tao (Beijing, PR China) . . . . .	1
Experimental study and thermodynamic description of the Au–Cu–Ge system S. Jin (Dübendorf, Lausanne, Switzerland), L.I. Duarte and C. Leinenbach (Dübendorf, Switzerland) . . . . .	7
A novel spherically porous Zr-doped spinel lithium titanate (Li <sub>4</sub> Ti <sub>5–x</sub> Zr <sub>x</sub> O <sub>12</sub> ) for high rate lithium ion batteries X. Li, S. Tang, M. Qu, P. Huang, W. Li and Z. Yu (Chengdu, China) . . . . .	17
High rate capability of Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C composites prepared via a TPP-assisted carbothermal method and its application in Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub>   Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> W.-f. Mao, N.-n. Zhang, Z.-y. Tang, Y.-q. Feng and C.-x. Ma (Tianjin, PR China) . . . . .	25
The effects of citric acid on the synthesis and performance of silver–tin oxide electrical contact materials Z. Lin (Shenyang, China), S. Liu (Shenyang, Kunming, China), X. Sun (Shenyang, China), M. Xie (Kunming, China), J. Li (Ibaraki, Japan), X. Li (Shenyang, China), Y. Chen, J. Chen (Kunming, China), D. Huo, M. Zhang, Q. Zhu (Shenyang, China) and M. Liu (Kunming, China) . . . . .	30
An investigation on the formation mechanism of nano ZrB <sub>2</sub> powder by a magnesiothermic reaction M. Jalaly, M.Sh. Bafghi, M. Tamizifar (Tehran, Iran) and F.J. Gotor (Sevilla, Spain) . . . . .	36
Enhanced dielectric properties of Ti-doped Ta <sub>2</sub> O <sub>5</sub> single crystal grown by floating zone technique H. Xu (Beijing, PR China), (New Orleans, USA), Y. Jiang (Beijing, PR China), S. Luo (New Orleans, USA), Y. Ma and Y. Wang (Beijing, PR China) . . . . .	42
Magnetocaloric effect and martensitic transition in Ni <sub>50</sub> Mn <sub>36–x</sub> Co <sub>x</sub> Sn <sub>14</sub> L.H. Yang, H. Zhang, F.X. Hu, J.R. Sun, L.Q. Pan and B.G. Shen (Beijing, PR China) . . . . .	46
Low-temperature densification and excellent thermal properties of W–Cu thermal-management composites prepared from copper-coated tungsten powders L. Zhang, W. Chen, G. Luo, P. Chen, Q. Shen and C. Wang (Hubei, PR China) . . . . .	49
Effect of Ti ion doping on martensitic transition of La <sub>0.5</sub> Sr <sub>0.5</sub> Mn <sub>1–x</sub> Ti <sub>x</sub> O <sub>3</sub> C. Shang, Z.C. Xia, Z. Jin, L.R. Shi, J.W. Huang, B.R. Chen, M. Wei, L.X. Xiao, L. Liu and Y. Huang (Wuhan, People's Republic of China) . . . . .	53
Effects of Zn addition on the glass forming ability and mechanical properties of Mg–Cu–Gd bulk metallic glasses G.B. Liu, P. Gao, S.Q. Yang, Z. Xue and M.L. Zhang (Harbin, China) . . . . .	59
Influence of Al substitution on magnetocaloric effect of Pr <sub>2</sub> Fe <sub>17–x</sub> Al <sub>x</sub> R. Guetari, R. Bez (Thiais, France), (Tunis, Tunisia), A. Belhadj, K. Zehani (Thiais, France), A. Bezerghéanu (Brasov, Romania), N. Mliki (Tunis, Tunisia), L. Bessais (Thiais, France) and C.B. Cizmas (Brasov, Romania) . . . . .	64
Morphology and absorption properties control of silver nanoparticles deposited on two types of sol–gel spherical silica substrates M. Jasiorski, K. Łuszczuk and A. Baszczuk (Wroclaw, Poland) . . . . .	70
Experimental and thermodynamic study of the Mg–Sn–In–Zn quaternary system J. Wang (Montréal, Canada), P. Hudon, D. Kevorkov (Montreal, Canada), P. Chartrand (Montréal, Canada), I.-H. Jung and M. Medraj (Montreal, Canada) . . . . .	75
Phase stability, elastic and electronic properties of Cu–Zr binary system intermetallic compounds: A first-principles study J. Du, B. Wen (Qinhuangdao, China), R. Melnik (Ontario, Canada) and Y. Kawazoe (Sendai, Japan), (Novosibirsk, Russia) . . . . .	96
Monolayer FePt nanocrystal self-assembly embedded into atomic-layer-deposited Al <sub>2</sub> O <sub>3</sub> films for nonvolatile memory applications X.-J. Liu, M.-Y. Gao, A.-D. Li, Y.-Q. Cao, X.-F. Li, B.-L. Guo, Z.-Y. Cao and D. Wu (Nanjing, People's Republic of China) . . . . .	103
The effect of copper precipitates on the recrystallization textures and magnetic properties of non-oriented electrical steels X. Bian, Y. Zeng, D. Nan and M. Wu (Beijing, PR China) . . . . .	108
Studies on highly luminescent AgInS <sub>2</sub> and Ag–Zn–In–S quantum dots W. Xiang (Wenzhou, Shanghai, China), C. Xie, J. Wang, J. Zhong, X. Liang, H. Yang, L. Luo (Shanghai, China) and Z. Chen (Wenzhou, China) . . . . .	114

Lanthanum hexaboride as advanced structural refiner/getter in TiAl-based refractory intermetallics A.V. Kartavykh (Moscow, Russia), E.A. Asnis, N.V. Piskun, I.I. Statkevich (Kyiv, Ukraine), M.V. Gorshenkov and V.V. Tcherdyntsev (Moscow, Russia).....	122
Synthesis and photoluminescence of Cr-, Ni-, Co-, and Ti-doped ZnSe nanoparticles B.T. Huy (Changwon, Republic of Korea), (Nhatrang, Viet Nam), M.-H. Seo, A.P. Kumar (Changwon, Republic of Korea), H. Jeong (Seoul, Republic of Korea) and Y.-I. Lee (Changwon, Republic of Korea) .....	127
Phonon instabilities leading to structural phase transition in YN and YP: A first-principles study S. Azzi (Oran, Algeria), A. Zaoui (Villeneuve D'Ascq Cedex, France), H. Boublenza, I.S. Messaoudi and M. Ferhat (Oran, Algeria) .....	133
Mechanism of nanostructure formation in ball-milled Cu and Cu-3wt%Zn studied by X-ray diffraction line profile analysis M. S. Khoshkhoo (Dresden, Germany), S. Scudino (Dresden, Germany), J. Bednarcik (Hamburg, Germany), A. Kauffmann (Dresden, Germany), H. Bahmanpour (Davis, USA), J. Freudenberger (Dresden, Freiberg, Germany), R. Scattergood (Raleigh, USA), M.J. Zehetbauer (Wien, Austria), C.C. Koch (Raleigh, USA) and J. Eckert (Dresden, Germany).....	138
Fundamental studies of H <sub>2</sub> interaction with MAI <sub>3</sub> clusters [M = Li, Sc, Ti, Zr] M. Samolia and T.J. Dhillip Kumar (Rupnagar, India).....	144
Magnetic properties and phase stability of Co <sub>2</sub> Cr(Ga,Si) Heusler alloys R.Y. Umetsu (Sendai, Saitama, Japan), A. Okubo, X. Xu and R. Kainuma (Sendai, Japan).....	153
White upconversion photoluminescence for Er <sup>3+</sup> -Tm <sup>3+</sup> -Yb <sup>3+</sup> tri-codoped bismuth titanate ferroelectric thin films L. Sun (Shenyang, PR China), F. Gao and Q. Huang (Nanning, PR China).....	158
Diffusion of Co, Ru and Re in Ni-based superalloys: A first-principles study X. Zhang, H. Deng, S. Xiao, Z. Zhang, J. Tang, L. Deng and W. Hu (Changsha, China).....	163
Nanostructured Ce <sub>x</sub> Zn <sub>1-x</sub> O thin films: Influence of Ce doping on the structural, optical and electrical properties R. Mariappan (Coimbatore, Hosur, India), V. Ponnuswamy (Coimbatore, India), P. Suresh (Bangalore, India), R. Suresh (Coimbatore, India), M. Ragavendar (Coimbatore, India) and A. Chandra Bose (Tiruchirappalli, India).....	170
Pyroelectric, piezoelectric, elastic and dielectric properties of triglycine - zinc chloride crystal Z. Tylczyński and M. Wiesner (Poznań, Poland) .....	177
Polymorphism, phase transitions, and thermal expansion of K <sub>3</sub> Lu(PO <sub>4</sub> ) <sub>2</sub> J. M. Farmer, L.A. Boatner, B.C. Chakoumakos (Oak Ridge, United States), C.J. Rawn (Oak Ridge, Knoxville, United States), D. Mandrus (Knoxville, United States), R. Jin (Baton Rouge, United States) and J.C. Bryan (La Crosse, United States).....	182
Effect of an axial high magnetic field on Sn dendrite morphology of Pb-Sn alloys during directional solidification D. Du, L. Hou (Shanghai, PR China), A. Gagnoud (St Martin d'Herès Cedex, France), Z. Ren (Shanghai, PR China), Y. Fautrelle (St Martin d'Herès Cedex, France), G. Cao (Shanghai, PR China) and X. Li (Shanghai, PR China), (St Martin d'Herès Cedex, France).....	190
The effect of Cr substitution on the structure and properties of misfit-layered Ca <sub>3</sub> Co <sub>4-x</sub> Cr <sub>x</sub> O <sub>9+δ</sub> thermoelectric oxides N. Prasoetsopha, S. Pinitsoontorn, T. Kamwanna, V. Amornkitbamrung (Khon Kaen, Thailand), K. Kurosaki, Y. Ohishi, H. Muta and S. Yamanaka (Osaka, Japan).....	199
Interweaved Si@C/CNTs&CNFs composites as anode materials for Li-ion batteries M. Zhang, X. Hou, J. Wang, M. Li, S. Hu (Guangzhou, PR China), Z. Shao and X. Liu (Nanjing, PR China).....	206
Magnetic and microwave absorption properties of BaMn <sub>x</sub> Co <sub>1-x</sub> TiFe <sub>10</sub> O <sub>19</sub> L. Wang, H. Yu, X. Ren and G. Xu (Mianyang, PR China).....	212
One-step electrodeposition of single-crystal ZnO nanotube arrays and their optical properties H. Lu, F. Zheng, M. Guo and M. Zhang (Beijing, PR China).....	217
Process and material parameters towards the design of fast firing cycles for high permeability MnZn ferrites V. Tsakaloudi (Thermi-Thessaloniki, Greece), G. Kogias and V.T. Zaspalis (Thermi-Thessaloniki, Thessaloniki, Greece) .....	222
Effect of different complexing agents on the properties of chemical-bath-deposited ZnS thin films J. Liu, A. Wei and Y. Zhao (Guangzhou, China) .....	228
Effects of Cu-substitution on La <sub>0.62</sub> Ce <sub>0.38</sub> (NiCoMnAlSiZr) <sub>5.3</sub> metal hydride alloy K. Young, B. Chao, B. Huang and J. Nei (Rochester Hills, USA).....	235
Synthesis, crystal growth and mechanical properties of Bismuth Silicon Oxide (BSO) single crystal B. Riscob (New Delhi, Gandhinagar, India), Mohd. Shkir (New Delhi, India), V. Ganesh (Warangal, India), N. Vijayan, K.K. Maurya (New Delhi, India), K. Kishan Rao (Warangal, India) and G. Bhagavannarayana (New Delhi, India).....	242
A study of the structure and dielectric properties for high-valence compensation of Bi <sup>3+</sup> ion-doped Ba(FeTa) <sub>0.5</sub> O <sub>3</sub> ceramics Y.-L. Chai (Hualien, Taiwan), C.-S. His (Miaoli, Taiwan), Y.-T. Lin and Y.-S. Chang (Huwei, Taiwan) .....	248
Formation of Cu <sub>2</sub> SnSe <sub>3</sub> from stacked elemental layers investigated by combined in situ X-ray diffraction and differential scanning calorimetry techniques R.A. Wibowo, S. Moeckel, H. Yoo, A. Hoelzing, R. Hock and P.J. Wellmann (Erlangen, Germany).....	254
Hydrogen generation using a ball-milled Al/Ni/NaCl mixture Y. Jia, J. Shen, H. Meng, Y. Dong, Y. Chai and N. Wang (Shijiazhuang, China) .....	259
Microstructure and mechanical properties of Al-7075/B <sub>4</sub> C composites fabricated by plasma activated sintering Q. Shen, C. Wu, G. Luo, P. Fang, C. Li, Y. Wang and L. Zhang (Wuhan, PR China) .....	265
Synthesis and thermoelectric properties of rare earth Yb-doped Ba <sub>8-x</sub> Yb <sub>x</sub> Si <sub>30</sub> Ga <sub>16</sub> clathrates L. Liu, F. Li, Y. Wei, N. Chen, S. Bi, H. Qiu, G. Cao (Beijing, China) and Y. Li (Beijing, China), (Mayaguez, USA).....	271

High-temperature thermoelectric properties of La and Fe co-doped Ca-Co-O misfit-layered cobaltites consolidated by spark plasma sintering S. Butt (Beijing, People's Republic of China), (Islamabad, Pakistan), Y.-C. Liu, J.-L. Lan, K. Shehzad, B. Zhan, Y. Lin and C.-W. Nan (Beijing, People's Republic of China) .....	277
Determination of $\alpha/\gamma$ phase boundaries in the Fe-Cr-Ni-Mn quaternary system with a diffusion-multiple method I. Shuro, S. Kobayashi, T. Nakamura (Tsukuba, Japan) and K. Tsuzaki (Tsukuba, Nishi-ku, Japan) .....	284
Ferroelectric and dielectric properties of $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$ -buffered $0.7\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $0.3\text{PbTiO}_3$ thin film by pulsed laser deposition Q. Yao, F. Wang (Shanghai, China), C.M. Leung (Kowloon, Hong Kong), Y. Tang, T. Wang, C. Jin and W. Shi (Shanghai, China) .....	290
Critical behavior of the half-doped perovskite $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{CoO}_{3-\delta}$ L. Zhang, J. Fang (Hefei, China), J. Fan (Nanjing, China), M. Ge, L. Ling, C. Zhang, L. Pi, S. Tan and Y. Zhang (Hefei, China) .....	294
Effect of implantation temperature on the H-induced microstructural damage in AlN U. Dadwal, P. Kumar (New Delhi, India), O. Moutanabbir (Halle, Germany), (Montréal, Canada), M. Reiche (Halle, Germany) and R. Singh (New Delhi, India) .....	300
Synthesis of porous zinc aluminate spinel ( $\text{ZnAl}_2\text{O}_4$ ) by metal-chitosan complexation method F.M. Stringhini, E.L. Foletto, D. Sallet, D.A. Bertuol (Santa Maria, Brazil), O. Chiavone-Filho (Natal, Brazil) and C.A.O.d. Nascimento (São Paulo, Brazil) .....	305
$\text{Cu}_2\text{ZnSn}(\text{S}_{1-x}\text{Se}_x)_4$ thin films for photovoltaic applications: Influence of the precursor stacking order on the selenization process G. Altamura, L. Grenet, C. Bougerol, E. Robin, D. Kohen, H. Fournier (Grenoble Cedex, France), A. Brioude (Villeurbanne, France), S. Perraud and H. Mariette (Grenoble Cedex, France) .....	310
Ferromagnetism and double magnetic phase transitions in rapidly solidified $\text{Mn}_{1.13}\text{Ni}_{1.03}\text{Fe}_{0.23}\text{Ge}_{0.61}$ ribbons S.C. Ma, Y. Wu, Y.L. Huang (Nanchang, People's Republic of China), Y.Y. Gong (Nanjing, People's Republic of China), Y.H. Hou, J.F. Ou, Z.C. Zhong (Nanchang, People's Republic of China), D.H. Wang and Y.W. Du (Nanjing, People's Republic of China) .....	316
Ageing and vapor chopping effect on the properties of MgO thin films S.H. Tamboli (Seoul, Republic of Korea), (Kolhapur, India), A. Jatratar, J.B. Yadav, V. Puri, R.K. Puri (Kolhapur, India) and H.H. Cho (Seoul, Republic of Korea) .....	321
Highly thermally stable Pd/Zn/Ag ohmic contact to Ga-face <i>p</i> -type GaN D.-H. Kim, W.C. Lim, J.-S. Park and T.-Y. Seong (Seoul, Republic of Korea) .....	327
The magnetic and magnetocaloric properties of $\text{CoMnGe}_{1-x}\text{Ga}_x$ alloys I. Dincer (Besevler, Turkey), E. Yüzüak (Besevler, Rize, Turkey), G. Durak and Y. Elerman (Besevler, Turkey) .....	332
An in situ TEM study of the size effect on the thermally induced martensitic transformation in nanoscale NiTi shape memory alloy H.X. Li, S.C. Mao, K.T. Zang (Beijing, China), Y. Liu (Crawley, Australia), Z.X. Guo, S.B. Wang, Y.F. Zhang and X.Q. Yin (Beijing, China) .....	337
A comparative chemical network study of HWCVD deposited amorphous silicon and carbon based alloys thin films B.P. Swain (Majitar, India), B.S. Swain and N.M. Hwang (Seoul, Republic of Korea) .....	343
Microstructure evolution and life assessment of T92 steel during long-term creep M. Nie, J. Zhang, F. Huang, J.W. Liu, X.K. Zhu, Z.L. Chen and L.Z. Ouyang (Guangzhou, People's Republic of China) .....	348
Synthesis of porous NiS thin films on Ni foam substrate via an electrodeposition route and its application in lithium-ion batteries H. Ruan, Y. Li, H. Qiu and M. Wei (Fuzhou, China) .....	357
ICP-AES and MicroRaman corrosion behaviour investigation on $\text{Zn}_4\text{Sb}_3$ and Al, Ag doped phases in sodium chloride solution R. Carlini, M.M. Carnasciali, F. Soggia, S. Campodonico and G. Zanicchi (Genova, Italy) .....	361
Advanced $\text{MgB}_2$ wire made by internal magnesium diffusion process I. Hušek, P. Kováč, A. Rosová, T. Melišek (Bratislava, Slovakia), W. Pachla (Warszawa, Poland) and M. Hain (Bratislava, Slovakia) .....	366
Different magnetothermoelectric behavior in Al- and Ga-doped ZnO thin films H. Liu, L. Fang, D. Tian, F. Wu and W. Li (Chongqing, China) .....	370
A novel approach to synthesize SiC particles by in situ reaction in Al-Si-C alloys X. Du, T. Gao, D. Li, Y. Wu and X. Liu (Jinan, PR China) .....	374
The behavior and effect of CuO in Ag/SnO <sub>2</sub> materials J. Wang, W. Liu, D. Li and Y. Wang (Xi'an, PR China) .....	378
Hydrothermal synthesized nanostructure Bi-Sb-Te thermoelectric materials Z. Chen, M.Y. Lin, G.D. Xu (Nanchang, China), S. Chen (Wuhan, China), J.H. Zhang and M.M. Wang (Nanchang, China) .....	384
Emission properties and site occupation of $\text{Sm}^{3+}$ ion doped $\text{Lu}_2\text{O}_3$ translucent ceramics C. Gheorghie, A. Lupei, F.M. Voicu and C. Tiseanu (Bucharest, Romania) .....	388
Cerium and samarium codoped lithium aluminoborate glasses for white light emitting devices P. Kaur, S. Kaur (Amritsar, India), G.P. Singh (Tarntaran, India) and D.P. Singh (Amritsar, India) .....	394
Controlled synthesis of aligned ZnO nanowires and the application in CdSe-sensitized solar cells J. Deng, M. Wang, X. Song and J. Liu (Xi'an, China) .....	399
Electrical, magnetic and thermal properties of $\text{Pr}_{0.6-x}\text{Bi}_x\text{Sr}_{0.4}\text{MnO}_3$ manganites M.D. Daivajna (Manipal, India), N. Kumar (Italy), V.P.S. Awana, B. Gahtori (New Delhi, India), J. Benedict Christopher, S.O. Manjunath (Manipal, India), K.Z. Syu, Y.K. Kuo (Hualien, Taiwan) and A. Rao (Manipal, India) .....	406
Evaluation Of kinetic parameters Of $\text{Li}_2\text{B}_4\text{O}_7:\text{Mn}$ single crystal E. Ekdal, T. Karal (Bornova, Turkey), A. Kelemen (Budapest, Hungary), V. Holovey (Uzhgorod, Ukraine) and M. Ignatovych (Kyiv, Ukraine) .....	413

Influence of Sn doping on the phase formation and superconductivity of FeSe <sub>0.93</sub> N. Chen, Z. Ma, Y. Liu, X. Li, Q. Cai, H. Li and L. Yu (Tianjin, People's Republic of China) . . . . .	418
Structural, magnetic and transport properties of La <sub>0.70</sub> Sr <sub>0.21</sub> K <sub>0.09</sub> MnO <sub>3</sub> E. Taşarkuyu, A.E. Irmak, A. Coskun and S. Aktürk (Mugla, Turkey) . . . . .	422
Crystallite growth kinetics of TiO <sub>2</sub> surface modification with 9 mol% ZnO prepared by a coprecipitation process H.-H. Ko (Kaohsiung, Taiwan), C.-S. Hsi (Miao-Li, Taiwan), M.-C. Wang (Kaohsiung, Taiwan) and X. Zhao (Wuhan, PR China) . . . . .	428
Observation of negative persistent photoconductivity in ZnS/PVA nanocomposite materials A.K. Shahi, B.K. Pandey, S.C. Singh and R. Gopal (Allahabad, India) . . . . .	440
Thermodynamic reassessment of Au–Cu–Sn ternary system H.Q. Dong, V. Vuorinen (Espoo, Finland), X.M. Tao (Nanning, PR China), T. Laurila and M. Paulasto-Kröckel (Espoo, Finland) . . . . .	449
Thermal stability of RuZr alloy thin films as the diffusion barrier in Cu metallization Y. Meng, Z.X. Song, D. Qian, W.J. Dai (Xi'an, China), J.F. Wang (Linyi, China), F. Ma, Y.H. Li (Xi'an, China) and K.W. Xu (Xi'an, China) . . . . .	461
Magnetic properties of NiMn <sub>2</sub> O <sub>4-δ</sub> (nickel manganite): Multiple magnetic phase transitions and exchange bias effect M. Tadic (Belgrade, Serbia), S.M. Savic (Belgrade, Serbia), Z. Jaglicic (Ljubljana, Slovenia), K. Vojisavljevic, A. Radojkovic, S. Prsic (Belgrade, Serbia) and D. Nikolic (Belgrade, Serbia) . . . . .	465
Phase and structural transformations in the Ni <sub>65</sub> Mo <sub>20</sub> Cr <sub>15</sub> alloy at changing the temperature of heat treatment Y. Ustinovshikov (Izhevsk, Russia) . . . . .	470
The phase equilibria in the Au–In–Ga ternary system M. Ghasemi, S. Lidin and J. Johansson (Lund, Sweden) . . . . .	474
Preparation of Pt-mesoporous tungsten carbide/carbon composites via a soft-template method for electrochemical methanol oxidation C. Ma, L. Kang, M. Shi, X. Lang and Y. Jiang (Hangzhou, PR China) . . . . .	481
Characterization and optical properties of Dy <sup>3+</sup> doped nanocrystalline SrAl <sub>2</sub> O <sub>4</sub> : Eu <sup>2+</sup> phosphor D.S. Kshatri and A. Khare (Raipur, India) . . . . .	488
Phase structure and electrical properties of Yb and Mn co-substituted (K <sub>0.48</sub> Na <sub>0.52</sub> )NbO <sub>3</sub> lead-free piezoelectric ceramics W. Wu, M. Chen, Y. Ding and C. Liu (Chengdu, PR China) . . . . .	496
Microstructures and performances of Cr <sub>13</sub> Ni <sub>5</sub> Si <sub>2</sub> based composite coatings deposited by laser cladding and laser-induction hybrid cladding D. Wang, Q. Hu and X. Zeng (Wuhan, PR China) . . . . .	502
Temperature dependence of sensitization on tensile pre-strained AISI 304 stainless steels L. Jinlong and L. Hongyun (Beijing, China) . . . . .	509
Synthesis, structure, and characterization of a new rubidium cadmium borate: RbCdB <sub>3</sub> O <sub>6</sub> A. Jiao (Urumqi, Beijing, China), H. Wu, S. Pan (Urumqi, China), H. Yu (Urumqi, Beijing, China), Z. Yang (Urumqi, China) and C. Lei (Urumqi, Beijing, China) . . . . .	514
Preparation and up-conversion luminescence of SrAlF <sub>5</sub> :Yb <sup>3+</sup> /Er <sup>3+</sup> nanorods J. Zhao, R. Hua, W. Zhang, Z. Feng, D. Tang, L. Na and B. Chen (Dalian, PR China) . . . . .	519
Constrained recovery properties of NiTi shape memory alloy wire during thermal cycling Y.F. Li, X.J. Mi, X.Q. Yin and H.F. Xie (Beijing, China) . . . . .	525
Effect of remelting treatment on glass forming ability of RE (Gd, Sm) <sub>56</sub> Al <sub>26</sub> Co <sub>18</sub> alloys Z. Zhang, X. Guo, J. Liu, C. Yan, C. Xu and J. Guo (Shandong, China) . . . . .	530
Effect of Fe substitution on electrochemical properties of Sn <sub>3.95</sub> Fe <sub>0.05</sub> P <sub>3</sub> alloy anode for lithium ion batteries G. Park, C. Lee, J. Lee, J.H. Choi (Changwon, Republic of Korea), Y.-S. Lee (Gwangju, Republic of Korea) and S.-M. Lee (Changwon, Republic of Korea) . . . . .	534
A yellow-emitting nanophosphor of Ce <sup>3+</sup> -activated aluminate Sr <sub>3</sub> LuAl <sub>2</sub> O <sub>7.5</sub> Z. Tao, W. Zhang, L. Qin, Y. Huang (Suzhou, PR China), D. Wei and H.J. Seo (Busan, Republic of Korea) . . . . .	540
The role of electric field during spray deposition on fluorine doped tin oxide film A. Kumar, S.K. Swami and V. Dutta (Delhi, India) . . . . .	546
Electric and dielectric studies of the [N(CH <sub>3</sub> ) <sub>3</sub> H] <sub>2</sub> CuCl <sub>4</sub> compound at low temperature M. Ben Bechir, K. Karoui (Sfax, Tunisia), M. Tabellout (Le Mans Cedex, France), K. Guidara and A. Ben Rhaiem (Sfax, Tunisia) . . . . .	551
Improvement of corrosion resistance in Nd–Fe–B sintered magnets by intergranular additions of Sn J. Ni (Liaocheng, China), S. Zhou (Guanxian, China), Z. Jia and C. Wang (Liaocheng, China) . . . . .	558
Enhanced thermoelectric performance of highly dense and fine-grained (Sr <sub>1-x</sub> Gd <sub>x</sub> )TiO <sub>3-δ</sub> ceramics synthesized by sol–gel process and spark plasma sintering L. Li, Y. Liu, X. Qin, D. Li, J. Zhang, C. Song and L. Wang (Hefei, PR China) . . . . .	562
Enhanced thermoelectric performance of β-Zn <sub>4</sub> Sb <sub>3</sub> based composites incorporated with large proportion of nanophase Cu <sub>3</sub> SbSe <sub>4</sub> T.H. Zou, X.Y. Qin, D. Li, L.L. Li, G.L. Sun, Q.Q. Wang, J. Zhang, H.X. Xin, Y.F. Liu and C.J. Song (Hefei, PR China) . . . . .	568
Synthesis of NiPS <sub>3</sub> and CoPS and its hydrogen storage capacity N. Ismail, M. Madian and A.A. El-Meligi (Dokki, Egypt) . . . . .	573
Determination of thermodynamic stability of lanthanum chloride hydrates (LaCl <sub>3</sub> ·xH <sub>2</sub> O) by dynamic transpiration method D.K. Sahoo, R. Mishra, H. Singh and N. Krishnamurthy (Mumbai, India) . . . . .	578
WO <sub>3</sub> nanorods prepared by low-temperature seeded growth hydrothermal reaction C.Y. Ng (Nibong Tebal, Malaysia), K. Abdul Razak (Nibong Tebal, Penang, Malaysia) and Z. Lockman (Nibong Tebal, Malaysia) . . . . .	585

Nanocrystalline Ni doped $\alpha$ -Fe <sub>2</sub> O <sub>3</sub> for adsorption of metals from aqueous solution O.M. Lemine, I. Chiloufi (Riyadh, Saudi Arabia), M. Bououdina (Bahrain), L. Khezami, M.O. M'hamed and A.T. Hassan (Riyadh, Saudi Arabia)	592
Hydrothermal synthesis of wurtzite Zn <sub>1-x</sub> Ni <sub>x</sub> S mesoporous nanospheres: With blue-green emissions and ferromagnetic Curie point above room temperature D. Amaranatha Reddy, D.H. Kim, S.J. Rhee, C.U. Jung, B.W. Lee and C. Liu (Gyeonggi, Republic of Korea)	596
Phase diagrams and thermodynamic descriptions for Na-Te and K-Te binary systems Y. Chen (Beijing, PR China), Y. Liu (Guangdong, PR China), M. Chu and L. Wang (Beijing, PR China)	605
Tailoring and isolating the interfacial magnetic coupling in curved Co/Pt multilayer film Y.X. Wang (Siping, PR China), (Cambridge, USA), X.L. Zhang, J. Li, Y. Liu, Y.J. Zhang and J.H. Yang (Siping, PR China)	611
Influence of preparation conditions of hollow silica-nickel composite spheres on their catalytic activity for hydrolytic dehydrogenation of ammonia borane T. Umegaki, A. Seki (Tokyo, Japan), Q. Xu (Osaka, Japan) and Y. Kojima (Tokyo, Japan)	615
Behavior of intermetallics formation and evolution in Ag-8Au-3Pd alloy wire bonds R. Guo, T. Hang, D. Mao, M. Li, K. Qian, Z. Lv and H. Chiu (Shanghai, China)	622
A study of mechanical anisotropy of Mg-Zn-Rare earth alloy sheet P. Dobroň, J. Balík, F. Chmelík, K. Illková (Prague, Czech Republic), J. Bohlen, D. Letzig (Geesthacht, Germany) and P. Lukáč (Prague, Czech Republic)	628
Structural stability of diffusion barriers in thermoelectric SbTe: From first-principles calculations to experimental results H.-H. Hsu (Hsinchu, Taiwan, ROC), C.-H. Cheng (Taipei, Taiwan, ROC), S.-H. Chiou, C.-H. Huang, C.-M. Liu, Y.-L. Lin, W.-H. Chao, P.-H. Yang, C.-Y. Chang (Hsinchu, Taiwan, ROC) and C.-P. Cheng (Taipei, Taiwan, ROC)	633
Ionic liquid-assisted sonochemical synthesis of SnS nanostructures N.A. García-Gómez, S.M. de la Parra-Arceniega, L.L. Garza-Tovar, L.C. Torres-González and E.M. Sánchez (San Nicolás de los Garza, Mexico)	638
Real-time observation of the phase transformations and microstructural changes during the incorporation of In into a thin Cu film at 770 K H. Rodriguez-Alvarez (Berlin, Germany), (Braga, Portugal), A. Weber, R. Mainz, M. Klaus, C.A. Kaufmann, T. Rissom, C. Genzel and H.-W. Schock (Berlin, Germany)	644
Pressure-induced phase transitions in UN: A density functional theory study Z.-G. Mei and M. Stan (Argonne, United States)	648
Optical thermometry based on upconversion luminescence in Yb <sup>3+</sup> /Ho <sup>3+</sup> co-doped NaLuF <sub>4</sub> S. Zhou, S. Jiang, X. Wei, Y. Chen, C. Duan and M. Yin (Hefei, PR China)	654
Enhanced thermoelectric properties of (Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> ) <sub>1-x-y</sub> (PbTe) <sub>x</sub> (Zn <sub>4</sub> Sb <sub>3</sub> ) <sub>y</sub> by combinatorial screening S.C. Tseng, W.H. Chao, P.H. Yang, H.S. Chu, J.D. Hwang and R.J. Wu (Taiwan, ROC)	658
Growth mechanism of duplex structural Cu <sub>2</sub> (In,Sn) compound on single crystalline Cu substrate F. Tian and Z.-Q. Liu (Shenyang, China)	662
Fabrication of nanocomposite polyaniline zirconium(IV) silicophosphate for photocatalytic and antimicrobial activity D. Pathania, G. Sharma (Solan, India), A. Kumar (Solan, Shimla, India) and N.C. Kothiyal (Jalandhar, India)	668
Hydrothermal deposition and the photochromic properties of molybdenum oxide hydrate (MoO <sub>3</sub> ·(H <sub>2</sub> O) <sub>0.69</sub> ) films induced by D, L-malic acid Y. Shen, Y. Xiao, P. Yan, Y. Yang, F. Hu and Z. Li (Wuhan, China)	676
Photocatalytic, optical and magnetic properties of Fe-doped ZnO nanoparticles prepared by chemical route K. Kumar, M. Chitkara, I.S. Sandhu (Rajpura, India), D. Mehta and S. Kumar (Chandigarh, India)	681
Study of texture, anisotropy and formability of cartridge brass sheets K. Hajizadeh, M. Tajally, E. Emadoddin and E. Borhani (Semnan, Iran)	690
Thermodynamic modeling of the CeO <sub>2</sub> -CoO nano-phase diagram S.S. Kim (Sejong, Republic of Korea)	697
Structural, optical and magnetic characterization of Ru doped ZnO nanorods S. Kumar (Patiala, Chandigarh, India), P. Kaur (Patiala, India), C.L. Chen (Taipei, Hsinchu, Taiwan), R. Thangavel (Dhanbad, India), C.L. Dong (Hsinchu, Taiwan), Y.K. Ho (Taipei, Hsinchu, Taiwan), J.F. Lee, T.S. Chan (Hsinchu, Taiwan), T.K. Chen, B.H. Mok (Taipei, Taiwan), S.M. Rao (Patiala, India), (Taipei, Taiwan) and M.K. Wu (Taipei, Taiwan)	705
Effect of microwave sintering over vacuum and conventional sintering of Cu based nanocomposites S. Mula (Rookee, India), (Raleigh, USA), J. Panigrahi (Rourkela, India), P.C. Kang (Harbin, China) and C.C. Koch (Raleigh, USA)	710
Investigation of atomic layer deposition of magnesium oxide on a CoFeB layer for three-dimensional magnetic tunneling junctions J.-G. Song, J. Park, J. Yoon (Seoul, Korea), K. Kim, Y. Jang, K. Kim (Yongin-si, Korea) and H. Kim (Seoul, Korea)	716
Magnetocaloric effect near the second order ferromagnetic transition in superstructure R <sub>15</sub> Si <sub>9</sub> C compounds (R = Gd, Tb and Dy) A. Bhattacharyya, A. Thamizhavel, S.K. Dhar (Mumbai, India) and P. Manfrinetti (Genova, Italy)	720
Electronic structure and optical properties of Nd <sub>5</sub> Ge <sub>3</sub> compound Yu.V. Knyazev, A.V. Lukoyanov, Yu.I. Kuz'min (Yekaterinburg, Russia), B. Maji and K.G. Suresh (Mumbai, India)	725
Corrigendum to "Magnetic hardening of Fe-Nb-B-Tb type of bulk nanocrystalline alloys" [J. Alloys Comp. 583 (2014) 48-54] A. Chrobak (Katowice, Poland), G. Ziólkowski (Katowice, Poland), (Le Mans Cedex, France) and N. Randrianantoandro (Le Mans Cedex, France)	728
Keywords	I