



Volume 589

15 March 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER


H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Effects of Bi ₂ O ₃ on FMR linewidth and microwave dielectric properties of LiZnMn ferrite R. Guo, Z. Yu, Y. Yang, X. Jiang, K. Sun, C. Wu, Z. Xu and Z. Lan (Chengdu, China)	1
A comparative investigation on ion impact parameters and TL response of Y ₂ O ₃ :Tb ³⁺ nanophosphor exposed to swift heavy ions for space dosimetry S. Som (Bloemfontein, South Africa), (Dhanbad, India), S. Dutta, M. Chowdhury (Dhanbad, India), V. Kumar, V. Kumar, H.C. Swart (Bloemfontein, South Africa) and S.K. Sharma (Dhanbad, India)	5
Influence of a new kind of Al–Ti–C master alloy on the microstructure and mechanical properties of Al–5Cu alloy T. Wang, T. Gao, P. Zhang, J. Nie and X. Liu (Jinan, PR China)	19
Complex modification effect by ZrAlSi intermetallic and element Sr on the microstructure and mechanical properties of hypereutectic Al–Si alloys T. Gao, Y. Zhang and X. Liu (Jinan, PR China)	25
Structural and conductivity characteristics of Bi ₄ Mg _x V _{2–x} O _{11–δ} (0 ≤ x ≤ 0.3) as solid electrolyte for intermediate temperature SOFC application D.S. Khaerudini (Hirosaki, Japan), G. Guan (Hirosaki, Aomori, Japan), P. Zhang (Hirosaki, Japan), X. Hao (Taiyuan, China), Y. Kasai (Aomori, Japan), K. Kusakabe (Kumamoto, Japan) and A. Abudula (Hirosaki, Aomori, Japan)	29
Small ordered magnetic moment in a weak itinerant electron ferromagnet Sc ₃ In K. Kamishima (Saitama, Japan), R. Note (Miyagi, Japan), T. Imakubo (Niigata, Japan), K. Watanabe (Saitama, Japan), H.A. Katori (Tokyo, Japan), A. Fujimori, M. Sakai (Saitama, Japan) and K.V. Kamenev (Edinburgh, United Kingdom)	37
Room-temperature ferromagnetism in Ni ²⁺ doped TiO ₂ nanocrystals synthesized from nanotubular precursors M. Vranješ (Belgrade, Serbia), Z. Konstantinović, A. Pomar (Bellaterra, Spain), J. Kuljanin Jakovljević, M. Stojiljković, J.M. Nedeljković and Z. Šaponjić (Belgrade, Serbia)	42
Pd ₅ InSe and Pd ₈ In ₂ Se – New metal-rich homologous selenides with 2D palladium–indium fragments: Synthesis, structure and bonding E.Y. Zakharova, S.M. Kazakov (Moscow, Russian Federation), A.A. Isaeva (Dresden, Germany), A.M. Abakumov, G.V. Tendeloo (Antwerp, Belgium) and A.N. Kuznetsov (Moscow, Russian Federation)	48
Formation and characterization of polyethylene terephthalate-based (Bi _{0.15} Sb _{0.85}) ₂ Te ₃ thermoelectric modules with CoSb ₃ adhesion layer by aerosol deposition S. Baba, H. Sato, L. Huang, A. Uritani (Tsukuba Ibaraki, Japan), R. Funahashi (Ikeda Osaka, Japan) and J. Akedo (Tsukuba Ibaraki, Japan)	56
Mechanical alloying synthesis and spark plasma sintering consolidation of CoCrFeNiAl high-entropy alloy W. Ji, Z. Fu, W. Wang, H. Wang, J. Zhang, Y. Wang and F. Zhang (Wuhan, China)	61
Fabrication of Cu ₂ S nanoneedles by self-assembly of nanoparticles via simple wet chemical route H. Kumarakuru, M.J. Coombes, J.H. Neethling and J.E. Westraadt (Port Elizabeth, South Africa)	67
Fabrication, magnetic and luminescent properties of CoFe ₂ O ₄ @SiO ₂ @Y ₂ O ₃ :Dy ³⁺ composites X. Ren, L. Tong, X. Chen, H. Ding and H. Yang (Changchun, China)	76
Preparation and characterization of flower-like microspheres of nano-NiO as electrode material for supercapacitor D. Du, Z. Hu, Y. Liu, Y. Deng and J. Liu (Shanghai, China)	82
The greenish-blue emission and thermoluminescent properties of CaTa ₂ O ₆ :Pr ³⁺ L.L. Noto (Bloemfontein, South Africa), M.L. Chithambo (Grahamstown, South Africa), O.M. Ntwaeaborwa and H.C. Swart (Bloemfontein, South Africa)	88
Phase analyses of silicide or nitride coated U–Mo and U–Mo–Ti particle dispersion fuel after out-of-pile annealing W.J. Kim (Yuseong, Republic of Korea), H. Palancher (Saint Paul Lez Durance Cedex, France), H.J. Ryu, J.M. Park, J.M. Nam (Yuseong, Republic of Korea), A. Bonnin (Saint Paul Lez Durance Cedex, Grenoble Cedex, France), V. Honkimäki (Grenoble Cedex, France), F. Charollais (Saint Paul Lez Durance Cedex, France) and P. Lemoine (Gif sur Yvette, France)	94
Numerical and experimental study on thermal shock damage of CVD ZnS infrared window material Y. Liu, Y. He, Z. Yuan, J. Zhu and J. Han (Harbin, China)	101

Compositional congruency, correlation and high pressure polymorphism in electron-beam evaporated $Pb_{1-x}Ge_xTe$ thin films B. Li, P. Xie, S. Zhang and D. Liu (Shanghai, China)	109
Enhanced thermal stability of lead-free high temperature $0.75BiFeO_3-0.25BaTiO_3$ ceramics with excess Bi content J. Chen and J. Cheng (Shanghai, People's Republic of China).	115
Preparation and luminescence characteristics of Eu-doped calcium chloride silicate $Ca_7Si_2O_8Cl_6$ J. Wang, W. Zhang, S. Qi, Y. Guan and J. Lu (Suzhou, China)	120
Electronic structure and thermoelectric properties of In_4Se_{3-x} ($x = 0, 0.25, 0.5, 0.75$): First-principles calculations D.B. Luo, H.G. Si and Y.X. Wang (Kaifeng, China)	125
Use of Al_4C_3 for fabrication of alumina-niobium carbide composites by combustion synthesis C.L. Yeh and Y.S. Chen (Taichung, Taiwan)	132
Theoretical study of structural, elastic and thermodynamic properties of CZTX ($X = S$ and Se) alloys S. Bensalem (Algiers, Sétif, Algeria), M. Chegaar, D. Maouche and A. Bouhemadou (Sétif, Algeria)	137
Phases, microstructure and mechanical properties of $Al_xCoCrFeNi$ high-entropy alloys at elevated temperatures W.-R. Wang (Hsinchu, Tainan, Taiwan), W.-L. Wang (Tainan, Taiwan) and J.-W. Yeh (Hsinchu, Taiwan)	143
Oxidation protective $AlPO_4$ coating for SiC coated carbon/carbon composites for application at 1773 K and 1873 K H. Wei, H. Jianfeng, C. Liyun, Y. Lixiong, O. Haibo, Y. Liuqing, F. Jie and Z. Yongliang (Xi'an, PR China)	153
Fabrication and characterization of reactive Ni-Ti-C powder by mechanical alloying Z. Sadeghian, S. Zohari, B. Lotfi (Iran) and C. Broeckmann (Aachen, Germany)	157
Deformation texture evolution of pure aluminum sheet under electromagnetic bulging Z.-G. Li, N. Li, H.-W. Jiang, Y.-Y. Xiong and L. Liu (Wuhan, People's Republic of China)	164
Enhanced microwave electromagnetic properties of Fe_3O_4 /graphene nanosheet composites J. Zheng, H. Lv, X. Lin, G. Ji, X. Li and Y. Du (Nanjing, PR China)	174
Effect of precursor solution pH on the structural and crystallization characteristics of sol-gel derived nanoparticles E. Salahinejad (Tehran, Iran), (Tulsa, USA), (Shiraz, Iran), M.J. Hadianfard (Shiraz, Iran), D. Vashae (Tulsa, USA) and L. Tayebi (Tulsa, Stillwater, USA).	182
Well-defined barium molybdate hierarchical architectures with different morphologies: Controllable synthesis, formation process, and luminescence properties C. Zhang, L. Zhang, C. Song, G. Jia, S. Huo and S. Shen (Baoding, PR China).	185
Thermodynamic modeling of the RE-Pb (RE = Sc, Dy, Gd) systems A. Iddaoudi (Agadir, Morocco), C. Servant (Orsay Cedex, France), N. Selhaoui, S. Kardellass, K. Mahdouk and L. Bouirden (Agadir, Morocco) 192	192
The V-Cu-Sb ternary system at 773 K: Crystal, band structure, and physical properties M. Konyk, L. Romaka, P. Demchenko, V.V. Romaka, Yu. Stadnyk and A. Horyn (Lviv, Ukraine)	200
Optimization of deposition conditions of CdS thin films using response surface methodology E. Yücel, N. Güler and Y. Yücel (Hatay, Turkey).	207
Dispersion of the second harmonic generation in GaN_xAs_{1-x} ($x = 0.25, 0.5, 0.75$) alloys A.H. Reshak (Pilsen, Czech Republic), (Kangar, Malaysia).	213
Photovoltaic performance enhancement of CdS quantum dot-sensitized TiO_2 photoanodes with plasmonic gold nanoparticles A. Liu, Q. Ren, M. Zhao, T. Xu, M. Yuan, T. Zhao (Hangzhou, China) and W. Tang (Beijing, China).	218
A new quaternary phase observed in a laser treated Zn-Al-Mg-Si coating Z. Chen, C.-T. Peng (Wollongong, Australia), Q. Liu, R. Smith and D. Nolan (Wollongong DC, Australia)	226
The spin glass behavior in the Heusler alloy Cu_2VAI W. Zhang (Tianjin, Harbin, China), Y. Sun (Tianjin, China), H. Wang, Y. Li (Harbin, China), X. Zhang (Tianjin, China), Y. Sui (Harbin, China), H. Luo, F. Meng (Tianjin, China), Z. Qian (Harbin, China) and G. Wu (Beijing, China)	230
Structure of UC_2 and U_2C_3 :XRD, ^{13}C NMR and EXAFS study U. Carvajal Nuñez, R. Eloirdi, D. Prieur, L. Martel (Karlsruhe, Germany), E. López Honorato (Coahuila, Mexico), I. Farnan (Cambridge, UK), T. Vitova and J. Somers (Karlsruhe, Germany).	234
Comparison of static recrystallization behavior in hot rolled Mg-3Al-1Zn and Mg-3Zn-0.5Ca sheets J.-Y. Lee, Y.-S. Yun (Seoul, South Korea), B.-C. Suh, N.-J. Kim (Pohang, Korea), W.-T. Kim (Chongbuk, South Korea) and D.-H. Kim (Seoul, South Korea)	240
Dielectric properties and signature of multi-ferroelectricity in Co_2FeO_4 : A structurally single phased and bi-phased spinel oxide R.N. Bhowmik and I. Panneer Muthuselvam (Kalapet, India)	247
Structural and magnetic Properties of TbZn-substituted calcium barium M-type nano-structured hexa-ferrites H.M. Khan (Multan, Pakistan), (York, UK), M.U. Islam (Multan, Pakistan), Y. Xu (York, UK), (Nanjing, China), M. Asif Iqbal (Multan, Islamabad, Pakistan) and I. Ali (Multan, Pakistan)	258
Dynamic universal characteristic of the main (α) relaxation in bulk metallic glasses J.C. Qiao and J.M. Pelletier (Villeurbanne, France)	263
pH control of magnetic properties in precipitation-hydrothermal-derived $CoFe_2O_4$ S. Jovanović, M. Spreitzer, M. Otoničar (Ljubljana, Slovenia), J.-H. Jeon (Changwon, Republic of Korea) and D. Suvorov (Ljubljana, Slovenia) 271	271
Structural, mechanical and electronic properties of OsTM and $TMOs_2$ (TM = Ti, Zr and Hf): First-principles calculations Q.-J. Liu, N.-C. Zhang, F.-S. Liu (Chengdu, PR China) and Z.-T. Liu (Xi'an, PR China)	278

Anisotropic (Sm,Pr) ₁ Co ₅ based nanoflakes fabricated by high-energy ball milling in polar milling medium F. Wang, X. Hu (Qinhuangdao, People's Republic of China), X. Li (Qinhuangdao, Baoding, People's Republic of China), G. Huang, Y. Zhang and X. Zhang (Qinhuangdao, People's Republic of China)	283
Ferrite hardening response in a low alloy ferrite–martensite dual phase steel E. Fereiduni and S.S. Ghasemi Banadkouki (Yazd, Iran)	288
Achieving a desirable combination of strength and workability in Al/SiC composites by AHP selection method H.R. Zafarani, A. Hassani and E. Bagherpour (Semnan, Iran).	295
Net-shape and crack-free production of Nd–Fe–B magnets by hot deformation I. Dirba, S. Sawatzki (Darmstadt, Dresden, Germany) and O. Gutfleisch (Darmstadt, Germany).	301
Wetting of galvanized steel by Al 4043 alloys in the first cycle of CMT process Y. Zhou and Q. Lin (Lanzhou, People's Republic of China)	307
Microstructural study of duplex stainless steels obtained by powder injection molding M.E. Sotomayor (Leganés, Spain), R. de Kloe (JC Tilburg, The Netherlands), B. Levenfeld and A. Várez (Leganés, Spain)	314
Carbon-coated V ₂ O ₅ nanoparticles with enhanced electrochemical performance as a cathode material for lithium ion batteries J. Shin, H. Jung, Y. Kim and J. Kim (Busan, South Korea).	322
Influence of sulfuretted temperature on the luminescent properties of Y ₂ O ₂ S:Eu ³⁺ , Mg ²⁺ , Ti ⁴⁺ nanoarrays by EDTA complexing sol–gel template method L. Wang, J. Dong, P. Huang and C.E. Cui (Taiyuan, PR China)	330
Influence of thermomechanical processing and heat treatment on microstructure, tensile properties and fracture toughness of Ti-1100-0.1B alloy V.K. Chandravanshi, A. Bhattacharjee, S.V. Kamat and T.K. Nandy (Hyderabad, India)	336
Influence of Al doping on structural and optical properties of Mg–Al co-doped ZnO thin films prepared by sol–gel method D. Fang, K. Lin, T. Xue, C. Cui, X. Chen, P. Yao (Tianjin, PR China) and H. Li (Wollongong, Australia).	346
Prediction study of structural, electronic and optical properties of XIn ₂ S ₄ (X = Hg, Zn) thiospinels under pressure effect M. Yousaf (Skudai, Malaysia), F. Inam (D.H.A. Lahore, Pakistan), R. Khenata (Mascara, Algeria), G. Murtaza (Pakistan), A.R.M. Isa and M.A. Saeed (Skudai, Malaysia)	353
Heterostructured Ni(OH) ₂ –Co(OH) ₂ composites on 3D ordered Ni–Co nanoparticles fabricated on microchannel plates for advanced miniature supercapacitor M. Li, S. Xu, Y. Zhu, P. Yang, L. Wang (Shanghai, PR China) and P.K. Chu (Kowloon, PR China)	364
Microstructure and mechanical properties of NZ30K magnesium alloy processed by repetitive upsetting J. Liu, Q. Wang, H. Zhou and W. Guo (Shanghai, China)	372
Microwave absorbing property and complex permittivity and permeability of graphene–CdS nanocomposite D.-D. Zhang, D.-L. Zhao, J.-M. Zhang and L.-Z. Bai (Beijing, China).	378
Preparation and characterization of MoSi ₂ /MoB composite coating on Mo substrate Y. Wang, D. Wang (Changsha, China) and J. Yan (Xiangtan, China)	384
Magnetic properties of Tl ₉ LnTe ₆ , Ln = Ce, Pr, Tb and Sm S. Bangarigadu-Sanasy, C.R. Sankar (Waterloo, Canada), P.A. Dube, J.E. Greedan (Hamilton, Canada) and H. Kleinke (Waterloo, Canada).	389
Dielectric and electrical conductivity studies of bulk lead (II) oxide (PbO) A.A.A. Darwish (Al-Mahwit, Yemen), (Tabuk, Saudi Arabia), E.F.M. El-Zaidia, M.M. El-Nahass (Cairo, Egypt), T.A. Hanafy (Tabuk, Saudi Arabia), (El Fayoum, Egypt) and A.A. Al-Zubaidi (Tabuk, Saudi Arabia)	393
Phase diagram of the YbTe–Sb ₂ Te ₃ –Bi ₂ Te ₃ quasi-ternary system Z.S. Aliev (Baku, Azerbaijan), K.D. Rasulova (Baku, Azerbaijan), (Montpellier, France), I.R. Amiraslanov (Baku, Azerbaijan), J.-C. Tedenac (Montpellier, France) and M.B. Babanly (Baku, Azerbaijan)	399
Crystal structure of Yb ₂ CuGe ₆ and Yb ₃ Cu ₄ Ge ₄ and the valency of ytterbium S.C. Peter, U. Subbarao, S. Sarkar (Bangalore, India), G. Vaitheeswaran (Hyderabad, India), A. Svane (Aarhus, Denmark) and M.G. Kanatzidis (Evanston, Argonne, USA).	405
Diffusionless phase transformation characteristics of Mn _{75.7} Pt _{24.3} H.E. Karaca, S.M. Saghayan, H. Tobe, E. Acar (Lexington, USA), B. Basaran (Lexington, USA), (Ankara, Turkey), M. Nagasako, R. Kainuma (Sendai, Japan) and R.D. Noebe (Cleveland, USA)	412
A novel preparation method and magnetic properties of NaZn ₁₃ -type La(Fe, Si) ₁₃ compounds L. Bao, W. Wei, W. Fan and O. Tegus (Hohhot, China)	416
Thermophysical properties of the Al ₈₃ Co ₁₀ Ce ₇ glass-forming alloy in crystalline and liquid states S.A. Uporov, V.A. Bykov and D.A. Yagodin (Ekaterinburg, Russia).	420
Diffraction and spectroscopic study of pyrochlores Bi _{2–x} Fe _{1+x} SbO ₇ Q. Zhou, P.E.R. Blanchard, B.J. Kennedy, C.D. Ling, S. Liu (Sydney, Australia), M. Avdeev (Lucas Heights, Australia), J.B. Aitken (Clayton, Australia), (Tsukuba, Japan), (Sydney, Australia), A. Tadich and H.E.A. Brand (Clayton, Australia)	425
Phase field simulation of Al–Si binary dendritic growth and micro-segregation patterns under convection M.X. Liu, K. Wang, D. Xia and T. Jiang (Chongqing, China)	431
Role of oxygen concentration on ferromagnetism and electronic transport properties of Co _{0.53} Ti _{0.47} O ₈ nanocomposite films X.C. Wang, J. Zhou, R.X. Liu, Y.T. Bai, M.Y. Yin, X.M. Chen and B.H. Yang (Tianjin, PR China).	436

Dielectric relaxation, phase transition and Rietveld studies of perovskite $[\text{Pb}_{0.94}\text{Sr}_{0.06}][(\text{Mn}_{1/3}\text{Sb}_{2/3})_{0.05}(\text{Zr}_{0.52}\text{Ti}_{0.48})_{0.95}]\text{O}_3$ ceramics K. Brajesh, P. Kumar (Bihar, India), A.K. Himanshu (Kolkata, India), R. Ranjan (Bangalore, India), S.K. Bandyopadhyay, T.P. Sinha (Kolkata, India) and N.K. Singh (Bihar, India)	443
Effect of ball-milling granulation with PVB adhesive on the sinterability of co-precipitated Yb:YAG nanopowders X. Chen, T. Lu, N. Wei, Z. Lu, W. Zhang (Chengdu, PR China), B. Ma (Nanyang, PR China), Y. Guan, W. Liu and F. Jiang (Chengdu, PR China)	448
Effects of the Al/Ni ratio on the reactions in the compression-bonded Ni-sputtered Al foil multilayer S.W. Kuk, H.J. Ryu and J. Yu (Yuseong-gu, Republic of Korea)	455
Precipitate microstructure evolution in exposed IN738LC superalloy P. Strunz (Řež near Prague, Czech Republic), M. Petrenec (Brno, Czech Republic), U. Gasser (Villigen, Switzerland), J. Tobiáš, J. Polák (Brno, Czech Republic) and J. Šaroun (Řež near Prague, Czech Republic)	462
Rapid synthesis of tin oxide decorated carbon nanotube nanocomposites as anode materials for lithium-ion batteries J.-Y. Lin, M.-H. Chou and Y.-C. Kuo (Taipei City, Taiwan)	472
Effects of rare element and pressure on the microstructure and mechanical property of AZ91D alloy H. Yu, S.N. Chen, W. Yang, Y.L. Zhang and S.H. Chen (Nanchang, PR China)	479
Synthesis of Mg_2Si for thermoelectric applications using magnesium alloy and spark plasma sintering X. Hu, D. Mayson and M.R. Barnett (Geelong, Australia)	485
Phase transformation behaviors of TiNi fibers embedded in an aluminum matrix J. Hu, Q. Zhang, Y. Liu and G. Wu (Harbin, China)	491
Zero-biased magnetoelectric composite $\text{Fe}_{73.5}\text{Cu}_1\text{Nb}_3\text{Si}_{13.5}\text{B}_9/\text{Ni}/\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ for current sensing C. Lu, P. Li, Y. Wen, A. Yang, C. Yang, D. Wang, W. He and J. Zhang (Chongqing, China)	498
Tunable multicolor upconversion luminescence and paramagnetic property of the lanthanide doped fluorescent/magnetic bi-function NaYbF_4 microtubes Z. Yi (Changsha, Xiangtan, China), G. Ren (Xiangtan, China), L. Rao, H. Wang (Changsha, Xiangtan, China), H. Liu and S. Zeng (Changsha, China)	502
Electrical and structural properties of GaN films and GaN/InGaN light-emitting diodes grown on porous GaN templates fabricated by combined electrochemical and photoelectrochemical etching L.-W. Jang, D.-W. Jeon (Jeonju, Republic of Korea), A.Y. Polyakov, A.V. Govorkov, V.N. Sokolov, N.B. Smirnov (Moscow, Russia), H.-S. Cho, J.-H. Yun (Jeonju, Republic of Korea), K.D. Shcherbatchev (Moscow, Russia), J.-H. Baek (Gwangju, South Korea) and I.-H. Lee (Jeonju, Republic of Korea)	507
Thermoelectric properties of $\text{In}_{0.2}\text{Co}_4\text{Sb}_{12}$ skutterudites with embedded PbTe or ZnO nanoparticles C. Chubilleau, B. Lenoir, C. Candolfi, P. Masschelein, A. Dauscher (Nancy, France), E. Guilmeau (Caen Cedex, France) and C. Godart (Thiais, France)	513
Intrinsic or extrinsic size-dependent deformation behavior of a Zr-based bulk metallic glass in supercooled liquid state? X. Xu, N. Li and L. Liu (Wuhan, People's Republic of China)	524
The microstructure and texture of Mo-La ₂ O ₃ alloys with high transverse ductility C. Chen, S. Wang, Y.L. Jia, M.P. Wang, Z. Li and Z.X. Wang (Changsha, China)	531
Aqueous synthesis of high-fluorescence CdZnTe alloyed quantum dots J. Cheng, D. Li, T. Cheng, B. Ren, G. Wang and J. Li (Shanghai, China)	539
Effect of La-substitution on the magnetic behavior in $\text{Ce}_2\text{Cu}_2\text{In}$ W. Iwasieczko and D. Kaczorowski (Wroclaw, Poland)	545
Luminescence and energy transfer of Ce^{3+} - Eu^{2+} in $\text{BaMg}_2(\text{PO}_4)_2$ Z. Wang, X. Teng and P. Li (Baoding, China)	549
Prediction of half-metallic ferromagnetism (HMF) in hypothetical Heusler compound Co_2VSb using modified Becke Johnson (mBJ) potential D.P. Rai (Beijing, People's Republic of China), J. Maibam (Canchipur, India), B.I. Sharma (Silchar, India), A. Shankar, Sandeep, R.K. Thapa (Aizawl, India) and S.H. Ke (Beijing, Shanghai, People's Republic of China)	553
Substitutional effects on structural and magnetotransport properties of $\text{La}_{0.85-x}\text{Sm}_x\text{K}_{0.15}\text{MnO}_3$ ($x = 0.05, 0.1$ and 0.15) D. Varshney and M.W. Shaikh (Indore, India)	558
The anomalous Hall effect in highly disordered SmCo_5 thin films Y. Liu, G. Li, J. Shen, L. Ma, C. Zhen and D. Hou (Shijiazhuang, People's Republic of China)	568
Charge and mass transport properties of $\text{La}_2\text{Ni}_{0.95}\text{Al}_{0.05}\text{O}_{4.025+\delta}$ S.-Y. Jeon, B. Singh, H.-N. Im, K.-P. Seong and S.-J. Song (Buk-gu, Republic of Korea)	572
Thermodynamic and kinetic studies on the deposition of silicon carbon nitride from CH_3SiCl_3 - C_3H_6 - NH_3 - H_2 -Ar and its excellent electromagnetic absorbing property F. Ye, L. Zhang, X. Yin, X. Liu, Y. Liu, J. Xue and L. Cheng (Xi'an, PR China)	579
Evaluation of mechanical properties of low-Ag ball grid array solder joints using a high-speed ball shear test Q.V. Bui and S.B. Jung (Suwon, Republic of Korea)	590
Combustion synthesis approach for spectral tuning of Eu doped CaAl_2O_4 phosphors R. Hari Krishna (Bangalore, Belgaum, India), B.M. Nagabhushana (Bangalore, India), H. Nagabhushana (Tumkur, India), R.P.S. Chakradhar (Bangalore, India), N. Suriya Murthy (Kalpakkam, India), R. Sivaramakrishna, C. Shivakumara (Bangalore, India), J.L. Rao (Tirupathi, India) and T. Thomas (Bangalore, India)	596

Theoretical and experimental studies on electronic structure and optical properties of Cu-doped ZnO C. Xia, F. Wang and C. Hu (Chongqing, PR China)	604
Hot workability of as-cast Ti–45Al–5.4V–3.6Nb–0.3Y alloy F. Yang (Harbin, PR China), (Hamilton, New Zealand), F. Kong, Y. Chen and S. Xiao (Harbin, PR China)	609
High-performance hierarchical $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ microspheres synthesized via a facile template-sacrificial route W. Xiong, Y. Jiang, Z. Yang, D. Li and Y. Huang (Wuhan, China).	615
Magnetic, thermal and electronic properties of $\text{Ce}_{11}\text{Ni}_4\text{In}_9$ and CeNi_9In_2 A. Szytuła, S. Baran, B. Penc, J. Przewoźnik (Kraków, Poland), A. Winiarski (Katowice, Poland), Yu. Tyvanchuk and Ya.M. Kalychak (Lviv, Ukraine).	622
Microstructure and transformation temperatures in rapid solidified Ni–Ti alloys. Part I: The effect of cooling rate G. Pan (Nanjing, China), (Torino, Italy), C. Balagna, L. Martino and S. Spriano (Torino, Italy)	628
Microstructure and transformation temperatures in rapid solidified Ni–Ti alloys. Part II: The effect of copper addition G. Pan (Nanjing, China), (Torino, Italy), C. Balagna, L. Martino (Torino, Italy), J. Pan (Stockholm, Sweden) and S. Spriano (Torino, Italy)	633
Keywords.	I