

Volume 597

5 June 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE


C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Three-dimensional nanoporous TiO ₂ network films with excellent electrochemical capacitance performance H. Zhou, Y. Zhong, Z. He, L. Zhang, J. Wang, J. Zhang and C.-n. Cao (Hangzhou, PR China)	1
Obtaining half-metallic ferrimagnetism and antiferromagnetism by doping Mn and Fe for DO ₃ -type Heusler compound Cr ₃ Si J. Li, H. Liu, Z. Zhang, S. Zhang and X. Xu (Tianjin, China)	8
Characterization and process evaluation of Ni–Ti–Fe shape memory alloy macro-spheres directly fabricated via rotating electrode process C.B. Basak, M. Krishnan, R. Kumar, K.K. Abdullah and S. Anantharaman (Mumbai, India)	15
Microstructure and property evaluation of high-pressure die-cast Mg–La–rare earth (Nd, Y or Gd) alloys S. Gavras, M.A. Easton (Victoria, Australia), M.A. Gibson (Clayton South, Australia), S. Zhu and J.-F. Nie (Victoria, Australia)	21
Thermal formation of porous Fe ₃ O ₄ /C microspheres and the lithium storage performance R. Liu, T. Li, F.-D. Han, Y.-J. Bai, Y.-X. Qi and N. Lun (Jinan, PR China)	30
Structural, electronic, optical and thermodynamic properties of cubic REGa ₃ (RE = Sc or Lu) compounds: Ab initio study G. Murtaza (Peshwar, Pakistan), S.K. Gupta (Houghton, USA), T. Seddik, R. Khenata (Mascara, Algeria), Z.A. Alahmed (Riyadh, Saudi Arabia), R. Ahmed (Johor, Malaysia), H. Khachai (Algeria), P.K. Jha (Bhavnagar, India) and S. Bin Omran (Riyadh, Saudi Arabia)	36
The anisotropic distribution of dislocations and tilts in metamorphic GaInAs/AlInAs buffers grown on GaAs substrates with miscut angles toward (1 1 1)A Y. Sun, K. Li (Suzhou, Beijing, People's Republic of China), J. Dong (Suzhou, People's Republic of China), X. Zeng (Suzhou, Beijing, People's Republic of China), S. Yu, Y. Zhao, C. Zhao and H. Yang (Suzhou, People's Republic of China)	45
Thermodynamic and elastic properties of hexagonal ZnO under high temperature F. Wang (Chongqing, China), J. Wu (Zhengzhou, China), C. Xia, C. Hu, C. Hu, P. Zhou, L. Shi, Y. Ji, Z. Zheng and X. Liu (Miangyang, China)	50
High pressure studies of terbium trihydride. X-ray, Raman and DFT investigations T. Palasyuk (Warsaw, Poland), S. Saxena (Miami, USA), P. Zaleski-Ejgierd and M. Tkacz (Warsaw, Poland)	58
Preparation and photophysical properties of luminescent nanoparticles based on lanthanide doped fluorides (LaF ₃ :Ce ³⁺ , Gd ³⁺ , Eu ³⁺), obtained in the presence of different surfactants M. Runowski and S. Lis (Poznań, Poland)	63
Size effect on compression properties of GaN nanocones examined using in situ transmission electron microscopy S.-H. Kang and T.-H. Fang (Kaohsiung, Taiwan)	72
Impedance spectroscopy study of SiO ₂ –Li ₂ O:Nd ₂ O ₃ glasses R. Pereira, C.B. Gozzo (Cuiabá, Brazil), I. Guedes (Fortaleza, Brazil), L.A. Boatner (Oak Ridge, USA), A.J. Terezo and M.M. Costa (Cuiabá, Brazil)	79
Fast vertical growth of ZnO nanorods using a modified chemical bath deposition T.-h. Lee, H. Ryu (Gimhae, Republic of Korea) and W.-J. Lee (Busanjin-gu, Republic of Korea)	85
Synthesis of the nanostructured Cd ₄ GeS ₆ photocatalysts and their visible-light-driven photocatalytic degradation property S. Yang (Jinhua, Beijing, PR China), Q. Yue (Changsha, PR China), F. Wu (Jinhua, Beijing, PR China), N. Huo, Z. Chen, J. Yang (Jinhua, PR China) and J. Li (Jinhua, Beijing, PR China)	91
Facile synthesis of flower like FePt@ZnO core–shell structure and its bifunctional properties J. Majeed, O.D. Jayakumar, B.P. Mandal, H.G. Salunke (Mumbai, India), R. Naik (Detroit, USA) and A.K. Tyagi (Mumbai, India)	95
Characterization and photocatalytic activity of large-area single crystalline anatase TiO ₂ nanotube films hydrothermal synthesized on Plasma electrolytic oxidation seed layers Q. Luo, Q. Cai, X. Li (Wuhan, China) and X. Chen (Wuhan, Jiangmen, China)	101
Influence of Bi ₂ O ₃ on thermal, structural and dielectric properties of lithium zinc bismuth borate glasses S. Rani, S. Sanghi, N. Ahlawat and A. Agarwal (Hisar, India)	110
Insights into structural and thermodynamic properties of the intermetallic compound in ternary Mg–Zn–Cu alloy under high pressure and high temperature L. Cheng (Nanyang, Changchun, China), Z. Shuai, Z. Yu, Z. Da-Wei, H. Chao-Zheng and L. Zhi-Wen (Nanyang, China)	119

Reparative effect of diffusion process on host defects in Cr ²⁺ doped ZnS/ZnSe M. Chen (Shanghai, PR China), H. Cui (Beijing, PR China), W. Li, H. Kou, J. Li, Y. Pan and B. Jiang (Shanghai, PR China)	124
Enhanced visible-light-response photocatalytic degradation of methylene blue on Fe-loaded BiVO ₄ photocatalyst S. Chala (Chiang Mai, Thailand), K. Wetchakun (Ubon Ratchathani, Thailand), S. Phanichphant, B. Inceesungvorn and N. Wetchakun (Chiang Mai, Thailand)	129
Effect of microwave irradiation on the hydrogen desorption properties of MgH ₂ /LiBH ₄ composite H.Y. Leng, J. Wei, Q. Li and K.C. Chou (Shanghai, China)	136
A comprehensive study on the microstructure of high strength low alloy pipeline welds B. Beidokhti (Mashhad, Iran), A.H. Kokabi and A. Dolati (Tehran, Iran)	142
Nature of low compressibility and anisotropic elasticity in YbB ₂ I. Lukačević (Osijek, Croatia) and S.K. Gupta (Houghton, USA)	148
High-pressure structural phase transitions and intermediate phases of magnesium fluoride H. Öztürk, C. Kürkcü and C. Kürkcü (Kırşehir, Turkey)	155
A new temperature stable microwave dielectric ceramic with low-sintering temperature in Li ₂ TiO ₃ -Li ₂ Zn ₃ Ti ₄ O ₁₂ system A. Sayyadi-Shahraki, E. Taheri-Nassaj (Tehran, Iran), S.A. Hassanzadeh-Tabrizi (Isfahan, Iran) and H. Barzegar-Bafrooei (Tehran, Iran) ...	161
Effects of doping CeO ₂ /TiO ₂ on structure and properties of silicate glass Z. Wang (Xi'an, Chongqing, China) and L. Cheng (Xi'an, China)	167
Crystallographic, microstructure and mechanical characteristics of dynamically processed IN718 superalloy A.D. Sharma (Shimla, India), A.K. Sharma (Chandigarh, India) and N. Thakur (Shimla, India)	175
XPS method as a useful tool for studies of quantum well epitaxial materials: Chemical composition and thermal stability of InGaN/GaN multilayers W. Lisowski, E. Grzanka, J.W. Sobczak, M. Krawczyk, A. Jablonski, R. Czernecki, M. Leszczyński and T. Suski (Warsaw, Poland)	181
Study of structural, electrical, magnetic and optical properties of 0.65BaTiO ₃ -0.35Bi _{0.5} Na _{0.5} TiO ₃ -BiFeO ₃ multiferroic composite M. Rawat and K.L. Yadav (Roorkee, India)	188
First-principles study on the phase transition, elastic properties and electronic structure of Pt ₃ Al alloys under high pressure Y. Liu, H. Huang (Chengdu, PR China), Y. Pan (Kunming, PR China), G. Zhao and Z. Liang (Chengdu, PR China)	200
Observation of recrystallization upon annealing rapidly solidified microstructures of highly undercooled Ni ₈₀ Cu ₂₀ alloys X.L. Xu and F. Liu (Xi'an, People's Republic of China)	205
Effect of sintering processing on microstructure, mechanical properties and corrosion resistance of Ti-24Nb-4Zr-7.9Sn alloy for biomedical applications S. Guo (Xiangtan, Beijing, China), A. Chu, H. Wu, C. Cai (Xiangtan, China) and X. Qu (Beijing, China)	211
Effect of the Zr _{0.5} Hf _{0.5} CoSb _{1-x} Sn _x /HfO ₂ half-Heusler nanocomposites on the ZT value C.-C. Hsu (Taipei, Hsinchu, Taiwan, ROC), Y.-N. Liu (Hsinchu, Taiwan, ROC) and H.-K. Ma (Taipei, Taiwan, ROC)	217
Synthesis, structure and spectro-microscopic studies of polycrystalline Hg _x Pb _{1-x} S thin films grown by a chemical route A.N. Chattarki, N.N. Maldar and L.P. Deshmukh (Solapur, India)	223
Modelling high-power spin-torque oscillator with perpendicular magnetization in half-metallic Heusler alloy spin valve nanopillar H.B. Huang (Beijing, China), (PA, USA), X.Q. Ma, Z.H. Liu (Beijing, China) and L.Q. Chen (PA, USA)	230
Ablation behavior of ZrC-SiC coated C/C-ZrC-SiC composites prepared by precursor infiltration pyrolysis combined with reactive melt infiltration C. Liu, Z. Su, Q. Huang, J. Chen, X. Yang, L. Cao, T. Yin and P. Zhong (Changsha, China)	236
An interplay of sulfur and phosphorus at the γ-Ni/γ'-Ni ₃ Al interface S. He, P. Peng, L. Peng, Y. Chen (Changsha, China), H. Wei and Z.Q. Hu (Shenyang, China)	243
Study on the spectroscopic properties of Pb ²⁺ doped SrI ₂ single crystals J. Chen (Shanghai, Beijing, China), S. Wang, Y. Du and L. Chen (Shanghai, China)	249
Bulk synthesis by spray forming of Al-Cu-Fe and Al-Cu-Fe-Sn alloys containing a quasicrystalline phase V.C. Srivastava (Jamshedpur, India), E. Huttunen-Saarivirta (Tampere, Finland), C. Cui, V. Uhlenwinkel, A. Schulz (Bremen, Germany) and N.K. Mukhopadhyay (Varanasi, India)	258
Influence of icosahedral order on the second peak splitting of pair distribution function for Mg ₇₀ Zn ₃₀ metallic glass Y.-C. Liang, R.-S. Liu, Y.-F. Mo, H.-R. Liu, Z.-A. Tian, Q.-y. Zhou, H.-T. Zhang (Changsha, China), L.-L. Zhou (Ganzhou, China), Z.-Y. Hou (Xi'an, China) and P. Peng (Changsha, China)	269
Carbon treated self-ordered TiO ₂ nanotube arrays with enhanced lithium-ion intercalation performance H.S. Kim (Daejeon, South Korea), S.-H. Yu, Y.-E. Sung (Seoul, South Korea) and S.H. Kang (Gwangju, South Korea)	275
Effect of SDS on morphology tailoring of GdVO ₄ :Eu ³⁺ powders under hydrothermal conditions in a wide pH range Y. Yan, J. Wang (Xi'an, PR China), M. Hojamberdiev (Kanagawa, Japan), Z. Lu, B. Ren and Y. Xu (Xi'an, PR China)	282
Self-assembly of NiO/graphene with three-dimension hierarchical structure as high performance electrode material for supercapacitors B. Zhao, H. Zhuang, T. Fang, Z. Jiao, R. Liu, X. Ling, B. Lu and Y. Jiang (Shanghai, PR China)	291
Keywords	I