

Volume 590

25 March 2014  
ISSN 0925-8388



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Effects of Al <sub>0.3</sub> Ga <sub>0.7</sub> As interlayer with pulsed atomic layer epitaxy on heterogeneous integration of GaAs/Ge grown by MOCVD S.C. Sun, Z.Q. Qi, H.Q. Chen, X.H. Huang, W. Tian, F. Wu, Z.H. Wu, J.N. Dai and C.Q. Chen (Wuhan, China) . . . . .	1
A comparative study of 1.5 μm photoluminescence from (Er, Si) and (Er, Ge) co-sputtered with Al <sub>2</sub> O <sub>3</sub> on Si J. Mayandi (Oslo, Norway), (Madurai, India), T.G. Finstad, S. Foss, A. Galeckas and M. Stange (Oslo, Norway) . . . . .	5
G–C <sub>3</sub> N <sub>4</sub> /BiVO <sub>4</sub> composites with enhanced and stable visible light photocatalytic activity Y. Ji, J. Cao (Maanshan, China), L. Jiang, Y. Zhang and Z. Yi (Fuzhou, China) . . . . .	9
Glass forming ability, thermal stability and indentation characteristics of Ce <sub>75</sub> Al <sub>25–x</sub> Ga <sub>x</sub> metallic glasses D. Singh (Varanasi, India), D. Singh (Varanasi, Chandigarh, India), R.K. Mandal, O.N. Srivastava and R.S. Tiwari (Varanasi, India) . . . . .	15
First-principles investigation of U doping in ZrO <sub>2</sub> H.W. Huang (Chengdu, PR China), Y. Pan (Kunming, PR China), C. Yu, J. Yang, H. Wang, W. Yi and J.C. Peng (Chengdu, PR China) . . . . .	21
The nitrogen vacancy and oxygen substitution of OsN <sub>2</sub> : First-principles investigation X. Li, Q. Yan, B. Wang, D.Y. Wang and Y.X. Wang (Kaifeng, People's Republic of China) . . . . .	27
Nanoporous TiO <sub>2</sub> aerogel blocking layer with enhanced efficiency for dye-sensitized solar cells Z.-Y. Gu (Shanghai, Beijing, PR China), X.-D. Gao, X.-M. Li (Shanghai, PR China), Z.-W. Jiang and Y.-D. Huang (Shanghai, PR China) . . . . .	33
Effect of ball milling on the rheology and particle characteristics of Fe–50%Ni powder injection molding feedstock J. Ma, M. Qin, L. Zhang, L. Tian, R. Li, P. Chen and X. Qu (Beijing, China) . . . . .	41
Enhancing magnetic field sensitivity and giant converse magnetoelectric effect in laminate composite of Terfenol-D and multilayer piezoelectric vibrator S.-H. Zhang, J.-P. Zhou (Xi'an, People's Republic of China), Z. Shi (Xiamen, People's Republic of China), P. Liu (Xi'an, People's Republic of China) and C.-Y. Deng (Guiyang, People's Republic of China) . . . . .	46
Stability, elastic properties and electronic structures of the stable Zr–Al intermetallic compounds: A first-principles investigation Y.H. Duan, B. Huang, Y. Sun, M.J. Peng and S.G. Zhou (Kunming, China) . . . . .	50
Ionic liquid-assisted hydrothermal synthesis and excitation wavelength-dependent luminescence of YBO <sub>3</sub> :Eu <sup>3+</sup> nano-/micro-crystals Y. Tian (Taiyua, Dalian, PR China), B. Tian, B. Chen (Dalian, PR China), C. Cui, P. Huang, L. Wang (Taiyua, PR China) and R. Hua (Dalian, PR China) . . . . .	61
Phase equilibria in the Tl–TlI–Te system and thermodynamic properties of the Tl <sub>5</sub> Te <sub>3–x</sub> I <sub>x</sub> solid solution D.M. Babanly (Baku, Azerbaijan), I.M. Babanly, S.Z. Imamaliyeva (Azerbaijan), V.A. Gasimov (Baku, Azerbaijan) and A.V. Shevelkov (Russia) . . . . .	68
Structure characterization of nanocrystalline Ni–W alloys obtained by electrodeposition P. Indyka, E. Beltowska-Lehman, L. Tarkowski, A. Bigos (Krakow, Poland) and E. García-Lecina (Donostia-San Sebastián, Spain) . . . . .	75
Effect of the composition on the ionic motion in an In-rich chalcopyrite ingot of the Cu–Ag–In–Se system R. Díaz and A. Arranz (Cantoblanco, Spain) . . . . .	80
Formation of monophasic Fe <sub>23</sub> B <sub>6</sub> -type alloy via crystallization of amorphous Fe–Ni–Nb–B system P. Svec, P. Svec Sr., J. Hosko and D. Janickovic (Bratislava, Slovakia) . . . . .	87
Novel Sb <sup>3+</sup> /Eu <sup>3+</sup> Co-doped phosphate luminescent glasses with adjustable emission Q. Yu, H. Zeng (Shanghai, China), Z. Liu (Shanghai, Guangzhou, China), J. Ren, G. Chen (Shanghai, China), Z. Wang and L. Sun (Storrs, United States) . . . . .	92
Analysis of dissolution and growth process of SiGe alloy semiconductor based on penetrated X-ray intensities M. Omprakash, M. Arivanandhan, R. Arun Kumar, H. Morii, T. Aoki, T. Koyama, Y. Momose, H. Ikeda, H. Tatsuoka (Hamamatsu, Japan), Y. Okano (Osaka, Japan), T. Ozawa (Fukuroi, Japan), S. Moorthy Babu (Chennai, India), Y. Inatomi (Japan) and Y. Hayakawa (Hamamatsu, Japan) . . . . .	96
Reduced graphene oxide/iron carbide nanocomposites for magnetic and supercapacitor applications E.C. Vermisoglou, E. Devlin, T. Giannakopoulou, G. Romanos, N. Boukos, V. Psycharis (Attikis, Greece), C. Lei, C. Lekakou (Guildford, UK), D. Petridis and C. Trapalis (Attikis, Greece) . . . . .	102

Effects of high magnetic fields on the crystal orientation and magnetostriction of a TbFe <sub>2</sub> based alloy during treatment in the semi-solid state Y. Liu, Q. Wang, T. Liu, P. Gao, Y. Yuan and J. He (Shenyang, China) . . . . .	110
NiTiCu/AlN/NiTiCu shape memory thin film heterostructures for vibration damping in MEMS N. Kaur and D. Kaur (Roorkee, India) . . . . .	116
Structural, vibrational and electrical properties of ordered double perovskite oxide BaLaMnSbO <sub>6</sub> C. Bharti, A. Sen, S. Chanda and T.P. Sinha (Kolkata, India) . . . . .	125
Self propagating combustion synthesis and luminescent properties of nanocrystalline CeO <sub>2</sub> :Tb <sup>3+</sup> (1–10 mol%) phosphors J. Malleshappa, H. Nagabhushana (Tumkur, India), S.C. Sharma (Bangalore, India), D.V. Sunitha (Tumkur, India), N. Dhananjaya, C. Shivakumara and B.M. Nagabhushana (Bangalore, India) . . . . .	131
Phase stability of Ag–Sn alloy nanoparticles K. Sim and J. Lee (Seongbuk-Gu, South Korea) . . . . .	140
Solid state lithium ionic conducting thin film Li <sub>1.4</sub> Al <sub>0.4</sub> Ge <sub>1.6</sub> (PO <sub>4</sub> ) <sub>3</sub> prepared by tape casting M. Zhang, Z. Huang, J. Cheng (Wuhan, China), O. Yamamoto, N. Imanishi (Mie, Japan), B. Chi, J. Pu and J. Li (Wuhan, China) . . . . .	147
Berkovich nanoindentation-induced dislocation energetics and pop-in effects in ZnSe thin films S.-R. Jian and Y.-Y. Lin (Kaohsiung, Taiwan) . . . . .	153
Charge transport mechanisms and density of interface traps in MnZnO/p-Si diodes İ. Taşçıoğlu (Elazığ, Turkey), W.A. Farooq (Riyadh, Saudi Arabia), R. Turan, Ş. Altındal (Ankara, Turkey) and F. Yakuphanoglu (Elazığ, Turkey) . . . . .	157
The role of Ca on the microstructure and corrosion behavior of Mg–8Sn–1Al–1Zn–Ca alloys Q. Liu, W. Cheng, H. Zhang, C. Xu and J. Zhang (Taiyuan, China) . . . . .	162
Microstructure and mechanical properties of Al/(Ti,W)C composites prepared by microwave sintering R.R. Zheng, Y. Wu, S.L. Liao (Wuhan, PR China), W.Y. Wang, W.B. Wang (Luoyang, PR China) and A.H. Wang (Wuhan, PR China) . . . . .	168
Structural, thermal, magnetic and optical characterization of undoped nanocrystalline ZnS prepared by solid state reaction F.L. Faita (Florianópolis, Brazil), K. Ersching (Camboriú, Brazil), C.M. Poffo (Manaus, Brazil), L.C. Benetti (Florianópolis, Brazil), D.M. Trichês, S.M. Souza (Manaus, Brazil), A.D.C. Viegas and J.C. de Lima (Florianópolis, Brazil) . . . . .	176
Temperature dependent magnetic ordering and electrical transport behavior of nano zinc ferrite from 20 to 800 K B. Daruka Prasad (Pulivendula, Bangalore, India), H. Nagabhushana (Tumkur, India), K. Thyagarajan (Pulivendula, India), B.M. Nagabhushana, D.M. Jnaneshwara, S.C. Sharma, C. Shivakumara (Bangalore, India), N.O. Gopal (Kavali, India), S.-C. Ke (Hualien, People's Republic of China) and R.P.S. Chakradhar (Bangalore, India) . . . . .	184
New multiferroics BiFe <sub>1–2x</sub> Al <sub>x</sub> Mn <sub>x</sub> O <sub>3</sub> nanoparticles: Synthesis and evaluation of various structural, physical, electrical, dielectric and magnetic parameters B. Ahmad (Multan, Pakistan), A. Mahmood (Bahawalpur, Pakistan), M.N. Ashiq, M.A. Malana, M. Najam-Ul-Haq, M.F. Ehsan (Multan, Pakistan), M.F. Warsi (Bahawalpur, Pakistan) and I. Shakir (Riyadh, Saudi Arabia), (Suwon, South Korea) . . . . .	193
On the path to bulk FeH <sub>2</sub> : Synthesis and magnetic properties of amorphous iron (II) hydride L. Morris (Pontypridd, United Kingdom), M.L. Trudeau (Varenes, Canada), M.R. Lees, J.V. Hanna (Coventry, United Kingdom) and D.M. Antonelli (Pontypridd, United Kingdom) . . . . .	199
Microstructure and memory characteristics of ferroelectric LiNbO <sub>3</sub> /ZnO composite thin films on Pt/TiO <sub>2</sub> /SiO <sub>2</sub> /Si substrates L. Hao (Chengdu, Tsingtao, People's Republic of China), Y. Li, J. Zhu, Z. Wu (Chengdu, People's Republic of China), F. Long (Tsingtao, People's Republic of China), X. Liu and W. Zhang (Chengdu, People's Republic of China) . . . . .	205
Correlation between lattice distortion and electrical properties on Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> ceramics with W/Ni modifications Z. Peng, Y. Chen, Q. Chen, N. Li, X. Zhao, C. Kou, D. Xiao and J. Zhu (Chengdu, China) . . . . .	210
Electrical properties and high figure-of-merit of dielectric tunable (1–x)Ba(Zr <sub>0.25</sub> Ti <sub>0.75</sub> )O <sub>3</sub> –xMgO thick films prepared by tape-casting Y. Wang, H. Fan, B. Peng and P. Ren (Xi'an, China) . . . . .	215
Magnetic phase diagram of Ni <sub>2</sub> Mn <sub>1.44–x</sub> Cu <sub>x</sub> Sn <sub>0.56</sub> shape memory alloys T. Kanomata (Sendai, Tagajo, Japan), R.Y. Umetsu (Sendai, Japan), K. Ohtsuki, T. Shoji, K. Endo, K. Fukushima (Tagajo, Japan), H. Nishihara (Otsu, Japan), W. Ito (Natori, Japan), Y. Adachi, T. Miura (Yonezawa, Japan), K. Oikawa, R. Kainuma (Sendai, Japan) and K.R.A. Ziebeck (Cambridge, UK) . . . . .	221
Effect of heat treatment on microstructure and mechanical properties of the hot-isostatic-pressed Inconel 718 powder compact L. Chang (Shenyang, Beijing, PR China), W. Sun, Y. Cui (Shenyang, PR China), F. Zhang (Beijing, Shanghai, PR China) and R. Yang (Shenyang, PR China) . . . . .	227
Anisotropy of the extruded and heat-treated Li containing AZ31 magnesium alloys H. Dong, F. Pan, B. Jiang, J. Dai and Q. Yang (Chongqing, China) . . . . .	233
RuCu nanoparticles supported on graphene: A highly efficient catalyst for hydrolysis of ammonia borane N. Cao, K. Hu (Wuhan, PR China), W. Luo (Wuhan, Suzhou, PR China) and G. Cheng (Wuhan, PR China) . . . . .	241
Synthesis and properties of a bio-composite coating formed on magnesium alloy by one-step method of micro-arc oxidation X. Ma, S. Zhu, L. Wang, C. Ji, C. Ren and S. Guan (Henan, PR China) . . . . .	247
Electrochemical characteristics of nc-Si/SiC composite for anode electrode of lithium ion batteries B.J. Jeon (Dongducheon, Republic of Korea) and J.K. Lee (Seoul, Republic of Korea) . . . . .	254
Synthesis of ZnO nanostructures by spontaneous oxidation of Zn films on p-type silicon substrates Q. Xu, Q. Cheng, Z. Zhang, R. Hong, X. Chen, Z. Wu and F. Zhang (Xiamen, China) . . . . .	260
Preparation and characterization of self-assembled layer by layer NiCo <sub>2</sub> O <sub>4</sub> -reduced graphene oxide nanocomposite with improved electrocatalytic properties M. Srivastava, Md. Elias Uddin (Jeonju, Republic of Korea), J. Singh (Delhi, India), N.H. Kim and J.H. Lee (Jeonju, Republic of Korea) . . . . .	266

Ion exchanged $\text{YVO}_4:\text{Eu}^{3+}$ nanocrystals and their strong luminescence enhanced by energy transfer of thenoyltrifluoroacetone ligands L. Tang, W. Gui, K. Ding, N. Chen and G. Du (Nanchang, China) . . . . .	277
Oxalic acid induced hydrothermal synthesis of single crystalline tungsten oxide nanorods V.B. Patil (Solapur, India), P.V. Adhyapak (Pune, India), S.S. Suryavanshi (Solapur, India) and I.S. Mulla (Pune, India) . . . . .	283
Synthesis and property tunability of interparticle exchange-decoupled $\text{L1}_0\text{-FePt:Au/Fe}$ perpendicular ECC films C. Feng (Beijing, People's Republic of China), K. Gong (Montreal, Canada), C.-C. Xu (Beijing, People's Republic of China), M. Yang (Beijing, People's Republic of China), (Minneapolis, USA), X. Li, B. Li and G. Yu (Beijing, People's Republic of China). . . . .	289
Pulse-reverse electrodeposition of $\text{Cu-SiC}$ nanocomposite coating: Effect of concentration of SiC in the electrolyte A.K. Pradhan and S. Das (Kharagpur, India) . . . . .	294
Novel $\text{Pd/CaSn(OH)}_6$ nanocomposite prepared by modified sonochemical method for photocatalytic degradation of methylene blue dye E.S. Baeissa (Jeddah, Saudi Arabia) . . . . .	303
The optical and mechanical properties of PVA-Ag nanocomposite films A.G. El-Shamy, W. Attia and K.M. Abd El-Kader (Ismailia, Egypt) . . . . .	309
Effect of Co doping on magneto-transport properties of $\text{Eu}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ P. Dutta, D. Das, S. Chatterjee and S. Majumdar (Kolkata, India) . . . . .	313
One-step solution combustion synthesis of $\text{Fe}_2\text{O}_3/\text{C}$ nano-composites as anode materials for lithium ion batteries P. Li, J. Deng, Y. Li, W. Liang, K. Wang, L. Kang (Taiyuan, China), S. Zeng, S. Yin, Z. Zhao (Wuhu, China), X. Liu, Y. Yang and F. Gao (Taiyuan, China) . . . . .	318
Synthesis, phase evolution and properties of phase-pure nanocrystalline $\text{BiFeO}_3$ prepared by a starch-based combustion method R. Köferstein (Halle, Germany) . . . . .	324
Investigation of microwave absorption property of the core-shell structured $\text{Li}_{0.4}\text{Mg}_{0.6}\text{Fe}_2\text{O}_4/\text{TiO}_2$ nanocomposite in X-band region P. Bhattacharya, G. Hatui, A. Mandal, C.K. Das (Kharagpur, India), R. Kumar and T.C. Shami (Kanpur, India) . . . . .	331
Preparation and characterization of alpha alumina nanoparticles by in-flight oxidation of flame synthesis P. Kathirvel, J. Chandrasekaran, D. Manoharan (Coimbatore, India) and S. Kumar (Hyderabad, India) . . . . .	341
Effects of Mn doping on multiferroic and magnetocapacitive properties of $0.33\text{Ba}_{0.70}\text{Ca}_{0.30}\text{TiO}_3\text{-}0.67\text{BiFeO}_3$ diphasic ceramics C.-X. Li, B. Yang (Harbin, China), S.-T. Zhang (Nanjing, China), D.-Q. Liu, R. Zhang, Y. Sun (Harbin, China) and W.-W. Cao (Harbin, China), (University Park, USA) . . . . .	346
Effects of Zn on the microstructures and mechanical properties of $\text{Mg-3Sm-0.5Gd-xZn-0.5Zr}$ ( $x = 0, 0.3$ and $0.6$ ) alloy M. Yuan and Z. Zheng (Changsha, China) . . . . .	355
Thermoelectric properties of Pb-doped bismuth telluride thin films deposited by magnetron sputtering Y. Zhou, L. Li, Q. Tan and J.-F. Li (Beijing, People's Republic of China) . . . . .	362
Influence of $\text{Pb(Al,Nb)O}_3$ substitution on the structure and electrical properties in $\text{Pb(Zn,Nb)O}_3\text{-Pb(Zr,Ti)O}_3$ solid solutions L.L. Wei, A.Y. Liu, C.C. Jin, F.T. Lin, P. Wang, Q.R. Yao, C.Y. Tian, Y. Li, J. Tang, H.L. Han, W.Z. Shi and C.B. Jing (Shanghai, China) . . . . .	368
Synthesis, characterization, and catalytic property of nanosized MgO flakes with different shapes Y. Zhang, M. Ma, X. Zhang, B. Wang and R. Liu (Qinhuangdao, PR China) . . . . .	373
Conductivity and dielectric behavior of $\text{NaPO}_3\text{-ZnO-V}_2\text{O}_5$ glasses A. Langar, N. Sdiri, H. Elhouichet and M. Ferid (Tunisia) . . . . .	380
Enhanced boronizing kinetics of alloy steel assisted by surface mechanical attrition treatment H. Yang, X. Wu, Z. Yang, S. Pu and H. Wang (Shanghai, People's Republic of China) . . . . .	388
Positron annihilation studies of vacancy-type defects and room temperature ferromagnetism in chemically synthesized Li-doped ZnO nanocrystals S. Ghosh, G.G. Khan, K. Mandal, S. Thapa and P.M.G. Nambissan (Kolkata, India) . . . . .	396
Facile synthesis of ceria nanoparticles by precipitation route for UV blockers K. Anupriya, E. Vivek and B. Subramanian (Karaikudi, India) . . . . .	406
Phase decomposition in biomedical $\text{Co-29Cr-6Mo-0.2N}$ alloy during isothermal heat treatment at 1073 K M. Mori (Natori, Japan), K. Yamanaka and A. Chiba (Sendai, Japan) . . . . .	411
Radioluminescence and photoluminescence characterization of Eu and Tb doped barium stannate phosphor ceramics M. Ayvaciikli (Muradiye, Turkey), A. Canimoglu (Niğde, Turkey), Y. Karabulut (Muradiye, Turkey), Z. Kotan (Bornova, Turkey), L.K.S. Herval, M.P.F. de Godoy, Y. Galvão Gobato (São Carlos, Brazil), M. Henini (Nottingham, UK) and N. Can (Muradiye, Turkey) . . . . .	417
$\text{CuO}$ nanorods/graphene nanocomposites for high-performance lithium-ion battery anodes Q. Wang, J. Zhao, W. Shan, X. Xia, L. Xing and X. Xue (Shenyang, China) . . . . .	424
Phase formation of $\text{Cu}_{50-x}\text{Co}_x\text{Zr}_{50}$ ( $x = 0\text{-}20$ at.%) alloys: Influence of cooling rate F.A. Javid, N. Mattern, M. Samadi Khoshkhou, M. Stoica, S. Pauly and J. Eckert (Dresden, Germany) . . . . .	428
Influence of $\text{SrZrO}_3$ addition on structural and electrical properties of $(\text{K}_{0.45}\text{Na}_{0.51}\text{Li}_{0.04})(\text{Nb}_{0.90}\text{Ta}_{0.04}\text{Sb}_{0.06})\text{O}_3$ lead-free piezoelectric ceramics Y. Huang, H. Du, W. Feng, H. Qin and Q. Hu (Wuhan, PR China) . . . . .	435
Synthesis and sintering of $\text{Li}_4\text{SiO}_4$ powder from rice husk ash by solution combustion method and its comparison with solid state method A. Choudhary (Rourkela, India), B.S. Sahu (Gandhinagar, India), R. Mazumder, S. Bhattacharyya (Rourkela, India) and P. Chaudhuri (Gandhinagar, India) . . . . .	440

Influence of thermal treatment on tuning the ferromagnetism in Mn-doped ZnO film Q.Q. Gao, Q.X. Yu, B. Chen and H. Zhu (Hefei, China) . . . . .	446
Effects of B2 precipitate size on transformation-induced plasticity of Cu–Zr–Al glassy alloys C.N. Kuo, J.C. Huang (Kaohsiung, Taiwan, ROC), J.B. Li, J.S.C. Jang (Chung-Li, Taiwan, ROC), C.H. Lin (Kaohsiung, Taiwan, ROC) and T.G. Nieh (Kaohsiung, Taiwan, ROC), (Knoxville, USA) . . . . .	453
On the Neel temperature and magnetic domain wall movements of Ga <sub>2-x</sub> Fe <sub>x</sub> O <sub>3</sub> single crystals grown by floating-zone technique B. Srimathy (Chennai, India), I. Bhaumik (Indore, India), S. Ganesamoorthy (Chennai, India), R. Bhatt, A.K. Karnal (Indore, India) and J. Kumar (Chennai, India) . . . . .	459
Sonochemical synthesis and electrogenerated chemiluminescence properties of 8-hydroxyquinoline manganese (Mnq <sub>2</sub> ) nanobelts X.-D. Yang, X.-B. Chen, C.-J. Mao, J.-M. Song, H.-L. Niu and S.-Y. Zhang (Hefei, PR China) . . . . .	465
Study of the formation and thermal stability of Mg <sub>2</sub> Co obtained by mechanical alloying and heat treatment C. Martínez, S. Ordoñez, D. Serafini, D. Guzmán and P. Rojas (Casilla de correo, Chile) . . . . .	469
Crystal structure, oxygen nonstoichiometry and thermal expansion of the layered NdBaCo <sub>2-x</sub> M <sub>x</sub> O <sub>5+δ</sub> (M = Ni, Cu) T.V. Aksenova, A.S. Urusova, L.Ya. Gavrilova and V.A. Cherepanov (Yekaterinburg, Russia) . . . . .	474
Investigation of the phase formation and dielectric properties of Bi <sub>7</sub> Ta <sub>3</sub> O <sub>18</sub> M.P. Chon, K.B. Tan (Serdang, Malaysia), C.C. Khaw (Setapak, Malaysia), Z. Zainal, Y.H. Taufiq Yap, S.K. Chen and P.Y. Tan (Serdang, Malaysia) . . . . .	479
Template free hydrothermal synthesis and gas sensing application of lanthanum cuprate (La <sub>2</sub> CuO <sub>4</sub> ): Effect of precursors on phase formation and morphology D.V. Dharmadhikari, S.K. Nikam and A.A. Athawale (Pune, India) . . . . .	486
High-Q microwave dielectrics in the (Mg <sub>1-x</sub> Zn <sub>x</sub> ) <sub>4</sub> Ta <sub>2</sub> O <sub>9</sub> ceramics C.-L. Huang, C.-H. Chu, F.-S. Liu and P.-C. Yu (Tainan, Taiwan). . . . .	494
Determination of Rigidity point/temperature using thermal analysis method and mechanical technique M.B. Djurdjevic and G. Huber (Linz, Austria). . . . .	500
Vertically aligned ZnO@CdS nanorod heterostructures for visible light photoinactivation of bacteria M. Zirak, O. Akhavan, O. Moradlou (Tehran, Iran), Y.T. Nien (Taiwan) and A.Z. Moshfegh (Tehran, Iran) . . . . .	507
Aging behavior and microstructural stability of a Cu–8Cr–4Nb alloy A.K. Shukla, S.V.S. Narayana Murty, S.C. Sharma (Trivandrum, India) and K. Mondal (Kanpur, India) . . . . .	514
Determination of Er and Yb solvuses and trialuminide nucleation in Al–Er and Al–Yb alloys Y. Zhang, K. Gao, S. Wen, H. Huang, W. Wang, Z. Zhu, Z. Nie (Beijing, PR China) and D. Zhou (Wuxi, PR China) . . . . .	526
Comparison of the photoluminescence properties of Eu <sup>2+</sup> , Mn <sup>2+</sup> co-doped M <sub>5</sub> (PO <sub>4</sub> ) <sub>3</sub> Cl (M = Ca, Sr, Ba) F. Yang (Beijing, Ganzhou, PR China), W. An, H.-W. Wei, G. Chen, W. Zhuang and X.-P. Jing (Beijing, PR China) . . . . .	535
Preparation, characterization and dielectric tunability of La <sub>2</sub> NiMnO <sub>6</sub> ceramics C. Li, B. Liu, Y. He, C. Lv, H. He and Y. Xu (Wuhan, China) . . . . .	541
Microstructures and luminescence behaviors of Mn <sup>2+</sup> doped ZnS nanoparticle clusters with different core/shell assembled orders C. Song, B. Chen, Y. Chen, Y. Wu, Z. Zhuang (Hangzhou, China), X. Lu (Rolla, USA), X. Qiao and X. Fan (Hangzhou, China) . . . . .	546
Elastic-peak electron spectroscopy (EPES) studies of ZnO single crystals M. Krawczyk, W. Lisowski, J.W. Sobczak, A. Kosiński and A. Jablonski (Warszawa, Poland). . . . .	553
Dielectric and impedance spectroscopy characterizations of CuO added (Na <sub>0.5</sub> Bi <sub>0.5</sub> ) <sub>0.94</sub> Ba <sub>0.06</sub> TiO <sub>3</sub> lead-free piezoelectric ceramics N. Zidi, A. Chaouchi (Algeria), S. d'Astorg, M. Rguiti and C. Courtois (Maubeuge, Lille, France) . . . . .	557
Characterization of crystallite size, dislocation characteristics and stacking faults in nanostructured mechanically alloyed Cu–Fe system using an advanced X-ray diffraction analysis method V. Soleimani (Shahrekord, Iran), M. Mojtahedi, M. Goodarzi and M.R. Aboutalebi (Narmak Tehran, Iran). . . . .	565
Synthesis, structural and transport properties of Na <sub>x</sub> V <sub>2</sub> O <sub>5</sub> ·nH <sub>2</sub> O xerogel nanocrystalline thin films M.M. El-Desoky (Suez, Egypt), M.S. Al-Assiri (Saudi Arabia) and A.A. Bahgat (Nasr City, Egypt) . . . . .	572
Energetic prediction on the stability of A <sub>2</sub> Mg <sub>12</sub> Si <sub>7</sub> , A <sub>2</sub> Mg <sub>4</sub> Si <sub>3</sub> , and AMgSi in the A <sub>2</sub> Si–Mg <sub>2</sub> Si system (A = Ca, Sr and Ba) and their calculated electronic structures Y. Imai (Tsukuba, Japan), Y. Mori (Kita-ku, Japan), S. Nakamura (Tsuyama, Japan) and K.-i. Takarabe (Kita-ku, Japan) . . . . .	579
Corrigendum to “One dimensional CuO nanocrystals synthesis by electrical explosion: A study on structural, optical and electronic properties” [J. Alloys Comp. 586 (2014) 360–367] S. Krishnan (Kuala Lumpur, Seremban, Malaysia), A.S.M.A. Haseeb and M.R. Johan (Kuala Lumpur, Malaysia). . . . .	586
Keywords. . . . .	I