


Volume 591

5 April 2014  
ISSN 0925-8388



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE


C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Zinc doped TiO <sub>2</sub> blocking layer grown by nanocluster deposition for improved dye-sensitized solar cell performance T.-T. Duong, H.-J. Choi and S.-G. Yoon (Daejeon, Republic of Korea) . . . . .	1
Synthesis and characterization of a novel quaternary chalcogenide KBiCu <sub>2</sub> S <sub>3</sub> G. Zhang (Shanghai, PR China), B. Zhang (Beijing, PR China), H. Chen (Shanghai, PR China), X. Zhang (Beijing, PR China), C. Zheng (DeKalb, United States), J. Lin (Beijing, PR China) and F. Huang (Beijing, Shanghai, PR China) . . . . .	6
Effect of Mn and V on structure and mechanical properties of high-entropy alloys based on CoCrFeNi system G.A. Salishchev (Belgorod, Russia), M.A. Tikhonovsky (Kharkov, Ukraine), D.G. Shaysultanov, N.D. Stepanov, A.V. Kuznetsov (Belgorod, Russia), I.V. Kolodiy, A.S. Tortika (Kharkov, Ukraine) and O.N. Senkov (Dayton, USA) . . . . .	11
Photovoltaic application of the V, Cr and Mn-doped cadmium thioindate C. Tablero (Madrid, Spain) . . . . .	22
Influence of Ni on the magnetocaloric effect in Nanoperm-type soft-magnetic amorphous alloys B. Podmiljsak (Ljubljana, Slovenia), J.-H. Kim (Daegu, Republic of Korea), P.J. McGuinness and S. Kobe (Ljubljana, Slovenia) . . . . .	29
Calcium phosphate glass/MgF <sub>2</sub> double layered composite coating for improving the corrosion resistance of magnesium alloy M. Ren, S. Cai (Tianjin, People's Republic of China), T. Liu (Shanghai, People's Republic of China), K. Huang, X. Wang, H. Zhao, S. Niu, R. Zhang (Tianjin, People's Republic of China) and X. Wu (Shanghai, People's Republic of China) . . . . .	34
Thermal barrier coatings with a double-layer bond coat on Ni <sub>3</sub> Al based single-crystal superalloy X. Zhou (Changchun, Beijing, China), Z. Xu, R. Mu, L. He, G. Huang (Beijing, China) and X. Cao (Changchun, China) . . . . .	41
Low temperature synthesis and photocatalytic properties of mesoporous TiO <sub>2</sub> nanospheres H. Tang, D. Zhang, G. Tang, X. Ji, C. Li, X. Yan (Zhenjiang, PR China) and Q. Wu (Jinzhou, PR China) . . . . .	52
Structural, magnetic, and electronic properties of high moment FeCo nanoparticles K. Zehani (Thiais, France), R. Bez (Thiais, France), (Tunis, Tunisia), A. Boutahar (Casablanca, Morocco), E.K. Hlil (Grenoble Cedex, France), H. Lassri (Casablanca, Morocco), J. Moscovici (Thiais, France), N. Mliki (Tunis, Tunisia) and L. Bessais (Thiais, France) . . . . .	58
Self-templated porous hierarchical SnO <sub>2</sub> ceramics with enhanced lithium storage capacity M.S. Fu (Xi'an, Hangzhou, China), L. Ni (Xi'an, China) and N. Du (Hangzhou, China) . . . . .	65
Influence of heat treatment on the high temperature oxidation mechanisms of an Fe–TiCN cermet P. Alvarado, C. Abajo, S.A. Tsipas and E. Gordo (Leganés, Spain) . . . . .	72
Defects related room temperature ferromagnetism in Cu-implanted ZnO nanorod arrays D. Li (Zhanjiang, China), D.K. Li (Guangzhou, China), H.Z. Wu, F. Liang, W. Xie, C.W. Zou and L.X. Shao (Zhanjiang, China) . . . . .	80
Texture investigation of the superelastic Ti–24Nb–4Zr–8Sn alloy Y. Yang, P. Castany, M. Cornen, I. Thibon (Rennes, France), F. Prima (Paris, France) and T. Gloriant (Rennes, France) . . . . .	85
The addition of Si to the Ti–35Nb alloy and its effect on the corrosion resistance, when applied to biomedical materials A.M.G. Tavares, B.S. Fernandes, S.A. Souza, W.W. Batista, F.G.C. Cunha (São Cristóvão, Brazil), R. Landers (Campinas, Brazil) and M.C.S.S. Macedo (São Cristóvão, Brazil) . . . . .	91
Experimental study of magnetic anisotropy in a layered CsNd(MoO <sub>4</sub> ) <sub>2</sub> V. Tkáč, A. Orendáčová, E. Čižmár, M. Orendáč (Košice, Slovak Republic), S. Zvyagin (Dresden, Germany), A.G. Anders (Kharkov, Ukraine), V. Pavlík and A. Feher (Košice, Slovak Republic) . . . . .	100
White upconversion emission in Er <sup>3+</sup> /Yb <sup>3+</sup> /Tm <sup>3+</sup> codoped LiTaO <sub>3</sub> polycrystals L. Shi, C. Li, Q. Shen and Z. Qiu (Harbin, China) . . . . .	105
First-principles study of ceramic material (Ti <sub>1-x</sub> Nb <sub>x</sub> ) <sub>2</sub> AlC compounds and its compressive behavior under pressure up to 55 GPa M. Shu-Hong, J. Zhao-Yong (Xinxiang, China) and H. Xiao-Fen (Chengdu, China) . . . . .	110
Selenization of mixed metal oxides for dense and ZnSe-free Cu <sub>2</sub> ZnSnSe <sub>4</sub> absorber films Y. Deng, G. Chen, B. Pan, J. Li, G. Jiang, W. Liu and C. Zhu (Hefei, China) . . . . .	117

Synthesis of composite WO <sub>3</sub> /TiO <sub>2</sub> nanoparticles by flame-assisted spray pyrolysis and their photocatalytic activity O. Arutanti (Higashi Hiroshima, Japan), A.B.D. Nandiyanto (Higashi Hiroshima, Japan), (Bandung, Indonesia), T. Ogi (Higashi Hiroshima, Japan), F. Iskandar (Bandung, Indonesia), T.O. Kim (Gumi, South Korea) and K. Okuyama (Higashi Hiroshima, Japan) . . . . .	121
Electrodeposition of single phase CuInSe <sub>2</sub> for solar energy harvesting: Role of different acidic additives J. Sun, S.K. Batabyal, P.D. Tran and L.H. Wong (Singapore) . . . . .	127
Influence of pores on workability of porous Al/SiC composites fabricated through powder metallurgy + mechanical alloying A. Hassani, E. Bagherpour and F. Qods (Semnan, Iran) . . . . .	132
The magnetic properties and magnetocaloric effect in LaFe <sub>1.5</sub> Al <sub>1.5</sub> B <sub>x</sub> compounds D.K. Zhang, J.L. Zhao, H.G. Zhang, M.F. Xu and M. Yue (Beijing, People's Republic of China) . . . . .	143
High-temperature hydrogenation of pure and silver-decorated titanate nanotubes to increase their solar absorbance for photocatalytic applications M. Plodinec, A. Gajović (Zagreb, Croatia), G. Jakša, K. Žagar and M. Čeh (Ljubljana, Slovenia) . . . . .	147
Microstructural and photoluminescence properties of sol-gel derived Tb <sup>3+</sup> doped ZnO nanocrystals G.L. Kabongo (Pretoria, South Africa), (Kinshasa/Ngaliema, Congo), G.H. Mhlongo, T. Malwela, B.M. Mothudi (Pretoria, South Africa), K.T. Hillie (Pretoria, Bloemfontein, South Africa) and M.S. Dhlamini (Pretoria, South Africa) . . . . .	156
Effect of multi-catalysts on rechargeable Li-air batteries D.S. Kim and Y.J. Park (Gyeonggi-do, Republic of Korea) . . . . .	164
Standard molar enthalpy of formation of FeGe(s) and FeGe <sub>2</sub> (s) intermetallic compounds S. Phapale, R. Mishra, D. Chattaraj, P. Samui, P. Sengupta and P.K. Mishra (Mumbai, India) . . . . .	170
Synthesis, magnetic and Mössbauer spectroscopic studies of Cr doped lithium ferrite nanoparticles M. Srivastava (Jeonju, Republic of Korea), (Allahabad, India), S. Layek (Kanpur, India), J. Singh (Shahbad Daulatpur, India), A.K. Das (Jeonju, Republic of Korea), H.C. Verma (Kanpur, India), A.K. Ojha (Allahabad, India), N.H. Kim and J.H. Lee (Jeonju, Republic of Korea) . . . . .	174
Emergence of Griffiths phase and glassy mixed phase in Sm <sub>0.5</sub> Ca <sub>0.5</sub> MnO <sub>3</sub> nanomanganites S.K. Giri (Kharagpur, India), S.M. Yusuf, M.D. Mukadam (Mumbai, India) and T.K. Nath (Kharagpur, India) . . . . .	181
Investigation of NH <sub>3</sub> and H <sub>2</sub> adsorption on Pt <sub>n</sub> (n = 2–15, 18, 22, 24) clusters by using density functional theory Y. Kadioglu, A. Demirkiran, H. Yaraneri and O. Üzengi Aktürk (Aydın, Turkey) . . . . .	188
Ferromagnetic behaviour of vanadium doped SnO <sub>2</sub> nanoparticles annealed at different temperatures A. Popa, D. Toloman, O. Raita, M. Stan, O. Pana, T.D. Silipas and L.M. Giurgiu (Cluj-Napoca, Romania) . . . . .	201
Preparation and electrical properties of Mn <sub>1.05-y</sub> Co <sub>1.95-x-z-w</sub> Ni <sub>x</sub> Mg <sub>y</sub> Al <sub>z</sub> Fe <sub>w</sub> O <sub>4</sub> NTC ceramic derived from microemulsion method J. Xia (Urumqi, Beijing, PR China), Q. Zhao (Urumqi, PR China), B. Gao (Urumqi, Beijing, PR China), A. Chang (Urumqi, PR China), B. Zhang and R. Ma (Urumqi, Beijing, PR China) . . . . .	207
An approach toward TiO <sub>2</sub> nanostructure growth with tunable properties: Influence of reaction time in a hydrothermal process M. Zhang, M. Zhang, S. Shi, X. Song and Z. Sun (Hefei, PR China) . . . . .	213
Structural, dielectric, ferroelectric and strain properties in CaZrO <sub>3</sub> -modified Bi(Mg <sub>0.5</sub> Ti <sub>0.5</sub> )O <sub>3</sub> -PbTiO <sub>3</sub> solid solutions W. Zhao, R. Zuo, F. Li (Hefei, PR China) and L. Li (Beijing, PR China) . . . . .	218
Origin of giant dielectric constant and magnetodielectric study in Ba(Fe <sub>0.5</sub> Nb <sub>0.5</sub> )O <sub>3</sub> nanoceramics P.K. Patel, K.L. Yadav (Roorkee, India), H. Singh (Indore, India) and A.K. Yadav (Mumbai, India) . . . . .	224
Molten salt synthesis and spectral properties of Nd <sup>3+</sup> doped CdNb <sub>2</sub> O <sub>6</sub> columbite phosphors M.K. Ekmekçi, M. Erdem, A. Mergen (Kadikoy, Turkey), G. Özen (Maslak, Turkey) and B.D. Bartolo (Chestnut Hill, USA) . . . . .	230
Structural and optical properties of dysprosium oxide thin films M.F. Al-Kuhaili and S.M.A. Durrani (Dhahran, Saudi Arabia) . . . . .	234
Interfacial thermal stability and band alignment of Al <sub>2</sub> O <sub>3</sub> /HfO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> /Si gate stacks grown by atomic layer deposition H.H. Wei (Hefei, China), G. He (Hefei, Shanghai, China), X.S. Chen (Shanghai, China), J.B. Cui (Little Rock, USA), M. Zhang, H.S. Chen and Z.Q. Sun (Hefei, China) . . . . .	240
Improved chemical stability and cyclability in Li <sub>2</sub> S-P <sub>2</sub> S <sub>5</sub> -P <sub>2</sub> O <sub>5</sub> -ZnO composite electrolytes for all-solid-state rechargeable lithium batteries A. Hayashi, H. Muramatsu (Sakai, Japan), T. Ohtomo (Sakai, Susono, Japan), S. Hama (Susono, Japan) and M. Tatsumisago (Sakai, Japan) . . . . .	247
Microstructure and dry sliding wear behavior of plasma transferred arc clad Ti <sub>5</sub> Si <sub>3</sub> reinforced intermetallic composite coatings Y.-F. Liu, Y.-L. Zhou, Q. Zhang, F. Pu, R.-H. Li and S.-Z. Yang (Beijing, PR China) . . . . .	251
The effect of tin addition on the electrical conductivity of Sn-doped LaBaMnO <sub>3</sub> H. Rahmouni (Gabès, Tunisia), A. Dhahri (Monastir, Tunisia) and K. Khirouni (Gabès, Tunisia) . . . . .	259
Bulk-like behavior in the temperature driven martensitic transformation of Cu-Zn-Al thin films with 2H structure N. Haberkorn, A.M. Condó, C. Espinoza, S. Jaureguizar, J. Guimpel and F.C. Lovey (S.C. de Bariloche, Argentina) . . . . .	263
Crystallization kinetics of a barium-zinc borosilicate glass by a non-isothermal method A.A.S. Lopes, R.C.C. Monteiro, R.S. Soares, M.M.R.A. Lima (Caparica, Portugal) and M.H.V. Fernandes (Aveiro, Portugal) . . . . .	268
Scalable synthesis of delafossite CuAlO <sub>2</sub> nanoparticles for p-type dye-sensitized solar cells applications J. Ahmed, C.K. Blakely, J. Prakash, S.R. Bruno (East Lansing, USA), M. Yu, Y. Wu (Columbus, USA) and V.V. Poltavets (East Lansing, USA) . . . . .	275
Magnetic phase diagram of ferromagnetic shape memory alloys Ni <sub>2</sub> MnGa <sub>1-x</sub> Fe <sub>x</sub> Y. Hayasaka, S. Aoto, H. Date (Tagajo, Japan), T. Kanomata (Tagajo, Sendai, Japan), X. Xu, R.Y. Umetsu, M. Nagasako, T. Omori, R. Kainuma (Sendai, Japan), T. Sakon, H. Nishihara (Otsu, Japan) and K.R.A. Ziebeck (Cambridge, UK) . . . . .	280

Nd <sub>2</sub> O <sub>3</sub> :Gd <sup>3+</sup> nanocrystalline phosphor: $\gamma$ -Induced thermoluminescence, EPR and structural properties B. Umesh (Bangalore, India), H. Nagabhushana (Tumkur, India), S.C. Sharma, B. Eraiah, N. Dhananjaya, B.M. Nagabhushana (Bangalore, India), J.L. Rao (Tirupati, India) and R.P.S. Chakradhar (Bangalore, India) . . . . .	286
Thermopower of Ce <sub>1-x</sub> La <sub>x</sub> Cu <sub>4</sub> Al in applied magnetic fields M. Falkowski (Poznań, Poland), (Auckland Park, South Africa) and A. Kowalczyk (Poznań, Poland). . . . .	293
Enhanced growth of the Cu <sub>6</sub> Sn <sub>5</sub> phase in the Sn/Ag/Cu and Sn/Cu multilayers subjected to applied strain C.-P. Lin, C.-M. Chen (Taichung, Taiwan) and Y.-W. Yen (Taipei, Taiwan) . . . . .	297
Synthesis, crystal structure and optical properties of Ce doped CuInSe <sub>2</sub> powders prepared by mechanically alloying L. Fu, Y. Guo and S. Zheng (Beijing, China) . . . . .	304
Polymorphism and properties of Bi <sub>2</sub> WO <sub>6</sub> doped with pentavalent antimony E.P. Kharitonova, D.A. Belov (Leninskie Gory, Russia), A.B. Gagor, A.P. Pietraszko (Wrocław, Poland), O.A. Alekseeva (Leninsky, Russia) and V.I. Voronkova (Leninskie Gory, Russia). . . . .	308
The evolution of local mechanical properties of bulk metallic glasses caused by structural inhomogeneity F. Li, J. Gu, M. Song, S. Ni (Changsha, China) and S. Guo (Chongqing, China) . . . . .	315
Influence of SiO <sub>2</sub> coating on morphology, phase and upconversion luminescence properties of NaYF <sub>4</sub> :Yb <sup>3+</sup> ,Er <sup>3+</sup> submicrocubes during annealing L. Liu, C. Tang, Y. Zhang, C. Zang, D. Zhang, H. Xiao (Luoyang, PR China), R. Qin (Guangzhou, PR China) and Z. Bao (Luoyang, PR China) . . . . .	320
SnS crystal grown using horizontal gradient freeze method and its electrical properties M. Nakamura, H. Nakamura, M. Imura, S. Otani, K. Shimamura (Tsukuba, Japan) and N. Ohashi (Tsukuba, Yokohama, Japan) . . . . .	326
Interface configuration stability and interfacial energy for the $\beta''$ phase in Al-Mg-Si as examined with a first principles based hierarchical multi-scale scheme F.J.H. Ehlers and S. Dumoulin (Trondheim, Norway) . . . . .	329
Synthesis, structural and thermoluminescence properties of YAlO <sub>3</sub> :Dy <sup>3+</sup> nanophosphors H.B. Premkumar, D.V. Sunitha, H. Nagabhushana (Tumkur, India), S.C. Sharma, B. Daruka Prasad, B.M. Nagabhushana, C. Shivakumara (Bangalore, India), J.L. Rao (Tirupati, India), N.O. Gopal (Kavali, India), K.R. Prabhakara (Bangalore, India), S.-C. Ke (Taiwan, Republic of China), R.P.S. Chakradhar (Bangalore, India) . . . . .	337
Effect of cooling oxygen pressure on the photoconductivity in Bi <sub>0.9</sub> La <sub>0.1</sub> FeO <sub>3</sub> thin films R.L. Gao (Chongqing, Beijing, China), H.W. Yang, Y.S. Chen, J.R. Sun, Y.G. Zhao and B.G. Shen (Beijing, China) . . . . .	346
Phase identification on the intermetallic compound formed between eutectic SnIn solder and single crystalline Cu substrate F. Tian, Z.-Q. Liu, P.-J. Shang and J. Guo (Shenyang, China). . . . .	351
Microwave-assisted hydrothermal synthesis of electrochemically active nano-sized Li <sub>2</sub> MnO <sub>3</sub> dispersed on carbon nanotube network for lithium ion batteries A. Choi, K. Palanisamy, Y. Kim, J. Yoon, J.-H. Park (Suwon, South Korea), S.W. Lee (Seoul, South Korea), W.-S. Yoon (Suwon, South Korea) and K.-B. Kim (Seoul, South Korea). . . . .	356
Electronic structure, optical and thermoelectric transport properties of layered polyanionic hydrosulfate LiFeSO <sub>4</sub> OH: Electrode for Li-ion batteries A.H. Reshak (Pilsen, Czech Republic), (Kangar, Malaysia) and W. Khan (Pilsen, Czech Republic) . . . . .	362
Growth of hexagonal NaGdF <sub>4</sub> nanocrystals based on cubic Ln <sup>3+</sup> : CaF <sub>2</sub> precursors and the multi-color upconversion emissions L. Lei, D. Chen, Y. Yu, R. Zhang, H. Ling, J. Xu, F. Huang and Y. Wang (Fuzhou, PR China) . . . . .	370
Temperature and frequency dependences of the electric properties of CLBO crystals Z. Wang, Z. Wang, Y. Yin (Nanjing, People's Republic of China), Z. Cheng (Fairy Meadow, Australia), H. Kimura (Tsukuba, Japan), X. Guo, J. Chen, J. Chen and Y. Wang (Nanjing, People's Republic of China). . . . .	377
Keywords. . . . .	I