


Volume 592

15 April 2014  
ISSN 0925-8388



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

# Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jalcom](http://www.elsevier.com/locate/jalcom)Journal of  
ALLOYS  
AND COMPOUNDS

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

PEDOT:PSS shell on CdS nanowires: Room temperature LPG sensor N.B. Sonawane (Jalgaon, Dhule, India), R.R. Ahire (Dhule, India), K.V. Gurav, J.H. Kim (Gwangju, South Korea) and B.R. Sankapal (Nagpur, India).....	1
Pyroelectric and dielectric properties of lead-free ferroelectric Ba <sub>3</sub> Nb <sub>2</sub> O <sub>8</sub> ceramic B. Pati (Bhubaneswar, Bhawanipatna, India), R.N.P. Choudhary, P.R. Das, B.N. Parida and R. Padhee (Bhubaneswar, India).....	6
Structural and optical properties of Gd <sub>2</sub> SiO <sub>5</sub> prepared from hydrothermally synthesized powder S. Shinde, M. Ghosh, S.G. Singh, S. Sen, S.C. Gadkari and S.K. Gupta (Mumbai, India).....	12
Magnetic properties and local structure of the binary elements codoped Bi <sub>1-x</sub> La <sub>x</sub> Fe <sub>0.95</sub> Mn <sub>0.05</sub> O <sub>3</sub> Y. Li, H. Zhang, H. Liu, X. Dong, Q. Li, W. Chen, W. Mao, X. Li, C. Dong and S. Ren (Nanjing, PR China).....	19
Effect of microalloying with rare-earth on recrystallization behaviour and damping properties of Mg sheets N. Ma, Q. Peng, J. Pan, H. Li (Qinhuangdao, PR China) and W. Xiao (Beijing, PR China).....	24
Comparison of physical and electrical properties of GZO/ZnO buffer layer and GZO as source and drain electrodes of α-IGZO thin-film transistors J.-L. Wu, H.-Y. Lin, B.-Y. Su, Y.-C. Chen, S.-Y. Chu, S.-Y. Liu (Tainan, Taiwan), C.-C. Chang and C.-J. Wu (Hsinchu, Taiwan).....	35
Theoretical investigation on the structural phase transition, elastic properties and hardness of RhSi under high pressure J.-J. Wang, X.-Y. Kuang, Y.-Y. Jin (Chengdu, China), C. Lu (Nanyang, China) and X.-F. Huang (Chengdu, China).....	42
Effects of Cl doping on the structural and electrochemical properties of high voltage LiMn <sub>1.5</sub> Ni <sub>0.5</sub> O <sub>4</sub> cathode materials for Li-ion batteries W.-K. Kim, D.-W. Han, W.-H. Ryu, S.-J. Lim (Daejeon, Republic of Korea), J.-Y. Eom (Cheonan-si, Republic of Korea) and H.-S. Kwon (Daejeon, Republic of Korea).....	48
Improving surface smoothness and photoluminescence of CdTe(1 1 1)A on Si(1 1 1) substrates grown by molecular beam epitaxy using Mn atoms J.-S. Wang, Y.-H. Tsai, C.-W. Chen, Z.-Y. Dai, S.-C. Tong (Chung-Li, Taiwan), C.-S. Yang (Taipei, Taiwan), C.-H. Wu (Longtan, Taiwan), C.-T. Yuan and J.-L. Shen (Chung-Li, Taiwan).....	53
Preparation and optical polarization of Ag/epoxy composite films with aligned Ag nanowires X. Ma, X. Zhu, F. You, J. Feng (Wuhan, PR China), M.-C. Wang (Kaohsiung, Taiwan) and X. Zhao (Wuhan, PR China).....	57
Conventional and inverse magnetocaloric effect in Pr <sub>2</sub> CuSi <sub>3</sub> and Gd <sub>2</sub> CuSi <sub>3</sub> compounds F. Wang (Ning Bo, China), F.-y. Yuan (Tian Jin, China), J.-z. Wang, T.-f. Feng and G.-q. Hu (Ning Bo, China).....	63
CePd <sub>2</sub> Sn <sub>3</sub> , CePd <sub>2</sub> Sn <sub>4</sub> , and Ce <sub>3</sub> Pd <sub>6</sub> Sn <sub>10</sub> – Ternary stannides of new structure types A. Tursina, S. Nesterenko (Moscow, Russia) and D. Kaczorowski (Wrocław, Poland).....	67
Preparation, electronic structure and luminescence properties of Ce <sup>3+</sup> -activated CaZnOS under UV and X-ray excitation Z.-J. Zhang (Shanghai, PR China), A. Feng (Shanghai, Beijing, PR China), X.-Y. Sun (Ji'an, PR China), K. Guo (Dresden, Germany), Z.-Y. Man and J.-T. Zhao (Shanghai, PR China).....	73
Annealing of RF-magnetron sputtered SnS <sub>2</sub> precursors as a new route for single phase SnS thin films M.G. Sousa, A.F. da Cunha (Aveiro, Portugal) and P.A. Fernandes (Aveiro, Porto, Portugal).....	80
Understanding the multiple magnetic structures of the intermetallic compound NdMn <sub>1.4</sub> Co <sub>0.6</sub> Si <sub>2</sub> M. Halder, A.K. Bera, A. Kumar (Mumbai, India), L. Keller (Villigen PSI, Switzerland) and S.M. Yusuf (Mumbai, India).....	86
The density functional study of electronic structure, electronic charge density, linear and nonlinear optical properties of single crystal alpha-LiAlTe <sub>2</sub> A.H. Reshak (Pilsen, Czech Republic), (Kangar, Malaysia) and W. Khan (Pilsen, Czech Republic).....	92
Effects of Ytterbium and Zirconium on precipitation evolution and coarsening resistance in aluminum during isothermal aging Z. Gao, H. Li, J. Liu, X. Lu and Y. Ou (Changsha, People's Republic of China).....	100
Phase transformation and dielectric properties in Ba <sub>1-x</sub> La <sub>x</sub> Zr <sub>0.1</sub> Ti <sub>0.9</sub> O <sub>3</sub> ceramics X. Huang, J. Zhang, L. Ji, H. Qi and J. Wang (Hangzhou, PR China).....	105

Characterization and thermal cycling behavior of $\text{La}_{2}(\text{Zr}_{0.7}\text{Ce}_{0.3})_{2}\text{O}_{7}/8\text{YSZ}$ functionally graded thermal barrier coating prepared by atmospheric plasma spraying	
S. Zhao, Y. Zhao (Changchun, Beijing, China), B. Zou (Changchun, China), X. Fan, J. Xu, Y. Hui, X. Zhou (Changchun, Beijing, China), S. Liu (Changsha, China) and X. Cao (Changchun, China) . . . . .	109
Experimental investigations and thermodynamic modeling in the $\text{ZrB}_{2}$ –Ni section of the B–Ni–Zr system	
C. Artini (Genova, Genova, Italy), M.L. Muolo, A. Passerone, F. Valenza (Genova, Italy), P. Manfrinetti (Genova, Genova, Italy) and G. Cacciamani (Genova, Italy) . . . . .	115
Microstructural, magnetic and transport properties of $\text{La}_{0.5}\text{Pr}_{0.2}\text{Pb}_{0.3-x}\text{Sr}_x\text{MnO}_3$ manganites	
M.-L. Craus (Dubna, Russia), (Iasi, Romania), A.Kh. Islamov (Dubna, Dolgoprudniy, Russia), E.M. Anitas (Dubna, Russia), (Bucharest-Magurele, Romania), N. Cornei and D. Luca (Iasi, Romania) . . . . .	121
Effect of zirconium on the microstructure and mechanical properties of Zn–4%Al hypoeutectic alloy	
H. Li, Z. Li, Y. Liu and H. Jiang (Changsha, PR China) . . . . .	127
Fabrication of hierarchical zeolite 4A microspheres with improved adsorption capacity to bromofluoropropene and their fire suppression performance	
X. Ni, Z. Zheng, X. Wang, S. Zhang and M. Zhao (Hefei, PR China) . . . . .	135
Novel monoclinic zirconolite in $\text{Bi}_2\text{O}_3$ –CuO– $\text{Ta}_2\text{O}_5$ ternary system: Phase equilibria, structural and electrical properties	
K.B. Tan, M.P. Chon (Selangor, Malaysia), C.C. Khaw (Kuala Lumpur, Malaysia), Z. Zainal, Y.H. Taufiq Yap and P.Y. Tan (Selangor, Malaysia) . . . . .	140
Microscopic partition of pressure and elastic constants in CdTe polymorphs	
T. Ouahrani (Tlemcen, Algeria), R. Franco, J.M. Menéndez, M. Marqués and J.M. Recio (Oviedo, Spain) . . . . .	150
Tunable emissions from $\text{Dy}^{3+}/\text{Sm}^{3+}$ ions co-activated $\text{SrY}_2\text{O}_4:\text{Er}^{3+}$ nanocrystalline phosphors for LED and FED applications	
E. Pavitra, G. Seeta Rama Raju and J.S. Yu (Yongin-si, Republic of Korea) . . . . .	157
Effect of withdrawal rate on microstructure and lattice misfit of a $\text{Ni}_3\text{Al}$ based single crystal superalloy	
C. Ai, S. Li, H. Zhang, L. Liu, Y. Ma, Y. Pei and S. Gong (Beijing, PR China) . . . . .	164
Effect of chemical treatment on surface characteristics of sputter deposited Ti-rich NiTi shape memory alloy thin-films	
S.K. Sharma (Abu Dhabi, United Arab Emirates) and S. Mohan (Bangalore, India) . . . . .	170
Advance in solid-state purification technology for metals	
F. Tian, G. Li, L. Li, Z. Wang, S. Yan and X. Li (Beijing, China) . . . . .	176
Microstructure and magnetic properties of iron nitride granular thin films obtained by oblique RF reactive sputtering	
X.Y. Li, X.J. Sun, J.B. Wang and Q.F. Liu (Lanzhou, PR China) . . . . .	185
Rheological behavior of Cu–Zr–based metallic glass in the supercooled liquid region	
J. Cui, J.S. Li, J. Wang, H.C. Kou (Xi'an, PR China), J.C. Qiao (Villeurbanne, France), S. Gravier and J.J. Blandin (Saint-Martin d'Hères Cedex, France) . . . . .	189
Effect of co-modification by Ba and Sb on the microstructure of $\text{Mg}_2\text{Si}/\text{Mg}$ –Zn–Si composite and mechanism	
K. Chen and Z. Li (Nanjing, China) . . . . .	196
Influence of copper content on the property of Cu–W alloy prepared by microwave vacuum infiltration sintering	
L. Xu, M. Yan, Y. Xia, J. Peng, W. Li, L. Zhang, C. Liu, G. Chen and Y. Li (Kunming, PR China) . . . . .	202
Effect of Sb addition on Bi–2.6Ag–0.1Cu solders for high-temperature applications	
B. Kim (Busan, Republic of Korea), C.-W. Lee (Incheon, Republic of Korea), D. Lee and N. Kang (Busan, Republic of Korea) . . . . .	207
Enhanced emission from $\text{Li}_2\text{CaSiO}_4:\text{Eu}^{2+}$ phosphors by doping with $\text{Y}^{3+}$	
J. Zhong, W. Zhao, L. Lan, J. Wang, J. Chen and N. Wang (Guangzhou, China) . . . . .	213
Effect of $\text{AETiO}_3$ (AE = Mg, Ca, Sr) doping on dielectric and varistor characteristics of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic prepared by the sol–gel process	
D. Xu (Zhenjiang, Chengdu, PR China), K. He (Zhenjiang, PR China), R. Yu (Changzhou, PR China), L. Jiao (Zhenjiang, PR China), H. Yuan (Changchun, PR China), X. Sun, G. Zhao, H. Xu and X. Cheng (Zhenjiang, PR China) . . . . .	220
Thermal-electrochemical behaviors of $\text{LiMn}_2\text{O}_4$ lithium-ion cell studied by electrochemical–calorimetric method	
Z. Xiao, Y. Zhou, L. Song, F. Zhang, J. Gao, J. Zeng and Z. Cao (Hunan Changsha, China) . . . . .	226
Effect of carbon from anthracite coal on decomposition kinetics of magnesium hydride	
S. Zhou, H. Chen, W. Ran, N. Wang, Z. Han, Q. Zhang, X. Zhang, H. Niu, H. Yu and D. Liu (Qingdao, China) . . . . .	231
Structural and optical properties of $\text{SnO}_2$ nanotowers and interconnected nanowires prepared by carbothermal reduction method	
N. Bhardwaj, S. Kuriakose and S. Mohapatra (New Delhi, India) . . . . .	238
Observation of magnetoelectric coupling in $(1-x)\text{BaTiO}_3/(x)\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ composites	
N. Sharma, A. Gaur (Kurukshetra, India), U.K. Gaur (Roorkee, India) and R.K. Kotnala (New Delhi, India) . . . . .	244
Effects of artificial aging on microstructure and mechanical properties of the Mg–4.5Zn–4.5Sn–2Al alloy	
G. Zhang, J. Chen, H. Yan, B. Su, X. He and M. Ran (Changsha, PR China) . . . . .	250
Synthesis, characterization and visible-light photocatalytic performance of $\text{Ag}_2\text{CO}_3$ modified by graphene-oxide	
Y. Song, J. Zhu, H. Xu, C. Wang, Y. Xu, H. Ji, K. Wang, Q. Zhang and H. Li (Zhenjiang, PR China) . . . . .	258
Thickness and frequency dependence of magnetoelectric effect for epitaxial $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3/\text{BaTiO}_3$ bilayer	
T. Li (Anyang, China), K. Li and Z. Hu (Beijing, China) . . . . .	266
Magnetic, transport and magnetocaloric properties in the Laves phase intermetallic $\text{Ho}(\text{Co}_{1-x}\text{Al}_x)_2$ compounds	
T.I. Ivanova, S.A. Nikitin (Moscow, Russian Federation), (Wrocław, Poland), G.A. Tskhadadze (Moscow, Russian Federation), Yu.S. Koshkid'ko (Wrocław, Poland), (Tver, Russian Federation), W. Suski, W. Iwasieczko and D. Badurski (Wrocław, Poland) . . . . .	271

Rapid fabrication and transport properties of n-type $\text{Co}_{4-x}\text{Ni}_x\text{Sb}_{12}$ via modified polyol process synthesis combined with evacuated-and-encapsulated sintering A. Gharleghi and C.-J. Liu (Changhua, Taiwan) . . . . .	277
High-brightness and thermal stable $\text{Sr}_3\text{La}(\text{PO}_4)_3$ : $\text{Eu}^{3+}$ red phosphor for NUV light-emitting diodes X. Zhang (Nanning, Guangzhou, China), C. Zhou, J. Song, L. Zhou (Nanning, China) and M. Gong (Guangzhou, China). . . . .	283
Growth kinetics of tetragonal and monoclinic $\text{ZrO}_2$ crystallites in 3 mol% yttria partially stabilized $\text{ZrO}_2$ (3Y-PSZ) precursor powder C.-W. Kuo (Tainan, Taiwan), K.-C. Lee, F.-L. Yen (Kaohsiung, Taiwan), Y.-H. Shen (Tainan, Taiwan), H.-E. Lee (Kaohsiung, Taiwan), S.-B. Wen (Pingtung, Taiwan), M.-C. Wang (Kaohsiung, Taiwan) and M.M. Stack (Glasgow, UK) . . . . .	288
Three-dimensional hierarchical flowerlike microstructures of $\alpha$ - $\text{Bi}_2\text{O}_3$ constructed of decahedrons and rods Y. Wang (Yanji, Changchun, PR China), J. Zhao (Changsha, PR China), B. Zhou, X. Zhao, Z. Wang and Y. Zhu (Changchun, PR China). . . . .	296
Facile synthesis of porous $\text{InNbO}_4$ nanofibers by electrospinning and their enhanced visible-light-driven photocatalytic properties H. Feng, D. Hou, Y. Huang and X. Hu (Wuhan, PR China). . . . .	301
Structural, dielectric and magnetic properties of $\text{Bi}_{1-x}\text{Y}_x\text{FeO}_3$ ( $0 \leq x \leq 0.2$ ) obtained by acid-base co-precipitation L.M.S. Medina (Argentina), G.A. Jorge (Buenos Aires, Argentina) and R. Martín Negri (Argentina). . . . .	306
Evolutions of grain size and nucleating particles in carbon-inoculated Mg-3% Al alloy J. Du, M. Wang, M. Zhou and W. Li (Guangzhou, China). . . . .	313
Synthesis and luminescent properties of $\text{Tb}^{3+}$ activated cadmium silicate nanophosphor B.M. Manohara (Davanagere, Pulivendula, India), H. Nagabhushana, D.V. Sunitha (Tumkur, India), K. Thyagarajan (Pulivendula, India), B. Daruka Prasad (Pulivendula, Bangalore, India), S.C. Sharma, B.M. Nagabhushana and R.P.S. Chakradhar (Bangalore, India). . . . .	319
Keywords. . . . .	I