



Volume 593

25 April 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

The origin of coercivity enhancement in the $\text{Co}_{77}\text{Zr}_{18}\text{Cr}_3\text{B}_2$ magnet Z. Hou, H. Li and W. Wang (Changchun, People's Republic of China)	1
ZnO nanostructures grown on carbon fibers: Morphology control and microwave absorption properties H. Luo (Tianjin, China), G. Xiong (Nanchang, China), X. Chen (Tianjin, China), Q. Li, C. Ma, D. Li (Nanchang, China), X. Wu and Y. Wan (Tianjin, China)	7
Unique corrosion behavior of $\text{Fe}_{78}\text{Si}_9\text{B}_{13}$ glassy alloy with different circumferential speeds under various chloride ion levels B. An, Y.J. Li, Y. Liu, Y.G. Wang (Jinan, China), L.C. Zhang (Perth, Australia) and W.M. Wang (Jinan, China)	16
Preparation and characterization of chiral polyaniline/barium hexaferrite composite with enhanced microwave absorbing properties F. Xu, L. Ma, M. Gan, J. Tang, Z. Li, J. Zheng, J. Zhang, S. Xie, H. Yin, X. Shen, J. Hu and F. Zhang (Chongqing, China)	24
Optimized upconversion emission of $\text{NaLuF}_4:\text{Er},\text{Yb}$ nanocrystals codoped with Gd^{3+} ions and its mechanism Y. Cui, S. Zhao, Z. Liang, M. Han and Z. Xu (Beijing, China)	30
Synthesis and properties of borosilicate/ AlN composite for low temperature co-fired ceramics application L. Yuan, B. Liu, N. Shen, T. Zhai and D. Yang (Tianjin, PR China)	34
Phase equilibria in the Ni–Al–Ga system at 700 °C N. Belyavina, V. Markiv, O. Nakonechna and F. Lozovyi (Kiev, Ukraine)	41
Thermal shock behavior of toughened gadolinium zirconate/YSZ double-ceramic-layered thermal barrier coating X. Zhong, H. Zhao, X. Zhou, C. Liu, L. Wang, F. Shao, K. Yang, S. Tao and C. Ding (Shanghai, China)	50
Photoluminescence of erbium in SiO_xN_y alloys annealed at high temperature E. Steveler, H. Rinnert and M. Vergnat (Vandœuvre-lès-Nancy, France)	56
Preparation of low oxygen content alloy powder from Ti binary alloy scrap by hydrogenation–dehydrogenation and deoxidation process J.-M. Oh, K.-M. Roh, B.-K. Lee, C.-Y. Suh, W. Kim, H. Kwon (Daejeon, Republic of Korea) and J.-W. Lim (Jeonju, Republic of Korea)	61
One dimensional well-aligned CdO nanocrystal by solvothermal method K. Kaviyarasu (Tirunelveli, India), E. Manikandan (Chennai, India, South Africa), P. Paulraj, S.B. Mohamed (Chennai, India) and J. Kennedy (Lower Hutt, New Zealand)	67
Thermodynamic modeling and experimental investigation of the magnesium–zinc–samarium alloys X. Xia, A. Sanaty-Zadeh, C. Zhang (Madison, USA), A.A. Luo (Madison, Columbus, USA), X. Zeng (Shanghai, China), Y. Austin Chang and D.S. Stone (Madison, USA)	71
Controllable synthesis and crystal structure determined upconversion luminescence properties of Tm^{3+} (Er^{3+}) ions doped YbF_3 and NaYbF_4 crystals T. Jiang (Ningbo, China), W. Qin (Changchun, China) and J. Zhou (Ningbo, China)	79
Delamination-supported growth of hydrides in Pd thin films studied by electrochemical hydrogenography J. Kürschner, S. Wagner and A. Pundt (Göttingen, Germany)	87
A novel sol–gel process to facilitate synthesis of Ni_3Fe nanoalloy nanoparticles supported with carbon and silica L.Q. Xu (Nanjing, Ningxia, PR China), L.Y. Chen, H.F. Huang, R. Xie, W.B. Xia, J. Wei, W. Zhong, S.L. Tang and Y.W. Du (Nanjing, PR China)	93
Field induced strain response of lead-free BaZrO_3 -modified $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ – BaTiO_3 ceramics J.U. Rahman, A. Hussain, A. Maqbool, G.H. Ryu, T.K. Song, W.-J. Kim and M.H. Kim (Gyeongnam, Republic of Korea)	97
Broadened negative thermal expansion operation-temperature window in antiperovskite $\text{Mn}_3\text{Zn}_{0.6}\text{Ge}_{0.4}\text{N}$ prepared by spark plasma sintering J. Tan, R. Huang, W. Li, Y. Han and L. Li (Beijing, PR China)	103
Microstructure and magnetic properties in melt-spun and annealed $\text{Mn}_{0.89}\text{Cu}_{0.11}\text{CoGe}$ ribbons Z.C. Zhong, D. Hou, S.C. Ma, Y.L. Huang, Y. Su, Y.H. Hou, G. Song and J. Zhou (Nanchang, People's Republic of China)	106
The effect of post-weld heat treatment temperature on the microstructure of Inconel 625 deposited metal X. Xing, X. Di (Tianjin, PR China) and B. Wang (Shanghai, PR China)	110

Investigation of structural and electrical properties of vanadium substituted disordered pyrochlore-type $\text{Ho}_{2-x}\text{V}_x\text{Zr}_2\text{O}_7$ nanostructure N. Karamat, M.N. Ashiq, M. Najam-ul-Haq, I. Ali, M. A. Iqbal, M. Irfan, Y. Abbas and M. Athar (Multan, Pakistan)	117
Dependence of optical and thermal properties on concentration and temperature for Yb:YAG laser ceramics F. Tang (Beijing, Fuzhou, China), W. Wang, X. Yuan, C. Zhu (Beijing, China), J. Huang (Fuzhou, China), C. Ma, F. Wang (Beijing, China), Y. Lin (Fuzhou, China) and Y. Cao (Beijing, Fuzhou, China).	123
Photoluminescence and thermal stability of Mn^{2+} co-doped SrSi_2O_7 : Eu^{2+} green phosphor synthesized by sol-gel method J. Liu, X. Wang, T. Xuan, H. Li and Z. Sun (Shanghai, China)	128
Synthesis and structural study of Ti-rich Mg-Ti hydrides K. Asano, H. Kim, K. Sakaki (Tsukuba, Japan), K. Page (Los Alamos, United States), S. Hayashi, Y. Nakamura (Tsukuba, Japan) and E. Akiba (Nishi-ku, Japan)	132
Influence of Ta intergranular addition on microstructure and corrosion resistance of Nd-Dy-Fe-B sintered magnets P. Zhang, T. Ma, L. Liang and M. Yan (Hangzhou, China)	137
The phase equilibria and thermal stability of the long-period stacking ordered phase in the Mg-Cu-Y system M. Jiang (Shenyang, China), X. Su (Shenyang, Baotou, China), H. Li, Y. Ren and G. Qin (Shenyang, China)	141
Structure, microstructure and optical properties of Sn-doped ZnO thin films N. Chahmat (Annaba, Algeria), T. Souier, A. Mokri (Abu Dhabi, United Arab Emirates), M. Bououdina (Bahrain), M.S. Aida (Constantine, Algeria) and M. Ghera (Annaba, Algeria)	148
Crystal structures and ferromagnetism of Fe_xWN_2 ($x \sim 0.74, 0.90$) with defective iron triangular lattice A. Miura, T. Takei, N. Kumada (Kofu, Japan), E. Magome, C. Moriyoshi and Y. Kuroiwa (Higashihiroshima, Japan)	154
Effect of Ni doping on magnetic and electrical properties of CuCr_2Se_4 single crystals I. Jendrzewska, P. Zajdel, T. Groń, H. Duda (Katowice, Poland) and T. Mydlarz (Wrocław, Poland)	158
Magnetic properties of $\text{LaCo}_{12}\text{B}_6$ compound as probed by neutron diffraction and by magnetization study under high pressures L.V.B. Diop (Grenoble, France), Z. Arnold (Prague, Czech Republic), O. Isnard (Grenoble, France) and J. Kamarád (Prague, Czech Republic)	163
First-principles calculations of structural, elastic and electronic properties of $\text{Li}_2\text{B}_{12}\text{H}_{12}$ S. Li, X. Ju and C. Wan (Beijing, China)	169
Low volume fraction nano-titanium particulates for improving the mechanical response of pure magnesium G.K. Meenashisundaram and M. Gupta (Singapore, Singapore)	176
Synthesis of mesoporous NiO nanoflake array and its enhanced electrochemical performance for supercapacitor application X. Yan, X. Tong, J. Wang, C. Gong, M. Zhang and L. Liang (Taiyuan, China)	184
Electrical characteristics of $\beta\text{-Ga}_2\text{O}_3$ thin films grown by PEALD H. Altuntas (Turkey), I. Donmez, C. Ozgit-Akgun and N. Biyikli (Bilkent, Turkey)	190
La doping effect on TZM alloy oxidation behavior F. Yang, K.-S. Wang, P. Hu, H.-C. He, X.-Q. Kang, H. Wang, R.-Z. Liu (Xi'an, China) and A.A. Volinsky (Tampa FL, USA)	196
Relaxor behavior and dielectric properties of $\text{Ba}_{1-x}\text{Bi}_{2x/3}\text{Zr}_{0.15}\text{Ti}_{0.85}\text{O}_3$ solid solution F. Bahri and H. Khemakhem (Sfax, Tunisia)	202
Localization of plastic deformation along shear bands in Vitreloy bulk metallic glass during high pressure torsion Z. Kovács (Budapest, Hungary), E. Schafler (Vienna, Austria), P. Szommer and Á. Révész (Budapest, Hungary)	207
Synthesis, structural and property studies of Ni doped cadmium sulphide quantum dots stabilized in DETA matrix A. Mercy (Chennai, India), A. Jesper Anandhi (Tirunelveli, India), K. Sakthi Murugesan (Chennai, India), R. Jayavel (Chennai, India), R. Kanagadurai and B. Milton Boaz (Chennai, India)	213
Nanoindentation of Mg-doped AlGaN thin films C.-Y. Huang, P.-J. Hsieh (Kaohsiung, Taiwan), I.-C. Chen (Taiwan), W.-C. Ke (Chung-Li, Taiwan), P.-F. Yang and S.-R. Jian (Kaohsiung, Taiwan)	220
Structural and dielectric characterization on multiferroic $x\text{Ni}_{0.9}\text{Zn}_{0.1}\text{Fe}_2\text{O}_4/(1-x)\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ particulate composite R. Pandey, B.R. Meena and A.K. Singh (Varanasi, India)	224
Dielectric and magnetic properties of $\text{CdMoO}_4:\text{Gd}^{3+}$ single crystal T. Groń (Katowice, Poland), E. Tomaszewicz (Szczecin, Poland), M. Berkowski (Warszawa, Poland), H. Duda, Z. Kukuła, S. Pawlus (Katowice, Poland), T. Mydlarz (Wrocław, Poland), T. Ostafin (Opole, Poland) and J. Kusz (Katowice, Poland)	230
Three dimensional topological insulators of $\text{Cu}_x\text{Au}_{1-x}\text{InTe}_2$ alloys N. Taghizade, G. Rashedi, Z. Nourbakhsh and M. Farahi (Isfahan, Iran)	235
The effect of mechanical alloying on microstructure and mechanical properties of MoSi_2 prepared by spark plasma sintering M. Kermani, M. Razavi, M.R. Rahimpour and M. Zakeri (Tehran, Iran)	242
Study the influence of zinc oxide addition on cobalt doped alkaline earth borate glasses F. Ahmad, E. Hassan Aly, M. Atef and M.M. ElOkr (Cairo, Egypt)	250
SrBe_2O_5 : Growth, crystal structure and optical properties W. Yao, X. Wang, H. Huang, T. Xu, X. Jiang, X. Wang, Z. Lin and C. Chen (Beijing, China)	256
NMR and computational study of $\text{Ba}_8\text{Cu}_x\text{Ge}_{46-x}$ clathrate semiconductors J.-H. Chen, A. Sirusi Arvij, X. Zheng, S.Y. Rodriguez and J.H. Ross Jr. (College Station, USA)	261
Nanostructured TiO_2 thin film memristor using hydrothermal process T.D. Dongale, S.S. Shinde, R.K. Kamat and K.Y. Rajpure (India)	267
Synthesis of SnO_2 nanorods and application to H_2 sensor Y. Shen, X. Cao, B. Zhang, D. Wei, J. Ma, W. Liu, C. Han and Y. Shen (Shenyang, China)	271

Electronic structure and electrical properties of Ba ₂ LaTaO ₆ P. Kumari (Pauri-Garhwal, Bhagalpur, India), A. Dutta (Kolkata, India), S. Shannigrahi (Singapore, Singapore), S. Prasad (Bhagalpur, India) and T.P. Sinha (Kolkata, India)	275
Thermal analysis and physical properties of Bi–Se–Te chalcogenide glasses K.A. Aly, F.M. Abdel Rahim (Khulais, Saudi Arabia), (Assuit, Egypt) and A. Dahshan (Abha, Saudi Arabia), (Port Said, Egypt)	283
Work hardening and texture during compression deformation of the Al–Si–Cu–Mg alloy modified with V, Zr and Ti S.K. Shaha (Toronto, Canada), F. Czerwinski, W. Kasprzak (Hamilton, Canada) and D.L. Chen (Toronto, Canada)	290
Keywords	III