


Volume 595

15 May 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Hot workability of nanocrystalline AZ91 magnesium alloy M.A. Jabbari-Taleghani and J.M. Torralba (Madrid, Spain)	1
Effect of Sn loading on the photocatalytic aniline synthesis activity of TiO ₂ nanospheres R.M. Mohamed (Jeddah, Saudi Arabia), (Helwan, Egypt) and E.S. Aazam (Jeddah, Saudi Arabia)	8
Anisotropic elastic properties of the Ca–Pb compounds Y.H. Duan, Y. Sun, M.J. Peng and S.G. Zhou (Kunming, China)	14
Hydrogen sorption enhancement in cold rolled LaNi ₅ M. Tournant and J. Huot (Trois-Rivières, Canada)	22
Hydrogen dynamics in Laves-phase hydride YFe ₂ H _{2.6} : Inelastic and quasielastic neutron scattering studies A.V. Skripov (Ekaterinburg, Russia), V. Paul-Boncour (Thiais Cedex, France), T.J. Udovic (Gaithersburg, USA) and J.J. Rush (Ekaterinburg, Russia), (Maryland, USA)	28
TOF SIMS analysis and enhanced UVB photoluminescence by energy transfer from Pr ³⁺ to Gd ³⁺ in Ca ₃ (PO ₄) ₂ :Gd ³⁺ , Pr ³⁺ phosphor prepared by urea assisted combustion P.P. Mokoena, M. Gohain (Bloemfontein, South Africa), V. Kumar (Katra, India), B.C.B. Bezuidenhout, H.C. Swart and O.M. Ntwaeaborwa (Bloemfontein, South Africa)	33
Structural and luminescence properties of Mn ²⁺ ions doped calcium zinc borophosphate glasses M.H. Wan, P.S. Wong, R. Hussin, H.O. Lintang (Skudai, Malaysia) and S. Endud (UTM Johor Bahru, Malaysia)	39
Controllable deposition of cadmium oxide and hydroxide nanostructures on silicon using a hydrothermal method Y.-I. Jung (Gyeongbuk, South Korea), S.-H. Baek (Daegu, South Korea) and I.-K. Park (Gyeongbuk, South Korea)	46
Preparation of monodispersed PbS quantum dots on nanoporous semiconductor thin film by two-phase method L. Meng, F. Zhao (Beijing, China), J. Zhang (Tianjin, China), R. Luo, A. Chen, L. Sun, S. Bai, G. Tang and Y. Lin (Beijing, China)	51
High-performance metal–semiconductor–metal UV photodetector based on spray deposited ZnO thin films S.I. Inamdar and K.Y. Rajpure (Kolhapur, India)	55
Effect of particle size and oxygen content of Si on processing, microstructure and thermal conductivity of sintered reaction bonded Si ₃ N ₄ B.R. Golla (Changwon, Republic of Korea), (Warrangal, India), J.W. Ko, J.-M. Kim and H.-D. Kim (Changwon, Republic of Korea)	60
Structure and properties of cast Al–Si based alloy with Zr–V–Ti additions and its evaluation of high temperature performance W. Kasprzak, B.S. Amirkhiz and M. Niewczas (Hamilton, Canada)	67
Mechanical properties and electronic structure of anti-ReO ₃ structured cubic nitrides, M ₃ N, of d block transition metals M: An <i>ab initio</i> study X. Zhou (Toledo, United States), D. Gall (Troy, United States) and S.V. Khare (Toledo, United States)	80
Magnetoelectric effects in multilayered magnetostrictive/piezoelectric composites with Fe-based nanocrystalline alloy at zero bias magnetic field L. Chen, P. Li, Y. Wen and Y. Zhu (Chongqing City, People's Republic of China)	87
Interfacial intermetallic growth and mechanical properties of carbon nanotubes reinforced Sn _{3.5} Ag _{0.5} Cu solder joint under current stressing S. Xu, Y.C. Chan, K. Zhang (Kowloon Tong, Hong Kong) and K.C. Yung (Kowloon, Hong Kong)	92
Hot workability of AISI 321 and AISI 304 austenitic stainless steels R.K.C. Nkhoma, C.W. Siyasiya and W.E. Stumpf (Pretoria, South Africa)	103
Crystal growth, nonlinear frequency-doubling and spectral characteristic of Nd:Ca ₉ La(VO ₄) ₇ crystal N. Zhuang, X. Liu, Q. Xu, X. Chen, B. Zhao, X. Hu and J. Chen (Fuzhou, People's Republic of China)	113
Enhanced dielectric, pyroelectric and ferroelectric properties of Mn-doped 0.15Pb(In _{1/2} Nb _{1/2})O ₃ –0.55Pb(Mg _{1/3} Nb _{2/3})O ₃ –0.30PbTiO ₃ single crystals L. Li (Jiading, Beijing, China), X. Li, X. Zhao, B. Ren (Jiading, China), Q. Xu (Jiading, Beijing, China), H. Xu, H. Luo (Jiading, China), X. Li and X. Shao (Shanghai, China)	120

Dispersion of the second harmonic generation from CdGa ₂ X ₄ (X = S, Se) defect chalcopyrite: DFT calculations A.H. Reshak (Pilsen, Czech Republic), (Kangar, Malaysia) and S.A. Khan (Pilsen, Czech Republic)	125
Facile synthesis of size-tunable, multilevel nanoporous Fe ₃ O ₄ microspheres for application in electromagnetic wave absorption X. Qing, X. Yue, B. Wang and Y. Lu (Nanjing, PR China)	131
Nanostructured Sn ₃₀ Co ₃₀ C ₄₀ alloys for lithium-ion battery negative electrodes prepared by horizontal roller milling P.P. Ferguson (Shippagan, Canada), D.-B. Le (St. Paul, USA), A.D.W. Todd (Ottawa, Canada), M.L. Martine (Dresden, Germany), S. Trussler, M.N. Obrovac and J.R. Dahn (Halifax, Canada).	138
Influences of alloying elements and oxygen on the stability and elastic properties of Mg ₁₇ Al ₁₂ J. Dai, Y. Song (Weihai, China) and R. Yang (Shenyang, China).	142
Structure and electrical properties of new Aurivillius oxides (K _{0.16} Na _{0.84}) _{0.5} Bi _{4.5} Ti ₄ O ₁₅ with manganese modification P. Fang, P. Liu, Z. Xi, W. Long and X. Li (Xi'an, China).	148
Magnetic properties of ultrasmall iron-oxide nanoparticles D. Milivojević, B. Babić-Stojić, V. Jokanović (Belgrade, Serbia), Z. Jagličić, D. Makovec (Ljubljana, Slovenia) and N. Jović (Belgrade, Serbia)	153
Electrical transport behavior of lead-free 0.5Ba(Zr _{0.2} Ti _{0.8})O ₃ –0.5(Ba _{0.7} Ca _{0.3})TiO ₃ thin film grown on LaNiO ₃ /Si by pulsed laser deposition C. Bhardwaj and D. Kaur (Roorkee, India)	158
Anomalous triple point effects in the spin-density-wave Cr _{1-x} Al _x alloy system C.J. Sheppard, A.R.E. Prinsloo, H.L. Alberts, B. Muchono (Johannesburg, South Africa) and A.M. Strydom (Johannesburg, South Africa), (Dresden, Germany)	164
Effects of Ca addition on the glass formation, microhardness and corrosion resistance in different solutions of Zr _{66.7-x} Ni _{33.3} Ca _x (x = 0, 1, 3 and 5 at.%) metallic glasses J. Xu, Z. Zhao, M. Zuo, Q. Xing, Z. Sun and Y. Wang (Jinan, PR China)	178
Fe–N–C catalyst modified graphene sponge as a cathode material for lithium-oxygen battery L. Yu, Y. Shen and Y. Huang (Wuhan, China).	185
Enhanced luminescence by monovalent alkali metal ions in Sr ₂ SiO ₄ :Eu ³⁺ nanophosphor prepared by low temperature solution combustion method H. Nagabhushana, D.V. Sunitha (Tumkur, India), S.C. Sharma, B. Daruka Prasad, B.M. Nagabhushana and R.P.S. Chakradhar (Bangalore, India)	192
Phase transformation, oxidation and shape memory properties of Ti–50Au–10Zr alloy for high temperature applications A. Wadood (Tsukuba, Japan), H. Hosoda (Yokohama, Japan) and Y. Yamabe-Mitarai (Tsukuba, Japan)	200
Temperature and frequency dependent electrical properties of NiCuZn ferrite with CuO-rich grain boundary segregation R.A. Mondal, B.S. Murty and V.R.K. Murthy (Chennai, India)	206
Synthesis and magnetic properties of SrFe _{12-x-y} Al _x Co _y O ₁₉ nanocomposites prepared via autocombustion technique J.N. Dahal, L. Wang, S.R. Mishra (Memphis, United States), V.V. Nguyen and J.P. Liu (Arlington, United States)	213
A facile method of fabricating PbBi alloy nanowires with controlled component proportion X.-w. Wang, Z.-c. He, J.-s. Li and Z.-h. Yuan (Tianjin, People's Republic of China).	221
Keywords.	III