


Volume 598

15 June 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Vacancy-driven magnetism in nonmagnetic double perovskite $\text{Sr}_2\text{AlNbO}_6$: A first-principles study Y.D. Li, C.C. Wang (Hefei, People's Republic of China), R.L. Cheng (Benbu, People's Republic of China), Q.L. Lu, S.G. Huang and C.S. Liu (Hefei, People's Republic of China)	1
Magnetocaloric effect in $\text{Ni}_{47}\text{Mn}_{40}\text{Sn}_{13}$ alloy prepared by mechanical alloying A. Ghotbi Varzaneh, P. Kameli, F. Karimzadeh, B. Aslibeiki (Isfahan, Iran), G. Varvaro (Roma, Italy) and H. Salamaty (Isfahan, Iran)	6
Tunable surface plasmon resonance of silver nanoclusters in ion exchanged soda lime glass S. Mohapatra (Dwarka, India)	11
Effect of Mo^{6+} doping on electrochemical performance of anatase TiO_2 as a high performance anode material for secondary lithium-ion batteries T.V. Thi, A.K. Rai, J. Gim, S. Kim and J. Kim (Bukgu, Republic of Korea)	16
X-ray photoelectron spectroscopy studies the cation valencies and distributions in crednerite- $\text{Cu}_{1.1}\text{Mn}_{0.9}\text{O}_2$ thin films H.-Y. Chen and D.-J. Hsu (Kaohsiung, Taiwan, ROC)	23
Systematic investigation of Mn substituted $\text{La}(\text{Fe},\text{Si})_{13}$ alloys and their hydrides for room-temperature magnetocaloric application M. Krautz (Dresden, Darmstadt, Germany), K. Skokov, T. Gottschall (Darmstadt, Germany), C.S. Teixeira (Florianópolis, Brazil), A. Waske (Dresden, Germany), J. Liu (Ningbo, People's Republic of China), L. Schultz (Dresden, Germany) and O. Gutfleisch (Darmstadt, Hanau, Germany)	27
Investigation on the Sr-doped ceria $\text{Ce}_{1-x}\text{Sr}_x\text{O}_{2-\delta}$ ($x = 0.05\text{--}0.2$) as an electrolyte for intermediate temperature SOFC K.C. Anjaneya, G.P. Nayaka, J. Manjanna (Shankarghatta, India), V.M. Ashwin Kumar (Bangalore, India), G. Govindaraj and K.N. Ganesha (Pondicherry, India)	33
Impact of Fe/NaCl (0 0 1) interface structure on electronic, magnetic and spin-polarized transport properties of Fe/NaCl/Fe (0 0 1) heterojunctions: An ab initio study P. Vlaic, E. Burzo (Cluj-Napoca, Romania) and K. Carva (Prague, Czech Republic)	41
Predicted a novel high-pressure superhard boron nitride phase G. Yang and B.F. Chen (Anyang, PR China)	54
Angular dependence of ferromagnetic resonance in Tb-doped $\text{Ni}_{80}\text{Fe}_{20}$ thin films C. Luo (Nanjing, China), D. Zhang (Nanjing, Liaocheng, China), Y. Wang, H. Huang, Y. Zhai and H. Zhai (Nanjing, China)	57
Isothermal section at 850 °C of the Ti–Dy–Al system in the Ti–TiAl–DyAl ₂ –Dy region M. Bulanova, I. Fartushna, K. Meleshevich and A. Samelyuk (Kiev, Ukraine)	61
Facile preparation of $\text{Cr}_2\text{O}_3/\text{Ag}_2\text{O}$ composite as high performance lithium storage material X. Lin, K. Wu, L. Shao, M. Shui, X. Jiang, D. Wang, N. Long, Y. Ren and J. Shu (Ningbo, People's Republic of China)	68
Simplified co-precipitation synthesis of spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ with improved physical and electrochemical performance M. Zhang, Y. Liu, Y. Xia, B. Qiu, J. Wang and Z. Liu (Ningbo, PR China)	73
Transport properties of thermoelectric $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ and $\text{Bi}_2\text{Te}_{2.7}\text{Se}_{0.3}$ thin films D. Bourgault, B. Schaechner, C. Giroud Garampon, T. Crozes, N. Caillault and L. Carbone (Grenoble Cedex, France)	79
Optical and electrical improvements of semipolar (1 1 $\bar{2}$ 2) GaN-based light emitting diodes by Si doping of n-GaN template J.-H. Lee, S.-H. Han, K.-R. Song and S.-N. Lee (Siheung City, South Korea)	85
Atomistic study on phase stability and electronic structures of Z phase CrNbN_x ($x = 1, 2, 3$) Z.Q. Lv, R.H. Zhang, F. Dong, B. Wang, Z.H. Wang and W.T. Fu (Qinhuangdao, China)	89
Characterization of Mg-rich clusters in the C36 phase of the Mg–5Al–3Ca–0.7Sr–0.2Mn alloy T. Rzychoń (Katowice, Poland)	95
Synthesis, characterization and formation mechanism of SiC/spinel nanocomposite F. Tavangarian and G. Li (Baton Rouge, United States)	106

The role of boron oxide and carbon amounts in the mechanosynthesis of ZrB ₂ -SiC-ZrC nanocomposite via a self-sustaining reaction in the zircon/magnesium/boron oxide/graphite system	
M. Jalaly, M.Sh. Bafghi, M. Tamizifar (Narmak, Iran) and F.J. Gotor (Sevilla, Spain)	113
Room temperature ferromagnetism in Cd-doped ZnO thin films through defect engineering	
M. Debbichi (Monastir, Tunisia), M. Souissi (Dammam, Saudi Arabia), A. Fouzri (Monastir, Tunisia), G. Schmerber (Strasbourg Cedex, France), M. Said (Monastir, Tunisia) and M. Alouani (Strasbourg Cedex, France)	120
In situ production of tantalum carbide nanodispersoids in a copper matrix by reactive milling and hot extrusion	
M. Manotas-Albor (Barranquilla, Colombia), (Santiago, Chile), A. Vargas-Uscategui, R. Palma and E. Mosquera (Santiago, Chile)	126
Thermodynamic and electrical properties of CuCrTiS ₄	
M. Ito, T. Yamashita (Kagoshima, Japan), S. Ebisu and S. Nagata (Muroran, Japan)	133
Thermodynamic investigation of the τ_4 -Al-Fe-Si intermetallic ternary phase: A density-functional theory study	
L. Amirkhanyan, T. Weissbach, T. Gruber, T. Zienert, O. Fabrichnaya and J. Kortus (Freiberg, Germany)	137
Enhancement of multiferroic properties of nanocrystalline BiFeO ₃ powder by Gd-doping	
A. Mukherjee, S. Basu (Durgapur, India), P.K. Manna, S.M. Yusuf (Mumbai, India) and M. Pal (Durgapur, India)	142
Doping of Co into V ₂ O ₅ nanoparticles enhances photodegradation of methylene blue	
R. Suresh, K. Giribabu, R. Manigandan, S. Munusamy, S. Praveen Kumar, S. Muthamizh, A. Stephen and V. Narayanan (Chennai, India)	151
Controllable electrochemical synthesis and magnetic behaviors of Mg-Mn-Fe-Co-Ni-Gd alloy films	
H. Li, H. Sun (Yuncheng, People's Republic of China), C. Wang (Guangzhou, People's Republic of China), B. Wei, C. Yao (Yuncheng, People's Republic of China), Y. Tong (Guangzhou, People's Republic of China) and H. Ma (Yuncheng, People's Republic of China)	161
Nanostructured Mn-Cu binary oxides for supercapacitor	
Z. Wang, J. Zhu, P. Sun, P. Zhang, Z. Zeng, S. Liang and X. Zhu (Chengdu, China)	166
Layered oxyselenides Sr ₂ Co _{1-x} Mn _x O ₂ Cu _{2-δ} Se ₂ : The evolution of magnetic properties tuned by the competed interactions	
S.G. Tan, H.C. Lei, W.J. Lu, P. Tong, L.J. Li, S. Lin, Y.N. Huang, Z.H. Huang, Y. Liu, B.C. Zhao, Y.P. Sun (Hefei, People's Republic of China)	171
Effect of substrate temperature on the characteristics of α -MoO ₃ hierarchical 3D microspheres prepared by facile PVD process	
R.K. Sharma and G.B. Reddy (New Delhi, India)	177
Sputtered copper coating on silicon/graphite composite anode for lithium ion batteries	
J.-P. Yen (Kaohsiung, Taiwan), C.-C. Chang (Tainan, Taiwan), Y.-R. Lin, S.-T. Shen and J.-L. Hong (Kaohsiung, Taiwan)	184
Effect of nanoconfinement on the formation, structural transition and magnetic behavior of mesoporous copper ferrite	
N. Najmoddin (Kista-Stockholm, Sweden), (Narmak, Iran), A. Beitollahi (Narmak, Iran), M. Muhammed, N. Ansari (Kista-Stockholm, Sweden), E. Devlin (Athens, Greece), S.M. Mohseni (Kista-Stockholm, Sweden), H. Rezaie (Narmak, Iran), D. Niarchos (Athens, Greece), J. Åkerman and M.S. Toprak (Kista-Stockholm, Sweden)	191
Effect of alloy element on corrosion behavior of the huge crude oil storage tank steel in seawater	
W. Liu, Q. Zhou, L. Li, Z. Wu, F. Cao and Z. Gao (Maanshan, PR China)	198
The effect of pre-strain on hydrogen embrittlement in 310S stainless steel	
H. Ji, I.-J. Park, S.-M. Lee and Y.-K. Lee (Seoul, Republic of Korea)	205
Multiple phases in sputtered Cr ₂ CoGa films	
M.P. Geisler, M. Meinert, J. Schmalhorst, G. Reiss (Bielefeld, Germany) and E. Arenholz (USA)	213
Preparation and characterization of blue-light-excited nanophosphors using an economically low-energy process	
H.-Y. Chang, C.-Y. Wu (Keelung, Taiwan, ROC), K. Huang, Y. Lo, I. Shen and H. Wang (Taichung, Taiwan, ROC)	217
Study on growth mechanisms and electronic structures of polar NiO(1 1 1) ultrathin films using iron oxide buffer layers	
M. Xue (Nanchang, Beijing, China) and Q. Guo (Beijing, China)	224
Electronic structure and magnetism of new scandium-based full Heusler compounds: Sc ₂ CoZ (Z = Si, Ge, Sn)	
A. Birsan (Magurele-Ilfov, Romania)	230
Alteration of corrosion and nanomechanical properties of pulse electrodeposited Ni/SiC nanocomposite coatings	
V. Zarghami and M. Ghorbani (Tehran, Iran)	236
Development of 9Cr-ODS ferritic-martensitic steel prepared by chemical reduction and mechanical milling	
Q.X. Sun (Qingdao, China), Y. Zhou, Q.F. Fang, R. Gao, T. Zhang and X.P. Wang (Hefei, China)	243
Study of the structural, dielectric and magnetic properties of Bi _{1-x} Ba _x FeO ₃ (x = 0.1, 0.2, 0.3, and 0.4)	
Jaiparkash, R.S. Chauhan (Agra, India), R. Kumar (Hamirpur, India), Y. Kumar (Leipzig, Germany) and N. Vijayan (New Delhi, India)	248
The liquidus surface of the Cr-Al-Nb system and re-investigation of the Cr-Nb and Al-Cr phase diagrams	
F. Stein (Düsseldorf, Germany), C. He (Nanning, PR China) and I. Wossack (Düsseldorf, Germany)	253
Synthesis and thermoelectric properties of Sb _{0.20} CoSb _{2.80} skutterudite	
C.A. Figueirêdo (Porto Alegre, Brazil), M.R. Gallas (Porto Alegre, Brazil), (Erlangen, Germany), J.E. Zorzi (Bom Princípio, Brazil) and C.A. Perottoni (Porto Alegre, Bom Princípio, Brazil)	266
Microstructure and thermoelectrical investigations of an N-type magnesium-silicon-tin alloy	
R. Vracar, G. Bernard-Granger, C. Navone, M. Soulier, M. Boidot, J. Leforestier and J. Simon (Grenoble Cedex, France)	272

High-field magnetization and magnetic phase diagrams in Nd ₂ RhIn ₈ and Tb ₂ RhIn ₈ P. Javorský, K. Pajskr, M. Klicpera, P. Čermák (Prague, Czech Republic), Y. Skourski (Dresden, Germany) and A.V. Andreev (Prague, Czech Republic)	278
Gas sensing performance of the spray deposited Cd-ZnO thin films N.L. Tarwal (Gwangju, Republic of Korea), (Kolhapur, India), A.R. Patil (Pandharpur, India), N.S. Harale (Kolhapur, India), A.V. Rajgure, S.S. Suryavanshi (Solapur, India), W.R. Bae (Gwangju, Republic of Korea), P.S. Patil (Kolhapur, India), (Gwangju, Republic of Korea), J.H. Kim and J.H. Jang (Gwangju, Republic of Korea)	282
Keywords	III