


Volume 599

25 June 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Microstructure, properties and temperature evolution of electro-pulsing treated functionally graded Ti–6Al–4V alloy strip X. Ye, J. Kuang, X. Li and G. Tang (Shenzhen, Beijing, PR China)	1
Uniformly distributed anatase TiO ₂ nanoparticles on graphene: Synthesis, characterization, and photocatalytic application X. Bai, X. Zhang, Z. Hua, W. Ma, Z. Dai, X. Huang and H. Gu (Nanjing, PR China)	10
<i>Ab initio</i> design of elastically isotropic TiZrNbMoV _x high-entropy alloys F. Tian (Stockholm, Sweden), (Beijing, China), L.K. Varga (Budapest, Hungary), N. Chen, J. Shen (Beijing, China) and L. Vitos (Stockholm, Sweden), (Budapest, Hungary), (Uppsala, Sweden)	19
Magnetism and structure of near-stoichiometric Tm ₂ Fe _{17+δ} compounds A.G. Kuchin, S.P. Platonov, A.V. Korolyov, A.S. Volegov, V.I. Voronin, I.F. Berger, L.V. Elokhina, G.M. Makarova and E.V. Belozarov (Ekaterinburg, Russia)	26
Ac electrical conductivity and magnetic properties of BiFeO ₃ –CoFe ₂ O ₄ nanocomposites H.B. Sharma, K. Nomita Devi (Canchipur, India), V. Gupta (Delhi, India), J.H. Lee (Jeonju, South Korea) and S. Bobby Singh (Canchipur, India)	32
Wide spectral response and enhanced photocatalytic activity of TiO ₂ continuous fibers modified with aminosilane coupling agents N. Bao, G. Wu, J. Niu, Q. Zhang, S. He (Jinan, PR China) and J. Wang (Lexington, USA)	40
Wet chemical synthesis of Eu ²⁺ activated fluoro-elpasolite phosphors V.S. Singh, C.P. Joshi, P.L. Muthal, S.M. Dhopte and S.V. Moharil (Nagpur, India)	49
Ultra high strain properties of lanthanum substituted PZT electro-ceramics prepared via mechanical activation A. Kumar, V.V. Bhanu Prasad, K.C. James Raju and A.R. James (Hyderabad, India)	53
Enhancement on concentration quenching threshold and upconversion luminescence of β-NaYF ₄ :Er ³⁺ /Yb ³⁺ codoping with Li ⁺ ions Y. Ding (Tianjin, Shangqiu, PR China), X. Zhang, H. Gao, S. Xu, C. Wei and Y. Zhao (Tianjin, PR China)	60
Role of Yb and Si on the precipitation hardening and recrystallization of dilute Al–Zr alloys S.P. Wen, K.Y. Gao, H. Huang, W. Wang and Z.R. Nie (Beijing, People's Republic of China)	65
Enhanced magnetocapacitance and dielectric property of Co _{0.65} Zn _{0.35} Fe ₂ O ₄ –PbZr _{0.52} Ti _{0.48} O ₃ magnetodielectric composites P.R. Mandal and T.K. Nath (India)	71
2LiBH ₄ –MgH ₂ –0.13TiCl ₄ confined in nanoporous structure of carbon aerogel scaffold for reversible hydrogen storage R. Gosalawit-Utke (Geesthacht, Germany), (Nakhon Ratchasima, Thailand), C. Milanese (Pavia, Italy), P. Javadian (Aarhus, Denmark), A. Girella (Pavia, Italy), D. Laipple, J. Puzskiel (Geesthacht, Germany), A.S. Cattaneo, C. Ferrara (Pavia, Italy), J. Wittayakhun (Nakhon Ratchasima, Thailand), J. Skibsted, T.R. Jensen (Aarhus, Denmark), A. Marini (Pavia, Italy), T. Klassen and M. Dornheim (Geesthacht, Germany)	78
Synthesis and substantially enhanced gas sensing sensitivity of homogeneously nanoscale Pd- and Au-particle decorated ZnO nanostructures Y.-C. Liang, W.-K. Liao and X.-S. Deng (Keelung, Taiwan)	87
Systematic analysis of spectroscopic characteristics of the lanthanide and actinide ions with the 4f ^N and 5f ^N (N = 1...14) electronic configurations in a free state C.-G. Ma (Chongqing, PR China), M.G. Brik (Chongqing, PR China), (Tartu, Estonia), (Czestochowa, Poland), Q.-X. Li and Y. Tian (Chongqing, PR China)	93
Hydrothermal synthesis and luminescence properties of 3D walnut-like CaMoO ₄ :Eu ³⁺ red phosphors X.-F. Wang, G.-H. Peng (Guilin, China), N. Li (United States), Z.-H. Liang, X. Wang and J.-L. Wu (Guilin, China)	102
Enhanced memory characteristics by interface modification of ferroelectric LiNbO ₃ films on Si using ZnO buffers L. Hao (Chengdu, Tsingtao, China), Y. Li, J. Zhu, Z. Wu (Chengdu, China), J. Wang (Tsingtao, China), X. Liu and W. Zhang (Chengdu, China)	108
Effect of Ag content and the minor alloying element Fe on the electrical resistivity of Sn–Ag–Cu solder alloy N.A.A.M. Amin, D.A. Shnawah, S.M. Said, M.F.M. Sabri and H. Arof (Kuala Lumpur, Malaysia)	114

Phase equilibria in the $ZnGeAs_2$ - $CdGeAs_2$ system I.V. Fedorchenko (Moscow, Russian Federation), (Lappeenranta, Finland), A.N. Aronov (Moscow, Russian Federation), L. Kilanski, V. Domukhovski, A. Reszka, B.J. Kowalski (Warsaw, Poland), E. Lähderanta (Lappeenranta, Finland), W. Dobrowolski (Warsaw, Poland), A.D. Izotov and S.F. Marenkin (Moscow, Russian Federation)	121
Effect of gelatin concentration on the synthesize of the $LiFePO_4/C$ composite for lithium ion batteries N. Liu, M. Gao, Z. Li, C. Li, W. Wang, H. Zhang, Z. Yu and Y. Huang (Beijing, PR China)	127
Role of Tb-Mn substitution on the magnetic properties of Y-type hexaferrites I. Ali, M.U. Islam, M.N. Ashiq (Multan, Pakistan), M. Asif Iqbal (Islamabad, Pakistan), N. karamat (Multan, Pakistan), M.S. Awan (Islamabad, Pakistan) and S. Naseem (Lahore, Pakistan)	131
A high-strength aluminium-based alloy with advanced superplasticity A.V. Mikhaylovskaya, A.D. Kotov, A.V. Pozdniakov and V.K. Portnoy (Moscow, Russian Federation)	139
Effect of defect on the nonlinear and dielectric property of $Ca_{(1-x)}Sr_xCu_3Ti_4O_{12}$ ceramics synthesized by sol-gel process T. Li, D. Liu, H. Dai, H. Xiang, Z. Chen (Zhengzhou, People's Republic of China), H. He and Z. Chen (Wuhan, People's Republic of China)	145
Structure, microstructure and determination of optical constants from transmittance data of co-doped $Zn_{0.90}Co_{0.05}M_{0.05}O$ (M=Al, Cu, Cd, Na) films S. Roguai, A. Djelloul (Khenchela, Algeria), C. Nouveau (Cluny, France), T. Souier (Abu Dhabi, United Arab Emirates), A.A. Dakhel and M. Bououdina (Bahrain)	150
Microstructure formation in γ - γ' Co-Al-W-Ti alloys during directional solidification X.F. Ding, T. Mi, F. Xue, H.J. Zhou and M.L. Wang (Beijing, China)	159
<i>In situ</i> synchrotron X-ray diffraction study on the dehydrogenation behavior of $LiAlH_4$ - MgH_2 composites W.-C. Hsu, C.-H. Yang, C.-Y. Tan and W.-T. Tsai (Tainan, Taiwan)	164
Effect of oxygen vacancy concentration on the absorption spectra of $Dy_2Ti_2O_7$ crystal J. Kang, Z. Fang, X. Chen, W. Liu, F. Guo, S. Wu, Y. Zhang and J. Chen (Fuzhou, China)	170
Structure and magnetic properties of nanocrystalline CaB_6 films deposited by magnetron sputtering G. Zhao, L. Zhang, L. Hu, H. Yu, G. Min and H. Yu (Jinan, China)	175
Segregation and migration of species in the CrCoFeNi high entropy alloy S.C. Middleburgh, D.M. King, G.R. Lumpkin, M. Cortie and L. Edwards (Australia)	179
Interface structure of nanodiamond composite films: First-principles studies X. Liu (Baotou, Beijing, PR China), S. Zhang, Y. Jiang and Y. Ren (Baotou, PR China)	183
Effect of addition of metal carbide on the oxidation behaviors of titanium matrix composites L. Yanbin, L. Yong, Z. Zhongwei (Changsha, China), C. Yanhui (Liuzhou, China) and T. Huiping (Xi'an, PR China)	188
Facile preparation of large-scale α - Fe_2O_3 nanorod/ SnO_2 nanorod composites and their LPG-sensing properties D.D. Vuong, K.Q. Trung, N.H. Hung, N.V. Hieu and N.D. Chien (Hanoi, Viet Nam)	195
Electronic structural change due to crystal structural transformation from γ - to β -phases of Li_7VN_4 K. Kushida (Kashiwara, Japan), Y. Suzuki and K. Kuriyama (Koganei, Japan)	202
Effect of alloying elements on the microstructure and mechanical properties of nanostructured ferritic steels produced by spark plasma sintering S. Pasebani and I. Charit (Moscow, USA)	206
Effect of cold rolling ratio on the nanoscale precipitation behavior of TiNiPdCu based high temperature shape memory alloys M.I. Khan (Ibaraki, Japan), (Topi, Pakistan), H.Y. Kim (Ibaraki, Japan), F.A. Khalid (Topi, Pakistan) and S. Miyazaki (Ibaraki, Japan), (Jeddah, Saudi Arabia)	212
Effects of the multi-step activation process on the carrier concentration of <i>p</i> -type GaN J.-K. Kim (Suncheon, Republic of Korea), S.-R. Jeon (Gwanju, Republic of Korea) and J.-M. Lee (Suncheon, Republic of Korea)	219
Low-frequency magnetic susceptibility and photoelectric properties of glass/ $Fe_{40}Pd_{40}B_{20}$ / ZnO and glass/ ZnO / $Fe_{40}Pd_{40}B_{20}$ Y.-T. Chen, H.-Y. Jheng, Y.-B. Huang (Kaohsiung, Taiwan, ROC)	223
Phase diagram of the Ge-rich of the Ba-Ge system and characterisation of single-phase $BaGe_4$ V.K. Prokofieva and L.M. Pavlova (Moscow, Russian Federation)	228
Keywords	III