



Volume 600

5 July 2014
ISSN 0925-8388

Journal of **ALLOYS AND COMPOUNDS**

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
L.P. COOK
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
M. HENINI
H. KLEINKE
H.G. PAN
V. PECHARSKY
M. RICHTER
H. SAKAGUCHI

**Contents**

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Preparation and soft magnetic properties of spark plasma sintered compacts based on Fe–Si–B glassy powder B.V. Neamtu, T.F. Marinca, I. Chicinaș (Cluj-Napoca, Romania), O. Isnard (Grenoble Cédex, France), F. Popa and P. Păscuță (Cluj-Napoca, Romania).....	1
Influence of Sn substitution on the thermoelectric properties in YbAl ₃ J.Q. Li, X.Y. Liu, Y. Li, S.H. Song, F.S. Liu and W.Q. Ao (Shenzhen, PR China)	8
Shear strengths and fracture behaviors of Cu/Sn37Pb/Cu soldered joints subjected to different displacement rates X. Hu, W. Chen, X. Yu, Y. Li, Y. Liu (Nanchang, China) and Z. Min (Hefei, China)	13
Crystallographic characterization and growth behavior of (Cu,Ni,Pd) ₆ Sn ₅ intermetallic compound in Ni(P)/Pd/Au/SnAgCu/Cu assembled solder joint C.-F. Tseng, C.-Y. Ho, J. Lee and J.-G. Duh (Hsinchu, Taiwan, ROC)	21
Three-dimensional characterization of interaction between β'' precipitate and dislocation in Al–Mg–Si alloy K. Misumi, K. Kaneko, T. Nishiyama, T. Maeda, K. Yamada (Nishi, Japan), K.-i. Ikeda (Japan), M. Kikuchi (Nishi, Japan), K. Takata, M. Saga and K. Ushioda (Futtsu, Japan)	29
Hydrothermal synthesis of high-efficiency Pr, N, P-tridoped TiO ₂ from TiCl ₄ hydrolysis and mechanism of its enhanced photoactivity H. Jiang, Q. Wang, S. Zang, J. Li and X. Wang (Harbin, PR China)	34
Growth mechanism of Al ₂ Cu precipitates during in situ TEM heating of a HPT deformed Al–3wt.%Cu alloy B. Rashkova, M. Faller, R. Pippan and G. Dehm (Leoben, Austria)	43
Li ₂ O–Al ₂ O ₃ –SiO ₂ glass–ceramic coating on a porous silica ceramic substrate T. Yang and S. Liu (Jinan, PR China)	51
Effect of excess Ni on martensitic transition, exchange bias and inverse magnetocaloric effect in Ni _{2+x} Mn _{1.4-x} Sn _{0.6} alloy M.K. Ray, K. Bagani and S. Banerjee (Kolkata, India)	55
Improved performance of dye-sensitized solar cell with a specially tailored TiO ₂ compact layer prepared by RF magnetron sputtering M.H. Abdullah and M. Rusop (Shah Alam, Malaysia)	60
Suppression of aqueous corrosion of La(Fe _{0.88} Si _{0.12}) ₁₃ by reducing dissolved oxygen concentration for high-performance magnetic refrigeration S. Fujieda, K. Fukamichi and S. Suzuki (Sendai, Japan)	67
Metallization and softening of B ₆ O at high pressure Y. Wang, Y. Wang, T. Yao, H. Li, L. Wu, M. Yang, J. Zhang and H. Gou (Qinhuangdao, China)	71
Unified modeling of flow softening and globularization for hot working of two-phase titanium alloy with a lamellar colony microstructure P. Gao, H. Yang, X. Fan and S. Zhu (Xi'an, PR China)	78
Morphology-controlled synthesis of MoS ₂ nanostructures with different lithium storage properties X. Wang, Z. Zhang, Y. Chen, Y. Qu, Y. Lai and J. Li (Changsha, China)	84
Improved thermoelectric performance of Nb-doped lead selenide Y. Han, Z. Chen, C. Xin, Y. Pei, M. Zhou, R. Huang and L. Li (China)	91
Structure and morphology evolution in mechanochemical processed CulnS ₂ powder S.-M. Wu, Y.-Z. Xue, L.-M. Zhou, X. Liu and D.-Y. Xu (Dalian, People's Republic of China)	96
Antiferromagnetic cluster spin-glass behavior in Pr ₁₁₇ Co _{54.5} Sn _{115.2} – A compound with a giant unit cell J. Liu, Y. Mudryk (Ames, USA), J.D. Zou (Ames, USA), (China), V.K. Pecharsky and K.A. Gschneidner Jr. (Ames, USA)	101
Structure and dielectric properties of rf sputtered Bi ₂ O ₃ –MgO–Nb ₂ O ₅ pyrochlore thin films L. Gao, S. Jiang, R. Li and Y. Li (Chengdu, China)	107
Open-system nanocasting synthesis of nanoscale α -Fe ₂ O ₃ porous structure with enhanced acetone-sensing properties X. Sun, H. Ji, X. Li, S. Cai and C. Zheng (Tianjin, PR China)	111

Giant dielectric response and enhanced thermal stability of multiferroic BiFeO ₃ P. Lin, S. Cui, X. Zeng (Shenzhen, PR China), H. Huang (Hong Kong, PR China) and S. Ke (Shenzhen, Hong Kong, PR China)	118
A study of the Al–Pd–Pt alloy system B. Grushko (Jülich, Germany), D. Kapush (Kyiv, Ukraine), S. Samuha and L. Meshi (Beer-Sheva, Israel)	125
Synthesis, characterization and sensing properties of ZnO-modified BN–FeB ₄₉ T. Zhao, L. Zhang, L. Li, G. Zhang, Kankan and K. Shi (Harbin, PR China)	130
Variation in the magnetic moment of Indium doped Ce _{0.1} Y _{2.9} Fe ₅ O ₁₂ garnet relative to the site inversion S.R. Naik and A.V. Salker (Goa, India).	137
Facile one-step synthesis and photoluminescence properties of Ag–ZnO core–shell structure H. Zhai, L. Wang (Siping, PR China), D. Han (Changchun, Beijing, China), H. Wang (Siping, PR China), J. Wang (Changchun, Beijing, China), X. Liu, X. Lin, X. Li, M. Gao and J. Yang (Siping, PR China)	146
Microstructural stability of nanostructured YSZ–alumina composite TBC compared to conventional YSZ coatings by means of oxidation and hot corrosion tests A. Keyvani (Shahrekord, Iran), M. Saremi, M. Heydarzadeh Sohi, Z. Valefi, M. Yeganeh (Iran) and A. Kobayashi (Kuala Lumpur, Malaysia), (Suita, Japan)	151
Highly conductive n- and p-type CuInO thin films by reactive evaporation S.A. Mary, B.G. Nair (Cochin, India), J. Naduvath (Mumbai, India), G.S. Okram (Indore, India), S.K. Remillard (Holland, USA), P.V. Sreenivasan and R.R. Philip (Cochin, India)	159
Preparation of octahedral CuO micro/nanocrystals and electrochemical performance as anode for lithium-ion battery L. Feng, Z. Xuan, Y. Bai, H. Zhao, L. Li, Y. Chen, X. Yang, C. Su, J. Guo and X. Chen (Kunming, China)	162
Ferroelectric and ferromagnetic properties of Bi _{7-x} La _x Fe _{1.5} Co _{1.5} Ti ₃ O ₂₁ ceramics prepared by the hot-press method Z. Lei, Y. Huang, M. Liu, W. Ge, Y. Ling, R. Peng (Hefei, PR China), X. Mao, X. Chen (Yangzhou, PR China) and Y. Lu (Hefei, PR China), (USA)	168
A large magnetic entropy change near room temperature in La _{0.8} Ba _{0.1} Ca _{0.1} Mn _{0.97} Fe _{0.03} O ₃ perovskite S. Ghodhbane, E. Tka, J. Dhahri (Monastir, Tunisia) and E.K. Hlil (Grenoble, France)	172
The thermodynamic assessment of the Au–In–Ga system M. Ghasemi (Lund, Sweden), B. Sundman (Gif sur Yvette, France), S.G. Fries (Bochum, Germany) and J. Johansson (Lund, Sweden)	178
Phase transformation and two-mode phonon behavior of (1 – x) [Ba Zr _{0.025} Ti _{0.975} O ₃]–(x) [BiFeO ₃] solid solutions P.A. Jha (Noida, India, India), P.K. Jha (Noida, India), A.K. Jha, R.K. Kotnala (India) and R.K. Dwivedi (Noida, India)	186
Synthesis, structure, and magnetic behavior of (La _x Ce _{1-x}) _{1.33} Pt ₄ Ga ₁₀ (0 ≤ x ≤ 1) R.T. Macaluso (Greeley, United States), M. Shatruk, P. Chai (Tallahassee, United States), H. Hong, C. Wangeline, K. Ryan, P. Holton (Greeley, United States), J. Allaz (Boulder, United States), G. Morrison, B. Fulfer, F. Fronczeck (Baton Rouge, United States) and J.Y. Chan (Baton Rouge, Richardson, United States)	193
Bump height confinement governed solder alloy hardening in Cu/SnAg/Ni and Cu/SnAgCu/Ni joint assemblies C.-Y. Ho, M.-T. Tsai, J.-G. Duh (Hsinchu, Taiwan) and J.-W. Lee (Taipei, Taiwan)	199
Mechanochemical synthesis of Ni(OH) ₂ and the decomposition to NiO nanoparticles: Thermodynamic and optical spectra A. Tang, X. Li, Z. Zhou, J. Ouyang and H. Yang (Changsha, PR China)	204
Thermally stable laser cladded CoCrCuFeNi high-entropy alloy coating with low stacking fault energy H. Zhang, Y.-Z. He (Ma'anshan, PR China), Y. Pan (Nanjing, PR China) and S. Guo (Gothenburg, Sweden)	210
Hot deformation behavior and processing map of a powder metallurgy Ti–22Al–25Nb alloy J. Jia (Harbin, Jilin, China), K. Zhang (Harbin, China), L. Liu and F. Wu (Beijing, China)	215
Keywords.	1