



Volume 601

15 July 2014  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Preparation of AgCl–ZnO nanocomposites as highly efficient visible-light photocatalysts in water by one-pot refluxing method M. Pirhashemi and A. Habibi-Yangjeh (Ardabil, Iran) . . . . .	1
Comparative characterization of Cu–Ni substrates for coated conductors H. Tian, H.L. Suo (Beijing, China), A.C. Wulff, J.-C. Grivel, O.V. Mishin and D. Juul Jensen (Roskilde, Denmark) . . . . .	9
Layered B-site cation ordering: A key factor in ferrimagnetism of Y <sub>2</sub> MnCrO <sub>6</sub> L. Hao (Hefei, China), L. Yang (Yichang, China), M.-H. Lee, T.-H. Lin (Taipei, Taiwan), Z. Zhang, X. Xie and H. Zhu (Hefei, China) . . . . .	14
Superconductivity in oxygen deficient LaNiAsO <sub>1-δ</sub> (δ = 0–0.3) L.M. Chen, B. Xu, Y. Zhang, X.Y. Zhang, Z.P. Chen, R. Zhang (Zhengzhou, China) and X. Wang (Tsukuba, Japan) . . . . .	19
The structure determination of Al <sub>20</sub> Cu <sub>2</sub> Mn <sub>3</sub> by near atomic resolution chemical mapping Z. Shen (Hangzhou, China), C. Liu (Changsha, China), Q. Ding (Hangzhou, China), S. Wang (Changsha, China), X. Wei, L. Chen, J. Li and Z. Zhang (Hangzhou, China) . . . . .	25
Structural features of nanocrystalline holmium oxide prepared by the thermal decomposition of organic precursors M.N. Abdusalyamova, F.A. Makhmudov, E.N. Shairmardanov (Dushanbe, Tajikistan), I.D. Kovalev, P.V. Fursikov, I.I. Khodos and Y.M. Shulga (Chernogolovka, Russia) . . . . .	31
Anatase–TiO <sub>2</sub> nanocoating of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> nanorod anode for lithium-ion batteries M.-m. Chen, X. Sun, Z.-j. Qiao, Q.-q. Ma and C.-y. Wang (Tianjin, PR China) . . . . .	38
X-ray photoemission, calorimetric, and electrical transport properties of CeCu <sub>4</sub> Mn <sub>y</sub> Al <sub>1-y</sub> K. Synoradzki, T. Toliński (Poznań, Poland), G. Chełkowska, A. Bajorek (Katowice, Poland), M. Zapotoková (Košice, Slovakia), M. Reiffers (Prešov, Slovakia) and A. Hoser (Berlin, Germany) . . . . .	43
Crystal structure, chemical bond and enhanced performance of β-Zn <sub>4</sub> Sb <sub>3</sub> compounds with interstitial indium dopant D. Tang, W. Zhao, J. Yu, P. Wei, H. Zhou, W. Zhu and Q. Zhang (Wuhan, China) . . . . .	50
Effect of high temperature aging on luminescence properties of <sup>5</sup> D <sub>0</sub> → <sup>7</sup> F <sub>2</sub> transition of 8YSZ:Eu powder and coating S. Zhao, Y. Zhao (Changchun, Beijing, China), B. Zou (Changchun, China), X. Fan, J. Xu (Changchun, Beijing, China), L. Zhu and X. Cao (Changchun, China) . . . . .	57
Effects of Ti interlayers on microstructures and hydrogen storage capacity in Mg/Pd multilayer thin films H. Jung (Seoul, Republic of Korea), J. Yuh (Gangnam-gu, Republic of Korea), S. Cho and W. Lee (Seoul, Republic of Korea) . . . . .	63
Sol–gel synthesis and characterization of fluoride-rich lanthanum–alumino–silicate gels doped with Ce <sup>3+</sup> and Ti <sup>4+</sup> G. Lakshminarayana, J.A. Torres, T.C. Lin (Los Alamos, USA), I.V. Kityk (Czestochowa, Poland) and M.P. Hehlen (Los Alamos, USA) . . . . .	67
Structural, photo and thermoluminescence studies of Eu <sup>3+</sup> doped orthorhombic YAlO <sub>3</sub> nanophosphors H.B. Premkumar (Bangalore, Tumkur, India), H. Nagabhushana (Tumkur, India), S.C. Sharma (Bhilai, India), S.C. Prashantha, H.P. Nagaswarupa, B.M. Nagabhushana and R.P.S. Chakradhar (Bangalore, India) . . . . .	75
Enhanced photocatalytic degradation of methyl orange by gamma Bi <sub>2</sub> O <sub>3</sub> and its kinetics S. Iyyapushpam, S.T. Nishanthi and D. Pathinettam Padiyan (Tirunelveli, India) . . . . .	85
Facile preparation of Ti <sup>3+</sup> self-doped TiO <sub>2</sub> nanosheets with dominant {0 0 1} facets using zinc powder as reductant L. Si, Z. Huang, K. Lv, D. Tang and C. Yang (Wuhan, PR China) . . . . .	88
Effect of zirconium addition on the phase transformations in as-cast and heat-treated Ti–Zr–Si–B alloys A.S. Ramos (Poços de Caldas, Brazil), C.A. Nunes (Lorena, Brazil), G. Rodrigues (Itajubá, Brazil) and E.C.T. Ramos (Poços de Caldas, Brazil) . . . . .	94
Resistive switching and Schottky diode-like behaviors in Pt/BiFeO <sub>3</sub> /ITO devices J.M. Luo (Meizhou, Guangzhou, China), S.H. Chen, S.L. Bu and J.P. Wen (Meizhou, China) . . . . .	100
Effects of surface self-assembled NH <sub>4</sub> <sup>+</sup> on the performance of TiO <sub>2</sub> -based ultraviolet photodetectors G. Liu, C. Tao, M. Zhang, X. Gu, F. Meng, X. Zhang (Changchun, China), Y. Chen (Beijing, China) and S. Ruan (Changchun, China) . . . . .	104

The influence of quench atomic disorder on the magnetocaloric properties of Ni–Co–Mn–In alloys S. Singh (Kolkata, India), I. Glavatsky (Berlin, Germany) and C. Biswas (Kolkata, India) . . . . .	108
Dielectric properties and energy-storage performance of (Na <sub>0.5</sub> Bi <sub>0.5</sub> )TiO <sub>3</sub> thick films Y. Zhao, X. Hao (Baotou, China) and M. Li (Hohhot, China) . . . . .	112
Synthesis of super paramagnetic particles of Mn <sub>1-x</sub> Mg <sub>x</sub> Fe <sub>2</sub> O <sub>4</sub> ferrites for hyperthermia applications A. Iftikhar, M.U. Islam (Multan, Pakistan), M.S. Awan (Islamabad, Pakistan), M. Ahmad (Multan, Pakistan), S. Naseem (Lahore, Pakistan) and M. Asif Iqbal (Islamabad, Pakistan) . . . . .	116
High strength and large ductility in spray-deposited Al–Zn–Mg–Cu alloys H. Yu, M. Wang, Y. Jia (Changsha, PR China), Z. Xiao (Liverpool, UK), C. Chen, Q. Lei, Z. Li, W. Chen (Changsha, PR China), H. Zhang (Zhengjiang, PR China), Y. Wang and C. Cai (Changsha, PR China). . . . .	120
Synthesis and conductivity performance of K <sub>0.57</sub> WO <sub>3</sub> tungsten bronze with gaseous permeating of K <sub>7</sub> MnFeW <sub>11</sub> O <sub>39</sub> ·13H <sub>2</sub> O by Sm Y.-P. Wang, B.-B. Zhou and L.-H. Zhang (Harbin, PR China) . . . . .	126
Influence of particle sizes on the electronic behavior of Zn <sub>x</sub> Co <sub>1-x</sub> Fe <sub>2</sub> O <sub>4</sub> spinels (x = 0.2, 0.3) R. Viñas, I. Álvarez-Serrano, M.L. López, C. Pico, M.L. Veiga (Madrid, Spain), F. Mompeán and M. García-Hernández (Madrid, Spain) . . . . .	130
Formation of profuse long period stacking ordered microcells in Mg–Gd–Zn–Zr alloy during multipass ECAP process F.M. Lu, A.B. Ma, J.H. Jiang, D.H. Yang, Y.C. Yuan and L.Y. Zhang (Nanjing, China) . . . . .	140
Fabrication of carbon nanotube reinforced iron based magnetic alloy composites by spark plasma sintering M.K. Mani, G. Viola, M.J. Reece, J.P. Hall and S.L. Evans (London, UK) . . . . .	146
Improved thermal stability of [0 0 1] <sub>c</sub> poled 0.24Pb(In <sub>1/2</sub> Nb <sub>1/2</sub> )O <sub>3</sub> –0.47Pb(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> –0.29PbTiO <sub>3</sub> single crystal with manganese doping Y. Wang (Harbin, Daqing, China), E. Sun, W. Song, W. Li, R. Zhang (Harbin, China) and W. Cao (Harbin, China), (Pennsylvania, USA) . . . . .	154
Improvement of low-field magnetic entropy change by increasing Fe concentration in solid-state reactive sintered La(Fe <sub>x</sub> Si <sub>1-x</sub> ) <sub>13</sub> A. Fujita, Y. Nakayama, M. Kano and D. Matsunami (Sendai, Japan) . . . . .	158
Creation of RT-FM in CdO nanocrystalline powder by codoping with Cu and Gd: Effect of annealing in hydrogen atmosphere M. Bououdina and A.A. Dakhel (Bahrain). . . . .	162
In situ gas bubble-assisted one-step synthesis of polymorphic Co <sub>3</sub> O <sub>4</sub> nanostructures with improved electrochemical performance for lithium ion batteries G. Tong, Y. Liu (Jinhua, PR China) and J. Guan (Wuhan, PR China). . . . .	167
Non-stoichiometric nickel arsenides in nature: The structure of orcelite, Ni <sub>5-x</sub> As <sub>2</sub> (x = 0.25), from the Bon Accord oxide body, South Africa L. Bindi (Firenze, Italy), M. Tredoux (Bloemfontein, South Africa), F. Zaccarini (Leoben, Austria), D.E. Miller (Bloemfontein, South Africa) and G. Garuti (Leoben, Austria). . . . .	175
Superplastic behavior of Al-coated Mg alloy sheet T. Tokunaga, K. Matsuura and M. Ohno (Hokkaido, Japan). . . . .	179
Redox transitions in strontium vanadates: Electrical conductivity and dimensional changes J. Macías, A.A. Yaremchenko and J.R. Frade (Aveiro, Portugal) . . . . .	186
A new sonication-assisted ionic liquid-based route to microcrystals of lanthanide fluorides and their photoluminescent properties Y. Li and S. Xu (Hangzhou, China) . . . . .	195
Magnetic property study of Gd doped TiO <sub>2</sub> nanoparticles S. Paul, B. Choudhury and A. Choudhury (Tezpur, India) . . . . .	201
Structural, dielectric and ferroelectric properties of PLZFNT ceramics P. Kumar, P. Singh, J.K. Juneja (Sonapat, India), K.K. Raina (Patiala, India), R.P. Pant (New Delhi, India), C. Prakash (Delhi, India) and S. Singh (Sonapat, India). . . . .	207
Elemental redistribution behavior in tellurite glass induced by high repetition rate femtosecond laser irradiation Y. Teng, J. Zhou, S.N. Khisro, S. Zhou (Hangzhou, PR China) and J. Qiu (Hangzhou, Guangzhou, PR China) . . . . .	212
Enhanced high-temperature cycling of Li <sub>2</sub> O–2B <sub>2</sub> O <sub>3</sub> -coated spinel-structured LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> cathode material for application to lithium-ion batteries J.S. Chae (Geumcheon-gu, Suwon, Republic of Korea), S.-B. Yoon (Seodaemoon-gu, Republic of Korea), W.-S. Yoon (Suwon, Republic of Korea), Y.-M. Kang (Seoul, Republic of Korea), S.-M. Park (Geumcheon-gu, Republic of Korea), J.-W. Lee (Cheonan-si, Republic of Korea) and K.C. Roh (Geumcheon-gu, Republic of Korea) . . . . .	217
Electrical, optical, and microstructural properties of sol-gel derived HfZnO thin films C.-H. Li and J.-Z. Chen (Taipei City, Taiwan) . . . . .	223
A novel white emission in Ca <sub>8</sub> MgBi(PO <sub>4</sub> ) <sub>7</sub> :Dy <sup>3+</sup> single-phase full-color phosphor Z.W. Zhang, A.J. Song, M.Z. Ma, X.Y. Zhang, Y. Yue and R.P. Liu (Qinhuangdao, China). . . . .	231
Study of ferromagnetic instability in τ-MnAl, using first-principles K. Anand, J.J. Pulikkotil and S. Auluck (New Delhi, India). . . . .	234
Magnetic properties and specific heat data of R <sub>17</sub> Ni <sub>4</sub> In <sub>9</sub> (R = Pr, Nd, Sm, Gd and Tb) compounds A. Szytuła, S. Baran, J. Przewoźnik (Kraków, Poland), Yu. Tyvanchuk and Ya. Kalychak (Lviv, Ukraine). . . . .	238
Stable Fe deficient Sr <sub>2</sub> Fe <sub>1-δ</sub> MoO <sub>6</sub> (0.0 ≤ δ ≤ 0.10) compound N. Kumar (New Delhi, Kurukshetra, India), A. Gaur (Kurukshetra, India) and R.K. Kotnala (New Delhi, India) . . . . .	245

Evaluation of Al–Cu–Mg alloy/bean pod ash nanoparticles synthesis by double layer feeding–stir casting method C.U. Atuanya (Awka, Nigeria) and V.S. Aigbodion (Nsukka, Nigeria) .....	251
Synthesis and characterizations of $Ce_{0.85}(Sm_xNd_{1-x})_{0.15}O_{2-\delta}$ ceramics L. Ma, K. Zhao, B.-H. Kim (Jeonju, South Korea), Q. Li and J. Huang (Luoyang, PR China) .....	260
Influence of nitrogen on the synthesis and nucleation ability of $TiC_x$ in Al–Ti–C master alloy P. Zhang, J. Nie, T. Gao, T. Wang and X. Liu (Jinan, PR China) .....	267
Effects of hydrogen loading and type of titanium hydride on grain refinement and mechanical properties of Ti–6Al–4V C.-C. Shen and C.-M. Wang (Chung-Li, Taiwan) .....	274
Influence of Cr/Zr doping on the electronic structure and hydrogen storage properties of the $Mg_2Ni$ (0 1 0) surface: A first principles study B. Xu, M. Li, X. Li, P. Zhang and L. Meng (Shijiazhuang, China) .....	280
Fabrication of W–Cu functionally graded material with improved mechanical strength P. Zhao, S. Guo, G. Liu, Y. Chen and J. Li (Beijing, China) .....	289
Photo- and thermo-stable luminescent beads composed of Eu(III) complexes and PMMA for enhancement of silicon solar cell efficiency H. Kataoka, T. Kitano, T. Takizawa (Yokohama, Japan), Y. Hirai, T. Nakanishi and Y. Hasegawa (Sapporo, Japan) .....	293
On the morphology and crystallography of $Hg_5In_2Te_8$ precipitation in $Hg_3In_2Te_6$ J. Sun (Xi'an, China), (NSW, Australia), L. Fu (Xi'an, China), H. Liu (NSW, Australia), Y. Li (Xi'an, China), S.P. Ringer and Z. Liu (NSW, Australia)	298
Kinetics of phase transformation and optical property of pink coral zirconia powders H.-L. Chu, C.-L. Wang, W.-S. Hwang (Tainan, Taiwan), K.-C. Lee (Kaohsiung, Taiwan), X. Zhou (Wuhan, PR China) and M.-C. Wang (Kaohsiung, Taiwan) .....	307
Keywords .....	I