

Volume 602

25 July 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER


H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Crystal structure and physical properties of the ternary antimonides $R_3Ni_6Sb_5$, $R = Y, Gd, Tb$ S. Stoyko, O. Zhak, S. Oryshchyn, V. Babizhetskyy (Lviv, Ukraine) and K. Hiebl (Wien, Austria)	1
Reduction synthesis of Fe_xO_y/SiO_2 core-shell nanostructure with enhanced microwave-absorption properties J. Zheng (Nanjing, PR China), Z. Yu (Chengdu, PR China), G. Ji, X. Lin, H. Lv and Y. Du (Nanjing, PR China)	8
Unique $Li_{0.3}Ti_{0.02}Ni_{0.68}O$ -carbon nanotube hybrids: Synthesis and their epoxy resin composites with remarkably higher dielectric constant and lower dielectric loss Y. Shen, G. Liang, L. Yuan, Z. Qiang and A. Gu (Suzhou, China)	16
Magnetic properties of $EuCuAs$ single crystal J. Tong (Hangzhou, China), (Buffalo, USA), J. Parry (Buffalo, USA), Q. Tao, G.-H. Cao, Z.-A. Xu (Hangzhou, China) and H. Zeng (Buffalo, USA)	26
Microstructure, texture and mechanical properties of as-extruded $Mg-Zn-Er$ alloys containing W -phase Q. Wang, K. Liu, Z. Wang, S. Li and W. Du (Beijing, PR China)	32
Comment on 'Local structure, magnetization and Griffiths phase of self-doped $La_{1-x}MnO_{3+\delta}$ manganites' E. Rozenberg (Beer-Sheva, Israel)	40
Photocatalytic activity of galvanically synthesized nanostructure SnO_2 thin films S. Jana, B.C. Mitra (Howrah, India), P. Bera (Panskura, India), M. Sikdar and A. Mondal (Howrah, India)	42
Phase equilibria in the $Co-Ti-V$ system at 873 K G.J. Zhou (Yue-yang, China), J.G. Tang (Chang-Sha, China), Y. Zhou, W.K. An and An.H. Cai (Yue-yang, China)	49
Microstructural characterization and compression properties of $Ti_{0.61}Cu(Al)$ composite synthesized from Cu and Ti_3AlC_2 powders Z. Huang (Beijing, China), (Futuroscope Chasseneuil Cedex, France), J. Bonneville (Futuroscope Chasseneuil Cedex, France), H. Zhai (Beijing, China), V. Gauthier-Brunet and S. Dubois (Futuroscope Chasseneuil Cedex, France)	53
Experimental investigation and thermodynamic calculation of the $Al-Si-Ti$ system in Al -rich corner Q. Luo, Q. Li, J.-Y. Zhang, S.-L. Chen and K.-C. Chou (Shanghai, China)	58
Thermodynamics, core-level spectroscopy, morphology, and work function study of different $TiCl_3$ crystalline phases: A theoretical approach L. Guo, W. Li (Chongqing, PR China), W. Feng (Shenyang, PR China), Z. Zhang (Dalian, PR China) and S. Zhang (Chongqing, PR China)	66
Thermodynamic predictions for the manufacture of Ti_2AlC MAX-phase ceramic by combustion synthesis T. Thomas and C.R. Bowen (Bath, UK)	72
Stability phase diagram of $GdBa_2Cu_3O_{7-\delta}$ in low oxygen pressures J.-W. Lee, S.-M. Choi, J.-H. Song (Seoul, Republic of Korea), J.-H. Lee, S.-H. Moon (Anseong, Republic of Korea) and S.-I. Yoo (Seoul, Republic of Korea)	78
High-frequency magnetic properties and their thermal stability in diluted $IrMn-Al_2O_3/FeCo$ exchange-biased multilayers B. Peng (Chengdu, PR China), (Singapore), N.N. Phuoc and C.K. Ong (Singapore)	87
Microwave assisted in situ synthesis of $Ag-NaCMC$ films and their reproducible surface-enhanced Raman scattering signals T. Jiang, J. Li, L. Zhang, B. Wang and J. Zhou (Ningbo, China)	94
Effects of Mg on microstructure and corrosion properties of $Zn-Mg$ alloy C. Yao, Z. Wang (Auckland, New Zealand), S.L. Tay (Auckland, New Zealand), (Kuala Lumpur, Malaysia), T. Zhu and W. Gao (Auckland, New Zealand)	101
Synthesis and characterization of nanostructured ZnO multilayer grown by DC magnetron sputtering M. Shirazi (Isfahan, Iran), M.T. Hosseinejad (Tehran, Iran), A. Zendeenam (Arak, Iran), M. Ghoranneviss and G. Reza Etaati (Tehran, Iran)	108
Improvement of thermoelectric performance for Te -doped $CoSb_3$ by higher synthesis pressure L. Deng (Changchun, China), (Changchun, PR China), L.B. Wang, X.P. Jia, H.A. Ma, J.M. Qin and Y.C. Wan (Changchun, China)	117

Structural and magnetic properties of Nd–Mn substituted Y-type hexaferrites synthesized by microemulsion method G. Murtaza, R. Ahmad, T. Hussain, R. Ayub (Lahore, Pakistan), I. Ali (Multan, Pakistan), M.A. Khan (Bahawalpur, Pakistan) and M.N. Akhtar (Lahore, Pakistan)	122
Ternary rare-earth manganese germanides RE ₃ Mn ₂ Ge ₃ (RE = Ce–Nd) and a possible oxygen-interstitial derivative Nd ₄ Mn ₂ Ge ₅ O _{0.6} A.O. Oliylyk, K. Djama-Kayad and A. Mar (Edmonton, Canada)	130
Structural transformations in the Co ₅₃ Mo ₃₅ Cr ₁₂ alloy at different temperatures Y. Ustinovshikov (Izhevsk, Russia)	135
Improvement in sinterability of β-SiAlON produced from kaolin F. Çalışkan (Sakarya, Turkey)	140
Study of structural, electrical and magnetic properties of Cr doped Ni–Mg ferrite nanoparticle Mohd. Hashim (Aligarh, India), S.S. Meena (Mumbai, India), R.K. Kotnala (New Delhi, India), S.E. Shirsath (Nagano, Japan), A.S. Roy (Gulbarga, India), A. Parveen (Gurmitkal Yadgir, India), P. Bhatt (Mumbai, India), S. Kumar (Changwon, Republic of Korea), R.B. Jotania (Ahmedabad, India) and R. Kumar (Hamirpur, India) Alimuddin (Aligarh, India)	150
Mechanical stress in silicon nanosized architectures: Defects of SOD processed silica filler P.C. Ricci, R. Casula (Monserato, Italy), G. Gulleri, F. Fumagalli (Agrate Brianza, Italy), C.M. Carbonaro and R. Corpino (Monserato, Italy)	157
3D microstructural characterization and mechanical properties of constituent particles in Al 7075 alloys using X-ray synchrotron tomography and nanoindentation S.S. Singh, C. Schwartzstein, J.J. Williams (Tempe, USA), X. Xiao, F. De Carlo (Argonne, USA) and N. Chawla (Tempe, USA)	163
Transparent bipolar resistive switching memory devices based on Mn doped SnO ₂ films X. Wu, Z. Xu, F. Zhao, X. Xu, B. Liu, T. Sun, S. Liu, W. Zhao and Z. Ma (Wuhan, People's Republic of China)	175
Structural, morphological and optical properties of spray deposited Mn-doped CeO ₂ thin films CH.S.S. Pavan Kumar, R. Pandeeswari and B.G. Jeyaprakash (Thanjavur, India)	180
Fabrication and superior ductility of laminated Ti–TiBw/Ti composites by diffusion welding B.X. Liu, L.J. Huang, L. Geng, B. Wang, C. Liu and W.C. Zhang (Harbin, China)	187
Mg-controlled formation of Mg–Ag co-clusters in initial aged Al–Cu–Mg–Ag alloys S. Bai, Z. Liu, X. Zhou, P. Xia and S. Zeng (Changsha, PR China)	193
Fabrication of highly crystallized Cu ₂ SnS ₃ thin films through sulfurization of Sn-rich metallic precursors H. Zhang, M. Xie, S. Zhang and Y. Xiang (Chengdu, China)	199
Non-equilibrium magnetic properties of Sm _{0.43} Ca _{0.57} MnO ₃ nanoparticles V. Markovich, B. Dolgin (Beer-Sheva, Israel), R. Puzniak (Warsaw, Poland), A. Wisniewski (Beer-Sheva, Israel), I. Fita (Warsaw, Poland), (Donetsk, Ukraine), D. Mogilyansky, E. Dvir, G. Gorodetsky (Beer-Sheva, Israel) and G. Jung (Beer-Sheva, Israel), (Warsaw, Poland)	204
Synthesis of porous adsorbent using microwave assisted combustion method and dye removal N.M. Mahmoodi, O. Masrouri and A.M. Arabi (Tehran, Iran)	210
Third-order optical nonlinearity of Na ₂ O–B ₂ O ₃ –SiO ₂ glass doped with lead nanoparticles prepared by sol–gel method C. Zhang, W. Xiang, H. Luo, H. Liu, X. Liang, X. Ma, L. Pei, Z. Chen, J. Li, H. Gao and L. Ma (Wenzhou, China)	221
Formation mechanism of monodisperse Ce ³⁺ substituted ZnFe ₂ O ₄ nanoparticles S. Kuai and Z. Nan (Yangzhou, China)	228
Improved ductility and oxidation resistance of cast Ti–6Al–4V alloys by microalloying J.H. Luan, Z.B. Jiao (Hong Kong, China), G. Chen (Nanjing, Danyang, China) and C.T. Liu (Hong Kong, China)	235
Broadband dielectric spectroscopy of BaTiO ₃ –Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ composite ceramics A. Sakanas, R. Grigalaitis, J. Banys (Vilnius, Lithuania), L. Mitoseriu (Iasi, Romania), V. Buscaglia and P. Nanni (Genoa, Italy)	241
Study of the YbTe–SnTe–Sb ₂ Te ₃ quasi-ternary system Z.S. Aliev (Baku, Azerbaijan), G.I. Ibadova (Baku, Azerbaijan), J.-C. Tedenac (Montpellier, France) and M.B. Babanly (Baku, Azerbaijan)	248
Enhanced transmittance, mechanical durability, and anti-fingerprinting qualities of silver nanoparticles deposited onto glass substrates S.-Y. Heo, B.-J. Park, J.-R. Jeong and S.-G. Yoon (Daejeon, Republic of Korea)	255
Linear and mass attenuation coefficient for CdTe compound of X-rays from 10 to 100 keV energy range in different phases A. Saim, A. Tebboune, H. Berkok, N. Belameiri and A.H. Belbachir (Oran, Algeria)	261
Structure and magnetic properties of the layered perovskite PbVO ₃ A. Okos (Cluj-Napoca, Romania), (Grenoble cedex, France), C. Colin, C. Darie (Grenoble cedex, France), O. Raita (Cluj-Napoca, Romania), P. Bordet (Grenoble cedex, France) and A. Pop (Cluj-Napoca, Romania)	265
Tunable dielectric behaviors of magnetic field of PZT5/NiFe ₂ O ₄ ceramic particle magnetoelectric composites at room temperature T. Cheng, L.F. Xu, P.B. Qi, C.P. Yang, R.L. Wang and H.B. Xiao (Wuhan, PR China)	269
Low temperature synthesis, characterization and tunable optical properties of Eu ³⁺ , Tb ³⁺ doped CaMoO ₄ nanoparticles K.G. Sharma, Th.P. Singh and N.R. Singh (Imphal, India)	275
Synchrotron radiation real-time in situ study on dissolution and precipitation of Ag ₃ Sn plates in sub-50 μm Sn–Ag–Cu solder bumps M.L. Huang, F. Yang, N. Zhao and Y.C. Yang (Dalian, China)	281
Enhanced electric field induced strain in SrTiO ₃ modified (K,Na)NbO ₃ -based piezoceramics M.R. Bafandeh (Kashan, Iran), R. Gharahkhani (Isfahan, Iran) and J.-S. Lee (Ulsan, Republic of Korea)	285
Microwave-assisted fabrication and characterization of p-ZnO:(Ag,N) nanorods/n-Si photodetector L. Duan, P. Wang, F. Wei, X. Yu, J. Fan, H. Xia, P. Zhu and Y. Tian (Xi'an, China)	290

Highly conducting and wide-band transparent F-doped Zn _{1-x} Mg _x O thin films for optoelectronic applications Y.M. Guo, L.P. Zhu, J. Jiang, Y.G. Li, L. Hu, H.B. Xu and Z.Z. Ye (Hangzhou, PR China)	294
Galvanomagnetic and optical properties of chromium doped PbTe J. Trajic, N. Romcevic, M. Romcevic, D. Stojanovic (Belgrade, Serbia), L.I. Ryabova and D.R. Khokhlov (Moscow, Russia)	300
Structural and optical properties of terbium doped lanthanum orthophosphate nanowires synthesized by hydrothermal method D.T.M. Huong, L.T. Trang, L.V. Vu and N.N. Long (Thanh Xuan, Viet Nam)	306
Investigation of the as-solidified microstructure of an Al-Mg-Si-Cu alloy K. Li, M. Song, Y. Du, Y. Tang (Changsha, China), H. Dong (Leicester, UK) and S. Ni (Changsha, China)	312
Facile fabrication of NaTaO ₃ film and its photoelectric properties M. Zhang, G. Liu, D. Zhang (Changchun, China), Y. Chen (Beijing, China), S. Wen and S. Ruan (Changchun, China)	322
Evaluation of thermoplastic formability of Zr-based bulk metallic glasses and its correlation with characteristic temperature parameters Q. Hu, M.W. Fu (Hong Kong, China) and X.R. Zeng (Shenzhen, China)	326
Hardness, electrical resistivity, and modeling of <i>in situ</i> Cu-Nb microcomposites L. Deng (Chongqing, China), (Tallahassee, USA), K. Han (Tallahassee, USA), K.T. Hartwig (TX, USA), T.M. Siegrist, L. Dong (Tallahassee, USA), Z. Sun, X. Yang and Q. Liu (Chongqing, China)	331
Glass-forming ability, crystallization kinetics, mechanical property, and corrosion behavior of Zr-Al-Ni-Ag glassy alloys N. Hua (Fuzhou, China) and T. Zhang (Beijing, China)	339
TEM analysis, mechanical characterization and oxidation resistance of a highly refractory ZrB ₂ composite L. Silvestroni and D. Sciti (Faenza, Italy)	346
Keywords	III