


Volume 603

5 August 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Directly aqueous synthesis of well-dispersed superparamagnetic Fe ₃ O ₄ nanoparticles using ionic liquid-assisted co-precipitation method J. Hu, X. Hu, A. Chen and S. Zhao (Hangzhou, PR China)	1
Hydrogenation properties and crystal structure of YMgT ₄ (T = Co, Ni, Cu) compounds V.V. Shtender (Lviv, Ukraine), R.V. Denys (Lviv, Ukraine), (Kjeller, Norway), V. Paul-Boncour (Thiais, France), A.B. Riabov and I.Yu. Zavaliiy (Lviv, Ukraine)	7
Production and characterization of nanocomposite thin films based on Ni matrix reinforced with SnO ₂ single-crystalline nanowires for electrical contact applications F.L. Miguel (Saarbrücken, Germany), R. Müller (Cologne, Germany), M. Weinmann, R. Hempelmann (Saarbrücken, Germany), S. Mathur (Cologne, Germany) and F. Mücklich (Saarbrücken, Germany)	14
Experimental study on hydrogen storage properties of Li–Mg–N–H based tank M.Y. Yan, F. Sun, X.P. Liu, J.H. Ye, H.P. Yuan, S.M. Wang and L.J. Jiang (Beijing, China)	19
An experimental study on the mechanism of texture evolution during hot-rolling process in a β titanium alloy H. Kou (Xi'an, PR China), Y. Chen (Xi'an, PR China), (Madrid, Spain), B. Tang (Xi'an, PR China), Y. Cui (Madrid, Spain), F. Sun, J. Li and X. Xue (Xi'an, PR China)	23
Synthesis, characterization, and photoluminescent properties of (La _{0.95} Eu _{0.05}) ₂ O ₂ SO ₄ red phosphors with layered hydroxyl sulfate as precursor X. Wang (Shenyang, China), J.-G. Li (Shenyang, China), (Tsukuba, Japan), Q. Zhu, X. Li, X. Sun (Shenyang, China) and Y. Sakka (Tsukuba, Japan)	28
Syntheses and photocatalytic performances of vertically grown Fe ₂ O ₃ and TiO ₂ /Fe ₂ O ₃ nanorods on coated glass substrates H. Zhang, G. Zhao, T. Zhang and F. Teng (Beijing, PR China)	35
Strengthening mechanism of two-phase titanium alloys with basketweave microstructure S.X. Liang (Qinhuangdao, Handan, China), L.X. Yin, R.J. Jiang (Handan, China), X.Y. Zhang, M.Z. Ma and R.P. Liu (Qinhuangdao, China)	42
Carbon coated LiTi ₂ (PO ₄) ₃ as new insertion anode for aqueous Na-ion batteries N. Arun, V. Aravindan, W.C. Ling and S. Madhavi (Singapore)	48
Fe-doped In ₂ O ₃ /α-Fe ₂ O ₃ core/shell nanofibers fabricated by using a co-electrospinning method and its magnetic properties B.-R. Koo (Seoul, Republic of Korea), I.-K. Park (Gyeongbuk, Republic of Korea) and H.-J. Ahn (Seoul, Republic of Korea)	52
Growth by thermal evaporation of Al doped ZnS elongated micro- and nanostructures and their cathodoluminescence properties B. Sotillo, P. Fernández and J. Piqueras (Madrid, Spain)	57
Equilibrium shape of isolated precipitates in the α-Mg phase Y. Tsukada, Y. Beniya and T. Koyama (Nagoya, Japan)	65
Vaporization studies on elemental tellurium and selenium by Knudsen effusion mass spectrometry R. Viswanathan, R. Balasubramanian, D. Darwin Albert Raj, M. Sai Baba and T.S. Lakshmi Narasimhan (Kalpakkam, India)	75
X-ray diffraction and Raman spectroscopy studies of temperature and composition induced phase transitions in Ba _{2-x} Sr _x MgTeO ₆ (0 ≤ x ≤ 2) Y. Tamraoui, B. Manoun, F. Mirinioui, R. Haloui (Morocco) and P. Lazor (Uppsala, Sweden)	86
Dielectric, piezoelectric properties of MnO ₂ -doped (K _{0.5} Na _{0.5})NbO ₃ -0.05LiNbO ₃ crystal grown by flux-Bridgman method Y. Liu (Shanghai, Beijing, PR China), G. Xu, J. Liu, D. Yang (Shanghai, PR China) and X. Chen (Shanghai, Beijing, PR China)	95
Experimental determination of the phase equilibria of the Mg–Nd–Zn system at 320 °C H. Xu, J. Fan (Changsha, PR China), H.-L. Chen (Stockholm, Sweden), R. Schmid-Fetzer (Clausthal-Zellerfeld, Germany), F. Zhang, Y. Wang, Q. Gao and T. Zhou (Changsha, PR China)	100

Synergetic effect of graphene nanoplatelets (GNPs) and multi-walled carbon nanotube (MW-CNTs) on mechanical properties of pure magnesium M. Rashad, F. Pan, A. Tang (Chongqing, China), M. Asif (Dalian, China) and M. Aamir (Chongqing, China)	111
Influence of silver incorporation on the structural, optical and electrical properties of spray pyrolyzed indium sulfide thin films E. Aydin, M. Sankir and N.D. Sankir (Ankara, Turkey)	119
Laser treatment of boron carbide surfaces: Metallurgical and morphological examinations B.S. Yilbas (Dhahran, Saudi Arabia) and C. Karatas (Ankara, Turkey)	125
Spectroscopic properties of Er ³⁺ -doped antimony oxide glass K. Ouannes, M.T. Soltani (Biskra, Algeria), M. Poulain (Rennes, France), G. Boulon, G. Alombert-Goget, Y. Guyot, A. Pillonnet and K. Lebbou (Villeurbanne, France)	132
Efficient monochromatic red, green, and blue up-converted luminescence from Yb ³⁺ -doped micro-phosphors co-doped with Er ³⁺ or Tm ³⁺ ions C. Zha, P. Osvath, A. Launikonis and A.D. Scully (Clayton, Australia)	136
Anatase-TiO ₂ /CNTs nanocomposite as a superior high-rate anode material for lithium-ion batteries J. Liu, H. Feng, J. Jiang, D. Qian, J. Li, S. Peng and Y. Liu (Changsha, PR China)	144
Effect of SrTiO ₃ template on electric properties of textured BNT–BKT ceramics prepared by templated grain growth process W. Bai, L. Li, W. Li, B. Shen, J. Zhai (Shanghai, China) and H. Chen (Macau, China)	149
A Novel synthesis of MgS and its application as electrode material for lithium-ion batteries M. Wang, X. Li, M. Gao, H. Pan and Y. Liu (Hangzhou, PR China)	158
Enhanced magnetocaloric and mechanical properties of melt-extracted Gd ₅₅ Al ₂₅ Co ₂₀ micro-fibers H. Shen, H. Wang (Harbin, People's Republic of China), J. Liu (Hohhot, People's Republic of China), D. Xing (Harbin, People's Republic of China), F. Qin (Tsukuba, Japan), F. Cao, D. Chen, Y. Liu and J. Sun (Harbin, People's Republic of China)	167
A systematic, first-principles study of the structural preference and magnetic properties of mononitrides of the d-block metals V.F. Hlynsson, E. Skúlason and A.L. Garden (Reykjavík, Iceland)	172
Ab initio study of V ₂ CuAl as a new ternary Heusler alloy F. Wang (Tianjin, China), L. Feng, D. Zhang (Hebei, China), Q. Tang and H. Liu (Tianjin, China)	180
Structural, elastic and electronic properties of CuYO ₂ from first-principles study C. Cheng (Chengdu, China), Z.-L. Lv (Chengdu, Luoyang, China), Y. Cheng (Chengdu, China), (USA) and G.-F. Ji (Mianyang, China)	183
Hexamethylenetetramine-induced synthesis of hierarchical NiO nanostructures on nickel foam and their electrochemical properties S. Lv (Changchun, China), C. Wang (Changchun, Harbin, China) and S. Xing (Changchun, China)	190
Ni/SiC–6H Schottky Barrier Diode interfacial states characterization related to temperature M. Benamara, M. Anani, B. Akkal and Z. Benamara (Sidi Bel Abbes, Algeria)	197
High rate Li ₄ Ti ₅ O ₁₂ –Fe ₂ O ₃ and Li ₄ Ti ₅ O ₁₂ –CuO composite anodes for advanced lithium ion batteries M. Hu, Y. Jiang and M. Yan (Hangzhou, China)	202
Microstructure and mechanical properties of hot isostatically pressed Ti–6Al–4V alloy Y. Kim, E.-P. Kim, Y.-B. Song, S.H. Lee (Yuseong-gu, Republic of Korea) and Y.-S. Kwon (Sacheon, Republic of Korea)	207
The low resistive and transparent Al-doped SnO ₂ films: p-type conductivity, nanostructures and photoluminescence C.E. Benouis, M. Benhaliliba (Oran, Algeria), Z. Mouffak (Fresno, USA), A. Avila-Garcia (México, D.F., Mexico), A. Tiburcio-Silver (Estado de Mexico, Mexico), M. Ortega Lopez, R. Romano Trujillo (C.U. Puebla, Pue., Mexico) and Y.S. Ocak (Diyarbakir, Turkey)	213
Modulation of electric conduction in La–Mg codoped multiferroic BiFeO ₃ ceramics X.J. Xi (Tianjin, China), S.Y. Wang (Tianjin, China), (Hong Kong), W.F. Liu, H.J. Wang, F. Guo, X. Wang (Tianjin, China), J. Gao (Hong Kong) and D.J. Li (Tianjin, China)	224
Influence of Al on synthesis and properties of carbon-encapsulated iron nanoparticles O. Łabędź, A. Grabias, W. Kaszuwara and M. Bystrzejewski (Warsaw, Poland)	230
Static globularization kinetics for Ti-17 alloy with initial lamellar microstructure J. Xu, W. Zeng, Z. Jia, X. Sun (Xi'an, China) and J. Zhou (Shanghai, China)	239
Effect of Rb doping on ferroelectric and piezoelectric properties of Bi _{0.5} Na _{0.5} TiO ₃ –BaTiO ₃ thin films S.K. Acharya (Jeonju, Yongin, Republic of Korea), B.-G. Ahn (Jeonju, Republic of Korea), C.U. Jung (Yongin, Republic of Korea), J.-H. Koh, I.-H. Choi and S.-K. Lee (Seoul, Republic of Korea)	248
Systematic analysis of spectroscopic characteristics of the lanthanide and actinide ions with the 4f ^N –15d and 5f ^N –16d electronic configurations in a free state C.-G. Ma (Chongqing, PR China), M.G. Brik (Chongqing, PR China), (Tartu, Estonia), (Czestochowa, Poland), Y. Tian and Q.-X. Li (Chongqing, PR China)	255
Study of the functional properties of ITO grown by metalorganic chemical vapor deposition from different indium and tin precursors P.D. Szkutnik, H. Roussel (Grenoble cedex, France), V. Lahootun (Les-Loges-en-Josas, France), X. Mescot (Grenoble, France), F. Weiss and C. Jiménez (Grenoble cedex, France)	268

Oxide ion transport in $(\text{Nd}_{2-x}\text{Zr}_x)\text{Zr}_2\text{O}_{7+\delta}$ electrolytes by an interstitial mechanism A.V. Shlyakhtina, D.A. Belov, A.V. Knotko (Moscow, Russia), M. Avdeev (Kirrawee DC, Australia), I.V. Kolbanev, G.A. Vorobieva, O.K. Karyagina and L.G. Shcherbakova (Moscow, Russia)	274
First-principles study of thermophysical properties of uranium dioxide Z.-G. Mei, M. Stan (Argonne, United States) and J. Yang (Seattle, United States)	282
Keywords	I