

NU
J80/zac



ELSEVIER

Volume 606

5 September 2014
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Structure and hyperfine interactions in $\text{Bi}_{1-x}\text{Nd}_x\text{FeO}_3$ solid solutions prepared by solid-state sintering T. Pikula (Lublin, Poland), J. Dzik, A. Lisinska-Czekaj, D. Czekaj (Sosnowiec, Poland) and E. Jartych (Lublin, Poland)	1
Effects of Mo addition on the metallic glass formation of $(\text{ZrNi})_{100-x}\text{Mo}_x$ alloys M.H. Yang, N. Li, J.H. Li and B.X. Liu (Beijing, China)	7
Low temperature dielectric relaxation in complex perovskite $\text{BaTi}_{0.8}(\text{Ni}_{0.5}\text{Nb}_{0.5})_{0.2}\text{O}_3$ ceramics Z. Huang, J. Zhang, L. Ji, J. Wang (Hangzhou, China), J. Zhai (Shanghai, China) and F. Yu (Hangzhou, China)	11
Large self-biased effect and dual-peak magnetoelectric effect in different three-phase magnetostrictive/piezoelectric composites L. Chen, P. Li, Y. Wen and Y. Zhu (Chongqing, China)	15
Microstructural characterization of HIP consolidated NiTi–nano Al_2O_3 composites M. Farvizi, T. Ebadzadeh, M.R. Vaezi (Tehran, Iran), E.Y. Yoon, Y.-J.-J. Kim (Changwon, South Korea), H.S. Kim (Pohang, South Korea) and A. Simchi (Tehran, Iran)	21
NH_3 sensing properties of ZnO thin films prepared via sol-gel method C.-F. Li, C.-Y. Hsu and Y.-Y. Li (Chia-Yi, Taiwan, ROC)	27
Magnetic resonance study of co-modified $(\text{Fe},\text{N})\text{-TiO}_2$ N. Guskos (Athens, Greece), (Szczecin, Poland), S. Glenis (Athens, Greece), G. Zolnierkiewicz, A. Guskos, J. Typek, P. Berczynski (Szczecin, Poland), D. Dolat, B. Grzmil (Szczecin, Poland), B. Ohtani (Sapporo, Japan) and A.W. Morawski (Szczecin, Poland)	32
Photocatalytic activities of europium (III) and niobium (V) co-doped TiO_2 nanopowders synthesized in Ar/O_2 radio-frequency thermal plasmas C. Zhang (Tsukuba, Yokohama, Japan), T. Uchikoshi, J.-G. Li (Tsukuba, Japan), T. Watanabe (Yokohama, Japan) and T. Ishigaki (Koganei, Japan)	37
Enhancing the coercivity, thermal stability and exchange coupling of nano-composite $(\text{Nd},\text{Dy},\text{Y})\text{-Fe-B}$ alloys with reduced Dy content by Zr addition Z.W. Liu (Guangzhou, Beijing, PR China), D.Y. Qian, L.Z. Zhao, Z.G. Zheng (Guangzhou, PR China), X.X. Gao (Beijing, PR China) and R.V. Ramanujan (Singapore, Singapore)	44
Magnetic properties and magnetocaloric effects of Gd–Mn–Si ribbons in amorphous and crystalline states J.X. Min, X.C. Zhong, Z.W. Liu, Z.G. Zheng and D.C. Zeng (Guangzhou, China)	50
Structural, magnetic and nanomechanical properties in Ni-doped AlN films J. Xiong, P. Guo, Y. Cai (Wuhan, China), B. Stradel, J. Brumek (Ostrava, Czech Republic), Y. He and H. Gu (Wuhan, China)	55
Synergistic effect of amorphous carbon coverage and enlarged voltage window on the superior lithium storage performance of nanostructured mesoporous anatase TiO_2 : Emphasis on interfacial storage phenomena J. Zhang, T. Huang and A. Yu (Shanghai, China)	61
Local structure and energy-band alignment of HfO_2 and $\text{HfO}_2\text{-La}_2\text{O}_3$ on strained $\text{Si}_{0.65}\text{Ge}_{0.35}$ Y. Yang (Suzhou, Shanghai, China), C.G. Jin (Suzhou, China), Z.F. Wu (Yancheng, China), X.M. Wu (Suzhou, Shanghai, China), L.J. Zhuge and T. Yu (Suzhou, China)	68
Synthesis and study of spectroscopic properties of CdF_2 crystals codoped with luminescent rare earth ions ($\text{Ho}^{3+}/\text{Yb}^{3+}$) R. Fartas, M. Diaf, H. Boubekri (Annaba, Algeria), L. Guerbous (Algiers, Algeria) and J.P. Jouart (France)	73
Electrochemical properties of the $\text{LaNi}_{4.5}\text{Co}_{0.25}\text{Al}_{0.25}$ hydrogen storage alloy in wide temperature range Q.R. Yao (Changsha, Guilin, PR China), H.Y. Zhou, Z.M. Wang, S.K. Pan and G.H. Rao (Guilin, PR China)	81
Effect of V addition on the nano-size spherical particles growing on the Fe-bearing intermetallics and silicon phases of gas atomized hypereutectic Al–20Si–5Fe alloys M.F. Kilicaslan (Turkey)	86
Layered perovskite $\text{PrBa}_{0.5}\text{Sr}_{0.5}\text{CoCuO}_{5+\delta}$ as a cathode for intermediate-temperature solid oxide fuel cells B. Wang (Changchun, Anshan, PR China), G. Long, Y. Ji, M. Pang and X. Meng (Changchun, PR China)	92

Microstructures of the oxides on the activated AB ₂ and AB ₅ metal hydride alloys surface K. Young, B. Chao (USA), Y. Liu (Corvallis, USA) and J. Nei (USA).....	97
Styrene–tin (IV) phosphate nanocomposite for photocatalytic degradation of organic dye in presence of visible light B.S. Rathore and D. Pathania (Solan, India)	105
Hydrogen storage capacity of lithium-doped KOH activated carbons A. Minoda (Naka-ku, Fukuoka, Japan), S. Oshima, H. Iki (Naka-ku, Japan) and E. Akiba (Fukuoka, Japan).....	112
Effects of Al substitution on the microstructure and adsorption performance of α -FeOOH H. Wang, S. Cao, F. Kang, R. Chen, H. Liu and Y. Wei (Shijiazhuang, China).	117
Structural, optical and EPR studies of Cr ³⁺ doped Na ₃ Ce(PO ₄) ₂ orthophosphate P. Godlewska, A. Matraszek, L. Macalik (Wrocław, Poland), S.M. Kaczmarek, T. Skibiński (Szczecin, Poland), K. Hermanowicz, M. Ptak, R. Lisiecki, W. Ryba-Romanowski, I. Szczęgiel and J. Hanuza (Wrocław, Poland)	124
Mechanism for leakage current conduction in manganese doped Bi _{3.25} La _{0.75} Ti ₃ O ₁₂ (BLT) ferroelectric thin films P. Gautam, S.K. Singh and R.P. Tandon (India).....	132
Synthesis, structural characterization and magnetic properties of the monoclinic ordered double perovskites BaLaMSbO ₆ , with M = Mn, Co and Ni M. Cecilia Blanco, J.M. De Paoli, S. Ceppi, G. Tirao (Córdoba, Argentina), V.M. Nassif (France), J. Guimpel (Río Negro, Argentina) and R.E. Carbonio (Córdoba, Argentina)	139
Ultra-long germanium oxide nanowires: Structures and optical properties S. Zhang, B. Yin, Y. Jiao, Y. Liu, X. Zhang, F. Qu (Harbin, People's Republic of China), A. Umar (Saudi Arabia) and X. Wu (Harbin, People's Republic of China)	149
A novel ternary uranium-based intermetallic U ₃₄ Fe _{4-x} Ge ₃₃ : Structure and physical properties M.S. Henriques (Bobadela, Portugal), D. Berthebaud (Rennes, Caen, France), J.C. Waerenborgh, E.B. Lopes (Bobadela, Portugal), M. Pasturel, O. Tougait (Rennes, France) and A.P. Gonçalves (Bobadela, Portugal)	154
Investigations of optical, structural and antibacterial properties of Al–Cr dual-doped ZnO nanostructures A.H. Shah, M. Basheer Ahamed (Chennai, India), D. Neena (P.O. Banasthali Vidyapith, India), F. Mohamed and A. Iqbal (Chennai, India) ..	164
Preparation, magnetism and microwave absorption performance of ultra-thin Fe ₃ O ₄ /carbon nanotube sandwich buckypaper S. Lu, W. Xu, X. Xuhai, K. Ma and X. Wang (Shenyang, China).....	171
Optical and structural properties of thin films of ZnO at elevated temperature Z.N. Kayani, T. Afzal, S. Riaz and S. Naseem (Pakistan).....	177
Room temperature ferromagnetism observed in pure La _{0.5} Sr _{0.5} TiO ₃ nanofibers fabricated by electrospinning W. Ponhan, V. Amornkitbamrung (Khon Kaen, Thailand) and S. Maensiri (Nakhon Ratchasima, Thailand).....	182
Influence of dipping cycle on structural, optical and photoelectrochemical characteristics of single phase polycrystalline AgInS ₂ thin films on ITO prepared by aqueous chemical reaction M.-C. Huang, T. Wang, W.-S. Chang, C.-C. Wu, J.-C. Lin and T.-H. Yen (Taiwan)	189
Synthesis and magnetic properties of amorphous Fe–Y–B thin films S.Y. Liu, Q.P. Cao (Hangzhou, People's Republic of China), S. Mori, K. Ishigami, K. Igarashi (Chiyoda-Ku, Japan), C. Wang, X. Qian, X.D. Wang, D.X. Zhang (Hangzhou, People's Republic of China), B. Riedmüller, U. Herr, H.-J. Fecht (Ulm, Germany), X.L. Li (Shanghai, People's Republic of China), Y.W. Du (Nanjing, People's Republic of China), J. Zhao, Y.Z. Fang (Jinhua, People's Republic of China), Q. Tao and J.Z. Jiang (Hangzhou, People's Republic of China).	196
One-pot synthesis of Fe ₃ O ₄ /Fe/MWCNT nanocomposites via electrical wire pulse for Li ion battery electrodes D.-H. Lee, S.-D. Seo, G.-H. Lee (Seoul, South Korea), H.-S. Hong (Yongin, South Korea) and D.-W. Kim (Seoul, South Korea).....	204
Effect of a ZnO buffer layer on the properties of epitaxial ZnO:Ga films deposited on c-sapphire substrate Z. Zhang, C. Bao, D. Yi (Xi'an, PR China), B. Yang (Taizhou, PR China), Q. Li, S. Hou and Z.H. Han (Xi'an, PR China)	208
Magnetic phase transitions in Er ₇ Rh ₃ studied on single crystals T. Tsutaoka, K. Obata, S. Cheyvuth (Hiroshima, Japan) and K. Koyama (Kagoshima, Japan)	214
A novel fiber bundle structure ZnCo ₂ O ₄ as a high capacity anode material for lithium-ion battery X. Song, Q. Ru, Y. Mo, S. Hu and B. An (Guangzhou, PR China)	219
A one-pot approach towards FeF ₂ –carbon core–shell composite and its application in lithium ion batteries Y. Zhang, L. Wang, J. Li (Beijing, China), L. Wen (Shenyang, China) and X. He (Beijing, China).	226
Optical properties of ZnS _x Se _{1-x} alloy nanostructures and their photodetectors H.X. Chuo, T.Y. Wang and W.G. Zhang (Harbin, PR China)	231
Surface status and reduction behavior of porous ceria (CeO ₂) via amended EISA method J. Ouyang, X. Li, J. Jin, H. Yang and A. Tang (Changsha, PR China)	236
Phase equilibria in the neodymium–cadmium binary system B. Skołyszewska-Kühberger, T.L. Reichmann and H. Ipser (Wien, Austria).	242
Effect of the NO ₃ ⁻ /CH ₃ COO ⁻ ratio on structure and performance of ultrafine LiMn ₂ O ₄ by solution combustion synthesis Q. Zhang, J. Mei, X. Wang (Lanzhou, China), W. Fan (Chengdu, China), F. Wang (Xinyang, China), W. Lu and F. Tang (Lanzhou, China)	249
A convenient two-step bottom-up approach for developing Au/Fe ₃ O ₄ nanocomposites with useful optical and magnetic properties S. Amala Jayanthi, T. Manovah David, J. Jayashainy, D. Muthu Gnana Theresa Nathan and P. Sagayaraj (Chennai, India)	254

Synthesis of a TiBw/Ti6Al4V composite by powder compact extrusion using a blended powder mixture H. Lu (Hamilton, New Zealand), D. Zhang (Shanghai, China), B. Gabbitas, F. Yang (Hamilton, New Zealand) and S. Matthews (Auckland, New Zealand)	262
Study of the oxygen desorption from $\text{GdBa}_{1-x}\text{Sr}_x\text{Co}_2\text{O}_{5+\delta}$ ($x = 0, 0.25, 0.5$ and 1): Effect of the Sr-content on the oxidation state of cobalt ions J. Marrero-Jerez (La Laguna, Spain), J. Peña-Martínez (Madrid, Spain) and P. Núñez (La Laguna, Spain)	269
Structure and electrical performance of $\text{Mn}_{1.5-0.5x}\text{Co}_{0.9-0.3x}\text{Ni}_{0.6-0.2x}\text{Cu}_x\text{O}_4$ NTC ceramics prepared by heterogeneous precipitation K. Xiong, S.-X. Zhao, D.-F. Li (Shenzhen, Beijing, China), H.-Q. Bao (Beijing, Shenzhen, China) and C.-W. Nan (Beijing, China)	273
Effect of polarizations on Sn-Zn solders alloys in alkaline electrolyte M.F.M. Nazeri (Nibong Tebal, Jejawi, Malaysia), A.B. Ismail and A.A. Mohamad (Nibong Tebal, Malaysia)	278
Controlling the magnetic characters co-existing at the novel nanometric multiferroic $\text{PrAl}_x\text{Fe}_{1-x}\text{O}_3$; $0.0 \leq x \leq 0.6$ via an exchange bias interaction to open a new era of applications R.M. Khafagy (Cairo, Egypt) and E.H. El-khawas (Tenth of Ramadan City, Egypt)	288
Keywords	I