

NU  
J80/Zac



ELSEVIER

Volume 607

15 September 2014  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI

**Contents**

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS® Full text available on ScienceDirect®

Microstructure, mechanical properties, corrosion behavior and cytotoxicity of Mg–Zn–Al–Ca alloys as biodegradable materials B. Homayun and A. Afshar (Tehran, Iran) .....	1
A new Al–Fe–P master alloy designed for application in low pressure casting and its refinement performance on primary Si in A390 alloy at low temperature T. Gao, X. Zhu, H. Qiao and X. Liu (Jinan, PR China) .....	11
Growth, thermal properties and laser operation of a new disordered crystal: Nd-doped Sr <sub>3</sub> La <sub>2</sub> (BO <sub>3</sub> ) <sub>4</sub> Z. Pan, H. Cai, H. Huang (Mianyang, China), H. Yu, H. Zhang and J. Wang (Jinan, China) .....	16
Synthesis and supercapacitor application of nanoporous carbon by the direct carbonization of aluminium salicylate coordination polymer X.H. Zhang, Z.J. Zhang, D.H. Xie and X.Y. Chen (Hefei, PR China) .....	23
Effect of composition and particle morphology on the electrochemical properties of LaNi <sub>5</sub> -based alloy electrodes M. Spodaryk, L. Shcherbakova, A. Sameljuk (Kyiv, Ukraine), V. Zakaznova-Herzog, B. Braem, M. Holzer, P. Mauron, A. Remhof (Dübendorf, Switzerland), Y. Solonin (Kyiv, Ukraine) and A. Züttel (Dübendorf, Switzerland) .....	32
Formation and properties of selected quantum dots in maize amylopectin matrix K. Khachatryan, G. Khachatryan, M. Fiedorowicz and P. Tomaszik (Krakow, Poland) .....	39
Unusual Ce <sup>3+</sup> luminescence and Ce <sup>3+</sup> → Tb <sup>3+</sup> energy transfer behavior in strontium lithium borate SrLiB <sub>9</sub> O <sub>15</sub> X. Zhang, Q. Lian, Q. Pan, G. Yuan (Changsha, China) and H.J. Seo (Busan, Republic of Korea) .....	44
Misfit analysis in lamellar microstructure in NbSi <sub>2</sub> /MoSi <sub>2</sub> duplex crystals V. Paidar (Praha, Czech Republic) and T. Nakano (Suita, Japan) .....	48
Improved anatase phase stability in small diameter TiO <sub>2</sub> nanotube arrays for high performance dye-sensitized solar cells X. Liu, J. Lin (Shanghai, China), (Hung Hom, Hong Kong), Y.H. Tsang (Hung Hom, Hong Kong), X. Chen (Shanghai, China), P. Hing (Brunei Darussalam) and H. Huang (Hung Hom, Hong Kong) .....	50
Investigation of CdO nanostructures synthesized by microwave assisted irradiation technique for NO <sub>2</sub> gas detection N. Rajesh, J.C. Kannan (Tiruchengode, India), S.G. Leonardi, G. Neri (Messina, Italy) and T. Krishnakumar (Salem, India) .....	54
Taguchi based fuzzy logic optimization of multiple quality characteristics of cobalt disulfide nanostructures T. Rajabloo (Iran), A. Ghafarinazari (Iran, Verona, Italy), L. Seyed Faraji (Tulsa, United States) and M. Mozafari (Iran) .....	61
Low loss and temperature stable microwave dielectrics using Li <sub>2</sub> (Mg <sub>1-x</sub> A <sub>x</sub> )Ti <sub>3</sub> O <sub>8</sub> (A <sup>2+</sup> = Zn, Co; x = 0.02–0.1) ceramics C.-H. Su, Y.-D. Ho and C.-L. Huang (Tainan, Taiwan) .....	67
Single-step synthesis of SrMoO <sub>4</sub> particles from SrSO <sub>4</sub> and their anti-corrosive activity J. Diaz-Algara (Mexicali, Mexico), J.C. Rendón-Angeles (Ramos Arizpe, Mexico, Mexico), Z. Matamoros-Veloza (Saltillo, Mexico), K. Yanagisawa (Kochi, Japan), J.L. Rodriguez-Galicia (Ramos Arizpe, Mexico) and J.M. Rivera-Cobo (Mexicali, Mexico) .....	73
Optical properties of gold nanoparticle embedded Er <sup>3+</sup> doped lead-tellurite glasses E.S. Sazali, M.R. Sahar, S.K. Ghoshal, R. Arifin, M.S. Rohani and A. Awang (Johor, Malaysia) .....	85
Resistance pressing sintering: A simple, economical and practical technique and its application to p-type (Bi,Sb) <sub>2</sub> Te <sub>3</sub> thermoelectric materials X. Fan, X. Cai, Z. Rong, F. Yang, G. Li and Z. Gan (Wuhan, China) .....	91
Martensite structure and phase transformation of quaternary ZrCuAlCo high temperature shape memory alloys W.H. Gao, X.L. Meng, W. Cai and L.C. Zhao (Harbin, China) .....	99
The phase transitions in CsFe(MoO <sub>4</sub> ) <sub>2</sub> triangular lattice antiferromagnet, neutron diffraction and high pressure studies A. Gągor (Wrocław, Poland), P. Zajdel (Katowice, Poland) and D. Többens (Germany) .....	104
Growth, structure and spectral properties of Dy <sup>3+</sup> -doped Li <sub>3</sub> Ba <sub>2</sub> La <sub>3</sub> (MoO <sub>4</sub> ) <sub>8</sub> crystal for potential use in solid-state yellow lasers M. Song (Weifang, China), M. Wu (Fuzhou, China), W. Zhou (Huainan, China), X. Zhou (Weifang, China), B. Wei (Changshu, China) and G. Wang (Fuzhou, China) .....	110

<b>Preparation of Cu–Cr alloy powder by mechanical alloying</b>	Q. Zhao (Shenyang, China), (Åbo/Turku, Finland), Z. Shao, C. Liu, M. Jiang, X. Li (Shenyang, China), R. Zevenhoven and H. Saxén (Åbo/Turku, Finland).....	118
<b><math>\gamma</math>-Fe<sub>2</sub>O<sub>3</sub> by sol-gel with large nanoparticles size for magnetic hyperthermia application</b>	O.M. Lemine (Riyadh, Saudi Arabia), K. Omri (Gabes, Tunisia), M. Iglesias, V. Velasco, P. Crespo, P. de la Presa (Spain), L. El Mir (Riyadh, Saudi Arabia), (Gabes, Tunisia), H. Bouzid (Najran, Saudi Arabia), (Sfax, Tunisia), A. Yousif (Al Khoud, Oman) and A. Al-Hajry (Najran, Saudi Arabia).....	125
<b>Hierarchical rhombus-shaped ZnO array: Synthesis, formation mechanism and solar cell application</b>	Y. Zhu (Huai'an, China), (Newark, USA), F. Deng (Newark, USA), L. Feng, H. Ding (Huai'an, China), (Newark, USA), S. Ismat Shah and C. Ni (Newark, USA).....	132
<b>Impact of the structural state on the mechanical properties in a Zr–Co–Al bulk metallic glass</b>	J.C. Qiao, J.M. Pelletier, C. Esnouf, Y. Liu (Villeurbanne, France) and H. Kato (Sendai, Japan) .....	139
<b>Influences of in situ annealing on microstructure, residual stress and electrical resistivity for sputter-deposited Be coating</b>	B.C. Luo, K. Li, X.L. Tan, J.Q. Zhang, J.S. Luo, X.D. Jiang, W.D. Wu and Y.J. Tang (Mianyang, China).....	150
<b>Effect of Cu addition on the microstructure and mechanical properties of Al–30 wt% Zn alloy</b>	A.F. Abd El-Rehim, M.S. Sakr, M.M. El-Sayed and M. Abd El-Hafez (Roxy, Egypt) .....	157
<b>Investigation on the influence of pH on structure and photoelectrochemical properties of CdSe electrolytically deposited into TiO<sub>2</sub> nanotube arrays</b>	J. Xue, Q. Shen, F. Yang, W. Liang and X. Liu (Taiyuan, PR China) .....	163
<b>Epoxy catalyzed sol-gel method for pinhole-free pyrite FeS<sub>2</sub> thin films</b>	S. Kment (Prague, Czech Republic), (Lincoln, USA), H. Kmentova (Lincoln, USA), (Prague, Czech Republic), A. Sarkar, R.J. Soukup, N.J. Ianno, D. Sekora (Lincoln, USA), J. Olejnicek, P. Ksirova, J. Krysa, Z. Remes and Z. Hubicka (Prague, Czech Republic) .....	169
<b>Preparation and optical properties of sodium borosilicate glasses containing Sb nanoparticles</b>	J. Zhong (Hangzhou, China), X. Ma (Wenzhou, China), H. Lu, X. Wang, S. Zhang (Hangzhou, China) and W. Xiang (Wenzhou, China) .....	177
<b>Thermodynamic modelling of Li–Sn liquid alloy based on Knudsen effusion mass spectrometric measurements</b>	L. Bencze (Jülich, Germany), (Budapest, Hungary), D. Henriques (Jülich, Germany), V. Motalov (Jülich, Germany), (Ivanovo, Russia) and T. Markus (Jülich, Germany) .....	183
<b>Controlled growth and thermal decomposition of well-dispersed and uniform ZnSn(OH)<sub>6</sub> submicrocubes</b>	Q. He, J. Zi, B. Huang, L. Yan, W. Fa, D. Li, Y. Zhang, Y. Gao and Z. Zheng (Xuchang, China).....	193
<b>The thermodynamic, electronic and elastic properties of the early-transition-metal diborides with AlB<sub>2</sub>-type structure: A density functional theory study</b>	X. Xu, K. Fu, M. Yu, Z. Lu, X. Zhang, G. Liu and C. Tang (Tianjin, China) .....	198
<b>Structural properties, phase stability and theoretical hardness of Cr<sub>23-x</sub>M<sub>x</sub>C<sub>6</sub> (M = Mo, W; x = 0–3)</b>	Z.Q. Lv, F. Dong, Z.A. Zhou, G.F. Jin, S.H. Sun and W.T. Fu (Qinhuangdao, China) .....	207
<b>Effect of carbon nanotube damage on the mechanical properties of aluminium–carbon nanotube composites</b>	M.T.Z. Hassan (Cairo, New Cairo, Egypt), A.M.K. Esawi (New Cairo, Egypt) and S. Metwalli (Cairo, Egypt) .....	215
<b>Effect of carbon type (graphite, CFs and diamond) on the hydrogen desorption of Mg–C powder mixtures under microwave irradiation</b>	A.S. Awad, T. Tayeh (Pessac, France), (Jdeidet El Matn, Lebanon), M. Nakhl, M. Zakhour (Jdeidet El Matn, Lebanon), B. Ourane, M. Le Troëdec and J.-L. Bobet (Pessac, France) .....	223
<b>Sensitized solar cell from type-II CdTe/CdSe core/shell nanocrystals synthesized without seed purification at low temperature</b>	P. Patil, C. Laltlanzaula and S. Datta (Pune, India). .....	230
<b>Effect of multiple exciton generation on ultraviolet–visible absorption of Ag–Cu clusters: Ab initio study</b>	W. Li and F. Chen (Xian, China) .....	238
<b>Formation of ultrafine three-dimensional hierarchical birnessite-type MnO<sub>2</sub> nanoflowers for supercapacitor</b>	D. Yan, H. Zhang, S. Li, G. Zhu, Z. Wang, H. Xu (Guilin, PR China) and A. Yu (Sydney, Australia).....	245
<b>Crystal structure and hydrogen storage properties of body centered cubic 52Ti–12V–36Cr alloy doped with Zr<sub>7</sub>Ni<sub>10</sub></b>	T. Bibienne (Trois-Rivières, Canada), J.-L. Bobet (Pessac, France) and J. Huot (Trois-Rivières, Canada).....	251
<b>Ultrasonic levitation processing and rapid eutectic solidification of liquid Al–Ge alloys</b>	N. Yan, D.L. Geng, Z.Y. Hong and B. Wei (Xi'an, China).....	258
<b>Critical current density of MgB<sub>2</sub> superconductor with (Bi,Pb)-2223 addition</b>	D. Tripathi and T.K. Dey (Kharagpur, India) .....	264
<b>Al-based metal matrix composites reinforced with Al–Cu–Fe quasicrystalline particles: Strengthening by interfacial reaction</b>	F. Ali (Dresden, Germany), (Islamabad, Pakistan), S. Scudino (Dresden, Germany), M.S. Anwar, R.N. Shahid (Islamabad, Pakistan), V.C. Srivastava (Jamshedpur, India), V. Uhlenwinkel (Bremen, Germany), M. Stoica (Dresden, Germany), G. Vaughan (Grenoble, France) and J. Eckert (Dresden, Dresden, Germany) .....	274
<b>Low-temperature transitions in the SrMo<sub>1-x</sub>Cr<sub>x</sub>O<sub>3-<math>\delta</math></sub> (<math>x = 0.1</math> and <math>0.2</math>) perovskite system</b>	R. Martínez-Coronado (Austin, United States), J.A. Alonso (Madrid, Spain) and M.T. Fernández-Díaz (Grenoble, France).....	280
<b>Structure of rapidly quenched (Cu<sub>0.5</sub>Zr<sub>0.5</sub>)<sub>100-x</sub>Ag<sub>x</sub> alloys (<math>x = 0</math>–40 at.%)</b>	N. Mattern, J.H. Han (Dresden, Germany), K.G. Pradeep (Düsseldorf, Germany), K.C. Kim (Seoul, Republic of Korea), E.M. Park (Dresden, Germany), D.H. Kim (Seoul, Republic of Korea), Y. Yokoyama (Sendai, Japan), D. Raabe (Düsseldorf, Germany) and J. Eckert (Dresden, Germany) .....	285

Thermal stability, crystallization kinetics and mechanical properties of  $\text{Al}_{81.8}\text{Ni}_{9.2}\text{Co}_{4.8}\text{Y}_{3.1}\text{Zr}_{1.1}$  amorphous alloy consolidated to a fully dense nanocrystalline matrix with some remaining amorphous phase

M.A. Kassem and R.M. Khafagy (Cairo, Egypt)..... 291

Keywords..... I