


Volume 608

25 September 2014

ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Phase formation, dielectric and magnetic properties of bismuth ferrite–lead magnesium niobate multiferroic composites R. Wongmaneeung (Chiang Mai, Thailand), J. Padchatri, R. Tipakontitukul (Ubonratchathani, Thailand), T.H. Loan (Hanoi, Viet Nam), P. Jantaratana (Bangkok, Thailand), R. Yimnirun (Nakhon Ratchasima, Thailand) and S. Ananta (Chiang Mai, Thailand)	1
Preparation and investigation of structural properties of magnetic diatomite nanocomposites formed with different iron content S. Yusan (Bornova, Turkey), K. Korzhynbayeva (Almaty, Kazakhstan), S. Aytas (Bornova, Turkey), S. Tazhibayeva and K. Musabekov (Almaty, Kazakhstan)	8
Structural characteristics and hydrogen storage properties of Sm ₂ Co ₇ Z.J. Cao, L.Z. Ouyang, H. Wang, J.W. Liu (Guangzhou, People's Republic of China), D.L. Sun (Shanghai, Guangzhou, People's Republic of China), Q.A. Zhang (Maanshan, Guangzhou, People's Republic of China) and M. Zhu (Guangzhou, People's Republic of China)	14
Thermal conductivity of as-cast and as-extruded binary Mg–Al alloys T. Ying, M.Y. Zheng, Z.T. Li and X.G. Qiao (Harbin, China)	19
Luminescence and energy transfer in single-phased emission-tunable tri-color emitting phosphors of SrB ₆ O ₁₀ :Eu, Mn X. Zhou, X. Yang, Y. Wang, X. Zhao, L. Li and Q. Li (Chongqing, PR China)	25
Performance of cobalt-free perovskite La _{0.6} Sr _{0.4} Fe _{1-x} Nb _x O _{3-δ} cathode materials for proton-conducting IT-SOFC T. Yu, X. Mao and G. Ma (Suzhou, China)	30
A facile synthesis of superparamagnetic hybrid hollow nanospheres based on monodisperse nickel–zinc ferrite/polyethylene glycol and their electromagnetic, microwave absorbing properties Q. Li, Y. Li, X. Li, S. Chen, S. Zhang, J. Wang and C. Hou (Lanzhou, China)	35
A simple preparation of carbon doped porous Bi ₂ O ₃ with enhanced visible-light photocatalytic activity G. Dai, S. Liu and Y. Liang (Xiangyang, PR China)	44
Nanoindentation deformation of a bi-phase AlCrCuFeNi ₂ alloy Y. Sun (Shanghai, China), G. Zhao, X. Wen (Lexington, USA), J. Qiao (Taiyuan, China) and F. Yang (Lexington, USA)	49
Synthesis of Fe ₃ O ₄ /Fe nanocomposite powder from Fe ₂ O ₃ and Fe powder by mechanosynthesis. Structural, thermal and magnetic characterisation T.F. Marinca, B.V. Neamtu, I. Chicinas (Cluj-Napoca, Romania) and O. Isnard (Grenoble, France)	54
On the influence of lead and cadmium fluoride content on thermal, optical and structural properties of oxyfluoride glass N. Mahendru, R. Bagga (Jalandhar, India), K. Sharma, G.P. Kothiyal (Trombay, India), M. Falconieri (Rome, Italy) and G. Sharma (Jalandhar, India)	60
Pressure dependence of the band gap energy at Γ and X for the dilute nitride GaNP alloy C.-Z. Zhao, T. Wei, X.-D. Sun, S.-S. Wang and K.-Q. Lu (Tianjin, China)	66
Novel non-magnetic hard boride Co ₅ B ₁₆ synthesized under high pressure E. Bykova (Bayreuth, Germany), A.A. Tsirlin (Tallinn, Estonia), H. Gou, L. Dubrovinsky and N. Dubrovinskaia (Bayreuth, Germany).	69
Sr ₂ CeO ₄ : Electronic and structural properties L.A. Rocha, M.A. Schiavon, C.S. Nascimento Jr., L. Guimarães (São João del-Rei, Brazil), M.S. Góes (Foz do Iguaçu, Brazil), A.M. Pires (Presidente Prudente, Brazil), C.O. Paiva-Santos (Araraquara, Brazil), O.A. Serra (Ribeirão Preto, Brazil), M.A. Cebim, M.R. Davolos (Araraquara, Brazil) and J.L. Ferrari (São João del-Rei, Brazil).	73
Preparation and properties of Fe _{80-x} Ni _x P ₁₄ B ₆ bulk metallic glasses L. Zhang, X. Ma, Q. Li (Urumqi, People's Republic of China), J. Zhang (Urumqi, Ningbo, People's Republic of China), Y. Dong and C. Chang (Ningbo, People's Republic of China)	79
Preparation, microstructure and photoelectrical properties of Tantalum-doped zinc oxide transparent conducting films Y. Cheng, L. Cao, G. He, G. Yao, X. Song and Z. Sun (Hefei, PR China)	85
Theoretical study of the thermodynamic properties of cubic Zr ₃ N ₄ and Hf ₃ N ₄ under high pressures J.-D. Zhang (Shihezi, Yining, PR China) and K. Yang (Shihezi, PR China)	90

The influences of anneal temperature and cooling rate on microstructure and tensile properties of laser deposited Ti-4Al-1.5Mn titanium alloy X.J. Tian, S.Q. Zhang and H.M. Wang (Beijing, China)	95
Optimization of processing conditions towards high trapped fields in MgB ₂ bulks M. Muralidhar, K. Inoue (Koto-ku, Japan), M.R. Koblischka (Saarbrücken, Germany), M. Tomita (Kokubunji-shi, Japan) and M. Murakami (Koto-ku, Japan)	102
Ultra-thin Al ₂ O ₃ coating on the acid-treated 0.3Li ₂ MnO ₃ ·0.7LiMn _{0.60} Ni _{0.25} Co _{0.15} O ₂ electrode for Li-ion batteries M. Choi (Changwon, Seoul, Republic of Korea), G. Ham (Seoul, Republic of Korea), B.-S. Jin, S.-M. Lee (Changwon, Republic of Korea), Y.M. Lee (Seoul, Republic of Korea), G. Wang (Sydney, Australia) and H.-S. Kim (Changwon, Republic of Korea).	110
Experimental determination of the phase equilibria in the Co-Cr-Ta ternary system C.C. Zhao, S.Y. Yang, X.J. Liu and C.P. Wang (Xiamen, PR China)	118
New Sn-0.7Cu-based solder alloys with minor alloying additions of Pd, Cr and Ca J. Koo, J. Chang (Daejeon, Republic of Korea), Y.W. Lee, S.J. Hong (Yongin Cheoin-gu, Republic of Korea), K.-S. Kim (Asan, Republic of Korea) and H.M. Lee (Daejeon, Republic of Korea)	126
Synthesis, characterization and LPG response of Pd loaded Fe doped tin oxide thick films L.P. Chikhale, J.Y. Patil, A.V. Rajgure (Solapur, India), R.C. Pawar (Ansan, South Korea), I.S. Mulla (Pune, India) and S.S. Suryavanshi (Solapur, India)	133
Ultrasonic-assisted synthesis of aqueous CdTe/Cds QDs in salt water bath heating Y. Zhu, C. Li, Y. Xu and D. Wang (Qingdao, People's Republic of China)	141
The structural relaxation effect on the nanomechanical properties of a Ti-based bulk metallic glass Y. Huang, B. Zhou (Harbin, China), Y. Chiu (Birmingham, UK), H. Fan, D. Wang, J. Sun and J. Shen (Harbin, China).	148
Synthesis and structural, magnetic and magnetotransport properties of permalloy powders containing nanoparticles prepared by arc discharge T. Prakash (Wellington, Lower Hutt, New Zealand), G.V.M. Williams (Wellington, New Zealand), J. Kennedy (Wellington, Lower Hutt, New Zealand), P.P. Murmu, J. Leveneur, S.V. Chong (Lower Hutt, New Zealand) and S. Rubanov (Melbourne, Australia).	153
The effect of surface modification on high capacity Li _{1.375} Ni _{0.25} Mn _{0.75} O _{2+y} cathode material for lithium-ion batteries F. Lian, M. Gao, L. Ma and Y. He (Beijing, PR China)	158
Fabrication of Y ₂ Ti ₂ O ₇ :Yb ³⁺ ,Ho ³⁺ nanoparticles by a gel-combustion approach and upconverting luminescent properties Z. Chen, M. Wang, H. Wang, Z. Le, G. Huang, L. Zou, Z. Liu (Nanchang, China), D. Wang, Q. Wang (Jiujiang, China) and W. Gong (Huizhou, China).	165
Effect of flame partition and flight behaviors on intrinsic characteristics and absorption properties of hollow ceramic microspheres H. Lou, J. Wang, B. Xu, Z. Zhao (Shijiazhuang, PR China), G. Wan (Taiyuan, PR China) and Y. Hou (Shijiazhuang, PR China).	170
Study on the influence of magnetic phase transitions on the magnetocaloric effect in Sm _{0.7} Sr _{0.3} Mn _{0.95} Fe _{0.05} O ₃ manganite E.K. Abdel-Khalek (Nasr City, Egypt), A.F. Salem (Dhahran, Saudi Arabia) and E.A. Mohamed (Nasr City, Egypt)	180
Synthesis and characterization of translucent MgO-doped Al ₂ O ₃ hollow spheres in millimeter-scale Y. Zeng, F. Wang, Q. Liao (Mianyang, China), H. Liu (Jinan, China) and X. Li (Mianyang, China)	185
Effect of iron substitution on the structural, magnetic and magnetocaloric properties of Pr _{0.6} Ca _{0.1} Sr _{0.3} Mn _{1-x} Fe _x O ₃ (0 ≤ x ≤ 0.075) manganites S. Mahjoub, M. Baazaoui (Monastir, Tunisia), R. M'nassri (Kasserine, Tunisia), H. Rahmouni (Gabès, Tunisia), N.C. Boudjada (France) and M. Oumezzine (Monastir, Tunisia)	191
The wurtzite-rocksalt phase transition for a Be _x Mg _y Zn _{1-x-y} O alloy: Be content vs Mg content D.Y. Yong, H.Y. He (Hefei, PR China), L.X. Su, Y. Zhu (Guangzhou, PR China), Z.K. Tang (Hong Kong, Guangzhou, PR China) and B.C. Pan (Hefei, PR China).	197
Cobalt doping effects on structures and electrical properties of lead-free ferroelectric K _{0.5} Na _{0.5} NbO ₃ films L. Wang, W. Ren, P. Shi and X. Wu (Xi'an, China)	202
Photoelectrochemical water splitting performance of vertically aligned hematite nanoflakes deposited on FTO by a hydrothermal method R. Rajendran, Z. Yaakob, M. Pudukudy, M.S.A. Rahaman and K. Sopian (UKM Bangi, Malaysia).	207
Reduction of secondary phases in Cu ₂ SnSe ₃ absorbers for solar cell application Z. Tang, Y. Nukui, K. Kosaka, N. Ashida, H. Uegaki and T. Minemoto (Shiga, Japan)	213
Preparation of mesohollow and microporous carbon nanofiber and its application in cathode material for lithium-sulfur batteries Y. Wu, M. Gao, X. Li, Y. Liu and H. Pan (Hangzhou, PR China)	220
Thermoelectric performance of intermetallic FeGa ₃ with Co doping B. Ramachandran, K.Z. Syu, Y.K. Kuo (Hualien, Taiwan), A.A. Gippius, A.V. Shevelkov, V.Yu. Verchenko (Moscow, Russia) and C.S. Lue (Tainan, Taiwan)	229
Combustion synthesis and photoluminescence study of novel red phosphor (Y _{1-x-y} , Gd _x)BaB ₉ O ₁₆ :Eu ³⁺ for display and lighting J.T. Ingle (Yavatmal, India), R.P. Sonekar (Khamgaon, India), S.K. Omanwar (Amravati, India), Y. Wang and L. Zhao (Lanzhou, PR China)	235
Atomic structure of Cu-Zr-Ti metallic glasses subjected to high temperature annealing J. Ďurišin, D. Balga, K. Saksl and A. Pietriková (Košice, Slovak Republic)	241
Experimental investigation of the Mg-Mn-Nd isothermal section at 450 °C A. Mostafa and M. Medraj (Montreal, Canada)	247

Dynamical stability of NiTi under high pressure and high temperature C.-E. Hu, Z.-Y. Zeng (Chongqing, Mianyang, China), Z.-W. Niu, L.-C. Cai (Mianyang, China), C.-Y. Kong and Y.-T. Cui (Chongqing, China) . . .	258
Fabrication of hollow silica–zirconia composite spheres and their activity for hydrolytic dehydrogenation of ammonia borane T. Umegaki, T. Hosoya, N. Toyama (Chiyoda-Ku, Japan), Q. Xu (Ikeda, Japan) and Y. Kojima (Chiyoda-Ku, Japan)	261
Near-infrared frequency down-conversion and cross-relaxation in $\text{Eu}^{2+}/\text{Eu}^{3+}-\text{Yb}^{3+}$ doped transparent oxyfluoride glass and glass–ceramics K. Biswas, S. Balaji, D. Ghosh (India, Kolkata, India), A.D. Sontakke (Kyoto, Japan) and K. Annapurna (India, Kolkata, India).	266
Behavior of strontium- and magnesium-doped gallate electrolyte in direct carbon solid oxide fuel cells L. Zhang, J. Xiao, Y. Xie (Guangzhou, PR China), Y. Tang (Qingdao, PR China), J. Liu (Guangzhou, PR China) and M. Liu (Guangzhou, PR China), (Atlanta, USA)	272
Synthesize of hierarchical sisal-like cobalt hydroxide and its electrochemical applications X. Tan, H. Gao, M. Yang, Y. Luan (Beijing, China), W. Dong (Hangzhou, China), Z. Jin, J. Yu, Y. Qi, Y. Feng and G. Wang (Beijing, China) . .	278
Polyaniline– $\text{Zn}_{0.2}\text{Mn}_{0.8}\text{Fe}_2\text{O}_4$ ferrite core–shell composite: Preparation, characterization and properties M. Khairy (Benha, Egypt)	283
Effects of co-reduction of Cr_2O_3 and V_2O_5 on combustion synthesis of $(\text{Cr}_{1-x}\text{V}_x)_2\text{AlC}/\text{Al}_2\text{O}_3$ solid solution composites C.L. Yeh and W.J. Yang (Taichung, Taiwan)	292
Controllable synthesis of CoAl LDH@Ni(OH)_2 nanosheet arrays as binder-free electrode for supercapacitor applications W. Hong (Lanzhou, Beijing, PR China), J. Wang (Lanzhou, PR China), L. Niu, J. Sun, P. Gong (Lanzhou, Beijing, PR China) and S. Yang (Lanzhou, PR China)	297
Sintering characteristics and grain growth behavior of MgO nanopowders by spark plasma sintering Y. Zhang, A. Song, D. Ma, X. Zhang, M. Ma and R. Liu (Qinhuangdao, PR China)	304
Influence of amorphous and crystalline type precursor intermediates on the morphology and luminescence properties of green emitting $\beta\text{-Ca}_2\text{SiO}_4:\text{Eu}^{2+}$ phosphor synthesized using a liquid phase precursor method D.S. Jo (Suwon, Republic of Korea), J. Kim (Sendai, Japan), K. Senthil, H.-J. Lee, H.K. Chung (Suwon, Republic of Korea), M. Kakihana (Sendai, Japan), T. Kenji (Niigata, Japan), T. Masaki and D.H. Yoon (Suwon, Republic of Korea).	311
Enhancement in grain and grain boundary resistivity of BPZT ceramics by two stage sintering P. Kumar, J.K. Juneja (Sonepat, India), C. Prakash (Delhi, India), S. Singh (Sonepat, India) and K.K. Raina (Patiala, India).	318
Structural and magnetic properties of $\text{Fe}_{65}\text{Co}_{35}@ \text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ composite thin films prepared by a novel nanocomposite technology J.B. Wang, L.S. Wang, H.Z. Guo, M. Lei, Q.F. Zhang, G.H. Yue, Y. Chen and D.L. Peng (Xiamen, PR China)	323
The effect of Al replacement and heat treatment on magnetocaloric properties of $\text{Ni}_2\text{Mn-Sn}$ ferromagnetic shape memory alloys S. Agarwal and P.K. Mukhopadhyay (Kolkata, India).	329
First-principles study of solute–vacancy binding in Cu Y. Wang, H. Gao, Y. Han, Y. Dai, F. Bian, J. Wang and B. Sun (Shanghai, China)	334
A thermokinetic description of nano-scale grain growth under dynamic grain boundary segregation condition Z. Chen (Xuzhou, Xi'an, PR China), F. Liu (Xi'an, PR China), X.Q. Yang, C.J. Shen and Y.M. Zhao (Xuzhou, PR China)	338
Real time observation on the solidification of strontium-modified zinc–aluminum–silicon alloys by synchrotron microradiography F. Mao, F. Chen, Q. Han, J. Han, Z. Cao, T. Wang and T. Li (Dalian, PR China)	343
Keywords.	III