


Volume 609

5 October 2014

ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

<i>Thermodynamic optimization and phase equilibria in the ternary system Ni–Sn–Zn</i> V. Gandova and G.P. Vassilev (Plovdiv, Bulgaria)	1
Stability, characterization and functionality of proton conducting NiO–BaCe _{0.85–x} Nb _x Y _{0.15} O _{3–δ} cermet anodes for IT-SOFC application M. Žunić (Araraquara, Brazil), (Belgrade, Serbia), G. Branković (Belgrade, Serbia), F. Basoli (Italy), M. Cilense, E. Longo and J.A. Varela (Araraquara, Brazil)	7
Tm ³⁺ /Ho ³⁺ /Yb ³⁺ codoped tellurite glass for multicolor emission – Structure, thermal stability and spectroscopic properties S. Peng, F. Yang, L. Wu, Y. Qi, S. Zheng, D. Yin, X. Wang and Y. Zhou (Zhejiang, China)	14
Synthesis of Mn–Zn ferrite nanoparticles by the coupling effect of ultrasonic irradiation and mechanical forces Z. Chen, Y. Zhou (Changsha, PR China), Z. Kang (Atlanta, USA) and D. Chen (Changsha, PR China)	21
The effects of vanadium on the microstructure and wear resistance of centrifugally cast Ni-hard rolls M. Kang (Seoul, Republic of Korea), Y. Suh (Pohang, Republic of Korea), Y.-J. Oh (Daejeon, Republic of Korea) and Y.-K. Lee (Seoul, Republic of Korea)	25
Structural, dielectric, ferroelectric and optical properties of PBCT, PBST and PCST complex thin films on LaNiO ₃ metallic conductive oxide layer coated Si substrates by the CSD technique D.S.L. Pontes, A.J. Chiquito (São Carlos, Brazil), F.M. Pontes (Bauru, Brazil) and E. Longo (São Carlos, Araraquara, Brazil)	33
Effect of Ag doping on opto-electrical properties of CdS thin films for solar cell applications A. Nazir (Genova, Italy), (Islamabad, Pakistan), A. Toma (Genova, Italy), N.A. Shah (Islamabad, Pakistan), S. Panaro (Genova, Italy), S. Butt, R.u.R. Sagar (Islamabad, Pakistan), W. Raja (Genova, Italy), K. Rasool and A. Maqsood (Islamabad, Pakistan)	40
High visible-photoactivity of spherical Cd _{0.5} Zn _{0.5} S coupled with graphene composite for decolorizing organic dyes Y. Min (Shanghai, Anqing, PR China), J. Fan, Q. Xu and S. Zhang (Shanghai, PR China)	46
Facile synthesis of aluminum-doped LiNi _{0.5} Mn _{1.5} O ₄ hollow microspheres and their electrochemical performance for high-voltage Li-ion batteries X. Liu, D. Li, Q. Mo, X. Guo, X. Yang (Ganzhou, PR China), G. Chen (Ningbo, PR China) and S. Zhong (Ganzhou, PR China)	54
Defect dipoles and electrical properties of magnesium B-site substituted sodium potassium niobates T. Li, H. Fan, C. Long, G. Dong and S. Sun (Xi'an, China)	60
Synthesis, photoluminescence and optical constants evaluations of ultralong CdO nanowires prepared by vapor transport method S.H. Mohamed, N.M.A. Hadia, A.K. Diab and A.M. Abdel Hakeem (Sohag, Egypt)	68
Fine structure of phases of ε-family in Al _{73.8} Pd _{11.9} Co _{14.3} alloy I. Černičková (Trnava, Slovak Republic), P. Švec (Bratislava, Slovak Republic), S. Watanabe (Japan), Ľ. Čaplovič (Trnava, Slovak Republic), M. Mihalkovič (Bratislava, Slovak Republic), V. Kolesár, P. Priputen (Trnava, Slovak Republic), J. Bednarčík (Hamburg, Germany), D. Janičkovič (Bratislava, Slovak Republic) and J. Janovec (Trnava, Slovak Republic)	73
Preparation of fine-grained Mo–12Si–8.5B alloys with improved mechanical properties via a mechanical alloying process B. Li, G.-j. Zhang, J. Feng, R. Shuai, L. Gang and S. Jun (Xi'an, PR China)	80
A novel pineapple-structured Si/TiO ₂ composite as anode material for lithium ion batteries D. Yan, Y. Bai, C. Yu, X. Li and W. Zhang (Kaifeng, PR China)	86
Ni-doping effect of Mg(0 0 1) surface to use it as a hydrogen storage material A.V. Kuklin, A.A. Kuzubov, P.O. Krasnov, A.O. Lykhin and L.V. Tikhonova (Krasnoyarsk, Russia)	93
Structural and Photoluminescence properties of nepheline-structure NaAlSiO ₄ :Dy ³⁺ nanophosphors A. Kumar, S.J. Dhoble, D.R. Peshwe and J. Bhatt (Nagpur, India)	100
First-principles calculations of electronic and optical properties of Mn-doped cubic HfO ₂ Y.-F. Zhang, H. Ren, Z.-T. Hou, C. Wang and S. Zhao (Jinan, PR China)	107
Effect of Al/Cu ratios on the optical, electrical, and electrochemical properties of Cu–Al–Ca–O thin films I.-C. Cheng (Taipei City, Taiwan), S.-H. Chang (I-Lan, Taiwan), G.-W. Lin, C.-T. Chi (Taipei City, Taiwan), S.-H. Hsiao (I-Lan, Taiwan) and J.-Z. Chen (Taipei City, Taiwan)	111

Insights into meso-structured photoanodes based on titanium oxide thin film with high dye adsorption ability G. Di Carlo (Monterotondo Stazione, Italy), G. Calogero (Messina, Italy), M. Brucale, D. Caschera, T. de Caro (Monterotondo Stazione, Italy), G. Di Marco (Messina, Italy) and G.M. Ingo (Monterotondo Stazione, Italy)	116
Nanoindentation responses of InN thin films S.-R. Jian, C.-Y. Huang (Kaohsiung, Taiwan) and W.-C. Ke (Chung-Li, Taiwan)	125
Thermo-kinetic prediction of metastable and stable phase precipitation in Al-Zn-Mg series aluminium alloys during non-isothermal DSC analysis P. Lang (Cambridge, UK), T. Wojcik, E. Povoden-Karadeniz, A. Falahati and E. Kozeschnik (Vienna, Austria)	129
Microstructure characterization of Al _x Co ₁ Cr ₁ Cu ₁ Fe ₁ Ni ₁ (x = 0 and 2.5) high-entropy alloy films Z.F. Wu, X.D. Wang, Q.P. Cao, G.H. Zhao, J.X. Li, D.X. Zhang (Hangzhou, People's Republic of China), J.-J. Zhu (Jiaxin, People's Republic of China) and J.Z. Jiang (Hangzhou, People's Republic of China)	137
Combustion-synthesized LiNi _{0.6} Mn _{0.2} Co _{0.2} O ₂ as cathode material for lithium ion batteries W. Ahn (Seodaemun-Gu, Yuseong-gu, Republic of Korea), S.N. Lim, K.-N. Jung, S.-H. Yeon (Yuseong-gu, Republic of Korea), K.-B. Kim (Seodaemun-Gu, Republic of Korea), H.S. Song (Waterloo, Canada) and K.-H. Shin (Yuseong-gu, Republic of Korea)	143
Electric field gradient wave (EFGW) in iron-based superconductor Ba _{0.6} K _{0.4} Fe ₂ As ₂ studied by Mössbauer spectroscopy A.K. Jasek, K. Komędera, A. Błachowski, K. Ruebenbauer (Kraków, Poland), Z. Bukowski (Wrocław, Poland), J.G. Storey (Cambridge, United Kingdom), (Wellington, New Zealand) and J. Karpinski (Zurich, Lausanne, Switzerland)	150
Nb solution influencing on phase transformation temperature of Ni ₄₇ Ti ₄₄ Nb ₉ alloy X.Y. Shu, S.Q. Lu, G.F. Li, J.W. Liu and P. Peng (China)	156
The preparation of dendrite- and needle-shaped alloy particles coated on copper powders by polyvinylpyrrolidone in displacement reaction and thermal conductivity on composites' characterization T.H. Chiang, P.-Y. Ho and Y.-Z. Chang (Miaoli, Taiwan)	162
Enhanced photoresponse in BiFeO ₃ /SrRuO ₃ heterostructure R.K. Katiyar, P. Misra, S. Sahoo, G. Morell and R.S. Katiyar (San Juan, USA)	168
p-Type conductivity and stability of Ag-N codoped ZnO thin films W. Li, C. Kong, G. Qin, H. Ruan and L. Fang (Chongqing, China)	173
High rate capability and long cycle stability of TiO _{2-δ} -La composite nanotubes as anode material for lithium ion batteries J. Zhang, J. Zhang, H. Ren, L. Yu, Z. Wu and Z. Zhang (Kaifeng, PR China)	178
Structural phase transformations and new intermediate phases of MgF ₂ under high-pressures applied via conjugate-gradient method H. Öztürk, C. Kürkcü and C. Kürkcü (Kırşehir, Turkey)	185
Low temperature DC conductivity, impedance spectroscopy and dielectric properties of Na doped Cd _{0.8} Zn _{0.2} S semiconductor compounds G. Yellaiah, T. Shekharam, K. Hadasa and M. Nagabhushanam (Hyderabad, India)	192
Enhanced thermoelectric performance of n-type PbTe bulk materials fabricated by semisolid powder processing D. Mei, Y. Li, Z. Yao, H. Wang, T. Zhu (Hangzhou, PR China) and S. Chen (Hangzhou, PR China), (San Diego, USA)	201
The effect of off-time and annealing on the magnetic behavior of Co _x Sn _{1-x} alloy nanowires A. Ramazani, M. Almasi-Kashi and Z. Safari (Kashan, Iran)	206
Low temperature preparation of CuO nanospheres and urchin-shaped structures via hydrothermal route R. Khan, M. Vaseem, L.-W. Jang, J.-H. Yun, Y.-B. Hahn and I.-H. Lee (Jeonju, South Korea)	211
Effect of grain size reduction of AA2124 aluminum alloy powder compacted by spark plasma sintering A. Eldesouky (Alexandria, Egypt), M. Johnsson, H. Svengren (Stockholm, Sweden), M.M. Attallah (Edgbaston, United Kingdom) and H.G. Salem (Cairo, Egypt)	215
Crystal structure, electronic properties and optical band gap of KLa _(1-x) Eu _x (PO ₃) ₄ M. Ferhi, K. Horchani-Naifer, C. Bouzidi (Soliman, Tunisia), H. Elhouichet (Soliman, Tunisia, Tunisia) and M. Ferid (Soliman, Tunisia) ...	222
Thermoelectric properties of nanocomposite heavy fermion CeCu ₆ M. Pokharel (Chestnut Hill, USA), T. Dahal, Z. Ren (Houston, USA) and C. Opeil (Chestnut Hill, USA)	228
Electrochemical deposition of diluted magnetic semiconductor ZnMnSe ₂ on reduced graphene oxide/polyimide substrate and its properties L. Jia, S. Yu, Y. Jiang and C. Wang (Lanzhou, PR China)	233
Effects of Al concentrations on the microstructure and mechanical properties of Ti-Al-N films deposited by RF-ICPIS enhanced magnetron sputtering D. Li, J. Chen (Guangzhou, China), C. Zou (Zhanjiang, China), J. Ma, P. Li and Y. Li (Guangzhou, China)	239
Computational study of hydrogen induced lattice rearrangement and its influence on hydrogen permeance in Pd-Au alloys N. Chandrasekhar and D.S. Sholl (Atlanta, USA)	244
Vertically aligned single-crystalline ultra-thin CuO nanosheets: Low-temperature fabrication, growth mechanism, and excellent field emission A.-Z. Liao, W.-D. Zhu, J.-B. Chen, X.-Q. Zhang and C.-W. Wang (Lanzhou, China)	253
Controllable synthesis and upconversion emission of ultrasmall near-monodisperse lanthanide-doped Sr ₂ LaF ₇ nanocrystals Y. Mao, M. Ma, L. Gong, C. Xu (Xiangtan, China), G. Ren (Xiangtan, Sanhe, China) and Q. Yang (Xiangtan, China)	262
Yellow-green upconversion photoluminescence in Yb ³⁺ , Ho ³⁺ co-doped NaLa(MoO ₄) ₂ phosphor J. Tang (Chongqing, Fuzhou, China), C. Cheng, Y. Chen and Y. Huang (Fuzhou, China)	268

Preparation and characterization of composites from $Ba_{0.5}Sr_{0.5}TiO_3$ and polystyrene Q. Chen (Suzhou, China), R.Y. Hong (Suzhou, Fuzhou, China) and W.G. Feng (Suzhou, China)	274
Optical studies and crystal field calculation of GaN nanorods doped with Yb^{3+} ions T. Kallel, M. Dammak (Sfax, Tunisia), J. Wang, W.M. Jadwisieniczak (Athens, USA), J. Wu and R. Palai (San Juan, USA)	284
Development of a visco-plastic constitutive modeling for thixoforming of AA6061 in semi-solid state J. Wang (Shanghai, China), (Kelowna, Canada), A.B. Phillion (Kelowna, Canada) and G. Lu (Shanghai, China)	290
The effect of tungsten addition on metallurgical state and solute content in nanocrystalline electrodeposited nickel N. Shakibi Nia, J. Creus, X. Feaugas and C. Savall (La Rochelle, France)	296
Keywords	I