

Volume 610

15 October 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Reactivity, stability and thermoelectric properties of n-Bi ₂ Te ₃ doped with different copper amounts Q. Lognoné and F. Gascoin (Caen Cedex, France)	1
Initial oxidation of TiFe _{1-x} Mn _x (x = 0–0.3) by low dose exposures to H ₂ O and O ₂ A. Shwartz, N. Shamir, N. Froumin, S. Zalkind, I. Edry, A. Haim and M.H. Mintz (Beer-Sheva, Israel)	6
Magnetolectric effect in FeCo/PMN-PT/FeCo trilayers prepared by electroless deposition of FeCo on PMN-PT crystals with various orientations H.Q. Shen, Y.G. Wang, D. Xie and J.H. Cheng (Nanjing, People's Republic of China)	11
Magnetostructural transformation and magnetocaloric effect in melt-spun and annealed Mn _{1-x} Cu _x CoGe ribbons S.C. Ma (Chia-Yi, Taiwan, ROC), (Nanchang, People's Republic of China), D. Hou (Nanchang, People's Republic of China), C.W. Shih (Chia-Yi, Taiwan, ROC), J.F. Wang (Nanjing, People's Republic of China), Y.I. Lee, W.C. Chang (Chia-Yi, Taiwan, ROC) and Z.C. Zhong (Nanchang, People's Republic of China)	15
Compression for smoothing and densifying CuInSe ₂ and Cu ₂ ZnSnSe ₄ thin films coating from oxides nanoparticles precursor G. Chen, B. Pan, L. Jin, G. Jiang, W. Liu and C. Zhu (Hefei, China)	20
The study on the coarsening process and precipitation strengthening of Al ₃ Er precipitate in Al–Er binary alloy Y. Zhang, K. Gao, S. Wen, H. Huang, Z. Nie (Beijing, PR China) and D. Zhou (Wuxi, PR China)	27
Digestive ripening facilitated atomic diffusion at nanosize regime: Case of AuIn ₂ and Ag ₃ In intermetallic nanoparticles N. Arora, B.R. Jagirdar (Bangalore, India) and K.J. Klabunde (Manhattan, USA)	35
Molecular dynamics investigation of structure and high-temperature mechanical properties of SiBCO ceramics N. Liao, W. Xue, H. Zhou and M. Zhang (Wenzhou, PR China)	45
Spectroscopic characterization of Sm ³⁺ in La ₃ Ga _{5.5} Ta _{0.5} O ₁₄ single crystals J. Komar, R. Lisiecki, W. Ryba-Romanowski (Wrocław, Poland) and M. Berkowski (Warsaw, Poland)	50
CrZn _{17+δ} (–0.75 ≤ δ ≤ 2.00): A partly disordered complex intermetallic compound P.P. Jana (Lund, Sweden)	55
Size-dependent optical properties and enhanced visible light photocatalytic activity of wurtzite CdSe hexagonal nanoflakes with dominant {0 0 1} facets G. Han, L. Wang, C. Pei, R. Shi, B. Liu, H. Zhao, H. Yang and S. Liu (Xi'an, China)	62
A high-strength AlZnMg alloy hardened by the T-phase precipitates X.B. Yang, J.H. Chen, J.Z. Liu, F. Qin, J. Xie and C.L. Wu (Changsha, China)	69
Eutectoid nanostructure formation in Ti–xPd alloys and its effects on mechanical properties and cytotoxicity J.-H. Cho, M.-J. Hwang, M.-K. Han, O.-S. Han, H.-J. Song and Y.-J. Park (Gwangju, Republic of Korea)	74
Photoinduced nonlinear optical effects in Nd-doped δ-BiB ₃ O ₆ crystals A. Majchrowski (Warsaw, Poland), A. Wojciechowski, I.V. Kityk (Poland), M. Chrunik, L.R. Jaroszewicz and E. Michalski (Warsaw, Poland)	82
Rhombohedral–tetragonal phase coexistence and piezoelectric properties based on potassium–sodium niobate ternary system X. Cheng, J. Wu, T. Zheng, X. Wang, B. Zhang, D. Xiao, J. Zhu (Chengdu, PR China), X. Wang and X. Lou (Xi'an, PR China)	86
Extracting the composition of nanocrystals of mechanically alloyed systems using Mössbauer spectroscopy J.S. Blázquez, J.J. Ipus, V. Franco, C.F. Conde and A. Conde (Sevilla, Spain)	92
Ferromagnetic nickel filled in borate shell by controlled oxidation and crystallization of boride in air V. Singh, S. Ram (Kharagpur, India) and V. Srinivas (Kharagpur, Chennai, India)	100
Inductively coupled hydrogen plasma processing of AZO thin films for heterojunction solar cell applications H.P. Zhou (Chengdu, PR China), (Singapore, Singapore), S. Xu (Singapore, Singapore), Z. Zhao (Chengdu, PR China) and Y. Xiang (Chengdu, Dongguan, PR China)	107

Co-substitution driven electronic structure modifications in $Zn_{1-x}Co_xO$ M. Vagadia, A. Ravalia, S. Katba, P.S. Solanki (Rajkot, India), K. Bapna, M. Kumar, R.J. Choudhary, D.M. Phase (Indore, India) and D.G. Kuberkar (Rajkot, India)	113
Influence of the irradiation temperature on the surface structure and physical/chemical properties of Ar ion-irradiated bulk metallic glasses E. Menéndez (Leuven, Belgium), A. Hynowska, J. Fornell, S. Surifiach, J. Montserrat (Bellaterra, Spain), K. Temst, A. Vantomme (Leuven, Belgium), M.D. Baró (Bellaterra, Spain), E. García-Lecina (Donostia, Spain), E. Pellicer and J. Sort (Bellaterra, Spain)	118
Thermal stability and dynamic magnetic properties of FeSiAl films fabricated by oblique deposition X. Zhong (Chengdu, PR China), (Singapore, Singapore), N.N. Phuoc, G. Chai (Singapore, Singapore), Y. Liu (Chengdu, PR China) and C.K. Ong (Singapore, Singapore)	126
An efficient method to modulate the structure, morphology and properties of WO_3 through niobium doping A. Yan (Xuzhou, China), C. Xie (Wuhan, China), F. Huang (Xuzhou, China), S. Zhang (Wuhan, China) and S. Zhang (Xuzhou, China)	132
Elastic properties of ternary $(Al_xMg_{1-x})Sc$ random alloys from first principles methods S. Saha and J.W. Zwanziger (Halifax, Canada)	138
High performance supercapacitor electrodes from electrospun nickel oxide nanowires B. Vidhyadharan, N.K.M. Zain, I.I. Misnon, R.A. Aziz, J. Ismail, M.M. Yusoff and R. Jose (Malaysia).	143
Experimental investigation to thermal-mechanical behavior of $Ni_{47}Ti_{44}Nb_9$ SMA under pure tension and pure torsion X. Chen, X. Peng, B. Chen, J. Han, Z. Zeng and N. Hu (Chongqing, China).	151
Experimental investigation and thermodynamic prediction of the Ag-Ge-Sb phase diagram M. Premović (Kos. Mitrovica, Serbia), D. Manasijević (Bor, Serbia), D. Minić (Kos. Mitrovica, Serbia) and D. Živković (Bor, Serbia)	161
Damping behaviors of as-cast and solution-treated AZ91-Ca magnesium alloys J.-H. Jun (Incheon, Republic of Korea)	169
Interdiffusion kinetics of the intermetallic coatings on AZ91D magnesium alloy formed in molten salts at lower temperatures J. Le, L. Liu, F. Liu, Y. Deng, C. Zhong and W. Hu (Shanghai, China)	173
Effects of air annealing on Fe-Si-B-M-Cu (M = Nb, Mo) alloys J.M. Silveyra (Buenos Aires, Argentina) and E. Illeková (Bratislava, Slovakia)	180
Structural, electrical and magnetic characterisation of a new Aurivillius phase $Bi_{5-x}Th_xFe_{1+x}Ti_{3-x}O_{15}$ ($x = 1/3$) V.G. Vlasenko, V.A. Shuvaeva, S.I. Levchenkov (Rostov-on-Don, Russia), Ya.V. Zubavichus (Moscow, Russia) and S.V. Zubkov (Rostov-on-Don, Russia)	184
Electromechanical and electrical properties of $Bi_{0.5}Na_{0.5}Ti_{1-x}Mn_xO_{3-8}$ ceramics with high remnant polarization Y. Guo, H. Fan, C. Long, J. Shi, L. Yang and S. Lei (Xi'an, China)	189
Effect of particle size on the thermal expansion of nanostructured lead sulfide films S.I. Sadovnikov and A.I. Gusev (Ekaterinburg, Russia).	196
Characterization of hot deformation behavior of as-extruded Mg-Gd-Y-Zn-Zr alloy X. Xia (Chongqing, PR China), Q. Chen (Chongqing, Harbin, PR China), J. Li (Chong Qing, PR China), D. Shu, C. Hu, S. Huang and Z. Zhao (Chongqing, PR China)	203
Comment on "Structural and Mössbauer study of the brownmillerite oxides $LaSrMn_{2-x}Fe_xO_5$ ($0 \leq x \leq 0.5$)" J.E. Auckett and C.D. Ling (Australia)	212
Exploring Cu_2O/Cu cermet as a partially inert anode to produce aluminum in a sustainable way L.-C. Feng (Lianyungang, Harbin, China), N. Xie, W.-Z. Shao, L. Zhen (Harbin, China) and V.V. Ivanov (Krasnoyarsk, Russia).	214
The effect of stacking fault energy on equilibrium grain size and tensile properties of ultrafine-grained Cu-Al-Zn alloys processed by rolling B. Cai, J. Tao, W. Wang, X. Yang, Y. Gong, L. Cheng and X. Zhu (Kunming, China)	224
A nanostructured Ni/graphene hybrid for enhanced electrochemical hydrogen storage M.-H. Choi, Y.-J. Min (Taegu, Republic of Korea), G.-H. Gwak (Wonju, Republic of Korea), S.-M. Paek (Taegu, Republic of Korea) and J.-M. Oh (Wonju, Republic of Korea)	231
Study of sodium citrate dependent crystalline orientation and properties of $Zn_{0.85}Co_{0.05}Mg_{0.10}O$ films Y. Liu, X. Sun, T. Wang, Q. Fang, Q. Lv, M. Wu, Z. Sun, G. He and A. Li (Hefei, People's Republic of China).	236
Photocatalytic and antimicrobial Ag/ZnO nanocomposites for functionalization of textile fabrics M. Ibănescu (Bușilă), V. Mușat (Galați, Romania), T. Textor (Krefeld, Germany, Germany), V. Badilita (Romania) and B. Mahltig (Mönchengladbach, Germany)	244
Study of copper doping effects on structural, optical and electrical properties of sprayed ZnO thin films A. Mhamdi, R. Mimouni, A. Amlouk, M. Amlouk (Tunis, Tunisia) and S. Belgacem (Tunis, Tunisia, Saudi Arabia).	250
Crystal structure and magnetic properties of $R_3Mn_{0.5}GeS_7$ (R = Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho and Er) M. Daszkiewicz (Wrocław, Poland), O.V. Marchuk, L.D. Gulay (Lutsk, Ukraine) and D. Kaczorowski (Wrocław, Poland)	258
Differences in the structure and magnetic properties of $Sr_{1-x}RE_xFe_{12}O_{19}$ (RE: Pr and Dy) ferrites by microwave-assisted synthesis method Z. Zhou, Z. Wang, X. Wang, X. Wang, J. Zhang, F. Dou, M. Jin and J. Xu (Shanghai, China).	264
Evolution of diffuse microscopic phases and magnetism in Ca, Fe co-doped $BaTiO_3$ T. Chakraborty and S. Ray (Kolkata, India).	271

Aging effect of Mn-doped Ba _{0.77} Ca _{0.23} TiO ₃ ceramics Q. Yue, L. Luo, X. Jiang, W. Li and J. Zhou (Ningbo, China)	276
Luminescent investigations of Li ₆ Lu(BO ₃) ₃ :Tb ³⁺ , Dy ³⁺ phosphors U. Fawad, M. Oh, H. Park (Daegu, Republic of Korea), S. Kim (Cheongju, Republic of Korea) and H.J. Kim (Daegu, Republic of Korea)	281
Experimental study on the correlation between intermediate temperature embrittlement and equi-cohesive temperature M. Xu, W. Yang (Beijing, China), J. Liang (Beijing, China), Y. Meng and L. Zheng (Beijing, China)	288
Wear and corrosion behavior of Mg–Gd–Y–Zr alloy treated by mixed molten-salt bath Y. Niu (Shenyang, China), R. Cui, Y. He (Xi'an, China) and Z. Yu (Shenyang, China)	294
Surface exchange kinetics and chemical diffusivities of BaZr _{0.2} Ce _{0.65} Y _{0.15} O _{3–δ} by electrical conductivity relaxation D.-K. Lim, S.-Y. Jeon, B. Singh (Buk-gu, Republic of Korea), J.-Y. Park (Seoul, Republic of Korea) and S.-J. Song (Buk-gu, Republic of Korea)	301
Preparation and electrochemical properties of binary Si _x Sb immiscible alloy for lithium ion batteries J. Wang, Y. Wang, P. Zhang, D. Zhang and X. Ren (Shenzhen, PR China)	308
Effect of plastic working on martensitic phase transformation characteristics of TiNi alloys S.-W. Kim, C.H. Park (Changwon, Korea), J.H. Kim (Changwon, Daejeon, Korea), J.K. Hong and J.-T. Yeom (Changwon, Korea)	315
Martensite transformation kinetics in 9Cr–1.7W–0.4Mo–Co ferritic steel Q. Gao, C. Wang, F. Qu, Y. Wang (Qinhuangdao, China) and Z. Qiao (Tianjin, China)	322
Growth and characterization of Cu ₂ ZnSnS ₄ photovoltaic thin films by electrodeposition and sulfurization Y. Li, T. Yuan, L. Jiang, Z. Su (Changsha, China) and F. Liu (Changsha, China, Australia)	331
A promising sputtering for in situ fabrication of CIGS thin films without post-selenization G.-X. Liang, P. Fan, C.-M. Chen, Z.-H. Zheng and D.-P. Zhang (Shenzhen, China)	337
Zr and Si co-substitution for SmCo ₇ alloy with enhanced magnetic properties and improved oxidation and corrosion resistances D.Y. Feng, Z.W. Liu, G. Wang, Z.G. Zheng, D.C. Zeng (Guangzhou, PR China), Z. Li and G.Q. Zhang (Beijing, PR China)	341
DFT study of the solubility of hydrogen and carbon in Ni ₃ Nb–D0a and Ni ₃ Nb–D022 systems D. Connétable, F. Galliano, G. Odemer, C. Blanc and É. Andrieu (Toulouse Cedex, France)	347
Texture and microstructure evolution of Fe–Ni alloy after accumulative roll bonding K. Tirsatine, H. Azzeddine (Alger, Algeria), T. Baudin, A.-L. Helbert, F. Brisset (Orsay Cedex, France), B. Alili and D. Bradai (Alger, Algeria)	352
Determination of solid solubility level of Ho nanoparticles in Y-123 superconducting matrix and strong Cu ₁ site preference of nanoparticles N.K. Sar˘tekin (Bolu, Turkey), Y. Zalaoglu (Bolu, Osmaniye, Turkey), G. Yildirim, M. Dođruer, C. Terzioglu, A. Varilci and O. Gorur (Bolu, Turkey)	361
Dynamical and anisotropic behavior of the MSiP ₂ (M = Be, Mg, Cd, Zn and Hg) compounds T. Ouahrani (Tlemcen, Algeria), Y. Öztekin Çiftci (Ankara, Turkey) and M. Mebrouki (Tlemcen, Algeria)	372
Structure–property relationship of GdCrO ₃ -modified BiFeO ₃ ceramics X. Zhang (Mianyang, PR China), Y. Sui, X. Wang (Harbin, PR China) and R. Xie (Mianyang, PR China)	382
Au doping effects in HfO ₂ -based resistive switching memory T. Tan, T. Guo and Z. Liu (Xi'an, China)	388
Sol–gel synthesis and optical properties of CuGaS ₂ quantum dots embedded in sodium borosilicate glass J. Zhong (Hangzhou, China), H. Zhao, C. Zhang, X. Ma, L. Pei, X. Liang and W. Xiang (Wenzhou, China)	392
Synthesis and characterization of nanostructured forsterite scaffolds using two step sintering method S.M. Mirhadi (Shahreza, Iran)	399
Gd ₃ B(W,Mo)O ₉ : Eu ³⁺ red phosphor: From structure design to photoluminescence behavior and near-UV white-LEDs performance S. Dong, S. Ye, L. Wang, X. Chen, S. Yang, Y. Zhao (Guangzhou, PR China), J. Wang, X. Jing (Beijing, PR China) and Q. Zhang (Guangzhou, PR China)	402
Hydrothermal synthesis of Y(V, P)O ₄ :Ln ³⁺ (Ln = Eu, Yb, and Er) with shape- and size-controlled morphologies J. Zhang, Z. Zhai and G. Chen (Huai'an, China)	409
Luminescence and waveguiding behavior in Tb doped ZnO micro and nanostructures A. Urbietta, R. del Campo, R. Pérez, P. Fernández and J. Piqueras (Madrid, Spain)	416
A first-principles prediction on the magnetism in CoO with Co and O Vacancies M.Y. Yin, X.C. Wang, W.B. Mi, G.F. Chen and B.H. Yang (Tianjin, PR China)	422
Thermodynamic and electrical transport properties of PrAg ₂ Si ₂ D. Kaczorowski (Wrocław, Poland), B. Penc and A. Szytuła (Kraków, Poland)	428
The enhanced upconversion fluorescence and almost unchanged particle size of β-NaYF ₄ :Yb ³⁺ , Er ³⁺ nanoparticles by codoping with K ⁺ ions Z. Liang, Y. Cui, S. Zhao, L. Tian, J. Zhang and Z. Xu	432
Structural studies of liquid Co–Sn alloys A. Yakymovych (Vienna, Austria), I. Shtablayvi and S. Mudry (Lviv, Ukraine)	438
Key experiments and thermodynamic revision of the binary Al–Sr system S.-M. Liang (Clausthal-Zellerfeld, Germany), M. Engstler (Saarbrücken, Germany), V. Groten (Aachen, Germany), J. Barrirero, F. Mücklich (Saarbrücken, Germany), A. Bührig-Polaczek (Aachen, Germany) and R. Schmid-Fetzer (Clausthal-Zellerfeld, Germany)	443
Effect of temperature on excited state relaxation dynamics and up-conversion phenomena in La ₃ Ga _{5.5} Ta _{0.5} O ₁₄ :Er ³⁺ single crystals R. Lisiecki, W. Ryba-Romanowski, J. Komar (Wrocław, Poland) and M. Berkowski (Warsaw, Poland)	451

High-strength ultrafine grain Mg–7.4%Al alloy synthesized by consolidation of mechanically alloyed powders A.K. Chaubey (Bhubaneswar, India), (Dresden, Germany), S. Scudino, M. Samadi Khoshkhoo, K.G. Prashanth (Dresden, Germany), N.K. Mukhopadhyay (Varanasi, India), B.K. Mishra (Bhubaneswar, India) and J. Eckert (Dresden, D-01062 Dresden, Germany)	456
On the microsegregation of Al–Mg alloys by thermal analysis and numerical modeling M.H. Avazkonandeh-Gharavol, M. Haddad-Sabzevar (Mashhad, Iran) and H. Fredriksson (Stockholm, Sweden).	462
Novel high pressure structures and superconductivity of niobium disulfide Z.-L. Liu (Luoyang, China), L.-C. Cai (Mianyang, China) and X.-L. Zhang (Mianyang, China)	472
Structural and photodegradation behaviors of Fe ³⁺ -doping TiO ₂ thin films prepared by a sol–gel spin coating H.-J. Lin, T.-S. Yang (Taiwan), M.-C. Wang (Kaohsiung, Taiwan) and C.-S. Hsi (Taiwan)	478
Kesterite Cu ₂ ZnSnS ₄ solar cell from sputtered Zn/(Cu & Sn) metal stack precursors C. Yan, J. Chen, F. Liu, N. Song, H. Cui, B.K. Ng, J.A. Stride and X. Hao (Sydney, Australia)	486
Preparation and characterization of Al ₁₁ Cr ₄ phase by diffusion of Al/Cr composite film H. Wu, M. Zhang, B. Xu and G. Ling (Hangzhou, China)	492
Nucleation mechanism for epitaxial growth of GaN on patterned sapphire substrates S. Zhou, Z. Lin, H. Wang, T. Qiao, L. Zhong, Y. Lin, W. Wang, W. Yang and G. Li (Guangzhou, China)	498
Rapid precipitation of T-phase in the 2024 aluminum alloy via cyclic electropulsing treatment X. Xu, Y. Zhao, B. Ma and M. Zhang (Changchun, PR China).	506
Highly fluorescence-stable blue CdZnS/ZnS quantum dots against degradable environmental conditions K.-H. Lee, J.-H. Lee, H.-D. Kang, C.-Y. Han (Seoul, Republic of Korea), S.M. Bae (Gunsan, Republic of Korea), Y. Lee, J.Y. Hwang (Republic of Korea) and H. Yang (Seoul, Republic of Korea).	511
Structural, magnetic and magnetoelectric properties of Nb substituted Cobalt Ferrite R. Ramchandra Kiran, R.A. Mondal (Chennai, India), S. Dwevedi (Mumbai, India) and G. Markandeyulu (Chennai, India).	517
The phase equilibria in the Bi–S–I ternary system and thermodynamic properties of the BiSI and Bi ₁₉ S ₂₇ I ₃ ternary compounds Z.S. Aliev, S.S. Musayeva, F.Y. Jafarli, I.R. Amiraslanov (Baku, Azerbaijan), A.V. Shevelkov (Moscow, Russia) and M.B. Babanly (Baku, Azerbaijan).	522
Growth of highly conformal ruthenium-oxide thin films with enhanced nucleation by atomic layer deposition J.-Y. Park, S. Yeo (Gyeongsan-si, Republic of Korea), T. Cheon (Gyeongsan-si, Daegu, Republic of Korea), S.-H. Kim (Gyeongsan-si, Republic of Korea), M.-K. Kim, H. Kim (Seoul, Republic of Korea), T.E. Hong (Busan, Republic of Korea) and D.-J. Lee (Providence, United States). . .	529
Effect of Fe substitution on magnetocaloric effect in metamagnetic boron-carbide ErNi _{2-x} Fe _x B ₂ C compounds Y. Zhang and B. Yang (Shenyang, China)	540
Phase structure and the dielectric properties of the (Zn, Mg) ₂ (Ti, Sn)O ₄ ceramics X. Liu, X. Feng, K. Zhou, Y. Yang, C. Zuo and H. Du (Xi'an, People's Republic of China).	544
Molten-salt synthesis of lamellar Ni(OH) ₂ /NiOOH composite and its application for pseudocapacitor X. Qin, X. Li, L. Yang, Z. Wang, B. Zheng, H. Yuan and D. Xiao (Chengdu, PR China).	549
Thermoelectric properties, crystal and electronic structure of semiconducting RECuSe ₂ (RE = Pr, Sm, Gd, Dy and Er) M. Esmaili, Y.-C. Tseng and Y. Mozharivskiy (Hamilton, Canada).	555
The interrelated effect of initial melt undercooling, solute trapping and solute drag on the grain growth mechanism of as-solidified Ni–B alloys Z. Chen, Y.Y. Tang, Q. Chen, R.X. Cui (Xuzhou, PR China), F. Liu (Xi'an, PR China) and Z.H. Zhang (Zhangjiagang, PR China)	561
Synthesis of NiO–Al ₂ O ₃ nanocomposites by sol–gel process and their use as catalyst for the oxidation of styrene S.K. Yadav and P. Jeevanandam (Roorkee, India).	567
Thermal annealing-induced formation of ZnO nanoparticles: Minimum strain and stress ameliorate preferred c-axis orientation and crystal-growth properties M.F. Malek, M.H. Mamat, M.Z. Musa, Z. Khusaimi (Shah Alam, Malaysia), M.Z. Sahdan (Batu Pahat, Malaysia), A.B. Suriani (Tanjung Malim, Malaysia), A. Ishak, I. Saurdi (Shah Alam, Malaysia), S.A. Rahman (Malaysia) and M. Rusop (Shah Alam, Malaysia)	575
In situ investigation on the precipitation of topologically close-packed phase in Ni-base single crystal superalloy S. Gao, Y. Zhou, C.-F. Li, J. Cui, Z.-Q. Liu and T. Jin (Shenyang, China)	589
Improved dielectric properties of the CaCu ₃ Ti ₄ O ₁₂ composites using BaTiO ₃ -coated powder as precursor H.E. Kim, S.-M. Choi, Y.-W. Hong and S.-I. Yoo (Seoul, Republic of Korea).	594
Vibrational properties of nonlinear optical Bi ₂ ZnOB ₂ O ₆ single crystals doped with Pr ³⁺ : μ-Raman investigations D. Kasprowicz, T. Runka, K. Jaroszewski (Poznan, Poland), A. Majchrowski and E. Michalski (Warsaw, Poland).	600
Refinement of intermetallic compounds and aluminum matrix in 3xxx aluminum alloys solidified by an electromagnetic vibration technique M. Li, T. Tamura, N. Omura, Y. Murakami, S. Tada, K. Miwa (Nagoya, Japan) and K. Takahashi (Fukayu, Japan).	606
Investigation on superconducting properties of GdBa ₂ Cu ₃ O _{7-δ} added with nanosized ZnFe ₂ O ₄ R. Awad (Alexandria, Egypt), (Tripoli, Lebanon), A.I. Abou Aly, N.H. Mohammed (Alexandria, Egypt), S. Isber (Beirut, Lebanon), H.A. Motaweh and D. El-Said Bakeer (Damanhur, Egypt).	614
Precipitation behaviour of Al–Zn–Mg–Cu alloy and diffraction analysis from η' precipitates in four variants W. Yang (Hunan, China), (Uxbridge, UK), S. Ji (Uxbridge, UK), M. Wang and Z. Li (Hunan, China).	623
Key step in the synthesis of ultrafine strontium ferrite powders (SrFe ₁₂ O ₁₉) by sol–gel method T.T.V. Nga, N.P. Duong, T.T. Loan and T.D. Hien (Hanoi, Viet Nam)	630

Fabrication and characterization of NiTi/Ti ₃ SiC ₂ and NiTi/Ti ₂ AlC composites L. Hu, A. Kothalkar (College Station, USA), G. Proust (Sydney, Australia), I. Karaman and M. Radovic (College Station, USA)	635
Pressure-induced phase transformations in mineral chalcocite, Cu ₂ S, under hydrostatic conditions D. Santamaria-Perez (Burjassot, Spain), (London, UK), G. Garbarino (Grenoble Cedex, France), R. Chulia-Jordan (Madrid, Spain), M.A. Dobrowolski (Grenoble Cedex, France), (Warsaw, Poland), C. Mühle and M. Jansen (Stuttgart, Germany)	645
Dense electronic excitation induced modification in TiO ₂ doped SnO ₂ nanocomposite films M.K. Jaiswal, R. Kumar and D. Kanjilal (New Delhi, India)	651
Electron field emission characteristics of graphene/carbon nanotubes hybrid field emitter L. Chen, H. He, H. Yu, Y. Cao (Hangzhou, PR China), D. Lei, Q. Menggen (Ordos, PR China), C. Wu and L. Hu (Fuzhou, PR China)	659
Microstructural evolution of the interfacial layer in the Ti–Al/Yb _{0.6} Co ₄ Sb ₁₂ thermoelectric joints at high temperature M. Gu, X. Xia, X. Li, X. Huang and L. Chen (Shanghai, China)	665
Synthesis, structure, magnetic and photo response properties of La ₃ CuGaSe ₇ X. Zhang, W. Chen, D. Mei (Beijing, China), C. Zheng (DeKalb, USA), F. Liao (Beijing, China), Y. Li (Shijiazhuang, China), J. Lin and F. Huang (Beijing, China)	671
Thermochemical investigations in the system Cd–Gd T.L. Reichmann (Vienna, Austria), R. Ganesan (Kalpakkam, India) and H. Ipser (Vienna, Austria)	676
Elastic properties and electronic structures of Cr _x B _y as superhard compounds X. Chong, Y. Jiang, R. Zhou (Kunming, People's Republic of China) and J. Feng (Cambridge, USA)	684
Tunable blue–green color emission and energy transfer properties of Li ₂ CaGeO ₄ :Ce ³⁺ , Tb ³⁺ phosphors for near-UV white-light LEDs Y. Jin and Y. Hu (Guangzhou, PR China)	695
Formation enthalpy of intermetallic phases from Ag–Ca system. Experiment vs. modeling A. Dębski, R. Dębski, W. Gąsior and A. Góral (Kraków, Poland)	701
Nanoparticle size, oxidation state, and sensing response of tin oxide nanopowders using Raman spectroscopy K. Vijayarangamuthu and S. Rath (India)	706
Effects of graphite addition on the microstructure and properties of laser cladding Zr–Al–Ni–Cu amorphous coatings Y. Wang (Qingdao, China), G. Li (Fuxin, China), Z. Shi, M. Liu, X. Zhang (Qingdao, China) and Y. Liu (Xuzhou, China)	713
Keywords.	1