


Volume 611

25 October 2014

ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Effects of microstructure modification and pressurized solidification on mechanical property of AZ91 alloy S.N. Chen, W. Yang, H. Yu and Y.L. Zhang (Nanchang, PR China)	1
Characteristics of traps in AgIn ₅ S ₈ single crystals S. Ozdemir (Ankara, Turkey), M. Bucurgat (Ankara, Turkey) and T. Firat (Ankara, Turkey)	7
Hydrogen sorption properties of mechanically alloyed Mg _{1–2x} Fe _x Ti _x powder mixtures M. Meyer and L. Mendoza-Zélis (La Plata, Argentina)	11
Efficiency enhancement of ZnO-based dye-sensitized solar cell by hollow TiO ₂ nanofibers F. Li, G. Wang, Y. Jiao (Xiangtan, People's Republic of China), J. Li (Seattle, USA) and S. Xie (Xiangtan, People's Republic of China)	19
Mg doping effect on high-pressure behaviors of apatite-type lanthanum silicate G. Yin, H. Yin, X. Wang, M. Sun, L. Zhong, R. Cong, H. Zhu, W. Gao and Q. Cui (Changchun, China)	24
Multiferroic properties in transition metals doped La ₂ Ti ₂ O ₇ ceramics G. Gong (Wuhan, People's Republic of China), Y. Qiu (Xinyang, People's Republic of China), G. Zerihun, Y. Fang, C. Yin, C. Zhu, S. Huang and S. Yuan (Wuhan, People's Republic of China)	30
Influences of temperatures on tungsten copper alloy prepared by microwave sintering L. Xu (Kunming, PR China), M. Yan (London, United Kingdom), J. Peng (Kunming, PR China), C. Srinivasakannan (Abu Dhabi, United Arab Emirates), Y. Xia, L. Zhang, G. Chen, H. Xia and S. Wang (Kunming, PR China)	34
Preparation and magnetic properties of electrospun Co/BaTiO ₃ heterostructured nanofibers H. Li, L. Xue and Y. Yan (Wuhan, PR China)	38
Enhanced dielectric and ferroelectric properties of lead-free Ba(Zr _{0.15} Ti _{0.85})O ₃ ceramics compacted by cold isostatic pressing M.L.V. Mahesh, V.V. Bhanu Prasad and A.R. James (Hyderabad, India)	43
Thermal stability, AC electrical conductivity and dielectric properties of N-(5-[[antipyrinyl-hydrazono]-cyanomethyl]-[1,3,4]thiadiazol-2-yl)-benzamide E.M. El-Menyawy (Cairo, Egypt), I.T. Zedan (El-Arish, Egypt), A.M. Mansour (Cairo, Egypt) and H.H. Nawar (Libya)	50
Crystallization of iron-containing Si–Al–Mg–O glasses under laser floating zone conditions N.M. Ferreira, A.V. Kovalevsky (Aveiro, Portugal), J.C. Waerenborgh, M. Quevedo-Reyes (Sacavém, Portugal), A.A. Timopheev, F.M. Costa and J.R. Frade (Aveiro, Portugal)	57
Complex spinel titanate as an advanced anode material for rechargeable lithium-ion batteries W. Chen, H. Liang, W. Ren (Xiamen, China), L. Shao, J. Shu (Ningbo, China) and Z. Wang (Xiamen, China)	65
Investigation of uranium luminescence in SrB ₄ O ₇ matrix by time resolved photoluminescence, thermally stimulated luminescence and electron spin resonance spectroscopy M. Mohapatra, B. Rajeswari, R.M. Kadam, M. Kumar, T.K. Seshagiri, N.K. Porwal, S.V. Godbole and V. Natarajan (Mumbai, India)	74
Anomalous growth of multi-phased and multi-dimensional Manganese oxide–Metal (Fe, Co and Ni) oxide nanostructures: Synthesis and optical limiting properties K. Sridharan (Ansan, Republic of Korea), N. Roy, R. Philip (Bangalore, India) and T.J. Park (Ansan, Republic of Korea)	82
Brazing W and Fe–Ni–Co alloy using Ag–28Cu and Ag–27Cu–3.5Ti fillers J. Shang, J. Yan and N. Li (Chendu, PR China)	91
Thermal stability and crystallization kinetics of quaternary Sb–Se–Ge–In chalcogenide glasses S. Sharda, N. Sharma, P. Sharma and V. Sharma (Solan, India)	96
Effect of oxygen partial pressure and temperature on NTC characteristics of Mn _{1.56} Co _{0.96} Ni _{0.48} O ₄ thin films grown on SrTiO ₃ (1 0 0) by laser MBE Y. Xie, G. Ji (Urumqi, China), H. Bu (Suzhou, China), W. Kong, B. Gao, J. Yao, A. Chang (Urumqi, China) and C. Jiang (Urumqi, Suzhou, China)	100
Microstructural characteristics of the microphase Y–Ti ₂ SC in nickel-based superalloys X.B. Hu, Y.B. Xue, S.J. Zheng, Y.L. Zhu, D. Chen and X.L. Ma (Shenyang, China)	104

Photoluminescence study of Er-doped zinc-sodium-antimonite glasses J. Zavadil (Prague, Czech Republic), Z.G. Ivanova (Sofia, Bulgaria), P. Kostka (Prague, Czech Republic), M. Hamzaoui and M.T. Soltani (Algeria)	111
A comparative study on the growth of ZnO nanorods by annealing method in different environments P. Tiwari, H. Srivastava, A.K. Srivastava and S.K. Deb (Indore, India)	117
A first-principles calculation on electronic structure and optical performance of chromium and nitrogen codoped anatase titanium dioxide F. Wang (Tianjin, Huaian, China), L. Feng, D. Zhang (Hebei, China), Q. Tang and D. Feng (Tianjin, China)	125
Enhanced thermionic emission properties in textured two-phase LaB ₆ -BaB ₆ system prepared by spark plasma sintering S.L. Zhou (Jian, Shanghai, Beijing, China), J.X. Zhang (Hefei, China), L.H. Bao (Hohhot, China), X.G. Yu, Q.L. Hu and D.Q. Hu (Jian, China)	130
Improve the structure and electrochemical performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode material by nano-Al ₂ O ₃ ultrasonic coating Y. Chen, Y. Zhang (Chengdu, PR China), F. Wang (Mianyang, PR China), Z. Wang and Q. Zhang (Chengdu, PR China)	135
Correlation between optical and structural properties of copper oxide electrodeposited on ITO glass O. Messaoudi, H. Makhlof, A. Souissi, I. Ben assaker, M. karyaoui (Hammamlif, Tunisia), A. Bardaoui (Hammamlif, Tunisia, Saudi Arabia), M. Oueslati (Tunis, Tunisia) and R. Chtourou (Hammamlif, Tunisia)	142
On the formation and structural properties of hexagonal rare earth (Y, Gd, Dy, Er and Yb) disilicide thin films F.A. Geenen, W. Knaepen (Gent, Belgium), J. Demeulemeester (Leuven, Belgium), K. De Keyser (Gent, Belgium), J.L. Jordan-Sweet, C. Lavoie (Yorktown Heights, USA), A. Vantomme (Leuven, Belgium) and C. Detavernier (Gent, Belgium)	149
Enhancement of light extraction in GaN-based light-emitting diodes by Al ₂ O ₃ -coated ZnO nanorod arrays J. Park, D.S. Shin and D.-H. Kim (Seoul, Republic of Korea)	157
Structural characterization of electro-codeposited Ni-Al ₂ O ₃ -SiC nanocomposite coatings M. Alizadeh, M. Mirak (Shiraz, Iran), E. Salahinejad (Iran), M. Ghaffari (Madison, USA), (Isfahan, Iran), R. Amini (Shiraz, Iran) and A. Roosta (Iran)	161
Orthorhombic Zr ₂ Co ₁₁ phase revisited X.-Z. Li, W.Y. Zhang, D.J. Sellmyer (Lincoln, United States), X. Zhao, M.C. Nguyen, C.Z. Wang and K.M. Ho (Ames, United States)	167
Controlled synthesis of Co ₃ O ₄ and Co ₃ O ₄ @MnO ₂ nanoarchitectures and their electrochemical capacitor application W. Yang (Harbin, PR China), Z. Gao (Harbin, PR China), (Virginia, USA), J. Ma, X. Zhang and J. Wang (Harbin, PR China)	171
Mechanical and electrochemical properties of nanocrystalline (Mo _{1-x} Cr _x) ₃ Si coatings: Experimental and modeling studies J. Xu (Nanjing, Wuhan, PR China), Z. Li (Beijing, PR China), X. Lu (Nanjing, PR China), Y. Yan (Huangshi, PR China), P. Munroe (Australia) and Z.-H. Xie (Wuhan, PR China, Australia)	179
Chemical synthesis of α-La ₂ S ₃ thin film as an advanced electrode material for supercapacitor application S.J. Patil, V.S. Kumbhar, B.H. Patil, R.N. Bulakhe and C.D. Lokhande (Kolhapur, India)	191
Synthesis of FeSiBPbCu nanocrystalline soft-magnetic alloys with high saturation magnetization Z. Li (Beijing, China), A. Wang, C. Chang (Ningbo, China), Y. Wang, B. Dong and S. Zhou (Beijing, China)	197
Hydrogen absorption and desorption in the Mg-Ag system G. Urretavizcaya, A.C. Sarmiento Chávez and F.J. Castro (S.C. de Bariloche, Argentina)	202
First-principles study of structural, elastic and lattice dynamical properties of chalcopyrite BeSiV ₂ and MgSiV ₂ (V = P, As, Sb) L. Shi (Xuzhou, Beijing, China), J. Hu, Y. Qin, Y. Duan, L. Wu, X. Yang and G. Tang (Xuzhou, China)	210
Effect of Zn/Sn ratio on structure and properties of ZnO-SnO ₂ nanocomposite films J.-C. Li, X.-Y. Hou and Q. Cao (Shenyang, PR China)	219
Ab initio calculations of martensitic phase behavior in Ni ₂ FeGa magnetic shape memory alloys C. Soykan, S. Özdemir Kart (Denizli, Turkey), C. Sevik (Eskişehir, Turkey) and T. Çağrı (Texas, USA)	225
Microstructure and tribological properties of Fe-Cr matrix self-lubricating composites against Si ₃ N ₄ at high temperature G. Cui, L. Lu, J. Wu, Y. Liu and G. Gao	235
Structural, morphological and magnetic characterization of electrodeposited Co-Fe-W alloys R. D. Noce, A.V. Benedetti, M. Magnani (Araraquara, Brazil), E.C. Passamani (Vitória, Brazil), H. Kumar, D.R. Cornejo (São Paulo, Brazil) and C.A. Ospina (Campinas, Brazil)	243
Synthesis and characterization of tungsten oxynitride films deposited by reactive magnetron sputtering S. Khamseh (Iran)	249
Microstructure optimization and optical and interfacial properties modulation of sputtering-derived HfO ₂ thin films by TiO ₂ incorporation J.W. Zhang (Hefei, China), G. He (Hefei, Shanghai, China), L. Zhou, H.S. Chen (Hefei, China), X.S. Chen (Shanghai, China), X.F. Chen, B. Deng, J.G. Lv and Z.Q. Sun (Hefei, China)	253
Superior electrochemical performance of mesoporous Fe ₃ O ₄ /CNT nanocomposites as anode material for lithium ion batteries S.M. Abbas, S. Ali (Islamabad, Pakistan), N.A. Niaz (Multan, Pakistan), N. Ali, R. Ahmed (Skudai, Malaysia) and N. Ahmad (Islamabad, Pakistan)	260
Si purity control and separation from Si-Al alloy melt with Zn addition Y. Li (Dalian, China), (Tokyo, Japan), Y. Tan, J. Li (Dalian, China) and K. Morita (Tokyo, Japan)	267
Characterization of Al ³⁺ substituted lithium ferrite prepared by chemical method P.R. Arjunwadkar and R.R. Patil (Nagpur, India)	273
The crystallization and FTIR spectra of ZrO ₂ -doped 36Fe ₂ O ₃ -10B ₂ O ₃ -54P ₂ O ₅ glasses and crystalline compounds F. Wang, Q. Liao, K. Chen, S. Pan and M. Lu (Mianyang, PR China)	278

Phase equilibria and magnetic properties in Mn–Ga–Cu ternary alloys K. Minakuchi (Aoba-yama, Japan), M. Sasaki, W. Ito (Natori-shi, Japan), M. Nagasako (Katahira, Japan) and R. Kainuma (Aoba-yama, Japan)	284
Crystalline to amorphous transition in solids upon high-pressure torsion R.V. Sundeev, A.M. Glezer and A.V. Shalimova (Moscow, Russia)	292
Roughness improvement of fluorine-doped tin oxide thin films by using different alcohol solvents X.L. Shi, J.T. Wang and J.N. Wang (Shanghai, PR China)	297
Thermodynamic modeling of the Fe–Mo system coupled with experiments and <i>ab initio</i> calculations V.B. Rajkumar and K.C. Hari Kumar (Chennai, India)	303
Interfacial reactions in Sn/Bi ₂ Te ₃ , Sn/Bi ₂ Se ₃ and Sn/Bi ₂ (Te _{1-x} Se _x) ₃ couples S.-w. Chen, C.-y. Wu, H.-j. Wu and W.-t. Chiu (Taiwan)	313
Single thermite-type combustion synthesis of Fe ₂ VAl for thermoelectric applications from Fe, V ₂ O ₅ and Al powders K. Abe, A. Kikuchi, N. Okinaka and T. Akiyama (Sapporo, Japan)	319
Room temperature ferromagnetism in Fe-doped europium oxide (Eu _{1.90} Fe _{0.10} O _{3-δ}) A. Bandyopadhyay (Burdwan, India), A.K. Deb (Uttar Dinajpur, India), S. Kobayashi, K. Yoshimura (Kyoto, Japan) and P.K. Chakrabarti (Burdwan, India)	324
Electronic structure study of Co doped CeO ₂ nanoparticles using X-ray absorption fine structure spectroscopy S. Kumar (Changwon, Republic of Korea), S. Gautam (Seoul, Republic of Korea), T.K. Song (Changwon, Republic of Korea), K.H. Chae (Seoul, Republic of Korea), K.W. Jang and S.S. Kim (Changwon, Republic of Korea)	329
Controllable one-pot synthesis of various one-dimensional Bi ₂ S ₃ nanostructures and their enhanced visible-light-driven photocatalytic reduction of Cr(VI) E. Hu, X. Gao, A. Etogo, Y. Xie, Y. Zhong and Y. Hu (Jinhua, PR China)	335
Influence of pre-deformation and subsequent annealing on strain hardening and anisotropy of AM30 magnesium alloy D. Sarker, J. Friedman and D.L. Chen (Toronto, Canada)	341
New K _{0.48} Na _{0.52} NbO ₃ –Bi(Zn _{0.5} Zr _{0.5})O ₃ lead-free ceramics: Microstructure and piezoelectricity Y. Wang (Hangzhou, Guiyang, PR China) and Q. Zhang (Hangzhou, PR China)	351
Thermophysical investigations of the uranium–zirconium alloy system S. Ahn (Republic of Korea), S. Irukuvarghula (Manchester, United Kingdom) and S.M. McDevitt (College Station, United States)	355
Study of a hot-pressed sintering preparation of Ti(C ₇ N ₃)-based composite cermets materials and their performance as cutting tools B. Zou, H. Zhou, K. Xu, C. Huang, J. Wang (Jinan, PR China, PR China) and S. Li (Jinan, PR China)	363
H ₂ V ₃ O ₈ nanobelts as a novel stable electrode material with good reversible redox performance I. Mjejri, N. Etteyeb (Tunisia) and F. Sediri (Tunisia, Tunis, Tunisia)	372
Magnetolectric properties of multiferroic composites (1–x)ErMnO ₃ –xY ₃ Fe ₅ O ₁₂ at room temperature B. Raneesh (Kottayam, India), H. Soumya, J. Philip (Cochin, India), S. Thomas and K. Nandakumar (Kottayam, India)	381
The atomic and electronic level structure of an In–Cu supercooled alloy at the peritectic point K. Zhang (Beijing, Jinan, China), Y.Y. Jiang (Jinan, China), K.S. Li (Beijing, China), H. Li (Jinan, China) and D.B. Yu (Beijing, China)	386
Atom probe tomography of secondary γ' precipitation in a single crystal Ni-based superalloy after isothermal aging at 1100 °C X.P. Tan, D. Manginck, C. Perrin-Pellegrino (Marseille Cedex, France), L. Rougier (Lausanne, Switzerland), Ch.-A. Gandin (Sophia Antipolis, France), A. Jacot (Lausanne, Switzerland), D. Ponsen and V. Jaquet (Colombes, France)	389
The phase equilibria in the Ag ₂ S–Ag ₈ GeS ₆ –Ag ₈ SnS ₆ system Z.M. Aliyeva (Ganja, Azerbaijan), S.M. Bagheri (Baku, Azerbaijan), Z.S. Aliev (Baku, Azerbaijan), (San Sebastian, Spain), I.J. Alverdiyev, Y.A. Yusibov (Ganja, Azerbaijan) and M.B. Babanly (Baku, Azerbaijan)	395
Peculiarity of component interaction in Zr–Mn–{Sn, Sb} ternary systems L. Romaka, A. Tkachuk, Yu. Stadnyk, V.V. Romaka, A. Horyn and R. Korzh (Lviv, Ukraine)	401
Comparison of segregations formed in unmodified and Sr-modified Al–Si alloys studied by atom probe tomography and transmission electron microscopy J. Barrirero (Saarbrücken, Germany), (Linköping, Sweden), M. Engstler (Saarbrücken, Germany), N. Ghafoor (Linköping, Sweden), N. de Jonge (Saarbrücken, Germany), M. Odén (Linköping, Sweden) and F. Mücklich (Saarbrücken, Germany)	410
Three new chalcogenides, Ba ₄ Ge ₂ PbS ₈ Br ₂ , Ba ₄ Ge ₂ PbSe ₈ Br ₂ and Ba ₄ Ge ₂ SnS ₈ Br ₂ : Syntheses, crystal structures, band gaps, and electronic structures Z. Lin, K. Feng, H. Tu, L. Kang, Z. Lin, J. Yao and Y. Wu (Beijing, China)	422
Structural, magnetic and magneto-transport properties of monovalent doped manganite Pr _{0.55} K _{0.05} Sr _{0.4} MnO ₃ R. Thaljaoui Sfax, Tunisia (Warsaw, Warsaw, Poland), W. Boujelben (Sfax, Tunisia), M. Pękała, K. Pękała, J. Antonowicz (Warsaw, Poland), J.-F. Fagnard, Ph. Vanderbemden (Belgium), S. Dąbrowski and J. Mucha (Wrocław, Poland)	427
Diffusion of tungsten in chromium: Experiments and atomistic modeling M. Park, K.C. Alexander and C.A. Schuh (Cambridge, USA)	433
Energetic stability and magnetic moment of tri-, tetra-, and octa- ferromagnetic element nitrides predicted by first-principle calculations Y. Imai, M. Sohma and T. Suemasu (Tsukuba, Japan)	440
UV assisted photoelectrocatalytic oxidation of phthalic acid using spray deposited Al doped zinc oxide thin films M.A. Mahadik, S.S. Shinde, Y.M. Hunge, V.S. Mohite, S.S. Kumbhar, A.V. Moholkar, K.Y. Rajpure and C.H. Bhosale (Kolhapur, India)	446
Keywords	III