


Volume 612

5 November 2014  
ISSN 0925-8388



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

## Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jalcom](http://www.elsevier.com/locate/jalcom)

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Non-vacuum processed $\text{Cu}_2\text{ZnSnS}_4$ thin films: Influence of copper precursor on structural, optical and morphological properties F. Aslan and A. Tumbul (Sanliurfa, Turkey) . . . . .	1
Microstructure and mechanical properties of a phase-separating Mg-based bulk metallic glass L. Wang, K.Q. Qiu, Y.L. Ren and R.D. Li (Shenyang, China) . . . . .	5
The effect of matrix fracture toughness on the plastic deformation of the metallic glassy composite Z. Chu (Tianjin, Shanghai, China), G. Yuan (Shanghai, China), H. Kato, G. Xie (Sendai, Japan) and D. Yan (Tianjin, China) . . . . .	10
Beneficial effect of high pressure and double-atom-doped skutterudite compounds $\text{Co}_4\text{Sb}_{11.5-x}\text{Te}_{0.5}\text{Sn}_x$ by HPHT H. Sun, X. Jia, L. Deng, C. Wang, P. Lv, X. Guo, B. Sun, Y. Zhang, B. Liu and H. Ma (Changchun, China) . . . . .	16
Gradient microstructure and multiple mechanical properties of AlSi9Cu alloy ribbon produced by melt spinning X. Dong, L. He and P. Li (Beijing, China) . . . . .	20
$\text{Bi}_{1.5}\text{Mg}_{1.0}\text{Nb}_{1.5}\text{O}_7/\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ bilayer thin films prepared by pulsed laser deposition S. Yu, L. Li, N. Zhang, H. Dong, D. Xu (Tianjin, PR China) and W. Zhang (Kaifeng, PR China) . . . . .	26
Resistive switching behavior in Pt/YSZ/Nb:SrTiO <sub>3</sub> heterostructure for nonvolatile multilevel memories Y. Zhu (Enshi, Wuhan, PR China), M. Li (Wuhan, PR China), J. Liu (Shanghai, PR China), Z. Hu, Q. Wang, Y. Zhang, M. Wei (Wuhan, PR China) and C. Hu (Enshi, PR China) . . . . .	30
A method based on optical and atomic force microscopes for instant imaging of <i>non-homogeneous</i> electro-mechanical processes and direct estimation of $d_{ij}$ coefficients in piezoelectric materials at the local level D. Stamopoulos (Agia Paraskevi, Greece) and S.J. Zhang (University Park, USA) . . . . .	34
Effect of Sc and Zr additions on corrosion behaviour of Al–Zn–Mg–Cu alloys Y. Shi, Q. Pan, M. Li, X. Huang and B. Li (Hunan, China) . . . . .	42
Enhanced elevated temperature performance of LiFePO <sub>4</sub> modified spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ cathode W.H. Jang, M.C. Kim, S.N. Lee, J.Y. Ahn (Gwang-ju, Republic of Korea), V. Aravindan (Gwang-ju, Republic of Korea), (Singapore, Singapore) and Y.S. Lee (Gwang-ju, Republic of Korea) . . . . .	51
Effect of true strains on processing map for isothermal compression of Ni–20.0Cr–2.5Ti–1.5Nb–1.0Al Ni-base superalloy Y. Liu, Y. Ning, Z. Yao, H. Guo and Y. Nan (Xi'an, PR China) . . . . .	56
Electrical conduction mechanism in ZnS nanoparticles H. Ali, S. Karim, M.A. Rafiq, K. Maaz (Nilore, Pakistan), A.u. Rahman (Mardan, Pakistan), A. Nisar and M. Ahmad (Nilore, Pakistan) . . . . .	64
Fabrication of TiO <sub>2</sub> hollow microspheres by ammonia-induced self-transformation L. Si, Z. Huang, K. Lv, H. Ye, K. Deng and Y. Wu (Wuhan, PR China) . . . . .	69
The study of post annealing effect on Cu <sub>2</sub> O thin-films by electrochemical deposition for photoelectrochemical applications T.G. Kim, H.-b. Oh, H. Ryu (Gimhae, Republic of Korea) and W.-J. Lee (Busanjin-gu, Republic of Korea) . . . . .	74
Effect of deformation and heat treatment on the microstructure and mechanical properties of $\beta\text{-Zr40Ti5Al4V}$ alloy L. Qu, Z.N. Yang, F.C. Zhang, M. Zhang, X.Y. Zhang and R.P. Liu (Qinhuangdao, China) . . . . .	80
Investigations of early stage precipitation in a tungsten-rich nickel-base superalloy using SAXS and SANS R. Gilles (Garching, Germany), D. Mukherji (TU Braunschweig, Germany), H. Eckerlebe (Geesthacht, Germany), L. Karge (Garching, Germany), P. Staron (Geesthacht, Germany), P. Strunz (Rez, Czech Republic) and Th. Lippmann (Geesthacht, Germany) . . . . .	90
Effects of homogeneous irradiation of electron beam on crystal growth and thermoelectric properties of nanocrystalline bismuth selenium telluride thin films M. Takashiri, K. Imai, M. Uyama (Hiratsuka, Japan), H. Hagino (Kitakyushu, Japan), S. Tanaka (Koriyama, Japan), K. Miyazaki (Kitakyushu, Japan) and Y. Nishi (Hiratsuka, Japan) . . . . .	98
Very high-performance dielectric properties of $\text{Ca}_{1-3x/2}\text{Yb}_x\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics J. Boonlakhorn, P. Thongbai (Khon Kaen, Thailand), B. Putasaeng, T. Yamwong (Thailand Science Park, Thailand) and S. Maensiri (Nakhon Ratchasima, Thailand) . . . . .	103

Anisotropic Sm–Fe–N particles prepared by surfactant-assisted grinding method X.B. Ma, L.Z. Li, S.Q. Liu, B.Y. Hu, J.Z. Han, C.S. Wang, H.L. Du, Y.C. Yang and J.B. Yang (Beijing, China) . . . . .	110
Structural analysis and physical properties of $\text{Sr}_{2-x}\text{La}_x\text{VO}_{4-\delta}$ N. Suzuki, T. Noritake and T. Hioki (Nagakute, Japan) . . . . .	114
Crystalline structure, ferroelectric properties, and electrical conduction characteristics of W/Cr co-doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics Y. Chen, Z. Pen, Q. Wang and J. Zhu (Chengdu, China) . . . . .	120
One-pot reflux method synthesis of cobalt hydroxide nanoflake-reduced graphene oxide hybrid and their $\text{NO}_x$ gas sensors at room temperature S. Liu, L. Zhou, L. Yao, L. Chai, L. Li, G. Zhang, Kankan and K. Shi (Harbin, PR China). . . . .	126
Effect of group 5 elements on the formation and corrosion behavior of Ti-based BMG matrix composites reinforced by icosahedral quasicrystalline phase M.R. Debnath, H.-J. Chang (Seoul, Republic of Korea) and E. Fleury (Seoul, Republic of Korea), (Metz, France) . . . . .	134
Hydrothermal synthesis of $\text{InVO}_4$ /Graphitic carbon nitride heterojunctions and excellent visible-light-driven photocatalytic performance for rhodamine B W. Shi, F. Guo (Siping, PR China), J. Chen (Zhenjiang, PR China), G. Che and X. Lin (Siping, PR China) . . . . .	143
Effect of temperature on the luminescence of $\text{Sm}^{3+}$ ions in YAM crystals M. Kaczkan, Z. Boruc, S. Turczyński and M. Malinowski (Warsaw, Poland). . . . .	149
Growth of ZnS-coated ZnO nanorod arrays on (1 0 0) silicon substrate by two-step chemical synthesis H. Kumarakuru, Z.N. Urgessa, E.J. Olivier, J.R. Botha, A. Venter and J.H. Neethling (Port Elizabeth, South Africa) . . . . .	154
Ultrathin percolated $\text{WO}_3$ cluster film and its resistive response to $\text{H}_2$ M. Zhao (Suzhou, PR China), (Kowloon, China), M.H. Wong, J.X. Huang and C.W. Ong (Kowloon, China) . . . . .	163
Low lattice-thermal conductivity in a cage-structured compound $\text{YbCu}_9\text{Sn}_4$ with divalent Yb ions N. Tsujii (Tsukuba, Japan). . . . .	170
Stability and magnetic properties of cobalt nitrides M.B. Lourenço, M.D. Carvalho, P. Fonseca, T. Gasche, G. Evans, M. Godinho and M.M. Cruz (Lisboa, Portugal) . . . . .	176
Magnetic and microstructural characteristics of $\text{DyF}_3/\text{DyH}_x$ dip-coated Nd–Fe–B sintered magnets K.-H. Bae, T.-H. Kim, S.-R. Lee (Seoul, Republic of Korea), H.-J. Kim (Cheongwon, Republic of Korea), M.-W. Lee and T.-S. Jang (Asan, Republic of Korea) . . . . .	183
Solid state synthesis and characterization of ferromagnetic nanocomposite Fe– $\text{In}_2\text{O}_3$ thin films V.G. Myagkov, I.A. Tambasov, O.A. Bayukov, V.S. Zhigalov, L.E. Bykova, Yu.L. Mikhlin, M.N. Volochaev and G.N. Bondarenko (Krasnoyarsk, Russia). . . . .	189
Ordered surface-alloys formation in the Zr/W(1 0 0) adsorption system A. Trembulowicz, L. Jurczyszyn, Z. Szczudlo and A. Ciszewski (Wroclaw, Poland) . . . . .	195
Optical transition and thermal quenching mechanism in $\text{CaSnO}_3:\text{Eu}^{3+}$ phosphors J. Zhang, B. Chen, Z. Liang, X. Li, J. Sun, L. Cheng and H. Zhong (Dalian, PR China). . . . .	204
Luminescence of CNT coated $\text{LaPO}_4:\text{Tm}$ phosphors and their field emission lamp application S.-H. Yang, J.-H. Yan, C.-K. Yang and C.-M. Lin (Kaohsiung, Taiwan, ROC). . . . .	210
Synthesis of nano intermetallic $\text{Nb}_3\text{Sn}$ by mechanical alloying and annealing at low temperature M. López (Concepción, Chile), J.A. Jiménez (Madrid, Spain), K. Ramam and R.V. Mangalaraja (Concepción, Chile) . . . . .	215
Effect of directional solidification rate on the microstructure and properties of deformation-processed Cu–7Cr–0.1Ag in situ composites K. Liu (Nanchang, PR China), (NSW, Australia), Z. Jiang, J. Zhao (NSW, Australia), J. Zou, Z. Chen and D. Lu (Nanchang, PR China). . . . .	221
Molten-salt-mediated synthesis and low-temperature electrical conduction of $\text{LnCoO}_3$ (Ln = Pr, Nd, Sm, and Gd) H. Wang (Fuzhou, Guilin, PR China), G. Li and L. Li (Fuzhou, PR China) . . . . .	227
Influence of DETA on the structure and photocatalytic activity of $\text{Sm}(\text{OH})_3$ nanocrystallites prepared by hydrothermal process H. Jianfeng, W. Dan, Y. Lixiong, C. Liyun, O. Haibo, L. Jiayin and H. Wei (Xi'an, China). . . . .	233
Fabrication and properties of Er/Tm/Pr tri-doped yttrium lanthanum oxide transparent ceramics Q. Duan, Q. Yang, S. Lu, C. Jiang, Q. Lu and B. Lu (Shanghai, China). . . . .	239
Stress relaxation behavior of Fe–Co–Si–B–Nb metallic glassy alloys in their supercooled-liquid state N. Yodoshi, R. Yamada, A. Kawasaki and A. Makino (Sendai, Japan) . . . . .	243
Synthesis, phase transition and negative thermal expansion of cubic $\text{Zr}(\text{W}_{1-y}\text{Mo}_y)_2-x\text{V}_x\text{O}_{8-x/2}$ ( $y = 0.10, 0.20, 0.30, 0.40; 0 \leq x \leq 0.40$ ) solid solutions X. Chen (Zhengzhou, PR China), F. Guo, X. Deng, J. Tao, D. Qiu and X. Zhao (Beijing, PR China) . . . . .	252
Sol-gel synthesis and characterization of iron doped mullite S. Ilić, S. Zec (Belgrade, Serbia), M. Miljković (Nis, Serbia), D. Poleti, M. Pošarac-Marković, Dj. Janačković and B. Matović (Belgrade, Serbia) . . . . .	259
Effect of annealing of graphene layer on electrical transport and degradation of Au/graphene/n-type silicon Schottky diodes D.-J. Kim, G.-S. Kim (Jeonju, Republic of Korea), N.-W. Park, W.-Y. Lee, Y. Sim, K.-S. Kim, M.-J. Seong, J.-H. Koh (Seoul, Republic of Korea), C.-H. Hong (Jeonju, Republic of Korea) and S.-K. Lee (Seoul, Republic of Korea). . . . .	265
Effect of cold rolling on phase decomposition in biomedical Co–29Cr–6Mo–0.2N alloy during isothermal heat treatment at 1073 K M. Mori (Natori, Sendai, Japan), K. Yamanaka and A. Chiba (Sendai, Japan) . . . . .	273
Optimization and assessment of the Ag–Ca phase diagram M. Helena Braga (Porto, Portugal), A. Dębski and W. Gąsior (Kraków, Poland). . . . .	280

Hydrogen storage performance of nano Ni decorated LiBH <sub>4</sub> on activated carbon prepared through organic solvent T. Sun, F. Xiao, R. Tang, Y. Wang, H. Dong (Guangzhou, PR China), Z. Li (Henan, PR China), H. Wang, O. Liuzhang and M. Zhu (Guangzhou, PR China) .....	287
Fabrication, spark plasma consolidation, and thermoelectric evaluation of nanostructured CoSb <sub>3</sub> A. Khan (Stockholm, Sweden), M. Saleemi (Kista, Sweden), M. Johnsson (Stockholm, Sweden), L. Han, N.V. Nong (Denmark), M. Muhammed and M.S. Toprak (Kista, Sweden) .....	293
Sensitive optical switch based on Bi <sub>2</sub> S <sub>3</sub> single nanowire and nanowire film Q. Yang (Chongqing, Mianyang, PR China), L. Chen, C. Hu, S. Wang (Chongqing, PR China), J. Zhang and W. Wu (Mianyang, PR China) ..	301
CTAB-mediated synthesis and characterization of ZnO/Ag core-shell nanocomposites M. Khan, C. Wei, M. Chen, J. Tao, N. Huang, Z. Qi and L. Li (Hefei, China) .....	306
Simulation of magnesium hydroxide surface and interface D. Zhang, P. Zhang, S. Song, Q. Yuan, P. Yang and X. Ren (Shenzhen, PR China) .....	315
<i>Influence of nanocrystal size on the quantum dots sensitized solar cells' performance with low temperature synthesized CdSe quantum dots</i> B. Gao, C. Shen, S. Yuan, B. Zhang, M. Zhang, Y. Yang and G. Chen (Shanghai, China) .....	323
Distribution and integrity of carbon nanotubes in carbon nanotube/magnesium composites C.D. Li, X.J. Wang, K. Wu, W.Q. Liu, S.L. Xiang, C. Ding, X.S. Hu and M.Y. Zheng (Harbin, PR China) .....	330
Microstructure and properties of Ti <sub>5</sub> Si <sub>3</sub> -based porous intermetallic compounds fabricated via combustion synthesis H. Ran, J. Niu, B. Song, X. Wang, P. Feng (Xuzhou, China), J. Wang, Y. Ge (Xi'an, China) and A. Farid (Luleå, Sweden) .....	337
Synthesis of benzimidazole-grafted graphene oxide/multi-walled carbon nanotubes composite for supercapacitance application R.Kr. Srivastava, W. Xingjue (Singapore, Singapore), V. Kumar, A. Srivastava (Varanasi, India) and V.N. Singh (New Delhi, India) .....	343
An investigation of the effect of ligands on thermal stability of luminescent samarium complexes Y. Ni, J. Tao, J. Jin, C. Lu, Z. Xu, F. Xu, J. Chen (Nanjing, China) and Z. Kang (USA) .....	349
Study of electronic, magnetic, optical and elastic properties of Cu <sub>2</sub> MnAl a gapless full Heusler compound D.P. Rai (Beijing, People's Republic of China) and R.K. Thapa (Aizawl, India) .....	355
First-principles calculation of self-diffusion coefficients in Ni <sub>3</sub> Al X. Zhang, H. Deng, S. Xiao, J. Tang, L. Deng and W. Hu (Changsha, China) .....	361
"Pesting"-like oxidation phenomenon of p-type filled skutterudite Ce <sub>0.9</sub> Fe <sub>3</sub> CoSb <sub>12</sub> P. Qiu, X. Xia, X. Huang, M. Gu, Y. Qiu and L. Chen (Shanghai, China) .....	365
Structural study and spectroscopic properties of NH <sub>4</sub> Er(PO <sub>3</sub> ) <sub>4</sub> J. Chékir-Mzali, K. Horchani-Naifer and M. Férid (Soliman, Tunisia) .....	372
Graphene oxide sheets involved in vertically aligned zinc oxide nanowires for visible light photoinactivation of bacteria A. Nourmohammadi, R. Rahighi, O. Akhavan and A. Moshfegh (Tehran, Iran) .....	380
Phase equilibrium studies in the PbTe–Ga <sub>2</sub> Te <sub>3</sub> and PbTe–In <sub>2</sub> Te <sub>3</sub> systems for growing new nonlinear optical crystals of PbGa <sub>6</sub> Te <sub>10</sub> and PbIn <sub>6</sub> Te <sub>10</sub> with transparency extending into the far-IR S.A. Avanesov, D.V. Badikov, V.V. Badikov, V.L. Panyutin (Krasnodar, Russia), V. Petrov (Berlin, Germany), G.S. Shevyrdyaeva, A.A. Martynov (Krasnodar, Russia) and K.V. Mitin (Moscow, Russia) .....	386
Research into the electrical property variation of undoped CdTe and ZnTe crystals grown under Te-rich conditions Y. Xu, H. Liu, Y. He, R. Yang, L. Luo and W. Jie (Xi'an, China) .....	392
Microstructural and mechanical properties, surface and electrochemical characterisation of a new Ti–Zr–Nb alloy for implant applications J.M. Calderon-Moreno, C. Vasilescu, S.I. Drob, S. Ivanescu, P. Osiceanu, P. Drob, M. Popa, S. Preda and E. Vasilescu (Bucharest, Romania) ..	398
Hydrothermal synthesis and characterization of Na <sub>3</sub> Y(PO <sub>4</sub> ) <sub>2</sub> phosphate A. Matraszek, I. Szczygieł and B. Szczygieł (Wrocław, Poland) .....	411
Injecting electrode controlled electronic transport across Fe <sub>3</sub> O <sub>4</sub> film-Si interfacial structure S. Ghosh, N. Srivastava and P.C. Srivastava (Varanasi, India) .....	418
Eco-friendly green synthesis, structural and photoluminescent studies of CeO <sub>2</sub> :Eu <sup>3+</sup> nanophosphors using <i>E. tirucalli</i> plant latex J. Malleshappa, H. Nagabhushana (Tumkur, India), S.C. Prashantha (Bangalore, India), S.C. Sharma (Bhilai, India), N. Dhananjaya, C. Shivakumara and B.M. Nagabhushana (Bangalore, India) .....	425
Crystallographic orientation relationships of boride and carbide particles with $\alpha$ and $\beta$ phases in a $\beta$ -Ti alloy R. Sarkar, P.S. Karamched, P. Ghosal, K.S. Prasad, T.K. Nandy (Hyderabad, India) and K.K. Ray (Kharagpur, India) .....	435
Simulation of the effect of composition on the precipitation in 6xxx Al alloys during continuous-heating DSC P. Lang (Cambridge, UK), (Vienna, Austria), E. Povoden-Karadeniz, A. Falahati and E. Kozeschnik (Vienna, Austria) .....	443
Room temperature ferromagnetism and absorption red-shift in nitrogen-doped TiO <sub>2</sub> nanoparticles C. Gómez-Polo, S. Larumbe (Pamplona, Spain) and M. Monge (Logroño, Spain) .....	450
Manipulating aggregation of CuO nanoparticles: Correlation between morphology and optical properties B.G. Ganga and P.N. Santhosh (Chennai, India) .....	456
Structural and electronic properties of the $\mu$ -phase Fe–Mo compounds J. Cieslak, J. Przewoznik and S.M. Dubiel (Krakow, Poland) .....	465

Influence of Silver nanoparticles addition on the phase transformation, mechanical properties and corrosion behaviour of Cu–Al–Ni shape memory alloys S.N. Saud, E. Hamzah, T. Abubakar, H.R. Bakhsheshi-Rad, S. Farahany, A. Abdolahi and M.M. Taheri (Johor Bahru, Malaysia) . . . . .	471
Study of intermetallics and phase equilibria of Mg–Zn–La system in Mg-rich corner at 345 °C M.L. Huang (Shenyang, China), (Qinhuangdao, China), H.X. Li, H. Ding (Shenyang, China), J.W. Zhao (NSW, Australia) and S.M. Hao (Shenyang, China) . . . . .	479
Thermal analysis and microstructural investigation of Cu-rich alloys in the Cu–Al–Ag system Z.S. Šimšić, D. Živković, D. Manasijević (Bor, Serbia), T.H. Grgurić (Sisak, Croatia), Y. Du (Changsha, China), M. Gojić, S. Kožuh (Sisak, Croatia), A. Kostov and R. Todorović (Bor, Serbia) . . . . .	486
Keywords. . . . .	I