


Volume 613

15 November 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Ion sputtering erosion mechanisms of h-BN composite ceramics with textured microstructures X. Duan, Y. Ding, D. Jia, N. Jing, Z. Yang, P. He, Z. Tian, S. Wang, Y. Wang, Y. Zhou and D. Yu (Harbin, China)	1
Thermal expansion and phase transition in [0 0 1]-oriented 0.69Pb(Mg _{1/3} Nb _{2/3})O ₃ -0.31PbTiO ₃ single crystal X. Li, P. Liu, Z. Xi, W. Long, P. Fang and X. Zhao (Xi'an, China)	8
Synthesis and spectroscopic behavior of highly luminescent trinuclear europium complexes with tris-β-diketone ligand D. Wang, Y. Pi, H. Liu, X. Wei, Y. Hu and J. Zheng (Huangshi, China)	13
A general strategy to fabricate ligand-free water-soluble up-conversion nanoparticles Z. Li, Y. Li, Y. Wang, H. Miao, Y. Du and H. Liu (Jinan, China)	18
In-situ precipitated network structure and high-temperature compressive behavior of Nb-Ti-C-B composites X. Zhang, Y. Zhong, M. Li, Y. Qin, F. Xu, X. He and Y. Li (Harbin, PR China)	25
First principles prediction of structural and electronic properties of Tl _x In _{1-x} N alloy M.J. Winiarski, P. Scharoch and M.P. Polak (Wrocław, Poland)	33
Growth of ZnO nanorods on graphite substrate and its application for Schottky diode G.-H. Nam (Gyeongbuk, Republic of Korea), S.-H. Baek (Daegu, Republic of Korea) and I.-K. Park (Gyeongbuk, Republic of Korea)	37
Lithium storage characteristics of a new promising gallium selenide anodic material J.-H. Jeong (Ulsan, Republic of Korea), D.-W. Jung (Daejeon, Republic of Korea) and E.-S. Oh (Ulsan, Republic of Korea)	42
Improvement of bonding strength of a (Pb, Sn)Te-Cu contact manufactured in a low temperature SLID-bonding process T.-H. Chuang, W.-T. Yeh, C.-H. Chuang (Taipei, Taiwan) and J.-D. Hwang (Hsinchu, Taiwan)	46
Effects of spin orbital coupling on atomic and electronic structures in Al ₂ Cu and Al ₂ Au crystal and liquid phases via <i>ab initio</i> molecular dynamics simulations Y. Wang, Y.H. Lu, X.D. Wang, Q.P. Cao, D.X. Zhang and J.Z. Jiang (Hangzhou, People's Republic of China)	55
Electro-mechanical character of Gd and Gd ₂ In and possibility of a Kondo-like behavior in Gd ₂ In N.K. Sarvestani, S.A. Ketabi (Damghan, Iran) and A. Yazdani (Tehran, Iran)	62
Effects of carbon nanotube content and annealing temperature on the hardness of CNT reinforced aluminum nanocomposites processed by the high pressure torsion technique D.D. Phuong, P.V. Trinh, N.V. An, N.V. Luan, P.N. Minh (Hanoi, Viet Nam), R.K. Khisamov, K.S. Nazarov, L.R. Zubairov, R.R. Mulyukov and A.A. Nazarov (Ufa, Russian Federation)	68
The preparation of high-adsorption, spherical, hexagonal boron nitride by template method N. Zhang, H. Liu, H. Kan, X. Wang, H. Long and Y. Zhou (Shenyang, China)	74
Sol-gel synthesis of Mg ²⁺ stabilized Na-β''/β-Al ₂ O ₃ solid electrolyte for sodium anode battery G. Zhang, Z. Wen, X. Wu, J. Zhang, G. Ma and J. Jin (Shanghai, PR China)	80
Cr ⁶⁺ ion doping effects in layered Ca ₃ Co ₄ O ₉ system Y. Fu (Qingdao, People's Republic of China), S. Lin, Y. Huang (Hefei, People's Republic of China), R. Shi (Qingdao, People's Republic of China) and B. Zhao (Hefei, People's Republic of China)	87
Enhanced magnetoelectric effect in ferromagnetic-elastic-piezoelectric composites Y. Zhang (Wuhan, PR China), G. Liu, H. Shi, W. Xiao (Beijing, PR China), Y. Zhu, M. Li, M. Li (Wuhan, PR China) and J. Liu (Shanghai, PR China)	93
A Co-free layered LiNi _{0.7} Mn _{0.3} O ₂ cathode material for high-energy and long-life lithium-ion batteries S. Ko, S.C. Lee, C.W. Lee and J.S. Im (Daejeon, Republic of Korea)	96
Preparation of reduced iron powder using combined distribution of wood-charcoal by microwave heating Q. Ye, H. Zhu, L. Zhang, J. Ma, L. Zhou (Kunming, PR China), P. Liu (Changchun, PR China), J. Chen, G. Chen and J. Peng (Kunming, PR China)	102
Characteristics and properties of a novel in situ method of synthesizing mesoporous TiO ₂ nanopowders by a simple coprecipitation process without adding surfactant S.-W. Yeh, H.-H. Ko (Kaohsiung, Taiwan), H.-M. Chiang (Taichung, Taiwan), Y.-L. Chen (Kaohsiung, Taiwan), J.-H. Lee (Tainan, Taiwan), C.-M. Wen and M.-C. Wang (Kaohsiung, Taiwan)	107

Anatase TiO ₂ nanobelts with plasmonic Au decoration exhibiting efficient charge separation and enhanced activity C. Hsu, Y. Shen, Z. Wei, D. Liu and F. Liu (Arlington, USA)	117
Effect of vacancies on structural, electronic and optical properties of monolayer MoS ₂ : A first-principles study L.-p. Feng, J. Su and Z.-t. Liu (Xi'an, China)	122
Effects of A-site La ³⁺ substitution by Nd ³⁺ on microwave dielectric properties and microstructure of CaTiO ₃ -La(Ga _{0.5} Al _{0.5})O ₃ ceramics F. Liang, S. Feng, W. Lu, Q. Wan and G. Fan (Wuhan, PR China)	128
Comparison of solidification behavior between in situ observation and simulation of Fe-C-Si system H.M. Henao (Australia), A. Sugiyama (Japan) and K. Nogita (Australia)	132
The influence of Cu/Mg atomic ratios on precipitation scenarios and mechanical properties of Al-Cu-Mg alloys J.Z. Liu, S.S. Yang, S.B. Wang, J.H. Chen and C.L. Wu (Changsha, China)	139
Synthesis and crystal structure of the quaternary compound AgFe ₂ GaTe ₄ G.E. Delgado, E. Quintero, R. Tovar, P. Grima-Gallardo and M. Quintero (Mérída, Venezuela)	143
Structure and vibrational properties of La _{2-x} Bi _x Mo ₂ O ₉ (0.05 ≤ x ≤ 0.4) oxygen ion conductors T. Paul and A. Ghosh (Jadavpur, India)	146
Synthesis, magnetic properties and magnetostriction of Pr _{0.5} Nd _{0.5} (Fe _{1-x} Co _x) _{1.9} cubic Laves alloys C.C. Hu, Y.G. Shi, Z.Y. Chen, D.N. Shi, S.L. Tang and Y.W. Du (Nanjing, China)	153
Annealing-induced shape recovery in thin film metallic glass A.T. Negussie, W. Diyatmika, J.P. Chu (Taipei, Taiwan), Y.L. Shen (Albuquerque, USA), J.S.C. Jang (Chung-Li, Taiwan) and C.H. Hsueh (Taipei, Taiwan)	157
Annealing effect on microstructure and magnetic properties of flake-shaped agglomerates of Ni-20wt%Fe nanopowder G.-Y. Lee, S.-K. Kwon and J.-S. Lee (Ansan, Republic of Korea)	164
Low-temperature thermal properties and features of the phonon spectrum of lutetium tetraboride V.V. Novikov, N.V. Mitroshenkov, A.V. Matovnikov, D.V. Avdashchenko (Bryansk, Russia), A.V. Morozov, L.M. Pavlova and V.B. Koltsov (Moscow, Russia)	170
Electronic structure and lattice dynamics of orthorhombic BiGaO ₃ J. Kaczkowski (Poznań, Poland)	175
Phase structure and piezoelectric properties of NBT-KBT-BT ceramics prepared by sol-gel flame synthetic approach W.L. Li, W.P. Cao, D. Xu, W. Wang and W.D. Fei (Harbin, PR China)	181
Conductive surface modification of cauliflower-like WO ₃ and its electrochemical properties for lithium-ion batteries S. Yoon (Chungnam, Republic of Korea), S.-G. Woo (Gyeonggi, Republic of Korea), K.-N. Jung (Daejeon, Republic of Korea) and H. Song (Chungnam, Republic of Korea)	187
Reactive melt infiltration of copper in Al-Cr preforms produced through combustion synthesis K. Naplocha, K. Granat and J. Kaczmar (Wroclaw, Poland)	193
Effects of additives on the microstructure and hydrogen storage properties of the Li ₃ N-MgH ₂ mixture B. Zhang and Y. Wu (Beijing, China)	199
Crystalline field effect and magnetic ordering in the heavy fermion Kondo lattice Ce ₆ Pd ₁₂ In ₅ M. Falkowski (Auckland Park, South Africa) and A.M. Strydom (Auckland Park, South Africa), (Dresden, Germany)	204
A facile and green strategy to fabricate luminescent Fe:ZnSe nanocrystals and their structural and optical properties R. Xie, Y. Li, L. Jiang and X. Zhang (Mianyang, China)	213
Structure and electrical properties of Li-doped BaTiO ₃ -CaTiO ₃ -BaZrO ₃ lead-free ceramics prepared by citrate method X. Liu, M. Zhu, Z. Chen, B. Fang (Changzhou, China), J. Ding (Changzhou, Zhenjiang, China), X. Zhao, H. Xu and H. Luo (Shanghai, China)	219
Preparation of high performance CaAlSiN ₃ :Eu ²⁺ phosphors with the aid of BaF ₂ flux W.-W. Hu, C. Cai, Q.-Q. Zhu, X. Xu, L.-Y. Hao (Hefei, People's Republic of China) and S. Agathopoulos (Ioannina, Greece)	226
Electrical properties and thermal expansion of strontium aluminates K.V. Zakharchuk, A.A. Yaremchenko and D.P. Fagg (Aveiro, Portugal)	232
The structural and luminescent properties of Lu ₃ Al ₅ O ₁₂ :Ce ³⁺ + Lu ₂ O ₃ crystal phosphors prepared by colloid chemical synthesis S.E. Kichanov (Dubna, Russia), G.P. Shevchenko, E.V. Tretyak (Minsk, Belarus), D.P. Kozlenko (Dubna, Russia), G.E. Malashkevich (Minsk, Belarus), A.V. Belushkin and B.N. Savenko (Dubna, Russia)	238
Microstructures and electrical properties of Ba _{0.9} Sr _{0.1} Ti _{0.99} Mn _{0.01} O ₃ multilayers X. Hong (Changshu, Shanghai, China), Y. Liu, D. Zhang, J. Feng (Changshu, China) and J. Chu (Shanghai, China)	244
The thermal shock behavior of Zr ₃ [Al(Si)] ₄ C ₆ and in situ (ZrB ₂ + ZrC)/Zr ₃ [Al(Si)] ₄ C ₆ composite L. Yu, J. Yang, T. Qiu and L. Pan (Nanjing, China)	249
Tuning crystal field symmetry of hexagonal NaY _{0.92} Yb _{0.05} Er _{0.03} F ₄ by Ti ⁴⁺ codoping for high-performance upconversion H. Yu, Q. Huang, E. Ma, X. Zhang and J. Yu (Fuzhou, China)	253
Efficient photocatalytic removal of nitric oxide with hydrothermal synthesized Na _{0.5} Bi _{0.5} TiO ₃ nanotubes Z. Ai, G. Lu and S. Lee (Wuhan, People's Republic of China), (Hong Kong, China)	260
Effect of different carbon sources on electrochemical properties of Li ₂ ZnTi ₃ O ₈ /C anode material in lithium-ion batteries H. Tang and Z. Tang (Tianjin, PR China)	267
Tunable luminescence properties and energy transfer in Ba ₃ Lu(PO ₄) ₃ :Ce ³⁺ , Tb ³⁺ phosphors C. Jin, H. Ma (Baoding, China), Y. Liu (Beijing, China), Q. Liu, G. Dong (Baoding, China) and Q. Yu (Nanchang, China)	275

The nature of the first order isostructural transition in GdRhSn S. Gupta, K.G. Suresh, A.K. Nigam (Mumbai, India), Y. Mudryk, D. Paudyal, V.K. Pecharsky and K.A. Gschneidner Jr. (Ames, USA)	280
Carbon coating for corrosion protection of SS-316L and AA-6061 as bipolar plates of PEM fuel cells M. Mirzaee Sisan, M. Abdolahi Sereshki, H. Khorsand and M.H. Siadati (Tehran, Iran)	288
Controlled fabrication of CdS/TiO ₂ nanorod heterojunction on Ti foils and its photoelectrochemical activity Q. Wang (Yantai, PR China), J. Qiao (Changchun, PR China) and S. Gao (Yantai, PR China)	292
Synthesis and characterization of concentration–gradient LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode material for lithium ion batteries L. Liang, K. Du, W. Lu, Z. Peng, Y. Cao and G. Hu (Changsha, China)	296
Effect of short range ordering on the magnetism in disordered Fe:Al alloy T. Ghosh, A.P. Jena (Kolkata, India), B. Sanyal (Uppsala, Sweden), H. Sonomura, T. Fukuda, T. Kakeshita (Osaka, Japan), P.K. Mukhopadhyay and A. Mookerjee (Kolkata, India)	306
The effect of electron cloud expansion on the red luminescence of Sr ₄ Al ₁₄ O ₂₅ :Mn ⁴⁺ revealed by calculation of the Racah parameters L. Chen, X. Deng, E. Zhao, X. Chen, S. Xue, W. Zhang (Hefei, China), S. Chen (Fengyang, China), Z. Zhao, W. Zhang (Hefei, China) and T.-S. Chan (HSinchu, Taiwan, ROC)	312
EPR and optical study of Mn ²⁺ doped monohydrated dipotassium stannic chloride R. Kripal and M. Singh (Allahabad, India)	317
X-ray analysis and optical properties of nickel oxide thin films E.R. Shaaban (Assiut, Egypt), M.A. Kaid and M.G.S. Ali (El-Minia, Egypt)	324
Structural transformations of TiO ₂ films with deposition temperature and electrical properties of nanostructure n-TiO ₂ /p-Si heterojunction diode S. Aksoy and Y. Caglar (Eskisehir, Turkey)	330
Improved persistent luminescence of CaTiO ₃ :Pr by fluorine substitution and thermochemical treatment S. Yoon, E.H. Ota, A.E. Maegli, L. Karvonen, S.K. Matam (Dübendorf, Switzerland), S.G. Ebbinghaus (Halle/Saale, Germany), B. Walfort (Teufen, Switzerland), H. Hagemann (Geneva, Switzerland), S. Pokrant (Dübendorf, Switzerland) and A. Weidenkaff (Dübendorf, Switzerland), (Stuttgart, Germany)	338
Antiferromagnetism in EuPdGe ₃ M.A. Albedah (Ottawa, Canada), K. Al-Qadi (Ottawa, Canada), (Doha, Qatar), Z.M. Stadnik (Ottawa, Canada) and J. Przewoźnik (Kraków, Poland)	344
Effect of Nb on phase transformations and microstructure in high Nb titanium aluminides G.E. Bean, M.S. Kesler and M.V. Manuel (United States)	351
Properties of a ZK60 magnesium alloy processed by high-pressure torsion S.A. Torbati-Sarraf (Los Angeles, USA) and T.G. Langdon (Los Angeles, USA), (Southampton, UK)	357
Study of resonance energy transfer between MEH-PPV and CuFeS ₂ nanoparticle and their application in energy harvesting device A. Layek, S. Middy, A. Dey, M. Das, J. Datta (Kolkata, India), C. Banerjee (Howrah, India) and P.P. Ray (Kolkata, India)	364
Superconductivity in LaPd ₂ As ₂ with a collapsed 122 structure S. Ganesanpotti (Kyoto, Japan), (Thiruvananthapuram, India), T. Yajima (Kyoto, Kashiwa, Japan), K. Nakano, Y. Nozaki, T. Yamamoto (Kyoto, Japan), C. Tassel (Kyoto, Sakyo-ku, Japan), Y. Kobayashi and H. Kageyama (Kyoto, Japan)	370
The Pt ₅ Zr ordering transformation K.P. Mabunda (South Africa) and C.I. Lang (Australia)	375
In situ synthesis of ZrC/SiC nanocomposite via carbothermic reduction of binary xerogel S.M. El-Sheikh, Z.I. Zaki and Y.M.Z. Ahmed (Helwan, Egypt)	379
Microstructural evolution at Cu/Sn–Ag–Cu/Cu and Cu/Sn–Ag–Cu/Ni–Au ball grid array interfaces during thermal ageing V.M.F. Marques (Oxford, Yeovil, UK), C. Johnston and P.S. Grant (Oxford, UK)	387
Electrical characterization of Ni/n-ZnO/p-Si/Al heterostructure fabricated by pulsed laser deposition technique S. Chand and R. Kumar (Hamirpur, India)	395
Electronic, magnetic and multiferroic properties of magnetoelectric NiTiO ₃ C. Xin, Y. Wang, Y. Sui, Y. Wang, X. Wang, K. Zhao, Z. Liu, B. Li (Harbin, People's Republic of China) and X. Liu (Changchun, People's Republic of China)	401
In-situ synthesis of SiC particles by the structural evolution of TiC _x in Al–Si melt J. Nie (Nanjing, Jinan, China), D. Li, E. Wang and X. Liu (Jinan, China)	407
Keywords	III