



Volume 614

25 November 2014  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics

**EDITOR-IN-CHIEF**  
L. SCHULTZ

**EDITORS**  
K.H.J. BUSCHOW  
J. CHAN  
L.P. COOK  
D.G. ESKIN  
H. FAN  
J.-M. GRENECHE  
V.G. HARRIS  
M. HENINI  
H. KLEINKE  
H.G. PAN  
V. PECHARSKY  
M. RICHTER  
H. SAKAGUCHI

**Contents**

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Nano Ni particle embedded $\text{Ni}_3\text{S}_2$ cathode prepared by melt spinning and ball milling processes G.-b. Cho, Y.-m. Im (Jinju, Republic of Korea), Y.-w. Kim (Daegu, Republic of Korea), H.-j. Ahn, K.-w. Kim (Jinju, Republic of Korea), G.-t. Kim (Münster, Germany) and T.-h. Nam (Jinju, Republic of Korea).....	1
Ionothermal synthesis and electrochemical analysis of Fe doped $\text{LiMnPO}_4/\text{C}$ composites as cathode materials for lithium-ion batteries X. Li, S. Liu, H. Jin, Y. Meng and Y. Liu (Hefei, PR China).....	7
Microscopic and spectroscopic properties of hydrothermally synthesized nano-crystalline $\text{LiFePO}_4$ cathode material P. Rosaiah and O.M. Hussain (Tirupati, India).....	13
Properties enhancement of low Ag-content Sn–Ag–Cu lead-free solders containing small amount of Zn A.A. El-Daly, A.E. Hammad (Zagazig, Egypt), G.S. Al-Ganainy (Cairo, Egypt) and M. Ragab (Zagazig, Egypt).....	20
Stability of strengthening effect of in situ formed $\text{TiC}_p$ and $\text{TiB}_w$ on the elevated temperature strength of $(\text{TiC}_p + \text{TiB}_w)/\text{Ti}$ composites L. Jia (Osaka, Japan), (Xi'an, China), B. Chen (Osaka, Japan), S.-f. Li (Xi'an, China), H. Imai, M. Takahashi and K. Kondoh (Osaka, Japan) ..	29
Biopolymer-protected $\text{GdBa}_2\text{Cu}_3\text{O}_{7-x}$ nanoparticles: Morphology, structure and superconducting properties S. Alikhanzadeh-Arani, M. Kargar and M. Salavati-Niasari (Kashan, Islamic Republic of Iran) .....	35
Hydrothermal synthesis, morphology and luminescent properties of $\text{GdAlO}_3:\text{Eu}^{3+}$ microcrystals X.-L. Wang, Z. Yang (Kunming, PR China), J. Li (Beijing, PR China), W.-F. Fu, P. Tang, Y.-F. Chen, J. Guo (Kunming, PR China), Z.-H. Gao, Y. Huang and Y. Tao (Beijing, PR China) .....	40
On the sol-gel fabrication and characterization of undoped and cerium-doped $\text{Sr}_4\text{Al}_14\text{O}_{25}$ M. Misevicius, M. Kilmanas (Vilnius, Lithuania), S. Culunlu (Bolu, Turkey), S. Sakirzanovas (Vilnius, Lithuania), A.U. Morkan (Bolu, Turkey), A. Beganskiene and A. Kareiva (Vilnius, Lithuania) .....	44
Significant effects of adding trace amounts of Ti on the microstructure and corrosion properties of Mg–6Al–1Zn magnesium alloy J.Y. Choi and W.J. Kim (Seoul, Republic of Korea) .....	49
Hot deformation and dynamic recrystallization of NiTi intermetallic compound H. Mirzadeh and M.H. Parsa (Tehran, Iran) .....	56
Enhanced orange emission of $\text{ZnS}/\text{SiO}_x$ core/shell heterostructure nanospheres synthesized via a facile one-step thermal evaporation method B. Cheng, C. Chen, X. Yu, X. Su, Y. Xiao and S. Lei (PR China) .....	60
Effects of minor Cu and Zn additions on the thermal, microstructure and tensile properties of Sn–Bi-based solder alloys J. Shen, Y. Pu, H. Yin (Chongqing, China), D. Luo (Suzhou, China) and J. Chen (Chongqing, China) .....	63
Highly transparent conductive F-doped $\text{ZnO}$ films in wide range of visible and near infrared wavelength deposited on polycarbonate substrates X. Zhang, L. Zhu, H. Xu, L. Chen, Y. Guo and Z. Ye (Hangzhou, PR China) .....	71
Improvements in electrical properties for the Sn-rich $\text{Cu}_{2-x}\text{ZnSnSe}_4$ bulks with mobility above $50 \text{ cm}^2/\text{V s}$ D.-H. Kuo and W. Wubet (Taipei, Taiwan) .....	75
Structures and electric properties of cubic bismuth based pyrochlore thin films grown by pulsed laser deposition X. Zhang (Xi'an, Jingdezhen, China), W. Ren (Xi'an, China), F. Xin (Jingdezhen, China) and P. Shi (Xi'an, China) .....	80
Effect of cast process and microalloying on the fracture toughness of Zr-based bulk amorphous alloys Y.S. Chang, K.T. Hsu, J.B. Li, P.H. Tsai, J.S.C. Jang (Chung-Li, Taiwan, ROC) and J.C. Huang (Kaohsiung, Taiwan, ROC) .....	87
Effect of heating rate on microstructure and mechanical properties of TRIP-aided multiphase steel D. Xu (Shenyang, PR China), J. Li (Shenyang, Shanghai, PR China), Q. Meng (Shanghai, PR China), Y. Liu (Shenyang, PR China) and P. Li (Shanghai, PR China) .....	94
RF power control for fabricating amorphous silicon nitride without Si-nanocrystals and its effect on defects and luminescence S. Jang (Seoul, Daejeon, Republic of Korea) and M. Han (Seoul, Republic of Korea) .....	102
Effects of chromium addition on microstructure and properties of TiC–VC reinforced Fe-based laser cladding coatings H. Zhang, Y. Zou, Z. Zou and C. Shi (Jinan, China) .....	107

Structural-thermodynamic method of phase analysis of multicomponent alloys based on the example of the Ni <sub>50</sub> Co <sub>25</sub> Mo <sub>25</sub> alloy Y. Ustinovshikov (Izhevsk, Russia) . . . . .	113
Electrochemical and structural analysis of the RE <sup>3+</sup> :CeO <sub>2</sub> nanopowders from combustion synthesis C. Esther Jeyanthi (Coimbatore, Chennai, India), R. Siddheswaran, R. Medlin (Plzeň, Czech Republic), M. Karl Chinnu, R. Jayavel (Chennai, India) and K. Rajarajan (Chengalpet, India) . . . . .	118
Composition dependent phase stability of Ni–Mn–Ga alloys studied by <i>ab initio</i> calculations N. Xu (Shenyang, China), (Metz, France), J.M. Raulot (Metz, France), Z.B. Li (Shenyang, China), Y.D. Zhang (Metz, France), J. Bai (QinHuangDao, China), W. Peng, X.Y. Meng, X. Zhao, L. Zuo (Shenyang, China) and C. Esling (Metz, France) . . . . .	126
Microstructure evolution of the 1469 Al–Cu–Li–Sc alloy during homogenization M. Jia, Z. Zheng and Z. Gong (Changsha, China) . . . . .	131
Investigations of the optical spectral bands, g factors and local structure for the tetragonal Cr <sup>5+</sup> tetrahedral clusters in Cr-doped silica glasses Y. Mei (Mianyang, PR China), W.-C. Zheng (Chengdu, PR China), B.-W. Chen and C.-F. Wei (Mianyang, PR China) . . . . .	140
Heat capacity, thermal conductivity and thermal diffusivity of uranium–americium mixed oxides O.S. Välu (Karlsruhe, Germany), (JB Delft, The Netherlands), D. Staicu, O. Beneš (Karlsruhe, Germany), R.J.M. Konings (Karlsruhe, Germany), (JB Delft, The Netherlands) and P. Lajarge (Karlsruhe, Germany) . . . . .	144
Effect of (Li, Mn) co-doping on structural, optical and magnetic properties of chunk-shaped nano ZnO N. Rajamanickam, R.N. Mariammal, S. Rajashabala and K. Ramachandran (Madurai, India) . . . . .	151
Co-existence of tetragonal and monoclinic phases and multiferroic properties for $x \leq 0.30$ in the (1 – x)Pb(Zr <sub>0.52</sub> Ti <sub>0.48</sub> )O <sub>3</sub> –(x)BiFeO <sub>3</sub> system S. Sharma, V. Singh (Noida, India), R.K. Kotnala (New Delhi, India), R. Ranjan (Bangalore, India) and R.K. Dwivedi (Noida, India) . . . . .	165
Thermal annealing impact on crystal quality of (GaIn) <sub>2</sub> O <sub>3</sub> alloys F. Zhang, K. Saito, T. Tanaka, M. Nishio and Q. Guo (Saga, Japan) . . . . .	173
Direct spectroscopic identification of the magnetic structure of the interface of Mn <sub>3</sub> O <sub>4</sub> /Fe <sub>3</sub> O <sub>4</sub> superlattices C.L. Chen (Taipei, Taiwan), C.L. Dong (Hsinchu, Taiwan), G. Chern (Chiayi, Taiwan), K. Kumar (Tallaght, Dublin, Ireland), H.J. Lin, C.T. Chen (Hsinchu, Taiwan), C.L. Chang (Tamsui, Taiwan) and A. Fujimori (Bunkyo-ku, Tokyo, Japan) . . . . .	177
Anodization of dual-layer laminated aluminum foils: A facile route to through-hole porous anodic alumina templates H. Lv, Y. Song, L. Cao, C. Yang, H. Xiao and S. Zhang (Nanjing, China) . . . . .	182
Magnetic, thermal and electrical transport properties of TmAuGe D. Kaczorowski (Wrocław, Poland) and A. Szytuła (Kraków, Poland) . . . . .	186
Evaluation of nanoscaled precipitates in a Cu–Ni–Si–Cr alloy during aging J.Y. Cheng, B.B. Tang, F.X. Yu and B. Shen (Nanchang, PR China) . . . . .	189
Improvement in ductility of high strength polycrystalline Ni-rich Ni <sub>3</sub> Al alloy produced by EB-PVD J.Y. Sun, Y.L. Pei, S.S. Li, H. Zhang and S.K. Gong (Beijing, China) . . . . .	196
Influence of Al and Cu elements on the microstructure and properties of (FeCrNiCo)Al <sub>x</sub> Cu <sub>y</sub> high-entropy alloys Q.C. Fan (Mianyang, PR China), B.S. Li (Harbin, PR China) and Y. Zhang (Mianyang, PR China) . . . . .	203
Segregation of hydrogen to defects in nickel using first-principles calculations: The case of self-interstitials and cavities D. Connétable (Toulouse Cedex, France), Y. Wang (Toulouse Cedex, Villeurbanne Cedex, France) and D. Tanguy (Villeurbanne Cedex, France) . . . . .	211
Structural, electrical, optical and magnetic properties of p-type Cu(Cr <sub>1-x</sub> Mn <sub>x</sub> )O <sub>2</sub> thin films prepared by pulsed laser deposition X. Zhou, F. Lin, W. Shi and A. Liu (Shanghai, PR China) . . . . .	221
EBSD and X-ray diffraction study on the recrystallization of cold rolled Ni <sub>3</sub> Al based intermetallic alloy W. Polkowski, P. Jóźwik and Z. Bojar (Warsaw, Poland) . . . . .	226
Enhanced ferroelectric and ferromagnetic performance of 2–2 type (Bi,Eu)(Fe,Mn)O <sub>3</sub> /CoFe <sub>2</sub> O <sub>4</sub> bilayered thin film G. Dong, G. Tan, Y. Luo, W. Liu, H. Ren and A. Xia (Xi'an, China) . . . . .	234
Alloying effects on the hydrogen-storage capability of Pd–TM–H (TM = Cu, Au, Pt, Ir) systems S. Akamaru, M. Hara and M. Matsuyama (Gofuku, Japan) . . . . .	238
Growth behaviors and film properties of zinc oxide grown by atmospheric mist chemical vapor deposition H.-J. Jeon, S.-G. Lee (Seoul, Republic of Korea), K.-S. Shin, S.-W. Kim (Suwon, Republic of Korea) and J.-S. Park (Seoul, Republic of Korea) . . . . .	244
Micro-sized cadmium tungstate as a high-performance anode material for lithium-ion batteries J. Zhang, J. Pan, L. Shao, J. Shu, M. Zhou and J. Pan (Ningbo, People's Republic of China) . . . . .	249
Lattice parameters values and phase diagram for the Cu <sub>2</sub> Zn <sub>1-z</sub> Mn <sub>z</sub> GeSe <sub>4</sub> alloy system D. Caldera, M. Quintero, M. Morocoima, E. Moreno, E. Quintero, P. Grima-Gallardo, P. Bocaranda (Mérida, Venezuela), J.A. Henao, M.A. Macías (Bucaramanga, Colombia), J.M. Briceño and A.E. Mora (Mérida, Venezuela) . . . . .	253
A new paradigm for heat treatment of alloys Y. Ustinovshikov (Izhevsk, Russia) . . . . .	258
Study of full concentration-gradient Li(Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> )O <sub>2</sub> cathode material for lithium ion batteries C. Hua, K. Du, C. Tan, Z. Peng, Y. Cao and G. Hu (Changsha, PR China) . . . . .	264
Solvothermal synthesis and electrochemical performance of Li <sub>2</sub> MnSiO <sub>4</sub> /C cathode materials for lithium ion batteries Y.-C. Wang (Shenzhen, Beijing, China), S.-X. Zhao (Shenzhen, China), P.-Y. Zhai (Shenzhen, Beijing, China), F. Li (Shenzhen, China) and C.-W. Nan (Beijing, China) . . . . .	271
Dielectric and magnetic studies of (NKNLS) <sub>1-x</sub> –(NZFO) <sub>x</sub> multiferroic composites R. Rai (Aveiro, Portugal), S. Sharma, R. Rani (Patna, India), A. Pereira and A. de Jesus Monteiro Almeida (Portugal) . . . . .	277

Mg-doped hydroxyapatite nanoplates for biomedical applications: A surfactant assisted microwave synthesis and spectroscopic investigations	283
V.K. Mishra, B.N. Bhattacharjee, O. Parkash, D. Kumar and S.B. Rai (Varanasi, India) . . . . .	
Dielectric and magnetic properties of BaTiO <sub>3</sub> /Ni <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> composite ceramics synthesized by a co-precipitation process	289
P. Zhu, Q. Zheng, R. Sun, W. Zhang, J. Gao (Shenzhen, China) and C. Wong (Hong Kong, China) . . . . .	
Formation of solid solutions of gallium in Fe–Cr and Fe–Co alloys: Mössbauer studies and first-principles calculations	297
V.V. Serikov, N.M. Kleinerman, A.V. Vershinin, N.V. Mushnikov, A.V. Protasov, L.A. Stashkova ( <i>Ekaterinburg, Russia</i> ), O.I. Gorbatov ( <i>Ekaterinburg, Russia</i> ), ( <i>Stockholm, Sweden</i> ), A.V. Ruban ( <i>Stockholm, Sweden</i> ) and Yu.N. Gornostyrev ( <i>Ekaterinburg, Russia</i> ) . . . . .	
Magnetic anisotropy and magnetodielectric coefficients in Cr <sub>2</sub> O <sub>3</sub> and Fe <sub>0.4</sub> Cr <sub>1.6</sub> O <sub>3</sub>	305
I. Banerjee (Los Angeles, USA), (Ranchi, India), H.K.D. Kim, D. Pisani, K.P. Mohanchandra and G.P. Carman (Los Angeles, USA) . . . . .	
Hollow shaped nanofibers with (Ti, Sn)O <sub>2</sub> solid-solutions: Synthesis, characterization, and photocatalytic application	310
J.-Y. Jung, S. Cho and Y.-S. Lee (Daejeon, Republic of Korea) . . . . .	
Thermodynamic behavior of the Mg–Co–H system: The effect of hydrogen cycling	317
M.G. Verón and F.C. Gennari . . . . .	
Modification of Schottky barrier properties of Au/n-type Ge Schottky barrier diode using monolayer graphene interlayer	323
Z. Khurelbaatar, Y.-H. Kil (Jeonju, Republic of Korea), H.-J. Yun (Jeonju, Daejeon, Republic of Korea), K.-H. Shim (Jeonju, Republic of Korea), J.T. Nam, K.-S. Kim, S.-K. Lee (Seoul, Republic of Korea) and C.-J. Choi (Jeonju, Republic of Korea) . . . . .	
Synthesis, crystal structure, and transport properties of Fe substituted rhombohedral skutterudite derivatives Co <sub>4-x</sub> Fe <sub>x</sub> Ge <sub>6</sub> Se <sub>6</sub>	330
K. Wei, Y. Dong (Tampa, USA), P. Puneet, T.M. Tritt (Clemson, USA) and G.S. Nolas (Tampa, USA) . . . . .	
Structural and anisotropic elastic properties of Zintl M <sub>2</sub> Pb (M = Ca, Sr and Ba) compounds as a function of pressure	334
Y.-H. Duan (Kunming, China), W.-C. Hu (Nanchang, China), Y. Sun and M.-J. Peng (Kunming, China) . . . . .	
The role of β' <sub>1</sub> precipitates in the bio-corrosion performance of Mg–3Zn in simulated body fluid	345
Y. Lu, A.R. Bradshaw, Y.L. Chiu and I.P. Jones (Birmingham, United Kingdom) . . . . .	
Synthesis of Bi <sub>2</sub> O <sub>3</sub> architectures in DMF–H <sub>2</sub> O solution by precipitation method and their photocatalytic activity	353
L.-L. Yang, Q.-F. Han, J. Zhao, J.-W. Zhu, X. Wang and W.-H. Ma (Nanjing, China) . . . . .	
Threading dislocation annihilation in the GaN layer on cone patterned sapphire substrate	360
S.R. Xu, P.X. Li, J.C. Zhang, T. Jiang, J.J. Ma, Z.Y. Lin and Y. Hao (Xi'an, China) . . . . .	
<sup>1</sup> H NMR study of hydrogen self-diffusion in ternary Ti–V–Cr alloys	364
A.V. Vyvodtceva, M.G. Shelyapina (Saint Petersburg, Russia), A.F. Privalov (Darmstadt, Germany), Yu.S. Chernyshev (Saint Petersburg, Russia) and D. Fruchart (Grenoble Cedex, France) . . . . .	
In-situ annealing of In–Se amorphous precursors sputtered at low temperature	368
Y. Yan, S. Li, Y. Ou, Y. Ji, L. Liu, C. Yan, Y. Zhang, Z. Yu (Chengdu, China) and Y. Zhao (Chengdu, China), (Sydney, Australia) . . . . .	
Enhanced photoelectrochemical sensor based on ZnO–SnO <sub>2</sub> composite nanotubes	373
X. An, F. Teng, P. Zhang, C. Zhao, X. Pan, Z. Zhang and E. Xie (Lanzhou, People's Republic of China) . . . . .	
Modification of morphological, structural and optical properties of SILAR-based growth of CuO films on glass-slides by addition of dextrin	379
F. Bayansal, B. Şahin (Hatay, Turkey), M. Yüksel (Ankara, Turkey) and H.A. Çetinkara (Hatay, Turkey) . . . . .	
Ce-doped YAG phosphors prepared via sol–gel method: Effect of some modular parameters	383
A. Boukerika (Algiers, Jijel, Algeria), L. Guerbous and N. Brihi (Jijel, Algeria) . . . . .	
Capture of toxic radioactive and heavy metal ions from water by using titanate nanofibers	389
J. Xu, H. Zhang, J. Zhang (Jinzhou, PR China) and E.J. Kim (Ulsan, Republic of Korea) . . . . .	
Thermal stability and oxidation resistance of BiCuSeO based thermoelectric ceramics	394
F. Li (Shenzhen, China), T.-R. Wei (Shenzhen, Beijing, China), F. Kang (Shenzhen, China) and J.-F. Li (Beijing, China) . . . . .	
High blocking temperature in SnO <sub>2</sub> based super-paramagnetic diluted magnetic semiconductor	401
O. Mounkachi (Rabat, Morocco, France), E. Salmani, H. El Moussaoui (Rabat, Morocco), R. Masrour (Safi, Morocco, France), M. Hamedoun, H. Ez-Zahraouy (Rabat, Morocco), E.K. Hilil (France) and A. Benyoussef (Rabat, Morocco) . . . . .	
Short-range correlations in binary alloys: Spin model approach to Ag <sub>c</sub> Au <sub>1-c</sub> and Ag <sub>c</sub> Pd <sub>1-c</sub>	408
I. Vilja and K. Kokko (Turku, Finland) . . . . .	
Thermochemical investigation of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-δ</sub> superconductor doped by lutetium	415
N.I. Matskevich (Novosibirsk, Russia) and Th. Wolf (Karlsruhe, Germany) . . . . .	
Electronic structures and origin of intrinsic luminescence in Bi-containing oxide crystals BiPO <sub>4</sub> , K <sub>3</sub> Bi <sub>5</sub> (PO <sub>4</sub> ) <sub>6</sub> , K <sub>2</sub> Bi(PO <sub>4</sub> )(MoO <sub>4</sub> ), K <sub>2</sub> Bi(PO <sub>4</sub> )(WO <sub>4</sub> ) and K <sub>5</sub> Bi(MoO <sub>4</sub> ) <sub>4</sub>	420
Y.A. Hizhnyi, S.G. Nedilko, V.P. Chornii, M.S. Slobodyanik, I.V. Zatovsky and K.V. Terebilenko (Kyiv, Ukraine) . . . . .	
Magnetic and photocatalytic response of Ag-doped ZnFeO nano-composites for photocatalytic degradation of reactive dyes in aqueous solution	436
A. Mahmood, S.M. Ramay, Y.S. Al-Zaghayer, M. Imran (Riyadh, Saudi Arabia), S. Atiq (Lahore, Pakistan) and M.S. Al-Johani (Riyadh, Saudi Arabia) . . . . .	
Synthesis and luminescent properties of trivalent rare-earth (Eu <sup>3+</sup> , Tb <sup>3+</sup> ) ions doped nanocrystalline AgLa(PO <sub>3</sub> ) <sub>4</sub> polyphosphates	443
L. Krishna Bharat, Y.I. Jeon and J.S. Yu (Yongin-si, Republic of Korea) . . . . .	
Corrigendum to “Effect of ball-milling granulation with PVB adhesive on the sinterability of co-precipitated Yb:YAG nanopowders” [J. Alloys Compd. 589 (2014) 448–454]	448
X. Chen, T. Lu, N. Wei, Z. Lu, W. Zhang (Chengdu, PR China), B. Ma (Nanyang, PR China), Y. Guan, W. Liu and F. Jiang (Chengdu, PR China)	
Keywords . . . . .	III