


Volume 615, Supplement 1

5 December 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI

H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI

SI: ISMANAM 2013

**Guest Editors: Livio Battezzati
Paola Tiberto**



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Editorial

Preface

- L. Battezzati and P. Tiberto (Torino, Italy) S1

Bulk metallic glasses

Development and applications of Fe- and Co-based bulk glassy alloys and their prospects

- A. Inoue (Togane, Japan) (Ningbo, China), (Jeddah, Saudi Arabia), F.L. Kong (Togane, Japan), Q.K. Man (Ningbo, China), B.L. Shen (Nanjing, China), R.W. Li (Ningbo, China) and F. Al-Marzouki (Jeddah, Saudi Arabia) S2

Aging and structural relaxation of hyper-quenched Mg₆₅Cu₂₅Y₁₀ metallic glass

- F. Zhai, E. Pineda (Castelldefels, Spain), B. Ruta (Grenoble cedex, France), M. Gonzalez-Silveira (Bellaterra, Spain) and D. Crespo (Castelldefels, Spain) S9

Transient liquid phase bonding of carbon steel tubes using a Cu interlayer: Characterization and comparison with amorphous Fe–B–Si interlayer bonds

- N. Di Luozzo (Buenos Aires, Argentina), (Grenoble Cedex, France), M. Boudard, B. Doisneau (Grenoble Cedex, France), M. Fontana and B. Arcondo (Buenos Aires, Argentina) S13

Microstructural and mechanical characterizations of steel tubes joined by transient liquid phase bonding using an amorphous Fe–B–Si interlayer

- N. Di Luozzo (Buenos Aires, Argentina), (Grenoble Cedex, France), B. Doisneau, M. Boudard (Grenoble Cedex, France), M. Fontana and B. Arcondo (Buenos Aires, Argentina) S18

Accuracy of a selection criterion for glass forming ability in the Ni–Nb–Zr system

- L.P. Déo and M.F. de Oliveira (São Carlos, Brazil) S23

Microstructure of the Ni–Fe–Cu–P melt-spun ribbons produced from the single-chamber and from the double-chamber crucibles

- K. Ziewiec, A. Błachowski, K. Ruebenbauer, A. Ziewiec (Kraków, Poland), K. Prusik (Katowice, Poland), J. Latuch (Warszawa, Poland), M. Zięba and K. Bryła (Kraków, Poland) S29

On the kinetic and thermodynamic fragility of the Pt₆₀Cu₁₆Co₂P₂₂ and Pt_{57.3}Cu_{14.6}Ni_{5.3}P_{22.8} bulk metallic glasses

- I. Gallino, O. Gross (Saarbruecken, Germany), G. Dalla Fontana (Torino, Italy), Z. Evenson and R. Busch (Saarbruecken, Germany) S35

Influence of transition metal on glass formability of Y–TM–B (TM = Fe, Ni) system

- Z. Śniadecki (Poznań, Poland) S40

Structural and dynamical properties of Mg₆₅Cu₂₅Y₁₀ metallic glasses studied by *in situ* high energy X-ray diffraction and time resolved X-ray photon correlation spectroscopy

- B. Ruta (Grenoble, France), V.M. Giordano (Villeurbanne, France), L. Erra (Grenoble, France), C. Liu and E. Pineda (Castelldefels, Spain) .. S45

Effect of manufacturing method on the magnetic properties and formation of structural defects in Fe₆₁Co₁₀Y₈Zr₁B₂₀ amorphous alloy

- M.G. Nabiałek, P. Pietrusiewicz, M.J. Dospiał, M. Szota, K. Błoch, K. Gruszka, K. Ożga and S. Garus (Częstochowa, Poland) S51

Influence of the cooling speed on the soft magnetic and mechanical properties of Fe₆₁Co₁₀Y₈W₁B₂₀ amorphous alloy

- M. Nabiałek, P. Pietrusiewicz, M. Dośpiał, M. Szota, J. Gondro, K. Gruszka (Częstochowa, Poland), A. Dobrzańska-Danikiewicz (Gliwice, Poland), S. Walters (Brighton, UK) and A. Bukowska (Częstochowa, Poland) S56

Micro viscous flow processing of Fe-based metallic glassy particles

- N. Yodoshi, R. Yamada, A. Kawasaki and A. Makino (Sendai, Japan) S61

Influence of production method on the magnetic parameters and structure of Fe₆₁Co₁₀Y₈Nb₁B₂₀ amorphous alloys in the as-quenched state

- P. Pietrusiewicz, M. Nabiałek, M. Dośpiał, K. Gruszka, K. Błoch, J. Gondro, P. Brągiel, M. Szota and Z. Stradomski (Częstochowa, Poland) . S67

Mechanical properties of Bulk metallic glasses

- Mechanical properties and corrosion resistance of a new $Zr_{56}Ni_{20}Al_{15}Nb_4Cu_5$ bulk metallic glass with a diameter up to 25 mm
Y. Li (Dalian, PR China), W. Zhang (Dalian, PR China), (Sendai, Japan), F. Qin and A. Makino (Sendai, Japan) S71
- Pure shear stress reversal on a Cu-based bulk metallic glass reveals a Bauschinger-type effect
Y.H. Sun (Cambridge, United Kingdom), D.V. Louzguine-Luzgin, S. Ketov (Sendai, Japan) and A.L. Greer (Cambridge, United Kingdom), (Sendai, Japan) S75
- Cold rolling of amorphous/crystalline $Ag_{73.2}Cu_{17.1}Zr_{9.7}$ composite
A. Castellero, D. Lussana (Torino, Italy), D. Ripamonti, G. Angella (Milano, Italy) and M. Baricco (Torino, Italy) S79
- Influence of thermal treatments and plastic deformation on the atomic mobility in $Zr_{50.7}Cu_{28}Ni_9Al_{12.3}$ bulk metallic glass
J.C. Qiao and J.M. Pelletier (France) S85
- Exploring the mechanical size effects in $Zr_{65}Ni_{35}$ thin film metallic glasses
M. Ghidelli (Saint-Martin d'Hères, France), (Louvain-la-Neuve, Belgium), A. Volland, J.-J. Blandin (Saint-Martin d'Hères, France), T. Pardoën, J.-P. Raskin (Louvain-la-Neuve, Belgium), F. Momprou (Toulouse, France), P. Djemia (Villetaneuse, France) and S. Gravier (Saint-Martin d'Hères, France) S90
- Indentation-induced deformation localisation in Zr-Cu-based metallic glass
V. Nekouie, G. Abeygunawardane-Arachchige (Leicestershire, UK), U. Kühn (Dresden, Germany), A. Roy and V.V. Silberschmidt (Leicestershire, UK) S93
- Indentation size effect in metallic glasses: Mean pressure at the initiation of plastic flow
S. Nachum (Cambridge, United Kingdom) and A.L. Greer (Cambridge, United Kingdom), (Sendai, Japan) S98
- Three-dimensional phase-field simulation on the deformation of metallic glass nanowires
H.Y. Zhang and G.P. Zheng (Kowloon, Hong Kong) S102
- Thermal stability and mechanical properties of the TiCuZrPd glasses with 10, 14 and 20 at.% Pd
A. Sypien, T. Czeppe, G. Garzel, L. Litynska-Dobrzynska (Kraków, Poland), J. Latuch (Warsaw, Poland) and N.Q. Chinh (Budapest, Hungary) S108
- Internal structural evolution and enhanced tensile plasticity of Ti-based bulk metallic glass and composite via cold rolling
J.M. Park (Suwon, Republic of Korea), K.R. Lim (Changwon, Republic of Korea), E.S. Park, S. Hong, K.H. Park (Suwon, Republic of Korea), J. Eckert (Dresden, Germany) and D.H. Kim (Seoul, Republic of Korea) S113

Bulk metallic glasses Chemical Properties

- On the abnormal room temperature tarnishing of an 18 karat gold bulk metallic glass alloy
M. Eisenbart, U.E. Klotz (Schwaebisch Gmuend, Germany), R. Busch and I. Gallino (Saarbruecken, Germany) S118
- Stress corrosion cracking and bioactivity of Ti-based bulk metallic glass
F. Qin, S. Zhu, Z. Dan, A. Kawashima and G. Xie (Sendai, Japan) S123
- Glass-formation and corrosion properties of Fe-Cr-Mo-C-B glassy ribbons with low Cr content
M. Madinehei, P. Bruna (Castelldefels, Spain), M.J. Duarte (Düsseldorf, Germany), E. Pineda (Castelldefels, Spain), J. Klemm (Düsseldorf, Germany) and F.U. Renner (Düsseldorf, Germany), (Diepenbeek, Belgium) S128
- Preparation and characterization of Zr-based bulk metallic glasses in form of plate
W. Pilarczyk (Gliwice, Poland) S132
- Surface modified Ti based metallic glasses for bioactivation by electrochemical treatment technique
J.-J. Oak (Busan, Republic of Korea), A. Inoue (Sendai, Japan), K.V. Rao (Stockholm, Sweden), H.-H. Chun and Y.H. Park (Busan, Republic of Korea) S136
- Synthesis of nanoporous gold by free corrosion of an amorphous precursor
F. Scaglione, P. Rizzi, F. Celegato and L. Battezzati (Torino, Italy) S142

Phase transformations

- Effect of W additions on the structural and magnetic properties of $Ni_{50}Ti_{50-x}W_x$ and $Ti_{50}Ni_{50-x}W_x$ systems obtained by mechanical alloying
A. Jara, J.D. Arjona, P. Bautista and G. Gonzalez (Caracas, Venezuela) S148
- Bainitic precipitation in the Cu-9 wt.%Al-4 wt.%Mn-5 wt.%Ag alloy
A.T. Adorno, T.M. Carvalho, A.G. Magdalena, C.M.A. dos Santos (Araraquara, Brazil) and R.A.G. Silva (Diadema, Brazil) S153
- Martensite decomposition in Cu-Al-Mn-Ag alloys
C.M.A.d. Santos, A.T. Adorno (Araraquara, Brazil), R.A.G. da Silva (Diadema, Brazil) and T.M. Carvalho (Araraquara, Brazil) S156
- Ag-rich precipitates formation in the Cu-11%Al-10%Mn-3%Ag alloy
R.A.G. Silva, A. Paganotti, L. Jabase (Diadema, Brazil), A.T. Adorno, T.M. Carvalho and C.M.A. Santos (Araraquara, Brazil) S160
- Influence of metastable retained austenite on macro and micromechanical properties of steel processed by the Q&P process
H. Jirková, B. Mašek (Pilsen, Czech Republic), M.F.-X. Wagner (Chemnitz, Germany), D. Langmajerová, L. Kučerová (Pilsen, Czech Republic), R. Treml and D. Kiener (Leoben, Austria) S163
- Mössbauer spectroscopy study of the disordering process of $Fe_{70}Si_{30}$ alloy
E. Legarra (Bilbao, Spain), E. Apiñaniz (Vitoria, Spain) and F. Plazaola (Bilbao, Spain) S169
- Influence of Ni/Mn concentration ratio on microstructure and martensitic transformation in melt spun Ni-Mn-Sn Heusler alloy ribbons
W. Maziarz, P. Czaja, M.J. Szczerba, L. Lityńska-Dobrzyńska, T. Czeppe and J. Dutkiewicz (Kraków, Poland) S173
- Microstructure, chemistry and thermodynamics of Al/NiO couples obtained at 1273 K
J. Wojewoda-Budka, K. Stan, B. Onderka, R. Nowak (Cracow, Poland) and N. Sobczak (Cracow, Warsaw, Poland) S178

Grain boundary wetting and premelting in the Cu–Co alloys B.B. Straumal (Chernogolovka, Russia), (Eggenstein-Leopoldshafen Germany), (Dolgoprudny, Russia) (Moscow, Russia), A. Korneva (Cracow, Poland), O. Kogtenkova (Chernogolovka, Russia), L. Kurmanaeva (Davis, USA), P. Zięba, A. Wierzbicka-Miernik (Cracow, Poland), S.N. Zhevenenko (Moscow, Russia) and B. Baretzky (Eggenstein-Leopoldshafen, Germany)	S183
In situ monitoring of disorder–order A1–L1 ₀ FePt phase transformation in nanocomposite FePt-based alloys A.D. Crisan (Bucharest-Magurele, Romania), J. Bednarcik (Hamburg, Germany), Š. Michalik (Košice, Slovakia) and O. Crisan (Bucharest-Magurele, Romania)	S188
Nucleation and crystallisation	
Kinetic competition during glass formation J.H. Perepezko, C. Santhaweesuk, J.Q. Wang (Madison, USA) and S.D. Imhoff (Los Alamos, USA)	S192
The structure of rapidly quenched Fe–Co–B–Si based systems and the influence of addition of Cu and P I. Janotová, P. Švec, I. Mat'ko, D. Janičkovič and P. Švec Sr. (Bratislava, Slovakia)	S198
Impact of cobalt content on the crystallization pattern in the Finemet-type ribbons A. Kolano-Burian, P. Włodarczyk (Gliwice, Poland), L. Hawelek (Gliwice, Katowice, Poland), R. Kolano, M. Polak, P. Zackiewicz (Gliwice, Poland) and L. Temleitner (Budapest, Hungary)	S203
In situ studies of temperature-dependent behaviour and crystallisation of Ni _{36.5} Pd _{36.5} P ₂₇ metallic glass I. Kaban (Dresden, Germany), K. Khalouk, F. Gasser, J.-G. Gasser (cedex Metz, France), J. Bednarčík (Hamburg, Germany), O. Shuleshova, I. Okulov, T. Gemming, N. Mattern and J. Eckert (Dresden, Germany)	S208
Crystallization kinetics and soft magnetic properties in metalloid-free (Fe, Co) ₉₀ Zr ₁₀ amorphous and nanocrystalline alloys J.S. Blázquez, J.J. Ipus, C.F. Conde, D. Cabrera, V. Franco and A. Conde (Sevilla, Spain)	S213
Analysis of the influence of the gas velocity, particle size and nucleation temperature on the thermal history and microstructure development in the tool steel during atomization M. Behúlová, J. Mesárošová and P. Grgáč (Trnava, Slovak Republic)	S217
Magnetic materials and properties	
Inelastic neutron scattering investigation of ball-milled FeSiB described as a magnetic nanoglass-like structure L. Del Bianco (Bologna, Italy), F. Spizzo (Ferrara, Italy), A. Deriu (Parma, Italy) and A. Orecchini (Grenoble Cedex, France), (Perugia, Italy)	S224
Influence of magnetic permeability in phase error of current transformers with nanocrystalline alloys cores T.C. Batista, B.A. Luciano, R.C.S. Freire, W.B. Castro and E.M. Araújo (Brazil)	S228
Structure, magnetic and microwave properties of FeNi nanoparticles obtained by electric explosion of wire G.V. Kurlyandskaya (Bilbao, Spain), (Ekaterinburg, Russia), I. Madinabeitia, I.V. Beketov, A.I. Medvedev (Ekaterinburg, Russia), A. Larrañaga (Bilbao, Spain), A.P. Safronov (Ekaterinburg, Russia) and S.M. Bhagat (College Park, USA)	S231
Microstructural evolution and magnetic properties in Fe ₅₀ Pd ₅₀ sputtered thin films submitted to post-deposition annealing P. Tiberto, G. Barrera, F. Celegato, M. Coisson, E.S. Olivetti and F. Vinai (Torino, Italy)	S236
Correlation between thermal and magnetic properties of glass coated microwires M. Churyukanova (Moscow, Russia), V. Zhukova, A. Talaat (San Sebastian, Spain), S. Kaloshkin, E. Kostitcyna, E. Shuvaeva, S. Gudoshnikov, V. Sudarchikova (Moscow, Russia) and A. Zhukov (San Sebastian, Bilbao, Spain)	S242
Influence of Co doping on the critical behavior of La _{0.7} Sr _{0.3} Mn _{1-x} Co _x O ₃ T.-L. Phan (Cheongju, Republic of Korea), T.D. Thanh (Cheongju, Republic of Korea), (Hanoi, Viet Nam) and S.C. Yu (Cheongju, Republic of Korea)	S247
Structure and magnetic properties of melt-spun Fe–Pt–B alloys with high B concentrations W. Zhang (Dalian, PR China), (Sendai, Japan), D. Ma, Y. Li (Dalian, PR China), K. Yubuta (Sendai, Japan), X. Liang (Dalian, PR China) and D. Peng (Xiamen, PR China)	S252
Studies of thermal and magnetic properties of Fe-based amorphous and nanocrystalline glass coated microwires M. Churyukanova (Moscow, Russia), V. Zhukova, A. Talaat, J.J. del Val (San Sebastian, Spain), S. Kaloshkin, E. Kostitcyna, E. Shuvaeva, V. Sudarchikova (Moscow, Russia) and A. Zhukov (San Sebastian, Bilbao, Spain)	S256
Influence of Pr-doping on the magnetic properties and magnetocaloric effect of Ni _{50-x} Pr _x Mn ₃₇ Sn ₁₃ alloys T.L. Phan (Cheongju, South Korea), P.T. Thanh, N.H. Dan (Hanoi, Viet Nam), P. Zhang (Cheongju, South Korea), T.D. Thanh (Cheongju, South Korea), (Hanoi, Viet Nam), M.H. Phan (Tampa, USA) and S.C. Yu (Cheongju, South Korea)	S261
As-cast nanocrystalline glass-coated microwires S. Corodeanu, G. Ababei, N. Lupu, T.-A. Óvári and H. Chiriac (Iași, Romania)	S265
Spark Plasma Sintering of Co ₈₀ Ni ₂₀ nanopowders synthesized by polyol process and their magnetic and mechanical properties N. Ouar (Villetaneuse, France), M.A. Bousnina (Villetaneuse, France), (Jarzouna, Tunisia), F. Schoenstein, S. Merccone, O. Brinza, S. Farhat and N. Jouini (Villetaneuse, France)	S269
FORC differential dissection of soft biphasic magnetic ribbons J.C. Martínez-García, M. Rivas, D. Lago-Cachón and J.A. García (Gijón, Spain)	S276
Magnetic properties and amorphous-to-nanocrystalline transformation by thermal treatments in Fe _{84.3} Si ₄ P ₃ B ₈ Cu _{0.7} amorphous thin films M. Coisson, P.J. Viteri Villacis, G. Barrera, F. Celegato, E. Enrico, P. Rizzi, P. Tiberto, F. Vinai, G. Fiore and L. Battezzati (Torino, Italy)	S280
Low-temperature phase MnBi compound: A potential candidate for rare-earth free permanent magnets V. Ly, X. Wu, L. Smillie (Clayton, Australia), T. Shoji, A. Kato, A. Manabe (Susono, Japan) and K. Suzuki (Clayton, Australia)	S285
Microstructure and magnetic properties of pure iron for cyclotron electromagnets E. Ferrara, E. Olivetti, F. Fiorillo (Torino, Italy), E. Forton (Louvain la Neuve, Belgium), L. Martino and L. Rocchino (Torino, Italy)	S291

Comparative study of magnetic, microwave properties and giant magnetoimpedance of FeNi-based multilayers with different structure G.V. Kurlyandskaya (Bilbao, Spain), (Ekaterinburg, Russia), E. Fernández, A. García-Arribas (Bilbao, Spain), V.N. Lepalovsij and S.O. Volchkov (Ekaterinburg, Russia)	S296
Microstructure evolution and magnetic properties of hard magnetic FeCr ₂ Co ₁₅ alloy subjected to tension combined with torsion A. Korneva (Cracow, Poland), G. Korznikova (Ufa, Russia), K. Berent (Cracow, Poland), A. Korznikov, R. Kashaev (Ufa, Russia), J. Bogucka and K. Sztwiertnia (Cracow, Poland)	S300
Transformation of magnetic domain structure in Co- and Fe-rich amorphous microwires A. Chizhik (San Sebastián, Spain), A. Stupakiewicz (Bailystok, Poland), A. Zhukov (San Sebastián, Bilbao, Spain), A. Maziewski (Bailystock, Poland) and J. Gonzalez (San Sebastián, Spain)	S304
Modified polyol route for synthesis of Fe ₃ O ₄ /Ag and α -Fe/Ag nanocomposite M. Abbas (Daejeon, Korea), (Daegu, South Korea), (Cairo, Egypt), B. Parvatheeswara Rao (Visakhapatnam, India), M.O. Abdel-Hamed (Egypt) and C. Kim (Daejeon, Korea), (Daegu, South Korea)	S308
Synthesis and soft magnetic properties of Zn _{0.8-x} Ni _x Mg _{0.1} Cu _{0.1} Fe ₂ O ₄ ($x = 0.0-0.8$) ferrites prepared by sol-gel auto-combustion method M. Satalkar, S.N. Kane, A. Ghosh, N. Ghodke (Indore, India), G. Barrera, F. Celegato, M. Coisson, P. Tiberto and F. Vinai (Torino, Italy)	S313
Microstructural and magnetic behavior of an equiatomic NiCoAlFe alloy prepared by mechanical alloying C.D. Gómez-Esparza, F.J. Baldenebro-López, C.R. Santillán-Rodríguez, I. Estrada-Guel, J.A. Matutes-Aquino, J.M. Herrera-Ramírez and R. Martínez-Sánchez (Chihuahua, Mexico)	S317
Electron-irradiation induced changes in structural and magnetic properties of Fe and Co based metallic glasses S.N. Kane, M. Satalkar, A. Ghosh, M. Shah, N. Ghodke, R. Pramod, A.K. Sinha, M.N. Singh, J. Dwivedi (Indore, India), M. Coisson, F. Celegato, F. Vinai, P. Tiberto (TO, Italy) and L.K. Varga (Budapest, Hungary)	S324
Theoretical and experimental analysis of the aerosol assisted CVD synthesis of magnetite hollow nanoparticles B.E. Monárrez-Cordero, P. Amézaga-Madrid, P.G. Hernández-Salcedo, W. Antúnez-Flores, C. Leyva-Porras and M. Miki-Yoshida (Chihuahua, Mexico)	S328
Magnetocaloric and critical behavior in the austenitic phase of Gd-doped Ni ₅₀ Mn ₃₇ Sn ₁₃ Heusler alloys P. Zhang, T.L. Phan, N.H. Dan (Cheongju, South Korea), T.D. Thanh (Cheongju, South Korea), (Hanoi, Viet Nam) and S.C. Yu (Cheongju, South Korea)	S335

Thin Films

Titanium dioxide prepared by APCVD for using as an interfacial layer in polymer solar cells D. Hatem and M.S. Belkaid (Tizi-Ouzou, Algeria)	S340
Influence of sputtering atmosphere on hopping conductance in granular nanocomposite (FeCoZr) _x (Al ₂ O ₃) _{1-x} films I. Svito (Minsk, Belarus), J.A. Fedotova (Minsk, Belarus), M. Milosavljević (Belgrade, Serbia), P. Zhukowski, T.N. Koltunowicz (Lublin, Poland), A. Saad (Amman, Jordan), K. Kierczynski (Lublin, Poland) and A.K. Fedotov (Minsk, Belarus)	S344
Compositional-induced structural change in Zr _x Ni _{100-x} thin film metallic glasses M. Ghidelli (Saint-Martin d'Hères, France), (Louvain-la-Neuve, Belgium), S. Gravier, J.-J. Blandin (Saint-Martin d'Hères, France), T. Pardoën, J.-P. Raskin (Louvain-la-Neuve, Belgium) and F. Mompou (Toulouse, France)	S348
SERS and catalytically active Ag/Pd nanoparticles obtained by combining laser ablation and galvanic replacement M. Muniz-Miranda, C. Gellini (Sesto Fiorentino, Italy), P. Canton (Venezia, Italy), P. Marsili and E. Giorgetti (Sesto Fiorentino, Italy)	S352
SERS effect from Pd surfaces coated with thin films of Ag colloidal nanoparticles M. Muniz-Miranda (Sesto Fiorentino, Italy), B. Pergolese (Trieste, Italy), F. Muniz-Miranda and S. Caporali (Sesto Fiorentino, Italy)	S357
Enhancement of negative capacitance effect in (CoFeZr) _x (CaF ₂) _(100-x) nanocomposite films deposited by ion beam sputtering in argon and oxygen atmosphere T.N. Koltunowicz, P. Zhukowski, V. Bondariev (Lublin, Poland), A. Saad (Amman, Jordan), J.A. Fedotova (Minsk, Belarus), A.K. Fedotov (Minsk, Belarus), M. Milosavljević (Belgrade, Serbia) and J.V. Kasiuk (Minsk, Belarus)	S361
Magnetization processes and magnetic domain structure in weakly coupled GdCo/Si/Co trilayers A. Svalov (Bilbao, Spain), (Ekaterinburg, Russia), L. Lokamani, R. Schäfer (Dresden, Germany), V. Vas'kovskiy (Ekaterinburg, Russia) and G. Kurlyandskaya (Bilbao, Spain), (Ekaterinburg, Russia)	S366
Hopping of electron transport in granular Cu _x (SiO ₂) _{1-x} nanocomposite films deposited by ion-beam sputtering I. Svito, A.K. Fedotov (Minsk, Belarus), T.N. Koltunowicz, P. Zukowski (Lublin, Poland), Y. Kalinin, A. Sitnikov (Voronezh, Russia), K. Czarnacka (Lublin, Poland) and A. Saad (Amman, Jordan)	S371
Microstructural characterization, optical and photocatalytic properties of bilayered CuO and ZnO based thin films A. Sáenz-Trevizo, P. Amézaga-Madrid, P. Pizá-Ruiz, O. Solís-Canto, C. Ornelas-Gutiérrez, S. Pérez-García and M. Miki-Yoshida (Chihuahua, México)	S375

Nano-composites

Al-based metal matrix composites reinforced with Fe _{49.9} Co _{35.1} Nb _{7.7} B _{4.5} Si _{2.8} glassy powder: Mechanical behavior under tensile loading D. Markó, K.G. Prashanth, S. Scudino (Dresden, Germany), Z. Wang (Dresden, Germany), (Guangzhou, China), N. Ellendt, V. Uhlendinkel (Bremen, Germany) and J. Eckert (Dresden, Germany)	S382
Ex situ Al-Al ₂ O ₃ ultrafine grained nanocomposites produced via powder metallurgy R. Casati (Milano, Italy), F. Bonollo (Vicenza, Italy), D. Dellasega (Milano, Italy), A. Fabrizi, G. Timelli (Vicenza, Italy), A. Tuissi (Lecco, Italy) and M. Vedani (Milano, Italy)	S386

Development of nanocomposites from polymer blends: Effect of organoclay on the morphology and mechanical properties T.J.A. Mélo, E.M. Araújo, G.F. Brito and P. Agrawal (Campina Grande, Brazil)	S389
Nanoindentation studies of ex situ AlN/Al metal matrix nanocomposites S. Fale, A. Likhite and J. Bhatt (Nagpur, India)	S392
Enhanced electroactivity with Li in Fe ₃ O ₄ /MWCNT nanocomposite electrodes S.-D. Seo, G.-H. Lee and D.-W. Kim (Seoul, South Korea)	S397
Microstructure and mechanical properties of 6061 Al alloy based composites with SiC nanoparticles A.J. Knowles, X. Jiang, M. Galano (Oxford, UK) and F. Audebert (Oxford, UK), (Ciudad de Buenos Aires, Argentina)	S401
Coatings	
Influence of current density on microstructure and properties of electrodeposited nickel-alumina composite coatings A. Góral (Krakow, Poland), M. Nowak (Skawina, Poland), K. Berent and B. Kania (Krakow, Poland)	S406
Mechanical property of the epoxy-contained Sn–58Bi solder with OSP surface finish W.-R. Myung, Y. Kim and S.-B. Jung (Suwon, South Korea)	S411
Microstructural characteristics of oxide layers formed on Mg–9 wt%Al–1 wt%Zn alloy via two-step plasma electrolytic oxidation K.M. Lee (Ansan, South Korea), Y.G. Ko (Gyeongsan, South Korea) and D.H. Shin (Ansan, South Korea)	S418
Effect of ZrO ₂ :SiO ₂ dispersion on the thermal stability, mechanical properties and corrosion behavior of hybrid coatings deposited on carbon steel D. Del Ángel-López, A.M. Torres-Huerta, M.A. Domínguez-Crespo and E. Onofre-Bustamante (Altamira, Mexico)	S423
New mechanical-alloying-based technological scheme for producing electrochemical composite coatings reinforced with non-agglomerated nanodiamond particles V.A. Popov (Moscow, Russia), B.B. Chernov (Vladivostok, Russia), A.S. Prosviryakov, V.V. Cheverikin (Moscow, Russia), I.I. Khodos (Chernogolovka, Russia), J. Biskupek and U. Kaiser (Ulm, Germany)	S433
Optimal conditions for the deposition of novel anticorrosive coatings by RF magnetron sputtering for aluminum alloy AA6082 S.B. Brachetti-Sibaja (Mexico), M.A. Domínguez-Crespo (Altamira, Mexico), S.E. Rodil (Mexico) and A.M. Torres-Huerta (Altamira, Mexico)	S437
Metastable zinc–nickel alloys deposited from an alkaline electrolyte L. Magagnin, L. Nobili and P.L. Cavallotti (Milano, Italy)	S444
Nanostructured materials	
Ion-irradiation effects on dissimilar friction stir welded joints between ODS alloy and ferritic stainless steel C.-L. Chen (Hualien, Taiwan), A. Richter (Wildaw, Germany), R. Kögler (Dresden, Germany), M. Griepentrog and P. Reinstädt (Balin, Germany)	S448
Cycling behaviour of sponge-like nanostructured ZnO as thin-film Li-ion battery anodes N. Garino, A. Lamberti, R. Gazia, A. Chiodoni and C. Gerbaldi (Turin, Italy)	S454
Synthetic flux as a whitening agent for ceramic tiles G.R. dos Santos (São Carlos, Brazil), A.R. Salvetti (Brazil), M.D. Cabrelon and M.R. Morelli (São Carlos, Brazil)	S459
Microstructural study of the crystallization of amorphous Fe–Sn–B ribbons I. Maňko, E. Illeková, P. Švec Sr., P. Švec, D. Janičkovič (Bratislava, Slovakia) and V. Vodárek (Ostrava-Poruba, Czech Republic)	S462
Synthesis of photocatalytic TiO ₂ nano-coatings by supersonic cluster beam deposition B.D. Fraters (AE Enschede, Netherlands), E. Cavaliere (Brescia, Italy), G. Mul (Enschede, Netherlands) and L. Gavioli (Brescia, Italy)	S467
Ultrasound assisted synthesis of nanocrystalline zinc oxide: Experiments and modelling M. Hosni, S. Farhat, F. Schoenstein, F. Karmous, N. Jouini (Villetaneuse, France), B. Viana (Paris Cedex, France) and A. Mgaidi (Tunisia) ..	S472
Enhancement of the thermoelectric performance in nano-/micro-structured p-type Bi _{0.4} Sb _{1.6} Te ₃ fabricated by mechanical alloying and vacuum hot pressing P.-Y. Lee, T.-C. Chen (Keelung, Taiwan), J.-Y. Huang, H.-L. Hsieh (Kaoshung, Taiwan) and J.S.-C. Jang (Chung-Li, Taiwan)	S476
α -Fe ₂ O ₃ lithium battery anodes by nanocasting strategy from ordered 2D and 3D templates F. Di Lupo, C. Gerbaldi, S. Casino, C. Francia, G. Meligrana (Turin, Italy), A. Tuel (Villeurbanne Cedex, France) and N. Penazzi (Turin, Italy) ..	S482
Sponge-like ZnO nanostructures by low temperature water vapor-oxidation method as dye-sensitized solar cell photoanodes A. Lamberti, A. Sacco, M. Laurenti, M. Fontana, C.F. Pirri and S. Bianco (Turin, Italy)	S487
Effects of zirconium oxide on the sintering of SrCe _{1-x} Zr _x O _{3-δ} (0.0 \leq x \leq 0.5) K.-T. Hsu, J.S.-C. Jang, Y.-J. Ren, P.-H. Tsai, C. Li, C.-J. Tseng, J.-C. Lin (Taoyuan, Taiwan, ROC), C.-S. Hsi (Miaoli, Taiwan, ROC) and I.-M. Hung (Taoyuan, Taiwan, ROC)	S491
Nanocrystalline Pd/carbon nanotube composites synthesized using supercritical fluid for superior glucose sensing performance C.-H. Wang, S.-W. Lee, C.-J. Tseng, J.-W. Wu, I.-M. Hung (Taiwan), C.-M. Tseng (Taipei, Taiwan) and J.-K. Chang (Taiwan)	S496
Hybrid Ag-based inks for nanocomposite inkjet printed lines: RF properties A. Chiolerio, V. Camarchia, R. Quaglia, M. Pirola, P. Pandolfi and C.F. Pirri (Torino, Italy)	S501
Chitosan–starch film reinforced with magnetite-decorated carbon nanotubes K.Y. Castrejón-Parga, H. Camacho-Montes, C.A. Rodríguez-González (Ciudad Juárez, Mexico), C. Velasco-Santos, A.L. Martínez-Hernández (Querétaro, Mexico), D. Bueno-Jaquez (Saltillo, Mexico), J.L. Rivera-Armenta (Madero, Mexico), C.R. Ambrosio, C.C. Conzalez (Ciudad Juárez, Mexico), M.E. Mendoza-Duarte (Chihuahua, Mexico) and P.E. García-Casillas (Ciudad Juárez, Mexico)	S505
Nanocrystalline CdS _{1-x} Se _x alloys as thin films prepared by chemical bath deposition: Effect of x on the structural and optical properties E.A. Sanchez-Ramirez, M.A. Hernandez-Perez, J. Aguilar-Hernandez and E. Rangel-Salinas (Mexico)	S511

Chitosan and chitosan composites reinforced with carbon nanostructures C.N. Brysch, E. Wold, M. Patterson (Houston, USA), R. Ordoñez Olivares (Pittsburgh, USA), J.F. Eberth (Columbia, USA) and F.C. Robles Hernandez (Houston, USA)	S515
Diluted magnetic semiconductors based on Mn-doped In ₂ O ₃ nanoparticles A.R. Vazquez-Olmos, J.I. Gomez-Peralta, R.Y. Sato-Berru (Mexico) and A.L. Fernandez-Osorio (Cuautitlan Izcalli, Mexico).	S522
Electrical properties of the potassium polytitanate compacts V.G. Goffman, A.V. Gorokhovskiy (Saratov, Russia), M.M. Kompan (St. Petersburg, Russia), E.V. Tretyachenko, O.S. Telegina, A.V. Kovnev and F.S. Fedorov (Saratov, Russia)	S526
Fast and low-cost synthesis of 1D ZnO–TiO ₂ core–shell nanoarrays: Characterization and enhanced photo–electrochemical performance for water splitting S. Hernández, V. Cauda, D. Hidalgo, V. Farías Rivera, D. Manfredi, A. Chiodoni and F.C. Pirri (Torino, Italy)	S530
Synthesis of highly dispersed platinum particles on carbon nanotubes by an <i>in situ</i> vapor-phase method C. Mercado-Zúñiga, J.R. Vargas-García, M.A. Hernández-Pérez, M.Z. Figueroa-Torres, F. Cervantes-Sodi and L.M. Torres-Martínez (Mexico) S538	S538
The analysis of the material flow kinematics during Ni–Fe–Mo alloy forging A. Łukaszek-Sołek, J. Krawczyk and P. Chyła (Cracow, Poland).	S542
Design and verification of thermomechanical parameters of P/M Ti6Al4V alloy forging M. Wojtaszek and T. Śleboda (Cracow, Poland).	S546
Mechanical alloying	
Kinetics behaviour of metastable equiatomic Cu–Fe solid solution as function of the number of collisions induced by mechanical alloying A. Contini (Sassari, Italy), F. Delogu (Cagliari, Italy), S. Garroni, G. Mulas and S. Enzo (Sassari, Italy)	S551
Evolution of Fe environments in mechanically alloyed Fe–Nb–(B) compositions J.S. Blázquez, J.J. Ipus, C.F. Conde and A. Conde (Sevilla, Spain)	S555
Formation stages of bcc (Fe ₄₄ Co ₄₄)Sn ₁₂ extended solid solution by mechanical alloying J.M. Loureiro, B.F.O. Costa (Coimbra, Portugal), B. Malaman (Vandoeuvre-les-Nancy Cedex, France), G. Le Caër (Rennes Cedex, France), S. Das and V.S. Amaral (Aveiro, Portugal)	S559
Characterization of short-duration high-energy ball milled WC–Co powders and subsequent consolidations R.M. Raihanuzzaman (Australia), T.S. Jeong (Cheonan, South Korea), R. Ghomashchi, Z. Xie (Australia) and S.-J. Hong (Cheonan, South Korea) S564	S564
Mechanical alloying of nanocrystalline intermetallic compound TiFe doped with sulfur and magnesium V. Y. Zadorozhnyy, S.N. Klyamkin, M. Yu. Zadorozhnyy, M.V. Gorshenkov and S.D. Kaloshkin (Moscow, Russia)	S569
Microstructure and properties of composite materials based on UHMWPE after mechanical activation F.S. Senatov, A.A. Baranov, D.S. Muratov, M.V. Gorshenkov, S.D. Kaloshkin and V.V. Tcherdyntsev (Moscow, Russian Federation)	S573
Microstructural and hardness behavior of graphene-nanoplatelets/aluminum composites synthesized by mechanical alloying R. Pérez-Bustamante, D. Bolaños-Morales, J. Bonilla-Martínez, I. Estrada-Guel and R. Martínez-Sánchez (Chihuahua, Mexico).	S578
Severe plastic deformation	
Development of microstructure and texture in Fe–26Mn–3Si–3Al alloy during cold-rolling and annealing J. Kowalska, W. Ratuszek, M. Witkowska and A. Zielińska-Lipiec (Cracow, Poland)	S583
Grain growth in ultrafine grain sized copper during cyclic deformation S.Z. Han (Changwon, Republic of Korea), M. Goto (Oita, Japan), J.-H. Ahn (Changwon, Republic of Korea), S.H. Lim (Chuncheon, Republic of Korea), S. Kim (Chinju, Republic of Korea) and J. Lee (Changwon, Republic of Korea)	S587
Microstructure and mechanical properties of severely deformed Mg–3%Al–1%Zn alloy via isothermal differential speed rolling at 453 K K. Hamad, B.K. Chung and Y.G. Ko (Gyeongsan, South Korea)	S590
Rapidly quenched alloys	
Research and application of rapid-solidified Mg–Zn binary ribbons in landfill leachate treatment M. Zhang, L. Zhang, S. Pang and T. Zhang (Beijing, China)	S595
Lamella structure formation in drop-tube processed Ni–25.3 at.% Si alloy L. Cao, R.F. Cochrane and A.M. Mullis (Leeds, UK).	S599
Spray forming of Cu–11.85Al–3.2Ni–3Mn (wt%) shape memory alloy R.D. Cava, C. Bolfarini, C.S. Kiminami, E.M. Mazzer, W.J. Botta Filho (São Carlos, Brazil), P. Gargarella and J. Eckert (Dresden, Germany)	S602
Effect of Ti, Zr and Hf addition on microstructure and properties of rapidly solidified Al–Mn–Fe alloy K. Stan, L. Lityńska-Dobrzyńska (Krakow, Poland), P. Ochinnikov (Thiais, France), G. Garzeł, A. Wierzbicka-Miernik and J. Wojewoda-Budka (Krakow, Poland).	S607
Evidence for an extended transition in growth orientation and novel dendritic seaweed structures in undercooled Cu–8.9 wt%Ni E.G. Castle, A.M. Mullis and R.F. Cochrane (Leeds, UK)	S612
Effect of Y and Ni addition on liquid immiscibility in Cu–Zr–Ag ternary alloys D. Janovszky, K. Tomolya, M. Svoda, A. Sycheva and G. Kaptay (Miskolc, Hungary)	S616
The use of Nb in rapid solidified Al alloys and composites F. Audebert (Buenos Aires, Argentina) (Oxford, UK), M. Galano (Oxford, UK) and F. Saporiti (Buenos Aires, Argentina).	S621
The influence of rapid solidification on the microstructure of the 17Cr–9Ni–3Mo precipitation hardened steel A. Ziewiec, E. Tasak, A. Zielińska-Lipiec, K. Ziewiec and J. Kowalska (Kraków, Poland).	S627

Microstructure refinement and hardening of Ag–20 wt.%Cu alloy by rapid solidification D. Lussana, A. Castellero (Torino, Italy), M. Vedani, D. Ripamonti, G. Angella (Milano, Italy) and M. Baricco (Torino, Italy)	S633
Effect of Cr, Mo and Ti on the microstructure and Vickers hardness of multi-component systems C.D. Gómez-Esparza, J. Camarillo-Cisneros, I. Estrada-Guel (Chihuahua, Mexico), J.G. Cabañas-Moreno (México, D.F., Mexico), J.M. Herrera-Ramírez and R. Martínez-Sánchez (Chihuahua, Mexico)	S638
Magnetism, microstructure and First Principles calculations of atomized and annealed Ni ₃ Al A. García-Escorial, P. Crespo, A. Hernando, M. Lieblich, P. Marín, V. Velasco and F. Ynduráin (Madrid, Spain)	S645
Biomaterials	
Surface nanotopography of an anodized Ti–6Al–7Nb alloy enhances cell growth H.-H. Huang (Taipei, Taichung, Taiwan), C.-P. Wu, Y.-S. Sun, W.-E. Yang (Taipei, Taiwan) and T.-H. Lee (Taichung, Taiwan)	S648
Surface modified superparamagnetic nanoparticles: Interaction with fibroblasts in primary cell culture C. Chapa Gonzalez, J.A. Roacho Pérez, C.A. Martínez Pérez, I. Olivares Armendáriz, F. Jimenez Vega, K.Y. Castrejon Parga and P.E. Garcia Casillas (Juárez, México)	S655
Enhancing the bio-corrosion resistance of Ni-free ZrCuFeAl bulk metallic glass through nitrogen plasma immersion ion implantation H.-H. Huang (Taipei, Taichung, Taiwan), H.-M. Huang (Taipei, Taiwan), M.-C. Lin (Taichung, Taiwan), W. Zhang (Dalian, China), Y.-S. Sun (Taipei, Taiwan), W. Kai (Keelung, Taiwan) and P.K. Liaw (Knoxville, USA)	S660
Corrosion resistance of aged Ti–Mo–Nb alloys for biomedical applications L.H. de Almeida (Rio de Janeiro, Brazil), I.N. Bastos (Nova Friburgo, Brazil), I.D. Santos (Belo Horizonte, Brazil), A.J.B. Dutra (Rio de Janeiro, Brazil), C.A. Nunes (Lorena, Brazil) and S.B. Gabriel (Rio de Janeiro, Volta Redonda, Brazil)	S666
Bioactivity and degradability of hybrids nano-composites materials with great application as bone tissue substitutes D.A. Sánchez-Téllez, L. Téllez-Jurado and J.F. Chávez-Alcalá (Mexico)	S670
The role of Sn doping in the β -type Ti–25 at%Nb alloys: Experiment and ab initio calculations J.J. Gutiérrez-Moreno (Ioannina, Greece), Y. Guo, K. Georgarakis, A.R. Yavari (Martin d'Herès, France), G.A. Evangelakis and Ch.E. Lekka (Ioannina, Greece)	S676
Hydrogen storage and applications	
Ageing effect and rate dependency of a NiTi shape memory alloy after hydrogen charging F. Gamaoun and T. Hassine (Tunisia)	S680
A comparison study of Mg–Y ₂ O ₃ and Mg–Y hydrogen storage composite powders prepared through arc plasma method S. Long, J. Zou, X. Chen, X. Zeng and W. Ding (Shanghai, PR China)	S684
Microstructure and kinetics evolution in MgH ₂ –TiO ₂ pellets after hydrogen cycling D. Mirabile Gattia, G. Di Girolamo and A. Montone (Rome, Italy)	S689
Structural evolution upon decomposition of the LiAlH ₄ + LiBH ₄ system S. Soru, A. Taras (Sassari, Italy), C. Pistidda (Geesthacht, Germany), C. Milanese (Pavia, Italy), C. Bonatto Minella (Dresden, Germany), E. Masolo (Sassari, Italy), P. Nolis, M.D. Baró (Bellaterra, Spain), A. Marini (Pavia, Italy), M. Tolkiehn (Hamburg, Germany), M. Dornheim (Geesthacht, Germany), S. Enzo, G. Mulas and S. Garroni (Sassari, Italy)	S693
The use of one-dimensional Niobate to improve MgH ₂ hydrogen sorption M.C. Brum, M.O.T. da Conceição, P.M. Jardim and D.S. dos Santos (Rio de Janeiro, Brazil)	S698
Hydrogen storage of Mg–Zn mixed metal borohydrides G.N. Kalantzopoulos (Kjeller, Norway), J.G. Vitillo, E. Albanese, E. Pinatel, B. Civalleri (Torino, Italy), S. Deledda (Kjeller, Norway), S. Bordiga, M. Baricco (Torino, Italy) and B.C. Hauback (Kjeller, Norway)	S702
Effects of metastability on hydrogen sorption in fluorine substituted hydrides E.R. Pinatel, M. Corno, P. Ugliengo and M. Baricco (Torino, Italy)	S706
Hydrogen sorption kinetics of ball-milled MgH ₂ -TTNT nanotubes with different sodium contents P.M. Jardim, M.O.T. da Conceição, M.C. Brum and D.S. dos Santos (Rio de Janeiro, Brazil)	S711
Catalytic effect of chlorides compounds on hydrogen sorption properties of magnesium hydride M.O.T. da Conceição and D.S. dos Santos (Rio de Janeiro, Brazil)	S715
Hydrogen storage properties of MgH ₂ processed by cold forging A.A.C. Asselli (São Carlos, Brazil), (Trois-Rivières, Canada), D.R. Leiva, G.H. Cozentino, R. Floriano (São Carlos, Brazil), J. Huot (Trois-Rivières, Canada), T.T. Ishikawa and W.J. Botta (São Carlos, Brazil)	S719
Keywords	III