



Volume 616

15 December 2014

ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

*An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics*

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
L.P. COOK
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
M. HENINI
H. KLEINKE
H.G. PAN
V. PECHARSKY
M. RICHTER
H. SAKAGUCHI

**Contents**

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Electronic structure of non-centrosymmetric superconductors $\text{Re}_{24}(\text{Nb};\text{Ti})_5$ by <i>ab initio</i> calculations M.J. Winiarski (Wrocław, Poland)	1
The solidification behaviour of the UO_2 - ThO_2 system in a laser heating study R. Böhler (Karlsruhe, Germany), (JB Delft, Netherlands), A. Quaini (Milano, Italy), L. Capriotti (Karlsruhe, Germany), (Milano, Italy), P. Çakır (Karlsruhe, Germany), (Bornova Izmir, Turkey), O. Beneš, K. Boboridis, A. Guiot (Karlsruhe, Germany), L. Luzzi (Milano, Italy), R.J.M. Konings and D. Manara (Karlsruhe, Germany)	5
Comparative studies on the initial stage of arc-sprayed and zinc-rich powder coatings in sulfur-rich environment H. Li, J. Duan (Changsha, China) and X. Min (Changsha, China)	14
Characterization of AZO and Ag based films prepared by RF magnetron sputtering D. Miao, S. Jiang (China), H. Zhao (Qingdao, China), S. Shang and Z. Chen (China)	26
An alginic acid assisted rheological phase synthesis of carbon coated $\text{Li}_3\text{V}_2(\text{PO}_4)_3$ with high-rate performance Y. Wu, Z. Tang (Tianjin, China), X. Guo (Kowloon, Hong Kong), C. Du (Tianjin, China) and X. Zhang (Dongguan, China)	32
Thermodynamic and mechanical properties of actinium and lanthanum dihydride C. Zhang, Z.-J. Li, H. Jiang, X.-N. Hu (Yantai, China), G.-H. Zhong (Shenzhen, China) and Y.-H. Su (Yantai, China)	42
Effect of CO on hydrogen storage performance of KF doped $2\text{LiNH}_2 + \text{MgH}_2$ material F. Sun, M.-y. Yan, J.-h. Ye, X.-p. Liu and L.-j. Jiang (Beijing, China)	47
Structural and optical characterization of $\text{MgO}: \text{X}$ ($\text{X} = \text{Li}, \text{Na}, \text{and K}$) by solution combustion technique J. Sivasankari (Chennai, India), S. Selvakumar (Ibaraki, Japan), K. Sivaji and S. Sankar (Chennai, India)	51
Microwave-assisted synthesis of graphene/ CoMoO_4 nanocomposites with enhanced supercapacitor performance X. Xu, J. Shen, N. Li and M. Ye (Shanghai, China)	58
Room-temperature magnetocaloric effect of Ni-Co-Mn-Al Heusler alloys Y. Kim, E.J. Kim, K. Choi, W.B. Han, H.-S. Kim, Y. Shon and C.S. Yoon (Seoul, Republic of Korea)	66
Structural peculiarities and point defects of bulk-ZnO single crystals I.A. Kaurova (Aleksandrov, Russia), G.M. Kuz'micheva, V.B. Rybakov (Moscow, Russia), A. Cousson (Gif-sur-Yvette Cedex, France) and V.Ya. Gayvoronsky (Kyiv, Ukraine)	71
Rapid sonochemical synthesis of In_2O_3 nanoparticles their doping optical, electrical and hydrogen gas sensing properties Hafeezullah (Pakistan), Z.H. Yamani (Dhahran, Saudi Arabia), J. Iqbal (Pakistan), A. Qurashi and A. Hakeem (Dhahran, Saudi Arabia) ..	76
Solid-state reactive sintering of YAG transparent ceramics for optical applications Q. Liu (Zhenjiang, China), J. Liu (Zhenjiang, Shanghai, China), J. Li (Shanghai, China), M. Ivanov, A. Medvedev (Ekaterinburg, Russia), Y. Zeng, G. Jin, X. Ba, W. Liu, B. Jiang, Y. Pan and J. Guo (Shanghai, China)	81
Electrical and VOC sensing properties of anatase and rutile TiO_2 nanotubes E. Sennik (Turkey), N. Kilinc (Turkey, Nigde, Turkey) and Z.Z. Ozturk (Turkey)	89
Controlled synthesis of highly orientation-ordered single crystal $\text{Cd}_{1-x}\text{Zn}_x\text{S}$ nanorod array J. Hou (Karamay, China), X. Lv (Urumqi, China), Z. Li (Karamay, China), H. Zou (Changzhou, China) and X. Zeng (Beijing, China)	97
Effect of local cooling rates on the microstructures of single crystal CMSX-6 superalloy: A comparative assessment of the Bridgman and the downward directional solidification processes F. Wang (Aachen, Germany), (Xi'an, PR China), D. Ma (Aachen, Germany), J. Zhang, L. Liu (Xi'an, PR China), S. Bogner and A. Bührig-Polaczek (Aachen, Germany)	102
Disorder induced resistivity anomaly in $\text{Ni}_2\text{Mn}_{1+x}\text{Sn}_{1-x}$ S. Singh, S. Pal and C. Biswas (Kolkata, India)	110
Tin whisker growth from micro-alloyed SAC solders in corrosive climate B. Illés (Budapest, Hungary) and B. Horváth (Tsukuba, Japan)	116

Effects of intrinsic defects on electronic structure and optical properties of Ga-doped ZnO M.-H. Lee, Y.-C. Peng and H.-C. Wu (New Taipei, Taiwan)	122
Microstructure and mechanical properties of friction stir processed Al–Mg–Si alloys dispersion-strengthened by nanosized TiB ₂ particles S.M. Ma, P. Zhang (Shanghai, PR China), G. Ji (Villeneuve d'Ascq, France), Z. Chen (Shanghai, PR China), G.A. Sun (Mianyang, PR China), S.Y. Zhong (Shanghai, PR China), V. Ji (Orsay Cedex, France) and H.W. Wang (Shanghai, PR China)	128
Synthesis of high Al content Al _x Ga _{1-x} N ternary films by pulsed laser co-ablation of GaAs and Al targets assisted by nitrogen plasma H. Cai, Q. You, Z. Hu, S. Guo, X. Yang, J. Sun, N. Xu and J. Wu (Shanghai, China)	137
Hydrogen permeation and chemical stability of In-doped SrCe _{0.95} Tm _{0.05} O _{3-δ} membranes W. Yuan, C. Xiao and L. Li (Guangzhou, PR China)	142
Effects of S–Se substitution and magnetic field on magnetic order in Fe _{0.5} Ti(S, Se) ₂ layered compounds A.F. Gubkin, E.M. Sherokalova (Yekaterinburg, Russia), L. Keller (Villigen, Switzerland), N.V. Seleznova, A.V. Proshkin, E.P. Proskurina and N.V. Baranov (Yekaterinburg, Russia)	148
Ultrahigh responsivity UV detector based on TiO ₂ /Pt-doped TiO ₂ multilayer nanofilms G. Liu, M. Zhang, D. Zhang, J. Zhou (Changchun, China), F. Meng (China) and S. Ruan (Changchun, China)	155
Photoluminescence, reddish orange long persistent luminescence and photostimulated luminescence properties of praseodymium doped CdGeO ₃ phosphor Y. Jin, Y. Hu, L. Chen, Y. Fu, Z. Mu, T. Wang and J. Lin (Guangzhou, PR China)	159
Investigation of Cd _{1-x} Co _x S diluted magnetic semiconductor thin films fabricated by chemical bath deposition method M. Tomakin, Y. Öncel, E.F. Keskenler, V. Nevruoğlu, Z. Onuk (Rize, Turkey) and O. Görür (Bolu, Turkey)	166
Effect of recovering damage and improving microstructure in the titanium alloy strip under high-energy electropulses X. Ye, X. Li, G. Song and G. Tang (Shenzhen, Beijing, PR China)	173
Magnetocaloric effect (MCE) in melt-extracted Ni–Mn–Ga–Fe Heusler microwires Y. Liu, X. Zhang, D. Xing, H. Shen, D. Chen, J. Liu and J. Sun (Harbin, People's Republic of China)	184
The influence of the recrystallization mechanisms and grain growth on the texture of a hot rolled AZ31 sheet during subsequent isochronal annealing J. Victoria-Hernandez, S. Yi, J. Bohlen, G. Kurz and D. Letzig (Geesthacht, Germany)	189
Effects of iron on intermetallic compound formation in scandium modified Al–Si–Mg Alloys U. Patakham (Klong Luang, Thailand) and C. Limmaneevichitr (Bangkok, Thailand)	198
Comparison of ethanol sensitivity based on cobalt–indium combined oxide nanotubes and nanofibers C. Liu, X. Chi, X. Liu and S. Wang (Changchun, PR China)	208
The giant dielectric constant and tunable properties of La ₂ NiMnO _{6-x} MgO ceramics H. Chen, Z. Cao, L. Wang, W. He, J. Sun, Y. Zhang (Hohhot, People's Republic of China) and X. Ruan (Shanghai, People's Republic of China)	213
Influence of substrate treatment on the growth of advanced core–shell alloys and compounds of FeSi@SiO ₂ and SiO ₂ nanowires S. Thabethe (Pretoria, Bellville, South Africa), C.J. Arendse (Bellville, South Africa) and B.W. Mwakikunga (Pretoria, South Africa), (Blantyre, Malawi)	221
Effective photocatalytic decolorization of methylene blue utilizing ZnO/rectorite nanocomposite under simulated solar irradiation S.-q. Li (Wuhan, Fuqing, PR China), P.-j. Zhou, W.-s. Zhang (Wuhan, PR China), S. Chen (Fuqing, PR China) and H. Peng (Hubei, PR China)	227
Influence of cold deformation on the corrosion behavior of Ni–Fe–Cr alloy 028 L. Zhang (Beijing, China), J.A. Szpunar, R. Basu (Saskatoon, Canada), J. Dong and M. Zhang (Beijing, China)	235
Crystal structure and magnetic properties of R ₃ Fe _{0.5} GeS ₇ (R = Y, La, Ce, Pr, Sm, Gd, Tb, Dy, Ho, Er and Tm) M. Daszkiewicz (Wrocław, Poland), Yu.O. Pashynska (Lutsk, Ukraine), O.V. Marchuk, L.D. Gulay (Lutsk, Ukraine) and D. Kaczorowski (Wrocław, Poland)	243
Influence of long heat treatments on the laves phase nucleation in a type 444 ferritic stainless steel T. Juuti, L. Rovatti, A. Mäkelä, L.P. Karjalainen and D. Porter (Finland)	250
Studies on γ-ray induced structural changes in Nd ³⁺ doped lead alumino silicate glasses by means of thermoluminescence for dosimetric applications in high dose ranges M. Sundara Rao (Guntur, India), Y. Gandhi (Nandigama, India), B. Sanyal (Mumbai, India), K. Bhargavi (Guntur, India), M. Piasecki (Częstochowa, Poland) and N. Veeraiah (Guntur, India)	257
High temperature X-ray diffraction study on incommensurate composite crystal MnSi _γ – (3+1)-dimensional superspace approach Y. Kikuchi, T. Nakajo, K. Hayashi and Y. Miyazaki (Sendai, Japan)	263
Improving the optoelectronic properties of gallium ZnO transparent conductive thin films through titanium doping W.-S. Liu, S.-Y. Wu, C.-Y. Hung, C.-H. Tseng and Y.-L. Chang (Chung-Li, Taiwan)	268
Effect of precipitation hardening and thermomechanical training on microstructure and shape memory properties of Ti ₅₀ Ni ₁₅ Pd ₂₅ Cu ₁₀ high temperature shape memory alloys S.u. Rehman, M. Khan (Islamabad, Pakistan), A. Nusair Khan (Rawalpindi, Pakistan), M. Imran Khan (Topi, Pakistan), L. Ali and S.H. Imran Jaffery (Islamabad, Pakistan)	275
CdSiO ₃ :Eu ³⁺ red nanophosphors prepared by low temperature solution combustion technique, its structural and luminescent properties H. Nagabhushana, D.V. Sunitha (Tumkur, India), S.C. Sharma (Bhilai, India), S.C. Prashantha, B.M. Nagabhushana and R.P.S. Chakradhar (Bangalore, India)	284

Dense $\text{KSr}_2\text{Nb}_5\text{O}_{15}$ ceramics with uniform grain size prepared by molten salt synthesis L. Liu (Taiyuan, Xi'an, PR China), F. Gao (Xi'an, PR China), Y. Zhang and H. Sun (Wuhan, PR China)	293
Hydrogenation of AB_5 and AB_2 metal hydride alloys studied by in situ X-ray diffraction L. Wang (Detroit, Rochester Hills, USA), K. Young, J. Nei, D. Pawlik (Rochester Hills, USA) and K.Y.S. Ng (Detroit, USA)	300
Mechanochemical synthesis and spark plasma sintering of the cerium silicides G.A. Alanko, B. Jaques, A. Bateman (Boise, United States) and D.P. Butt (Boise, Idaho Falls, United States)	306
Effect of tin doping on optical properties of nanostructured ZnO thin films grown by spray pyrolysis technique F.Z. Bedia, A. Bedia (Tlemcen, Algeria), N. Maloufi, M. Aillerie, F. Genty (France) and B. Benyoucef (Tlemcen, Algeria)	312
Effect of process parameters on the phase formation, particle size and magnetic properties of MnBi nanoparticles prepared by mechanochemical synthesis N.V. Rama Rao and G.C. Hadjipanayis (Newark, USA)	319
New quaternary Ge–Se–Sb–Ag optical materials: Blue shift in absorption edge and evaluation of optical parameters P. Sharma (Solan, India), A. Dahshan (Port Said, Egypt), (Abha, Saudi Arabia) and K.A. Aly (Jeddah, Saudi Arabia), (Assiut, Egypt)	323
Synthesis and characterization of mixed conductor CeNbO_4 G. Zhang, W. Wan, P. Long, Q. Li, C. Deng (Nanchang, PR China) and Z. Yi (Fujian, PR China)	328
Synthesis and structural characterization of dense polycrystalline Mg_9Sn_5 , a metastable Mg–Sn phase A.Y. Fong (Riverside, United States), H. Xu, K. Page, M.R. Dirmyer (United States), Y. Kodera (Riverside, United States), S.J. Obrey (United States) and J.E. Garay (Riverside, United States)	333
CaYGaO_4 ; a fully ordered novel olivine type gallate R. Clark, S.J. Zhu, S.-T. Zheng, X. Bu and S. Derakhshan (Long Beach, United States)	340
Magnetic properties and corrosion resistance of Nd–Fe–B magnets with $\text{Nd}_{64}\text{Co}_{36}$ intergranular addition P. Zhang, L. Liang, J. Jin, Y. Zhang, X. Liu and M. Yan (Hangzhou, China)	345
Properties of thermoelectric Zn–Sb type material directly synthesized by spark plasma sintering A. Wrona, K. Bilewska, J. Mazur, M. Lis and M. Staszewski (Gliwice, Poland)	350
Microwave dielectric properties of ZnO – B_2O_3 – SiO_2 -doped Zn_2SnO_4 ceramics for application in triple bands inverted-U shaped monopole antenna Y.-C. Chen and H.-M. You (Taoyuan County, Taiwan)	356
Studies on dislocation and surface morphology of $\text{Al}_x\text{Ga}_{1-x}\text{N}/\text{GaN}$ heterostructures grown by MOCVD R. Loganathan, M. Jayasakthi, K. Prabakaran, R. Ramesh, P. Arivazhagan and K. Baskar (Chennai, India)	363
Grain resistivity in zinc oxide and tin dioxide varistor ceramics A.I. Ivon (Dnepropetrovsk, Ukraine), A.B. Glot (Huajuapan de Leon, Mexico), R.I. Lavrov (Dnepropetrovsk, Ukraine) and Z.-Y. Lu (Guangzhou, China)	372
Study of electrical transport and magnetoresistive properties of $\text{La}_{0.67-x}\text{Dy}_x\text{Pb}_{0.33}\text{MnO}_3$ ($x = 0.00, 0.10$ and 0.15) N. Zaidi, S. Mnefgui, A. Dhahri, J. Dhahri (Tunisia) and E.K. Hlil (Grenoble, France)	378
Evaluation of kinetic equations describing the martensite–austenite phase transformation in NiTi shape memory alloys N. Zotov, V. Marzynkevitsch and E.J. Mittemeijer (Stuttgart, Germany)	385
Interfacial reactions of fine-pitch Cu/Sn–3.5Ag pillar joints on Cu/Zn and Cu/Ni under bump metallurgies M.-S. Kim, M.-S. Kang, J.-H. Bang (Incheon, Republic of Korea), C.-W. Lee (Incheon, Daejeon, Republic of Korea), M.-S. Kim (Incheon, Republic of Korea) and S. Yoo (Incheon, Daejeon, Republic of Korea)	394
Effects of pH of the precursor sol on structural and optical properties of Cu-doped ZnO thin films H. Yuan (Chengdu, PR China), M. Xu (Chengdu, Shenyang, PR China) and Q.Z. Huang (Chengdu, PR China)	401
Ageing behavior of Mg–9Li–6Al– $x\text{Y}$ ($x = 0, 0.5, 2$) alloys R. Wu, X. Guo and D. Li (Harbin, PR China)	408
Thermal behavior and phase transformation of ZrO_2 –10% SiO_2 precursor powder prepared by a co-precipitation route without adding stability agent H.-L. Chu, W.-S. Hwang, C.-L. Wang (Tainan, Taiwan), M.-C. Wang, K.-C. Lee, H.-H. Huang and H.-E. Lee (Kaohsiung, Taiwan)	413
Anelastic relaxation associated to phase transformations and interstitial atoms in the Ti–35Nb–7Zr alloy J.M. Chaves, O. Florêncio, P.S. Silva Jr., P.W.B. Marques (São Carlos, Brazil) and S.G. Schneider (Lorena, Brazil)	420
Influence of tensile stress on giant magnetoimpedance effect of electroplated $\text{Ni}_{1-x}\text{Co}_x/\text{Cu}$ composite wires J. Dong, Y. Zhang, X. Zhang, C. Zhao, Q. Liu and J. Wang (Lanzhou, People's Republic of China)	426
Synchrotron X-ray absorption spectroscopy study of local structure transformation behavior in perovskite $\text{Ba}(\text{Ti},\text{Zr})\text{O}_3$ system A. Bootchanont, J. Jutimoosik, S. Chandarak, M. Unruan, P. Kidkhunthod, W. Klysubun, S. Rujirawat, R. Yimnirun (Nakhon Ratchasima, Thailand), R. Guo and A. Bhalla (USA)	430
Sn compensation via SnSe_x binary vapor supply during $\text{Cu}_2\text{ZnSnSe}_4$ formation M. Oh and W.K. Kim (Gyeongsan, Republic of Korea)	436
A systematic study on metal-assisted chemical etching of high aspect ratio silicon nanostructures A. Ghafarinazari (Brescia, Italy), (Iran) and M. Mozafari (Iran)	442
Magnetism, band gap and stability of half-metallic property for the quaternary Heusler alloys CoFeTiZ ($Z = \text{Si, Ge, Sn}$) Y.J. Zhang, Z.H. Liu, G.T. Li, X.Q. Ma (Beijing, China) and G.D. Liu (Tianjin, China)	449

Hydrothermal synthesis and magnetic properties of Fe^{3+} -doped multiferroic hexagonal rare-earth manganates L. Guo, Z. Zhou (Harbin, PR China) and H. Yuan (Changchun, PR China)	454
Synthesis of uniform ZnGa_2O_4 nanoparticles with high photocatalytic activity Y. Yuan, J. Huang, W. Tu and S. Huang (Beijing, China)	461
Microstructure evolution and layer bands of laser melting deposition $\text{Ti-6.5Al-3.5Mo-1.5Zr-0.3Si}$ titanium alloy Y. Zhu, X. Tian, J. Li and H. Wang (Beijing, China)	468
Ab initio study of the structural, electronic, elastic and thermal properties of RMn_2Ge_2 ($\text{R} = \text{Ca, Nd and Y}$) intermetallic compounds O. Miloud Abid, A. Yakoubi (Algeria), A. Tadjer (Sidi Bel-Abbes, Algeria), R. Khenata (Algeria), R. Ahmed (Malaysia), G. Murtaza (Peshawar, Pakistan), S. Bin Omran (Riyadh, Saudi Arabia) and S. Azam (Pilsen, Czech Republic)	475
Phase transformation and decomposition mechanisms of the $\beta_0(\omega)$ phase in cast high Nb containing TiAl alloy L. Song (Beijing, China), X.J. Xu (Zhengzhou, China), L. You, Y.F. Liang and J.P. Lin (Beijing, China)	483
Effects of chlorine and carbon on $\text{Cu}_2\text{ZnSnS}_4$ thin film solar cells prepared by spray pyrolysis deposition K. Tanaka, M. Kato and H. Uchiki (Nagaoka, Japan)	492
Evaluation of the mechanical and corrosion protection performance of electrodeposited hydroxyapatite on the high energy electron beam treated titanium alloy D. Gopi (Salem, India), E.-S.M. Sherif (Al-Riyadh, Saudi Arabia), (Cairo, Egypt), D. Rajeswari (Salem, India), L. Kavitha (Thiruvarur, India), R. Pramod, J. Dwivedi (Indore, India) and S.R. Polaki (Kalpakkam, India)	498
Phase evolution, bandgap engineering and p-type conduction in undoped/N-doped $\text{Be}_x\text{Zn}_{1-x}\text{O}$ alloy epitaxial films Y. Zhu, M. Chen, L. Su, Y. Su, X. Ji, X. Gui (Guangzhou, China) and Z. Tang (Guangzhou, China), (Kowloon, Hong Kong)	505
High performance, self-powered UV-photodetector based on ultrathin, transparent, $\text{SnO}_2\text{-TiO}_2$ core-shell electrodes C. Gao (Lanzhou, PR China), X. Li (Mianyang, PR China), X. Zhu (Changsha, PR China), L. Chen, Y. Wang, F. Teng, Z. Zhang (Lanzhou, PR China), H. Duan (Mianyang, PR China) and E. Xie (Lanzhou, PR China)	510
An investigation of the electronic structure and structural stability of $\text{RE}_2\text{Ti}_2\text{O}_7$ by glancing angle and total electron yield XANES E.R. Aluri and A.P. Grosvenor (Saskatoon, Canada)	516
Ab initio study of Fermi surface and dynamical properties of Ni_2XAl ($\text{X} = \text{Ti, V, Zr, Nb, Hf and Ta}$) P.V. Sreenivasa Reddy and V. Kanchana (Yedumailaram, India)	527
Lanthanide–lanthanide and lanthanide–defect interactions in co-doped ceria revealed by luminescence spectroscopy D. Avram, C. Gheorghe, C. Rotaru, B. Cojocaru, M. Florea, V. Parvulescu and C. Tiseanu (Romania)	535
Effects of S and Se contents on the physical and photovoltaic properties of $\text{Cu}_2\text{ZnSn}(\text{S,Se}_{1-x})_4$ nanoparticles C. Li, M. Cao, J. Huang, Y. Sun, L.J. Wang and Y. Shen (Shanghai, China)	542
Study on diffusion behavior and microstructural evolution of Al/Cu bimetal interface by synchrotron X-ray radiography T. Wang, F. Cao, P. Zhou, H. Kang, Z. Chen (Dalian, China), Y. Fu, T. Xiao (Shanghai, China), W. Huang and Q. Yuan (Beijing, China)	550
Electronic and crystal structure, EPR and magnetic investigations of $\text{YF}_3\text{:1%RE}$ ($\text{RE} = \text{Pr, Ho, Er and Tm}$) and $\text{LaF}_3\text{:1%Pr}$ nanocrystals E. Talik, P. Zajdel, A. Guzik, D. Skrzypek (Katowice, Poland), L. Lipińska and M. Michalska (Warszawa, Poland)	556
The effect of polystyrene blocks content and of type of elastomer blocks on the properties of block copolymer/layered silicate nanocomposites Z. Vuluga, D.M. Panaitescu (Romania), C.G. Somporean (Aalborg, Denmark), C. Radovici, R. Gabor, C.A. Nicolae, M.C. Corobeia, M. Iorga and D. Florea (Romania)	569
The colossal dielectric properties of FeNbO_4 Q.J. Li, S.Q. Xia, X.Y. Wang, W. Xia, Y. Yu (Hefei, PR China), Y.M. Cui (Beijing, PR China), J. Zhang, J. Zheng, C. Cheng, Y.D. Li, H. Wang, S.G. Huang and C.C. Wang (Hefei, PR China)	577
Li-Si phase diagram: Enthalpy of mixing, thermodynamic stability, and coherent assessment M.H. Braga (Porto, Portugal), A. Dębski and W. Gąsior (Poland)	581
The 450 °C and 600 °C isothermal sections of the Zn–Ti–Si system H. Tu, Q. Zhao, Y. Liu, J. Wang, X. Su (Changzhou, China) and S. Liu (China)	594
On the crystal structure and physical properties of the UFeSb_2 compound A.P. Gonçalves, M.S. Henriques, J.C. Waerenborgh (Bobadela LRS, Portugal), I. Curić, S. Il'kovič and M. Reiffers (Prešov, Slovakia)	601
Experimental study and computer modelling of the $\beta \rightarrow \alpha + \beta$ phase transformation in Ti15-3 alloy under isothermal conditions M. Naveen, R. Santhosh, M. Geetha and M. Nageswara Rao (Vellore, India)	607
Investigation of structural and photoluminescence properties of gas and metal ions doped zinc oxide single crystals J. Kennedy (Lower Hutt, Wellington, New Zealand), P.P. Murmu (Lower Hutt, New Zealand), E. Manikandan (Chennai, India) and S.Y. Lee (Chungbuk, South Korea)	614
Structural, electrical and optical characterization of Ti-doped ZnO films grown by atomic layer deposition K. Bergum, P.-A. Hansen, H. Fjellvåg and O. Nilsen (Oslo, Norway)	618
Structural investigations on some cadmium–borotellurate glasses using ultrasonic, FT-IR and X-ray techniques M.S. Gaafar (Saudi Arabia), (El-Giza, Egypt), I. Shaarany (Saudi Arabia), (Ismailia, Egypt) and T. Alharbi (Saudi Arabia)	625
Synthesis of $\text{Zn}_{1-x}\text{Mg}_x\text{O}$ alloyed nanostructures and the crystal evolution in annealing process M. Xiao, Y. Lu, Y. Li, L. Zhu and Z. Ye (Hangzhou, People's Republic of China)	633
Effects of FeMo alloy on nitridation and mechanical properties of reaction bonded β -Sialon/FeMo ceramic composites Y. Li, H. Yu, H. Jin, D. Liu (Xi'an, PR China), G. Qiao (Xi'an, Zhenjiang, PR China), Z. Jin and Z. Shi (Xi'an, PR China)	639

Effects of silicon content on the structure and properties of (AlCrMoTaTi)N coatings by reactive magnetron sputtering D.-C. Tsai, Z.-C. Chang, B.-H. Kuo, S.-Y. Chang and F.-S. Shieh (Taichung, Taiwan)	646
Molten-salt synthesis and upconversion of hexagonal NaYF ₄ :Er ³⁺ :Yb ³⁺ micro-/nano-crystals X. Huang, G. Hu, Q. Xu, X. Li and Q. Yu (Nanchang, PR China).	652
Corrosion behavior of Mg-5Al-xZn alloys in 3.5 wt.% NaCl solution N.D. Nam (Ba Ria City, Viet Nam), M. Mathesh (Australia), T.V. Le and H.T. Nguyen (Ho Chi Minh City, Viet Nam).	662
Keywords.	I