


Volume 617

25 December 2014
ISSN 0925-8388



Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

L.P. COOK

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

M. HENINI


H. KLEINKE

H.G. PAN

V. PECHARSKY

M. RICHTER

H. SAKAGUCHI



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jalcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, *Engineering Index*, *FIZ Karlsruhe*, *Metals Abstracts*, *PASCAL/CNRS*, *Physics Abstracts*, *Physikalische Berichte*, *Research Alert*, *Science Citation Index*. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Temperature sensitivity and stability of NaYF ₄ :Yb ³⁺ , Er ³⁺ core-only and core-shell upconversion nanoparticles D. Li, Q. Shao, Y. Dong and J. Jiang (Nanjing, People's Republic of China)	1
Effects of boron content on the glass-forming ability and mechanical properties of Co–B–Ta glassy alloys J. Wang, L. Wang, S. Guan, S. Zhu (Zhengzhou, China), R. Li and T. Zhang (Beijing, China).	7
Embedded Ru nanoparticles@ZrO ₂ -nanotube electrode: Preparation and electrocatalytic oxidation of phenol Y. Yin, H. Cao, G. Hou, Y. Tang and G. Zheng (Hangzhou, China)	12
Temperature-dependence cathodoluminescence of ultra-sharp ZnO nanopagoda arrays Y.-C. Chang (Taichung, Taiwan)	16
Core loss reduction in Fe–6.5 wt.%Si/SiO ₂ core-shell composites by ball milling coating and spark plasma sintering Z. Wu, X. Fan, J. Wang, G. Li, Z. Gan and Z. Zhang (Wuhan, China)	21
Hydrogen storage properties of LaMgNi _{3.6} M _{0.4} (M = Ni, Co, Mn, Cu, Al) alloys T. Yang (Beijing, Baotou, China), T. Zhai, Z. Yuan, W. Bu (Beijing, China), S. Xu (Baotou, China) and Y. Zhang (Beijing, Baotou, China)	29
Room temperature strain recovery into non-stoichiometric intermetallic compound Ti ₃ Sn O. Ivanova (Kiev, Ukraine), A.R. Yavari (France), K. Georgarakis (France), (Sendai, Japan) and Y. Podrezov (Kiev, Ukraine)	34
Bulk Cu–Cr nanocomposites by high-energy ball milling and spark plasma sintering N.F. Shkodich, A.S. Rogachev, S.G. Vadchenko, D.O. Moskovskikh, N.V. Sachkova (Moscow, Russia), S. Rouvimov (Notre Dame, USA) and A.S. Mukasyan (Notre Dame, USA), (Moscow, Russia).	39
Effect of Mg/Ni ratio on microstructure of Mg–Ni films deposited by magnetron sputtering J. Matsuda (Fukuoka, Japan), N. Uchiyama, T. Kanai, K. Harada (Hamamatsu, Japan) and E. Akiba (Fukuoka, Japan)	47
Doping effects of group-III A elements on physical properties of ZnMgXO (X: Al, Ga, In, Tl) transparent conducting oxide films prepared by RF magnetron sputtering S.-H. Jeong, J.-H. Park and B.-T. Lee (Gwangju, Republic of Korea).	52
Synthesis, structure and optical properties of polycrystalline Cr,Nd:GSAG powders by a co-precipitation method Y. Zhang, J. Su, Y.-j. Yao, B. Liu, L.-h. Xu and L. Sang (Nanjing, China)	58
Synthesis, single crystal growth and properties of Sr ₅ Pb ₃ ZnO ₁₂ M.J. Winiarski, N.A. Szreder, R.J. Barczyński and T. Klimczuk (Gdańsk, Poland)	63
Mg ₂ SiO ₄ :Tb ³⁺ nanophosphor: Auto ignition route and near UV excited photoluminescence properties for WLEDs R. Naik, S.C. Prashantha (Coimbatore, Bangalore, India), H. Nagabhushana (Tumkur, India), H.P. Nagaswarupa, K.S. Anantharaju (Bangalore, India), S.C. Sharma (Bhilai, India), B.M. Nagabhushana, H.B. Premkumar and K.M. Girish (Bangalore, India)	69
Synthesis of magnetic separable iron oxide/carbon nanocomposites for efficient adsorptive removal of Congo red T. Hao, X. Rao, Z. Li (Urumqi, China), C. Niu (Karamay, China), J. Wang and X. Su (Urumqi, China)	76
Effect of Al content on structure and properties of TiAlCN coatings prepared by magnetron sputtering X. Zhang (Nanjing, China), (Golden, USA), Y. Qiu, Z. Tan (Nanjing, China), J. Lin (Golden, San Antonio, USA), A. Xu, Y. Zeng (Nanjing, China), J.J. Moore (Golden, USA) and J. Jiang (Nanjing, China)	81
First-principles calculations of electronic and optical properties of C-doped and F, C-codoped cubic ZrO ₂ Y.-F. Zhang, H. Ren and Z.-T. Hou (Jinan, PR China)	86
Hydrothermal synthesis, characterization, and magnetic properties of cubic MnSe ₂ /Se nanocomposites material A. Sobhani (Bojnord, Islamic Republic of Iran) and M. Salavati-Niasari (Kashan, Islamic Republic of Iran)	93
Experimental and first-principles studies of structural and optical properties of rare earth (RE = La, Er, Nd) doped ZnO L. Honglin (Shanghai, China), L. Yingbo (Weihai, China), L. Jinzhu and Y. Ke (Shanghai, China).	102

Enhanced green upconversion by controlled ceramization of Er ³⁺ -Yb ³⁺ co-doped sodium niobium tellurite glass-ceramics for low temperature sensors J. Suresh Kumar, K. Pavani, M.P.F. Graça and M.J. Soares (Aveiro, Portugal)	108
NiCo ₂ O ₄ /C prepared by one-step intermittent microwave heating method for oxygen evolution reaction in splitter Y.-z. Su, Q.-z. Xu, Q.-s. Zhong, S.-t. Shi, C.-j. Zhang and C.-w. Xu (Guangzhou, PR China).	115
Ductility enhancement and superelasticity in Fe-Ni-Co-Al-Ti-B polycrystalline alloy D. Lee, T. Omori and R. Kainuma (Sendai, Japan)	120
Contact melting and the structure of binary eutectic near the eutectic point O.V. Bystrenko and V.V. Kartuzov (Kiev, Ukraine).	124
Synthesis and photoluminescence properties of microcrystalline Sr ₂ ZnWO ₆ :RE ³⁺ (RE = Eu, Dy, Sm and Pr) phosphors K.V. Dabre (Nagpur, India), K. Park (Seoul, Republic of Korea) and S.J. Dhoble (Nagpur, India)	129
Combined effect of hot extrusion and heat treatment on the mechanical behavior of 7055 AA processed via spray metal forming J.M. Schreiber, Z.R. Omcikus, T.J. Eden (State College, United States), M.M. Sharma (Lewisburg, United States), V. Champagne (United States) and S.N. Patankar (State College, United States)	135
Effect of rare earth substitution on properties of barium strontium titanate ceramic and its multiferroic composite with nickel cobalt ferrite P. Pahuja, R.K. Kotnala and R.P. Tandon (Delhi, India)	140
Magnetic ordering in Tm ₅ Ni ₂ In ₄ A. Szytuła, S. Baran (Kraków, Poland), D. Kaczorowski (Wrocław, Poland), W. Sikora (Kraków, Poland) and A. Hoser (Berlin, Germany)	149
Microwave assisted synthesis of core-shell LiFe _{1/3} Mn _{1/3} Co _{1/3} PO ₄ /C nanocomposite cathode for high-performance lithium-ion batteries H. Li, Y. Li, L. Chen, H. Jiang (Zhenjiang, PR China), J. Wei (Tianjin, PR China), H. Wang (Luoyang, PR China) and Y. Wang (Zhenjiang, PR China)	154
The effects of diffusion barrier layers on the microstructural and electrical properties in CoSb ₃ thermoelectric modules B. Song (Seoul, Republic of Korea), S. Lee (Seongnam-si, Republic of Korea), S. Cho, M.-J. Song (Seoul, Republic of Korea), S.-M. Choi (Cheonan, Republic of Korea), W.-S. Seo (Seoul, Republic of Korea), Y. Yoon (Seongnam-si, Republic of Korea) and W. Lee (Seoul, Republic of Korea)	160
Effect of titanium dioxide (TiO ₂) on largely improving solar reflectance and cooling property of high density polyethylene (HDPE) by influencing its crystallization behavior S. Wang and J. Zhang (Nanjing, People's Republic of China).	163
Mechanism of band-edge luminescence in cuprous iodide single crystals P. Gao, M. Gu, X. Liu, B. Liu, Y.-Q. Zheng, E.-W. Shi (Shanghai, People's Republic of China), J.-Y. Shi and G.-b. Zhang (Hefei, People's Republic of China)	170
Microstructure of an Al-Mn-Be-B alloy F. Zupanič and T. Bončina (Maribor, Slovenia).	174
Effects of Mg doping rate on physical properties of Mg and Al co-doped Zn _{1-x-0.02} Mg _x Al _{0.02} O transparent conducting oxide films prepared by rf magnetron sputtering S.-H. Jeong, J.-H. Park and B.-T. Lee (Gwangju, Republic of Korea).	180
Thermal shock behavior of platinum aluminide bond coat/electron beam-physical vapor deposited thermal barrier coatings Z. Xu, J. Dai (Beijing, China), J. Niu (Shengyang, China), N. Li, G. Huang and L. He (Beijing, China)	185
Synthesis and enhanced gas sensing properties of flower-like SnO ₂ hierarchical structures decorated with discrete ZnO nanoparticles G. Sun, F. Qi, S. Zhang, Y. Li, Y. Wang, J. Cao, H. Bala, X. Wang (Jiaozuo, PR China), T. Jia (Luoyang, PR China) and Z. Zhang (Jiaozuo, PR China)	192
Electrical, optical, and structural properties of GaN films prepared by hydride vapor phase epitaxy A.Y. Polyakov (Moscow, Russia), (Jeonju, Republic of Korea), N.B. Smirnov (Moscow, Russia), E.B. Yakimov (Chernogolovka, Russia), A.S. Usikov (Deer Park, USA), (Saint Petersburg, Russia), H. Helava (Deer Park, USA), K.D. Shcherbachev (Jeonju, Republic of Korea), A.V. Govorkov (Moscow, Russia), Y.N. Makarov (Deer Park, USA) and I.-H. Lee (Jeonju, Republic of Korea)	200
Electromagnetic interference shielding effectiveness of aluminum foams with different porosity Z. Xu and H. Hao (Dalian, China)	207
Analysis of characteristics of vanadate conversion coating on the surface of magnesium alloy L. Niu, S.-H. Chang, X. Tong (Wenzhou, China), G. Li (Changchun, China) and Z. Shi (Wenzhou, China)	214
A new practical inorganic phosphate adhesive applied under both air and argon atmosphere M. Wang, J. Liu, H. Du, F. Hou, A. Guo, Y. Zhao and J. Zhang (Tianjin, PR China).	219
Effect of grain size on the phase structure and electrical properties of PZT-PNZN quaternary systems Z. Ai, Y. Hou, M. Zheng and M. Zhu (Beijing, China)	222
Sintering temperature and impedance analysis of Mn _{0.9} Co _{1.2} Ni _{0.27} Mg _{0.15} Al _{0.03} Fe _{0.45} O ₄ NTC ceramic prepared by W/O microemulsion method J. Xia (Urumqi, Beijing, PR China), Q. Zhao, B. Gao, A. Chang (Urumqi, PR China), B. Zhang, P. Zhao and R. Ma (Urumqi, Beijing, PR China)	228
Chemical synthesis and microstructure of nanocrystalline RB ₆ (R = Ce, Eu) B. Lihong, B. Wurentuya, W. Wei, L. Yingjie and O. Tegus (Hohhot, China).	235
Photovoltaic enhancement based on improvement of ferroelectric property and band gap in Ti-doped bismuth ferrite thin films W. Cai, C. Fu, R. Gao, W. Jiang, X. Deng and G. Chen (Chongqing, PR China).	240
Rational design, high-yield synthesis, and low thermal conductivity of Te/Bi ₂ Te ₃ core/shell heterostructure nanotube composites Z. Li, S. Zheng, T. Huang, Y. Zhang, R. Teng and G. Lu (Beijing, People's Republic of China)	247

Effect of aluminium and calcium on the microstructure, texture, plastic deformation and related acoustic emission of extruded magnesium–manganese alloys K. Illkova, P. Dobroň, F. Chmelík (Prague, Czech Republic), K.U. Kainer (Geesthacht, Germany), J. Balík (Prague, Czech Republic), S. Yi, D. Letzig and J. Bohlen (Geesthacht, Germany)	253
Relative thickness effects on multiferroic $\text{Bi}_{0.9}\text{Gd}_{0.1}\text{Fe}_{0.96}\text{Mn}_{0.04}\text{O}_3/\text{NiFe}_2\text{O}_4$ bilayered thin films G. Tan, W. Liu, X. Xue and H. Hao (Xi'an, PR China)	265
Investigation of the reversible sodiation of Sn foil by ex-situ X-ray diffractometry and Mössbauer effect spectroscopy Z. Du, R.A. Dunlap and M.N. Obrovac (Halifax, Canada)	271
Tension–compression yield asymmetry in as-cast magnesium alloy S.H. Park (Changwon, Republic of Korea), J.H. Lee (Pohang, Republic of Korea), B.G. Moon and B.S. You (Changwon, Republic of Korea)	277
Crystal structure, energy band and optical properties of dysprosium monophosphate DyPO_4 Z. Khadraoui, C. Bouzidi, K. Horchani-Naifer and M. Ferid (Soliman, Tunisia)	281
Syntheses, structures, optical properties, and electronic structures of KBaMSe_3 ($M = \text{As, Sb}$) W. Yin (Beijing, Mianyang, China), K. Feng, L. Kang (Beijing, China), B. Kang, J. Deng (Mianyang, China), Z. Lin, J. Yao and Y. Wu (Beijing, China)	287
Reinvestigation of the Cd–Gd phase diagram T.L. Reichmann and H. Ipsier (Wien, Austria)	292
Effects of Fe, Co and Ni elements on the ductility of TiAl alloy S. Shu, F. Qiu, C. Tong, X. Shan and Q. Jiang (Changchun, People's Republic of China)	302
Physico-chemical properties of Sb-rich (Sb, In)–Te thin films L. Hromádko, J. Píkrýl, L. Štřížik, P. Košťál, L. Beněš and M. Frumar (Pardubice, Czech Republic)	306
Formation and properties of P-free Pd-based metallic glasses with high glass-forming ability W. Zhang (Dalian, China), (Sendai, Japan), H. Guo (Sendai, Japan), (Yancheng, China), Y. Li, Y. Wang (Dalian, China), H. Wang, M. Chen and S. Yamaura (Sendai, Japan)	310
XPS and DFT studies of the electronic structures of AgAuS and Ag_3AuS_2 Y.L. Mikhlin, V.A. Nasluzov, A.S. Romanchenko, A.M. Shor (Krasnoyarsk, Russia) and G.A. Pal'yanova (Novosibirsk, Russia)	314
Microstructure and magnetism of hydrothermal synthesized Mn-doped ZnTe nanoparticles F.L. Tang (Hefei, People's Republic of China), H.L. Su (Hefei, Nanjing, People's Republic of China), S.Y. Huang (Tainan, Taiwan), Y.C. Wu (Hefei, People's Republic of China), J.C.A. Huang (Tainan, Taiwan), Y.W. Du (Nanjing, People's Republic of China), X.L. Huang and Y. Jin (Beijing, People's Republic of China)	322
Facile synthesis of spherical spinel LiMn_2O_4 nanoparticles via solution combustion synthesis by controlling calcinating temperature Q. Zhang, J. Mei, X. Wang, J. Guo, F. Tang and W. Lu (Lanzhou, China)	326
Electronic-structure origin of the glass-forming ability and magnetic properties in Fe–RE–B–Nb bulk metallic glasses J.W. Li, D. Estévez, K.M. Jiang (Ningbo, China), W.M. Yang (Xuzhou, China), Q.K. Man, C.T. Chang (Ningbo, China) and X.M. Wang (Ningbo, China), (Sendai, Japan)	332
Phase transition, high figure of merit and polar nano-regions in dielectric tunable lanthanum substituted barium titanate P. Ren, H. Fan, X. Wang and D. Guangzhi (Xi'an, China)	337
Electrical, thermal and magnetic properties of Bi doped $\text{La}_{0.7-x}\text{Bi}_x\text{Sr}_{0.3}\text{MnO}_3$ manganites M.D. Daivajna, A. Rao (Manipal, India) and G.S. Okram (Indore, India)	345
The significant effect of adding trace amounts of Ti on the high-temperature deformation behavior of fine-grained Mg–6Al–1Zn magnesium alloys T.J. Lee and W.J. Kim (Seoul, Republic of Korea)	352
Metallurgical and mechanical properties of Ti–24Nb–4Zr–8Sn alloy fabricated by metal injection molding F. Kafkas (Teknikokullar, Turkey) and T. Ebel (Geesthacht, Germany)	359
Humidity sensing properties of WO_3 thick film resistor prepared by screen printing technique A.S. Garde (Nasik, India)	367
Dielectric functions and energy band gap variation studies of manganese doped $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ thin films using spectroscopic ellipsometry P. Gautam, A. Sachdeva (Delhi, India), S.K. Singh (Timarpur, India) and R.P. Tandon (Delhi, India)	374
Experimental investigation and thermodynamic calculations of the Cu–In–Ni phase diagram D. Minić, M. Premović (Kos. Mitrovica, Serbia), V. Čosović (Belgrade, Serbia), D. Manasijević (Bor, Serbia), L. Nedeljkovic (Kos. Mitrovica, Serbia) and D. Živković (Bor, Serbia)	379
Quantitative analysis of interstitial Mg in Mg_2Si studied by single crystal X-ray diffraction M. Kubouchi, K. Hayashi and Y. Miyazaki (Sendai, Japan)	389
Effect of metal oxides on the densification and electrical conductivity of the $\text{GdSmZr}_2\text{O}_7$ ceramic Z.-G. Liu (Harbin, China), (Manchester, UK), J.-H. Ouyang, K.-N. Sun and Y. Zhou (Harbin, China)	393
Energy storage properties in $\text{Ba}_{0.4}\text{Sr}_{0.6}\text{TiO}_3$ ceramics with addition of semi-conductive $\text{BaO-B}_2\text{O}_3\text{-SiO}_2\text{-Na}_2\text{CO}_3\text{-K}_2\text{CO}_3$ glass T. Wang, L. Jin, L. Shu, Q. Hu and X. Wei (Xi'an, China)	399
Study of effect of planetary ball milling on ZnO nanopowder synthesized by co-precipitation K.P. Shinde (Changwon, Republic of Korea), R.C. Pawar (Ansan, Republic of Korea), B.B. Sinha, H.S. Kim, S.S. Oh and K.C. Chung (Changwon, Republic of Korea)	404

Effect of synthesis parameters and ion exchange on crystallinity and morphology of EU-1 zeolite M.H.M. Ahmed, O. Muraza and A.M. Al Amer (Dhahran, Saudi Arabia)	408
Tuning the composition and optical band gap of pulsed laser deposited ZnO _{1-x} S _x alloy films by controlling the substrate temperature L. Zhang, L. Li, L. Wang, M. Li (Wuhan, China), Y. Lu (Wuhan, China), (Gießen, Germany), B.K. Meyer (Gießen, Germany) and Y. He (Wuhan, China)	413
Dielectric properties and charge-discharge behaviors in niobate glass ceramics for energy-storage applications S. Xue (Shanghai, Taizhou, China), S. Liu, W. Zhang, J. Wang, L. Tang, B. Shen and J. Zhai (Shanghai, China)	418
Phase diagrams and thermodynamic descriptions for the Bi-Se and Zn-Se binary systems Y. Chen (Beijing, PR China), Y. Liu (Guangzhou, PR China), M. Chu and L. Wang (Beijing, PR China)	423
Dynamic globularization kinetics of a powder metallurgy Ti-22Al-25Nb alloy with initial lamellar microstructure during hot compression J. Jia (Harbin, Jilin, China), K. Zhang and Z. Lu (Harbin, China)	429
Synthesis, structural, magnetic and dielectric properties of zirconium copper doped M-type calcium strontium hexaferrites M.N. Ashiq, R.B. Qureshi, M.A. Malana (Multan, Pakistan) and M.F. Ehsan (Beijing, China)	437
Characterization of severely deformed new composites fabricated by powder metallurgy including a stage of mechanical alloying H. Ashuri and A. Hassani (Semnan, Iran)	444
Effect of thermal treatment on the interfacial reaction, microstructural and mechanical properties of Zn-Al-SnO ₂ /TiO ₂ functional coating alloys O.S.I. Fayomi (Pretoria, South Africa), (Ota, Nigeria), A.P.I. Popoola (Pretoria, South Africa) and V.S. Aigbodion (Nsukka, Nigeria)	455
A comparative study of enhanced electrochemical stability of tin-nickel alloy anode for high-performance lithium ion battery D. Guan, J. Li, X. Gao and C. Yuan (Milwaukee, USA)	464
Preparation and property of sol-enhanced Ni-B-TiO ₂ nano-composite coatings Y. Wang, S.-J. Wang, X. Shu, W. Gao (Auckland, New Zealand), W. Lu and B. Yan (Shanghai, China)	472
Effect of Fe content on structural and magnetic properties of SmCo _{4-x} Fe _x B alloys X. Jiang, B. Balamurugan and J.E. Shield (Lincoln, USA)	479
LPF-doped core-shell structure based CFO/PLZT 0-3 magnetoelectric composite ceramics D.-I. Shi, K.H. Lam (Kowloon, Hong Kong) and K. Li (Changzhou, China)	485
Enhanced electrochemical properties of cobalt doped manganese dioxide nanowires B.C. Kim, C. Justin Raj, W.-J. Cho, W.-G. Lee (Seoul, Republic of Korea), H.T. Jeong (Australia) and K.H. Yu (Seoul, Republic of Korea)	491
Monodisperse and hollow structured Y ₂ O ₃ :Ln ³⁺ (Ln = Eu, Dy, Er, Tm) nanospheres: A facile synthesis and multicolor-tunable luminescence properties R. Li, W. Zi, L. Li, L. Liu, J. Zhang, L. Zou and S. Gan (Changchun, PR China)	498
Enhanced mechanical properties of spark plasma sintered NiTi composites reinforced with carbon nanotubes J. Lee, J. Hwang, D. Lee, H.J. Ryu and S.H. Hong (Daejeon, Republic of Korea)	505
Synthesis, characterization and excellent electromagnetic wave absorption properties of graphene/poly (3,4-ethylenedioxythiophene) hybrid materials with Fe ₃ O ₄ nanoparticles P. Liu, Y. Huang and X. Zhang (Xi'an, PR China)	511
Novel properties of γ -Si ₃ N ₄ with C, O and F dopants Y.-X. Han, C.-L. Yang, M.-S. Wang and X.-G. Ma (Yantai, People's Republic of China)	518
Effect of the initial microstructure on the deformation behavior of Ti60 titanium alloy at high temperature processing Z.L. Zhao (Xi'an, China), (Kowloon, Hong Kong), H. Li (Xi'an, China), M.W. Fu (Kowloon, Hong Kong), H.Z. Guo and Z.K. Yao (Xi'an, China)	525
Thermal properties and Ising critical behavior in EuFe ₂ As ₂ A. Oleaga, A. Salazar (Bilbao, Spain), A. Thamizhavel and S.K. Dhar (Mumbai, India)	534
Optical thermometry based on upconverted luminescence in transparent glass ceramics containing NaYF ₄ :Yb ³⁺ /Er ³⁺ nanocrystals S. Jiang (Chongqing, Hefei, China), P. Zeng, L. Liao, S. Tian (Hefei, China), H. Guo (Jinhua, China), Y. Chen, C. Duan and M. Yin (Hefei, China)	538
Microstructural and optical studies of CuO thin films prepared by chemical ageing of copper substrate in alkaline ammonia solution A.H. Alami, A. Allagui and H. Alawadhi (Sharjah, United Arab Emirates)	542
Structural characteristics, electrical conduction and dielectric properties of gadolinium substituted cobalt ferrite Md. T. Rahman, M. Vargas and C.V. Ramana (El Paso, USA)	547
Sintering and electrical properties of Ce _{1-x} Bi _x O _{2-δ} solid solution M. Prekajski, M. Stojmenović (Belgrade, Serbia), A. Radojković, G. Branković (Belgrade, Serbia), H. Oraon, R. Subasri (Hyderabad, India) and B. Matović (Belgrade, Serbia)	563
About the mechanical stability of MnFe(P,Si,B) giant-magnetocaloric materials F. Guillou, H. Yibole, N.H. van Dijk (Delft, The Netherlands), L. Zhang (De Meern, The Netherlands), V. Hardy (Caen Cedex, France) and E. Brück (Delft, The Netherlands)	569
Structural, electronic and optical properties of AgXY ₂ (X = Al, Ga, In and Y = S, Se, Te) S. Ullah, H.U. Din, G. Murtaza (Peshawar, Pakistan), T. Ouahrani (Tlemcen, Algeria), R. Khenata (Mascara, Algeria) Naeemullah (F.R. Kohat, Pakistan) and S. Bin Omran (Riyadh, Saudi Arabia)	575
Upconversion luminescence from terbium and ytterbium codoped LiYF ₄ single crystals L. Fu, H. Xia, Y. Dong, S. Li, X. Gu, J. Zhang, D. Wang, H. Jiang (Ningbo, China) and B. Chen (Dalian, China)	584

Elastic strain energy induced by epsilon martensitic transformation and its contribution to the stacking-fault energy of austenite in Fe-15Mn-xC alloys S.-J. Lee, J. Han, C.-Y. Lee, I.-J. Park and Y.-K. Lee (Seoul, Republic of Korea)	588
Raman and FTIR spectra of CeO ₂ and Gd ₂ O ₃ in iron phosphate glasses Y. Lai (Kunming, Mianyang, PR China), X. Liang, S. Yang (Mianyang, PR China), P. Liu, Y. Zeng and C. Hu (Kunming, PR China)	597
Rectifying structure with high voltage operation based on CuBO ₂ as an UV photocatalyst M. Soylu (Bingol, Turkey), A.A. Al-Ghamdi (Jeddah, Saudi Arabia), S.B. Omran (Riyadh, Saudi Arabia) and F. Yakuphanoglu (Jeddah, Saudi Arabia), (Elazig, Turkey)	602
Structural, optical, and surface properties of WO ₃ thin films for solar cells H. Simchi, B.E. McCandless, T. Meng and W.N. Shafarman (Newark, USA)	609
Synthesis, characterization and X-ray spectral investigation of hollow graphitic carbon nanospheres B. Ilkiv (Kyiv, Ukraine), S. Petrovska, R. Sergiienko (Kyiv, Ukraine), (Sendai, Japan), O. Foya, O. Ilkiv (Kyiv, Ukraine), E. Shibata, T. Nakamura (Sendai, Japan) and Y. Zaulychnyy (Kyiv, Ukraine)	616
Magnetic response and adsorptive properties for methylene blue of CoFe ₂ O ₄ /Co _x Fe _y /activated carbon magnetic composites J.C. Xu, P.H. Xin, Y.B. Han, P.F. Wang, H.X. Jin, D.F. Jin, X.L. Peng, B. Hong, J. Li, H.L. Ge, Z.W. Zhu and X.Q. Wang (Hangzhou, PR China)	622
Facile microwave synthesis, characterization, and solar cell application of selenium nanoparticles M. Panahi-Kalamuei, M. Salavati-Niasari and S. M. Hosseinpour-Mashkani (Kashan, Iran)	627
Investigation of the structural and hydrogenation properties of disordered Ti-V-Cr-Mo BCC solid solutions C. Raufast, D. Planté and S. Miraglia (France)	633
Effective surface anisotropy in polycrystalline ferromagnetic nanowires J. Holanda, C.L.A.V. Campos, C.A. Franca and E. Padrón-Hernández (Recife, Brazil)	639
Investigation of broad spectrum absorption of Lead zirconate titanate grating M. Zhi-Chao, X. Zhi-Mou, W. Xing-Hui, L. Chun-Ya and P. Jing (Wuhan, China)	642
Effects of bath composition and processing conditions on the microstructure and mechanical properties of coatings developed on 316 LVM by hot dipping in melted AlSi alloys E. Frutos (Czech Republic), (Madrid, Spain), D. Álvarez, L. Fernandez (Aviles, Spain) and J.L. González-Carrasco (Madrid, Spain)	646
The effects of cooling rate and heat treatment on mechanical and thermal characteristics of Al-Si-Cu-Mg foundry alloys S.W. Choi, Y.M. Kim, K.M. Lee, H.S. Cho, S.K. Hong, Y.C. Kim, C.S. Kang (Gwangju, Republic of Korea) and S. Kumai (Tokyo, Japan)	654
Ultrahard boron-rich tantalum boride: Monoclinic TaB ₄ B. Chu, D. Li, K. Bao, F. Tian, D. Duan, X. Sha, P. Hou, Y. Liu, H. Zhang, B. Liu and T. Cui (Changchun, People's Republic of China)	660
Effect of Ce addition on the mechanical and electrochemical properties of a lithium battery shell alloy J. Zhang, D. Ding, X. Xu, Y. Gao, G. Chen, W. Chen, X. You, Y. Huang and J. Tang (Shanghai, China)	665
Microstructural evolution and homogeneous viscous flow behavior of a Cu-Zr based bulk metallic glass composites X.Y. Zhang, Z.Z. Yuan and D.X. Li (Lanzhou, China)	670
Cationic ordering, relaxation dynamics and polaron hopping in a new double perovskite oxide: BaPrCoTaO ₆ C. Bharti, M.K. Das, A. Sen, S. Chanda and T.P. Sinha (Kolkata, India)	677
Phase control of yttrium (Y)-doped TiO ₂ nanofibers and intensive visible photoluminescence K.S. Kumar, C.-G. Song, G.M. Bak (Cheonan, Republic of Korea), G. Heo, M.-J. Seong (Seoul, Republic of Korea) and J.-W. Yoon (Cheonan, Republic of Korea)	683
A novel reduction-bonding process to fabricate stainless steel clad plate Y.-a. Jing, Y. Qin, X. Zang, Q. Shang and S. Hua (Anshan, PR China)	688
Formation of CuZr-based bulk metallic glass composites containing nanometer-scale B2-CuZr phase through sub-T _g annealing R. Wei, X.L. Wang, S. Yang, F. Jiang and L. He (Xi'an, China)	699
Layer by layer assembly of gold nanoparticles and graphene via Langmuir Blodgett method for efficient light-harvesting in photocatalytic applications I. Shakir (Riyadh, Saudi Arabia), Z. Ali (Suwon, Republic of Korea), (Islamabad, Pakistan) and D.J. Kang (Suwon, Republic of Korea)	707
One-step nanocasting synthesis of mesostructured magnetic Fe/ γ -Fe ₂ O ₃ /graphitic carbon composites Q. Zhang (Shanghai, Guangzhou, China), B. Li, Z. Ma, Y. Wang and X. Li (Shanghai, China)	713
Band structure analysis on olivine LiMPO ₄ and delithiated MPO ₄ (M = Fe, Mn) cathode materials T.-F. Yi (Maanshan, Harbin, PR China), Z.-K. Fang (Maanshan, PR China), Y. Xie (Harbin, PR China), Y.-R. Zhu (Maanshan, PR China) and C. Dai (Harbin, PR China)	716
Effect of magnetic field on the microstructure and electrochemical performance of rapidly quenched La _{0.1} Nd _{0.075} Mg _{0.04} Ni _{0.65} Co _{0.12} alloy X. Chen, H. Wang, S. Zhu, F. Li, Y. Tang and Z. Liu (Changsha, PR China)	722
Mechanical properties and microstructure evolution of Ti/Al ₂ O ₃ cermet composite with CeO ₂ addition C. Wu, Z. Wang, Q. Li, G. Shi, M. Liu and Y. Li (Jinan, China)	729
Effects of MeV ion irradiation on structural and optical properties of SnO ₂ -ZnO nanocomposites prepared by carbothermal evaporation N. Bhardwaj, S. Kuriakose (New Delhi, India), A. Pandey, R.C. Sharma (Delhi, India), D.K. Avasthi and S. Mohapatra (New Delhi, India)	734
Structure and dielectric properties of Ba _x Sr _{1-x} TiO ₃ -based glass ceramics for energy storage W. Zhang, S. Xue, S. Liu, J. Wang, B. Shen and J. Zhai (Shanghai, China)	740
Chemical ordering effect on melting temperature, surface energy of copper-gold bimetallic nanocluster F. Taherkhani (Kermanshah, Iran), H. Akbarzadeh (Sabzevar, Iran) and H. Rezaia (Kermanshah, Iran)	746

Fabrication and electromagnetic properties of flowerbud-like CNT-CuPc/Fe ₃ O ₄ S. Dong, F. Meng, Z. Wang, M. Feng, K. Jia and X. Liu (Chengdu, PR China)	751
Synthesis and characterization of gadolinium-doped nanotubular titania for enhanced photocatalysis L. Shi, L. Cao, R. Gao, Y. Zhao, H. Zhang and C. Xia (Qingdao, PR China)	756
Early stage growth characteristics of Ag ₃ Sn intermetallic compounds during solid–solid and solid–liquid reactions in the Ag–Sn interlayer system: Experiments and simulations A. Lis (Duebendorf, Switzerland), M.S. Park, R. Arroyave (USA) and C. Leinenbach (Duebendorf, Switzerland)	763
Broadening of the orbitally-induced Peierls phase transition in Cu _{1-x} Na _x Ir ₂ S ₄ H. Han, L. Zhang, H. Liu, L. Ling, R. Zhang, C. Zhang, L. Pi, Y. Zhang (Hefei, Peoples's Republic of China)	774
Microstructure, thermal analysis and damping properties of Ag and Ni nano-particles doped Sn–8Zn–3Bi solder on OSP–Cu substrate A.K. Gain and L. Zhang (Australia)	779
Dealloyed Fe ₃ O ₄ octahedra as anode material for lithium-ion batteries with stable and high electrochemical performance S. Jia (Shanghai, PR China), T. Song (Brisbane, Australia), B. Zhao, Q. Zhai and Y. Gao (Shanghai, PR China)	787
Deformation-induced hydrogen desorption from the surface oxide layer of 6061 aluminum alloy C. Zhou, X. Chen, L. Zhang and X. Li (Hangzhou, China)	792
Low loss and high refractive index in impedance-matched ferrite–silver co-fired ceramics L. Wang, Y. Bai and L. Qiao (Beijing, China)	797
Synthesis of spherical LiCo _{0.9} Ni _{0.05} Mn _{0.05} O ₂ with Co _{0.9} Ni _{0.05} Mn _{0.05} CO ₃ precursor and its electrochemistry performance J. Cao, G. Hu, Z. Peng, K. Du and Y. Cao (Changsha, China)	800
Controlled hydrothermal growth and tunable luminescence properties of β-NaYF ₄ :Yb ³⁺ /Er ³⁺ microcrystals C. Wang (Shanghai, PR China) and X. Cheng (Shanghai, Lanzhou, PR China)	807
Chemical vapor deposition synthesis of carbon nanospheres over Fe-based glassy alloy particles N. Zhao, J. Wang, C. Shi, E. Liu, J. Li and C. He (Tianjin, China)	816
Application of microcrystalline cellulose to fabricate ZnO with enhanced photocatalytic activity H.-F. Zuo, Y.-R. Guo, S.-J. Li and Q.-J. Pan (Harbin, China)	823
First-principles prediction of electronic structure and magnetic ordering of rare-earth metals doped ZnO X.J. Zhang, W.B. Mi, X.C. Wang and H.L. Bai (Tianjin, China)	828
A simple process for synthesizing nano Pt- and/or N-doped titanium dioxide powders by microwave plasma torch Y.-C. Lai (Kaohsiung, Taiwan), Y.-F. Wang (Chung-Li, Taiwan), Y.I. Tsai (Tainan, Taiwan) and C.-H. Tsai (Kaohsiung, Taiwan)	834
Effect of Zn-excess on sintering behavior and microwave dielectric properties in Mg _{0.97} Zn _{0.03} TiO ₃ ceramics L. Li, Z. Gao, Q. Ren, H. Cai and S. Li (Tianjin, China)	841
High efficient Nd:YAG laser ceramics fabricated by dry pressing and tape casting F. Tang (Beijing, Fuzhou, China), Y. Lin (Fuzhou, China), W. Wang, X. Yuan (Beijing, China), J. Chen, J. Huang (Fuzhou, China), C. Ma, Z. Dai (Beijing, China), W. Guo and Y. Cao (Beijing, Fuzhou, China)	845
Dielectric properties of ErFeO ₃ ceramics over a broad temperature range J.L. Ye, C.C. Wang, W. Ni and X.H. Sun (Hefei, China)	850
Morphology-controlled synthesis of orthorhombic LuFeO ₃ particles via a hydrothermal route M. Zhou, H. Yang, T. Xian, J.Y. Ma, H.M. Zhang, W.J. Feng, Z.Q. Wei and J.L. Jiang (Lanzhou, People's Republic of China)	855
Study of electrical and dielectric behavior of Tb ⁺³ substituted Y-type hexagonal ferrite I. Ali, N. Shaheen, M.U. Islam, M. Irfan, M.N. Ashiq, M. Asif Iqbal and A. Iftikhar (Multan, Pakistan)	863
Effect of Ag shapes and surface compositions on the photocatalytic performance of Ag/ZnO nanorods J. Lu, H. Wang, S. Dong, F. Wang and Y. Dong (Wuhan, PR China)	869
The changes of spectroscopic, thermal and electrical properties of PVDF/PEO containing lithium nanoparticles I.S. Elashmawi (Giza, Egypt), (Saudi Arabia), N.H. Elsayed (Tabuk, Saudi Arabia), (Cairo, Egypt) and F.A. Altalhi (Saudi Arabia)	877
Faceted shell structure in grain boundary diffusion-processed sintered Nd–Fe–B magnets U.M.R. Seelam, T. Ohkubo, T. Abe, S. Hirose and K. Hono (Tsukuba, Japan)	884
Structural distortion effect on the magnetization and magnetocaloric effect in Pr modified La _{0.65} Sr _{0.35} MnO ₃ manganite M.S. Anwar, F. Ahmed and B.H. Koo (Changwon, South Korea)	893
Enhancement of dielectric properties of 0.2[BZT-BCT]–0.8[(1 – x)epoxy–xCCTO] (x = 0.02, 0.04, 0.06, 0.08 & 0.1) composites for embedded capacitor and energy harvesting applications P. Mishra and P. Kumar (Rourkela, India)	899
A first principles study of phase stability, bonding, electronic and lattice dynamical properties of beryllium chalcogenides at high pressure S. Dabhi (Bhavnagar, India), V. Mankad (Ahmedabad, India) and P.K. Jha (Vadodara, India)	905
A comparative study of different M (M = Al, Ag, Cu)/FTO bilayer composite films irradiated with nanosecond pulsed laser L.-j. Huang, N.-f. Ren, B.-j. Li (Zhenjiang, PR China) and M. Zhou (Zhenjiang, Beijing, PR China)	915
Realization of epitaxial ZnO layers on GaP(1 1 1) substrates by pulsed laser deposition S.D. Singh, R.S. Ajimsha, C. Mukherjee, R. Kumar, L.M. Kukreja and T. Ganguli (Indore, India)	921
Mechanical properties, intergranular corrosion behavior and microstructure of Zn modified Al–Mg alloys C. Meng, D. Zhang, H. Cui, L. Zhuang and J. Zhang (Beijing, People's Republic of China)	925

Reactive spark plasma sintering (SPS) of nitride reinforced titanium alloy composites T. Borkar, S. Nag (Denton, USA), Y. Ren (USA), J. Tiley (Dayton, USA) and R. Banerjee (Denton, USA)	933
Coprecipitation synthesis, structure and photoluminescence properties of Eu ³⁺ -doped sodium barium borate X. Qiao (Xuzhou, PR China), Y. Cheng (Suzhou, PR China), L. Qin (Suzhou, PR China), (Busan, Republic of Korea), C. Qin (Suzhou, PR China), P. Cai, S.I. Kim and H.J. Seo (Busan, Republic of Korea).	946
AC conductivity, dielectric and impedance studies of Cd _{0.8-x} Pb _x Zn _{0.2} S mixed semiconductor compounds T. Shekharam, V. Laxminarasimha Rao, G. Yellaiah, T. Mohan Kumar and M. Nagabhusanam (Hyderabad, India)	952
Colloidal synthesis of CuGaS _x Se _{2-x} nanoribbons mediated by Cu _{1.75} (SSe) nanocrystals as catalysts X. Geng, H. Liu, L. Zhai, Z. Xiong, J. Hu, C. Zou, Y. Dong, Y. Yang and S. Huang (Wenzhou, PR China)	961
Interdiffusion and impurity diffusion in polycrystalline Mg solid solution with Al or Zn C.C. Kammerer (Orlando, USA), N.S. Kulkarni (Knoxville, USA), R.J. Warmack (Oak Ridge, USA) and Y.H. Sohn (Orlando, USA)	968
Novel morphologies, sizes, optical and antibacterial activity of organic acids assisted manganese sesquioxide (α -Mn ₂ O ₃) nanostructures via precipitation route S. Gnanam and V. Rajendran (Chennai, India).	975
Microstructures and mechanical properties of AZ91 magnesium alloy processed by multidirectional forging under decreasing temperature conditions K.B. Nie (Taiyuan, PR China), X.J. Wang (Harbin, PR China), K.K. Deng, F.J. Xu (Taiyuan, PR China), K. Wu and M.Y. Zheng (Harbin, PR China)	979
High capacity NiCo ₂ O ₄ nanorods as electrode materials for supercapacitor Y. Zhu (Changsha, China), X. Pu (People's Republic of China), W. Song, Z. Wu, Z. Zhou (Changsha, China), X. He (Shenzhen, China), F. Lu, M. Jing, B. Tang and X. Ji (Changsha, China)	988
Microstructure evolution during 300 °C storage of sintered Ag nanoparticles on Ag and Au substrates S.A. Paknejad (London, UK), G. Dumas (Dartmouth, UK), G. West (Loughborough, UK), G. Lewis (Dartmouth, UK) and S.H. Mannan (London, UK)	994
Keywords.	I