



Volume 549

5 February 2013
ISSN 0925-8388

Journal of **ALLOYS COMPOUNDS**

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
H. KLEINKE
C. KOCH
H.G. PAN
V. PECHARSKY
H. SAKAGUCHI
H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jallcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Influence of S/Mn molar ratio on the morphology and optical property of γ -MnS thin films prepared by microwave hydrothermal	1
X. Yu, C. Li-yun, H. Jian-feng, L. Jia, F. Jie and Y. Chun-yan (Xi'an, PR China)	
The mechanical property of the oxide scale on Fe–Cr alloy steels	6
C.-W. Yang, J.-H. Kim, R.E. Triambulo (Seoul, Republic of Korea), Y.-H. Kang, J.-S. Lee (Pohang, Republic of Korea) and J.-W. Park (Seoul, Republic of Korea)	
CaCu ₃ Ti ₄ O ₁₂ electrospun fibre: A new form of CaCu ₃ Ti ₄ O ₁₂ and its dielectric property	11
D. Qin, G. Liang and A. Gu (Suzhou, China)	
Electrical properties of Pt/n-type Ge Schottky contact with PEDOT:PSS interlayer	18
A. Ashok Kumar (Proddatur, India), V. Rajagopal Reddy (Tirupati, India), V. Janardhanam, H.-D. Yang (Jeonju, Republic of Korea), H.-J. Yun (Daejeon, Republic of Korea) and C.-J. Choi (Jeonju, Republic of Korea)	
A novel route for the synthesis of CaF ₂ -coated SmCo ₅ flakes	22
L. Zheng (Hebei, China, Newark, DE, USA), B. Cui (Newark, DE, Landisville, PA, USA), L. Zhao (Hebei, China), W. Li and G.C. Hadjipanayis (Newark, DE, USA)	
Nanocrystalline Fe ₈₃ P ₁₆ Cu ₁ soft magnetic alloy produced by crystallization of its amorphous precursor	26
F.G. Chen, Y.G. Wang, X.F. Miao, H. Hong and K. Bi (Nanjing, People's Republic of China)	
Structure, electronic characteristic and thermodynamic properties of K ₂ ZnH ₄ hydride crystal: A first-principles study	30
C. Liu, S. Zhang, S. Huang, P. Wang and H. Tian (Beijing, China)	
Effect of heat treatment on internal friction in ECAP processed commercial pure Mg	38
G.D. Fan, M.Y. Zheng, X.S. Hu, C. Xu, K. Wu (Harbin, PR China) and I.S. Golovin (Moscow, Russia)	
Role of icosahedral phase in enhancing the strength of Mg–Sn–Zn–Al alloy	46
Y.K. Kim, S.W. Sohn (Yonsei, South Korea), D.H. Kim (Republic of Korea, South Korea), W.T. Kim (Cheongju, South Korea) and D.H. Kim (Yonsei, South Korea)	
Three dimensional topological insulators of LuPdBi _x Sb _{1-x} alloys	51
Z. Nourbakhsh (Isfahan, Iran)	
Phase equilibria in the Ni–Mn–In alloy system	57
T. Miyamoto, M. Nagasako and R. Kainuma (Sendai, Japan)	
Magnetism and large magnetocaloric effect in HoFe _{2-x} Al _x	64
S. Mican, D. Benea and R. Tetean (Cluj-Napoca, Romania)	
Oriented attachment growth of BiOCl nanosheets with exposed {110} facets and photocatalytic activity of the hierarchical nanostructures	70
Z. Cui, L. Mi (Xuchang, China) and D. Zeng (Wuhan, China)	
Formation of local nanocrystalline structure in a boron steel induced by electropulsing	77
B. Ma, Y. Zhao, J. Ma, H. Guo and Q. Yang (Changchun, PR China)	
On shear-lag and thermal mismatch model in multiwalled carbon nanotube/copper matrix nanocomposites	82
P.G. Koppad (Bangalore, Hyderabad, India), H.R. Aniruddha Ram and K.T. Kashyap (Bangalore, India)	
Thickness-dependent field emission from ZnTe films prepared by magnetron sputtering	88
Z. Zhang, J. Li, H. Zhang, X. Pan and E. Xie (Lanzhou, PR China)	
The kinetics of non-isothermal iron and aluminum powder mixtures sintering in protective atmosphere	92
P. Matysik, S. Jozwiak and T. Czujko (Warsaw, Poland)	
Deformation behavior of Mg ₆₇ Zn ₂₈ Ca ₅ metallic glass at near supercooled liquid region	100
X.L. Fu, M.J. Tan, Y.S. Wang (Singapore, Singapore), A.E.W. Jarfors (Singapore, Jönköping, Sweden) and M. Gupta (Singapore, Singapore)	
Visible light photocatalytic activities of ZnFe ₂ O ₄ loaded by Ag ₃ VO ₄ heterojunction composites	105
L. Zhang, Y. He, P. Ye, Y. Wu and T. Wu (Jinhua, PR China)	

Study of structural transformation in TiO_2 nanoparticles and its optical properties	114
A.K. Tripathi (Allahabad, India), M.K. Singh (Allahabad, New Delhi, India), M.C. Mathpal (Allahabad, India), S.K. Mishra (Kolkata, India) and A. Agarwal (Allahabad, India)	
Thermoelectric properties of $Pr_3Rh_4Sn_{13}$ -type $Yb_3Co_4Ge_{13}$ and $Yb_3Co_4Sn_{13}$ compounds	121
A.V. Morozkin (Moscow, Russia), V.Yu. Irkhin (Ekaterinburg, Russia) and V.N. Nikiforov (Moscow, Russia)	
Thermoelectric properties of $Tl_{10-x}Ln_xTe_6$, with $Ln = Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho$ and Er , and $0.25 \leq x \leq 1.32$	126
S. Bangarigadu-Sanasy, C.R. Sankar, P. Schlender and H. Kleinke (Waterloo, ON, Canada)	
Synthesis, characterization and luminescent properties of Eu/Tb-doped $LaSrAl_3O_7$ nanophosphors	135
Sheetal, V.B. Taxak, Mandeep and S.P. Khatkar (Rohtak, India)	
In situ synthesis of NiAl-NbB ₂ composite powder through combustion synthesis	141
A.A. Shokati, N. Parvin, N. Sabzianpour, M. Shokati and A. Hemmati (Tehran, Iran)	
$Ni(OH)_2$ nanosheets grown on graphene-coated nickel foam for high-performance pseudocapacitors	147
T. Xiao, X. Hu, B. Heng, X. Chen, W. Huang, W. Tao, H. Wang, Y. Tang (Wuhan, PR China), X. Tan and X. Huang (Yichang, PR China)	
Phase transformation and age hardening behavior of new Ti-9.2Mo-2Fe alloy	152
C. Li (Beijing, PR China, Changwon, South Korea), D.-G. Lee (Changwon, South Korea), X. Mi, W. Ye, S. Hui (Beijing, PR China) and Y. Lee (Changwon, South Korea)	
Glass formation, physicochemical characterization and photoluminescence properties of new $Sb_2O_3-PbO-ZnO$ and $Sb_2O_3-PbO-ZnS$ systems	158
M. Nouadji (Biskra, Algeria, Rennes Cedex, France), Z.G. Ivanova (Sofia, Bulgaria), M. Poulaing (Rennes Cedex, France), J. Zavadil (Kobylisy, Czech Republic) and A. Attaf (Biskra, Algeria)	
A novel $LaFeO_{3-x}N_x$ oxynitride. Synthesis and characterization	163
G. Sierra Gallego, N. Marín Alzate and O. Arnache (Medellín, Colombia)	
Magnetic entropy change and transport properties in $Ni_{45}Co_{5}Mn_{36.6}In_{13.4}$ melt-spun ribbons	170
L. Chen, F.X. Hu, J. Wang, L.F. Bao, X.Q. Zheng, L.Q. Pan, J.H. Yin, J.R. Sun and B.G. Shen (Beijing, PR China)	
Energetic consideration of the conduction type of Mg_2Si doped with Cu, Ag, or Au using first-principle calculations	175
Y. Imai (Ibaraki, Japan), Y. Mori, S. Nakamura and K.-i. Takarabe (Okayama, Japan)	
Optical constants and interband transitions of anisotropic layered structured Tl_2GalnS_4 crystals by spectroscopic ellipsometry	179
M. Isik, N.M. Gasanly and R. Turan (Ankara, Turkey)	
Structural stability, band structure and magnetic properties of ZnS and $Zn_{0.75}Cr_{0.25}S$ under pressure	184
Y.-h. Huang, W.-q. Jie, Y. Zhou and G.-q. Zha (Xi'an, PR China)	
Electrorecrystallization of Metal Alloy	190
Y.-T. Chiu, K.-L. Lin (Tainan, Taiwan), A.T. Wu (Jhongli, Taiwan), W.-L. Jang, C.-L. Dong (Hsinchu, Taiwan) and Y.-S. Lai (Kaohsiung, Taiwan)	
Microstructure and corrosion resistance of AlCrFeCuCo high entropy alloy	195
X.-W. Qiu (Xi'an, China, Deyang, China), Y.-P. Zhang, L. He (Xi'an, China) and C.-g. Liu (Deyang, China)	
Investigation of the crystal structure and ionic conductivity in the ternary system $(Yb_2O_3)_x-(Sc_2O_3)_{(0.11-x)}-(ZrO_2)_{0.89}$ ($x = 0-0.11$)	200
F. Yuan, J. Wang, H. Miao, C. Guo and W.G. Wang (Ningbo, China)	
Complex impedance and modulus studies of cerium doped barium zirconium titanate solid solution	206
R. Sagar and R.L. Raibagkar (Karnataka, India)	
Crystallographic, magnetic and electrical properties of $Ni_{0.5}Cu_{0.25}Zn_{0.25}La_xFe_{2-x}O_4$ nanoparticles fabricated by sol-gel method	213
V. Chaudhari (Aurangabad, India), S.E. Shirasath (Nagano, Japan), M.L. Mane (Paranda, India), R.H. Kadam, S.B. Shelke (Osmanabad, India) and D.R. Mane (Aurangabad, India)	
A new environmental friendly silver front contact paste for crystalline silicon solar cells	221
Q. Che, H. Yang, L. Lu and Y. Wang (Hong Kong, China)	
Theoretical studies of the spin Hamiltonian parameters and local structures for the tetragonal Cu^{2+} and Ni^{3+} centers in Mg_2TiO_4	226
H.-M. Zhang, X. Wan and Z.-M. Zhang (Nanchang, PR China)	
Synthesis, thermal evolution and optical properties of CuZn alloy nanoparticles in SiO_2 sequentially implanted with dual ions	231
J. Wang, L. Zhang, X. Zhang, Y. Shen and C. Liu (Tianjin, PR China)	
Structural characterization, electrical and dielectric relaxations in Dy-doped zirconia	238
Raghvendra, P. Singh and R.K. Singh (Varanasi, India)	
Hydrothermal synthesis of the intense green photoluminescence of hexagonal phase $NaYF_4:Yb^{3+}/Er^{3+}$ microcrystals	245
Y. Jiao, X. Gao, J. Lu, Y. Chen, W. He, X. Chen, X. Li and R. Li (Zhengzhou, China)	
Wetting behaviors and interfacial characteristics of TiZr-based bulk metallic glass/W substrate	254
G.F. Ma, Z.K. Li, C.L. He, Z.W. Zhu, H.M. Fu, A.M. Wang, H. Li, H.F. Zhang and Z.Q. Hu (Shenyang, China)	
General and scalable route to synthesize nanowire-structured semiconducting metal oxides for gas-sensor applications	260
N.D. Hoa, V.V. Quang (Hanoi, Viet Nam), D. Kim (Daejeon, Republic of Korea) and N.V. Hieu (Hanoi, Viet Nam)	
Microstructures and optical, electrical and photocatalytic properties of sonochemically and hydrothermally synthesized SnO_2 nanoparticles	269
C. Karunakaran, S. Sakthi Raadha and P. Gomathisankar (Annamalainagar, India)	
Magnetoelectric properties of $Tb_{0.27-x}Dy_{0.73-y}Y_{x+y}Fe_2/PVDF$ composites	276
M. Szklarska-Lukasik (Kraków, Poland), P. Guzdek (ul. Zabłocie, Poland), M. Dudek, A. Pawłaczyk, J. Chmist, W. Dorowski and J. Pszczoła (Kraków, Poland)	

Dielectric tunability properties of the $\text{Pb}[(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Zr}_x]\text{O}_3$ ceramics	283
B. Peng, H. Fan, Q. Li (Xi'an, China) and Q. Zhang (Bedfordshire, United Kingdom)	
Phase separation and magnetic order in the $\text{Tl}_{0.75}\text{K}_{0.25}\text{Fe}_{1.86}\text{Se}_2$ superconductor studied by Mössbauer spectroscopy	288
Z.M. Stadnik, P. Wang (Ontario, Canada), J. Żukowski (Kraków, Poland), H.-D. Wang, C.-H. Dong and M.-H. Fang (Hangzhou, China)	
Magneto-resistance, magneto-reactance, and magneto-impedance effects in single and multi-wire systems	295
J. Devkota, A. Ruiz, P. Mukherjee, H. Srikanth, M.H. Phan (Tampa, USA), A. Zhukov (San Sebastián, Bilbao, Spain), and V.S. Larin (Chisinau, Moldova)	
Synthesis and characterization of ZnGa_2O_4 particles prepared by solid state reaction	303
M.M. Can (İstanbul, Turkey), G. Hassnain Jaffari (Islamabad, Pakistan), S. Aksoy (İstanbul, Turkey), S. I. Shah (Newark, DE, USA) and T. Fırat (Ankara, Turkey)	
The silicide coatings $(\text{Mo},\text{W})\text{Si}_2+(\text{Mo},\text{W})_5\text{Si}_3$ on graphite, interaction with carbon	308
B.A. Gnesin, I.B. Gnesin and A.N. Nekrasov (Moscow, Russia)	
Comparison of thermoelectric performance of $\text{AgPb}_x\text{SbTe}_{20}$ ($x = 20\text{--}22.5$) polycrystals fabricated by different methods	319
Z.-Y. Li, M. Zou and J.-F. Li (Beijing, China)	
The effects of dendritic arm spacing (as-cast) and aging time (solution heat-treated) of Al–Cu alloy on hardness	324
B.P. Reis, R.P. França, J.A. Spim (Porto Alegre, RS, Brazil), A. Garcia (Campinas, SP, Brazil), E.M. da Costa and C.A. Santos (Porto Alegre, RS, Brazil)	
Lattice, elastic properties and Debye temperatures of ATiO_3 ($\text{A} = \text{Ba, Ca, Pb, Sr}$) from first-principles	336
J. Long, L. Yang and X. Wei (Chengdu, PR China)	
Morphological evolution of CuCl microstructures from nano/micro-rod arrays to thin film with a preferred orientation (111) plane . .	341
Q. Wang, G. Chen and J. Pei (Harbin, PR China)	
Preparation and characterization chemistry of nano-crystalline Ni–Cu–Zn ferrite	348
M. Hashim, Alimuddin (Aligarh, India), S.E. Shirsath (Nagano, Japan), S. Kumar (Pohang, South Korea), R. Kumar (Hamirpur, India), A.S. Roy (Karnataka, India), J. Shah and R.K. Kotnala (New Delhi, India)	
Dielectric and impedance analysis of La doped- TbMnO_3	358
Y. Zhang (Shaanxi, Hanzhong, China), T. Tong (Hanzhong, China), W. Kinsman (Pennsylvania, United States), P. Jiang (Hanzhong, China), G. Yin and S. Li (Shaanxi, China)	
Solvothermal synthesis of $\text{CeF}_3:\text{Tm}^{3+}, \text{Yb}^{3+}$ microcrystals with visible upconversion luminescence by 980 nm excitation	362
T. Sheng, Z. Fu, D. Huang and Z. Dai (Changchun, China)	
The partitioning of La and Y in Nd–Fe–B magnets: A first-principles study	366
X.B. Liu (Arlington, TX, USA, Quebec, Canada), Z. Altounian (Quebec, Canada), M. Huang (Arlington, TX, USA), (Tianjin, China), Q. Zhang and J. P. Liu (Arlington, TX, USA)	
Analysis of atomic mobility in a $\text{Cu}_{38}\text{Zr}_{46}\text{Ag}_8\text{Al}_8$ bulk metallic glass	370
J.C. Qiao and J.M. Pelletier (Villeurbanne, France)	
Corrigendum to "Synthesis and properties of $\text{Li}_3\text{V}_{2-x}\text{Ce}_x(\text{PO}_4)_3/\text{C}$ cathode materials for Li-ion batteries" [J. Alloys Comp. 532 (2012) 49–54]	375
J. Yao, S. Wei, P. Zhang, C. Shen (Zhejiang, PR China), K.-F. Aguey-Zinsou (Sydney, Australia) and L. Wang (Zhejiang, PR China)	
Keywords	I