



Volume 550

15 February 2013  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Hydrothermal synthesis and luminescent properties of $\text{NaLa}(\text{MoO}_4)_2:\text{Eu}^{3+},\text{Tb}^{3+}$ phosphors . . . . .	1
G. Li (Changchun, Tianjin, PR China), L. Li, M. Li, W. Bao, Y. Song, S. Gan, H. Zou and X. Xu (Changchun, PR China)	
Superheat-dependent microstructure of molten Al–Si alloys of different compositions studied by small angle neutron scattering . . . . .	9
M. Calvo-Dahlborg (Saint-Etienne du Rouvray Cedex, France), P.S. Popel (Ekaterinburg, Russia), M.J. Kramer, M. Besser (Ames, USA), J.R. Morris (Oak Ridge, TN, USA) and U. Dahlborg (Saint-Etienne du Rouvray Cedex, France)	
A study on the microstructures and tensile properties of new beta high strength titanium alloy . . . . .	23
C.-L. Li, X.-J. Mi, W.-J. Ye, S.-X. Hui, Y. Yu (Beijing, China) and W.-Q. Wang (Shaanxi, China)	
Stable and fast domain wall dynamics in nanocrystalline magnetic microwire . . . . .	31
P. Klein, R. Varga (Kosice, Slovakia) and M. Vázquez (Madrid, Spain)	
Suppression of isothermal $\omega$ phase by dislocation tangles and grain boundaries in metastable $\beta$ -type titanium alloys. . . . .	35
S. Guo, Q. Meng, L. Hu, G. Liao, X. Zhao and H. Xu (Beijing, China)	
Effect of Ni fillers on microwave absorption and effective permeability of NiCuZn ferrite/Ni/polymer functional composites. . . . .	39
S.-Y. Tong, M.-J. Tung, W.-S. Ko, Y.-T. Huang, Y.-P. Wang, L.-C. Wang and J.-M. Wu (Hsinchu, Taiwan)	
Fabrication of ohmic contact on the carbon-terminated surface of n-type silicon carbide . . . . .	46
M. Xu, X. Hu, Y. Peng, K. Yang, W. Xia, G. Yu and X. Xu (Jinan, PR China)	
Effect of ageing treatment on the precipitation behaviour of Mg–Gd–Y–Zn–Zr alloy . . . . .	50
C. Xu (Harbin, PR China, Nagaoka, Japan), M.Y. Zheng, K. Wu, E.D. Wang, G.H. Fan (Harbin, PR China), S.W. Xu, S. Kamado (Nagaoka, Japan), X.D. Liu, G.J. Wang and X.Y. Lv (Harbin, PR China)	
Partial transient liquid phase bonding of carbon/carbon composites using Ti–Ni–Al <sub>2</sub> O <sub>3</sub> –Si compound as interlayer . . . . .	57
J. Wang, K. Li, H. Li, W. Li, Z. Li and L. Guo (Shaanxi, PR China)	
The effect of process parameters on the size of ZnO nanoparticles synthesized via the sol–gel technique . . . . .	63
M.M. Ba-Abbad, A.A.H. Kadhum, A. Bakar Mohamad, M.S. Takriff and K. Sopian (Selangor, Malaysia)	
Analysis on an abnormal behavior of magnetization in neodymium trifluoride at low temperatures . . . . .	71
W. Wang, X. Zhao, R. Chen, K. Wang and F. Li (Beijing, China)	
Structural, magnetic and magnetocaloric properties in $\text{La}_{0.5-x}\text{Re}_x\text{Ca}_{0.5}\text{MnO}_3$ manganites ( $x = 0; 0.1$ and $\text{Re} = \text{Gd, Eu and Dy}$ ) . . . . .	75
A. Krichene, W. Boujelben (Sfax, Tunisia) and A. Cheikhrouhou (Sfax, Tunisia, Grenoble cedex, France)	
Hybridizing boron carbide (B <sub>4</sub> C) particles with aluminum (Al) to enhance the mechanical response of magnesium based nano-composites . . . . .	83
M.K. Habibi (Singapore, Singapore, Doha, Qatar), A.S. Hamouda (Doha, Qatar) and M. Gupta (Singapore, Singapore)	
The elasticity anisotropy in the basal atomic planes of $\text{Mg}(\text{OH})_2$ and $\text{Ca}(\text{OH})_2$ associated with auxetic elastic properties of the hydrogen sub-lattice . . . . .	94
V.S. Harutyunyan, A.A. Abrahamyan and A.P. Aivazyan (Yerevan, Armenia)	
Comparative first-principles analysis of undoped and $\text{Co}^{2+}$ -doped $\alpha\text{-ZnAl}_2\text{S}_4$ . . . . .	103
M.G. Brik (Tartu, Estonia), M. Nazarov (Penang, Malaysia, Chisinau, Republic of Moldova), M.N. Ahmad Fauzi (Penang, Malaysia), L. Kulyuk, S. Anghel, K. Sushkevich (Chisinau, Republic of Moldova) and G. Boulon (Villeurbanne, France)	
What is the exact structure of the $\text{AlB}_2$ -like polymorph of the $\text{CaSi}_2$ compound? . . . . .	109
H. Boudierba (Batna, Algeria)	
Effect of precipitation on strength and ductility in a Mg–Zn–Y alloy. . . . .	114
J.M. Rosalie, H. Somekawa, A. Singh (Ibaraki, Japan) and T. Mukai (Kobe City, Japan)	
Local structure, magnetization and Griffiths phase of self-doped $\text{La}_{1-x}\text{MnO}_{3+\delta}$ manganites . . . . .	124
A.N. Ulyanov, N.E. Pismenova (Donetsk, Ukraine), D.S. Yang (Cheongju, Republic of Korea), V.N. Krivoruchko and G.G. Levchenko (Donetsk, Ukraine)	



Growth and characterization of Ag/n-ZnO/p-Si/Al heterojunction diode by sol-gel spin technique. . . . .	129
E.F. Keskenler, M. Tomakin (Rize, Turkey), S. Doğan (Balıkesir, Turkey), G. Turgut, S. Aydın (Erzurum, Turkey), S. Duman and B. Gürbulak (Erzurum, Turkey)	
Inducing TiAl <sub>3</sub> in titanium alloys by electric pulse heat treatment improves mechanical properties. . . . .	133
F. Wang, D. Huo, S. Li and Q. Fan (Beijing, China)	
Fabrication of a novel heterostructure of Co <sub>3</sub> O <sub>4</sub> -modified TiO <sub>2</sub> nanorod arrays and its enhanced photoelectrochemical property . . . . .	137
C. Cao, C. Hu, W. Shen, S. Wang, J. Wang and Y. Tian (Chongqing, PR China)	
Microstructural and functional stability of large-scale SnO <sub>2</sub> :F thin film with micro-nano structure . . . . .	144
Q. Gao, M. Li, X. Li, Y. Liu, C.L. Song, J.X. Wang, Q.Y. Liu, J.B. Liu and G.R. Han (Hangzhou, China)	
Structural, elastic and mechanical properties of group III-nitrides in zinc-blend structure . . . . .	150
M. Sarwan and S. Singh (Bhopal, India)	
Synthesis and luminescent study of Ce <sup>3+</sup> -doped terbium-yttrium aluminum garnet . . . . .	159
V.P. Dotsenko, I.V. Berezovskaya, E.V. Zubar, N.P. Efyushina, N.I. Poletaev, Yu.A. Doroshenko (Odessa, Ukraine), G.B. Stryganyuk (Lviv, Ukraine, Hamburg, Germany) and A.S. Voloshinovskii (Lviv, Ukraine)	
Sb <sub>2</sub> Te <sub>3</sub> nanobelts and nanosheets: Hydrothermal synthesis, morphology evolution and thermoelectric properties . . . . .	164
G.-H. Dong, Y.-J. Zhu, G.-F. Cheng and Y.-J. Ruan (Shanghai, PR China)	
High Q ceramics in the ACe <sub>2</sub> (MoO <sub>4</sub> ) <sub>4</sub> (A = Ba, Sr and Ca) system for LTCC applications. . . . .	169
A. Surjith and R. Ratheesh (Thrissur, India)	
Spectroscopic peculiarities of praseodymium impurities in Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> single crystal . . . . .	173
A. Strzep, W. Ryba-Romanowski, R. Lisiecki, P. Solarz (Poland), X. Xu, J. Di and J. Xu (Shanghai, China)	
Hydrogen sorption enhancement by Nb <sub>2</sub> O <sub>5</sub> and Nb catalysts combined with MgH <sub>2</sub> . . . . .	179
M.O.T. da Conceição, M.C. Brum, D.S. dos Santos and M.L. Dias (Rio de Janeiro, Brazil)	
A study about $\gamma$ -MnOOH nanowires as anode materials for rechargeable Li-ion batteries . . . . .	185
X. Lou (Wuhan, Hengyang, China), X. Wu and Y. Zhang (Wuhan, China)	
Enhancement of photocatalytic property of ZnO for gaseous formaldehyde degradation by modifying morphology and crystal defect . . . . .	190
Y. Liao, C. Xie, Y. Liu and Q. Huang (Wuhan, PR China)	
Synthesis and characterization of high coercivity rare-earth ion doped Sr <sub>0.9</sub> RE <sub>0.1</sub> Fe <sub>10</sub> Al <sub>2</sub> O <sub>19</sub> (RE: Y, La, Ce, Pr, Nd, Sm, and Gd) . . . . .	198
B.K. Rai, S.R. Mishra (Memphis, TN, United States), V.V. Nguyen and J.P. Liu (Arlington, TX, United States)	
A cobalt-free perovskite-type La <sub>0.6</sub> Sr <sub>0.4</sub> Fe <sub>0.9</sub> Cr <sub>0.1</sub> O <sub>3-<math>\alpha</math></sub> cathode for proton-conducting intermediate temperature solid oxide fuel cells . . . . .	204
Z. Ding, Z. Yang, D. Zhao, X. Deng and G. Ma (Suzhou, China)	
Metal Fe <sup>3+</sup> ions assisted synthesis of highly monodisperse Ag/SiO <sub>2</sub> nanohybrids and their antibacterial activity. . . . .	209
N. Zhang, F. Xue, X. Yu (Guangzhou, PR China), H. Zhou (Dongguan, PR China) and E. Ding (Guangzhou, PR China)	
Enhancement of dielectric properties by addition of Li-Ti-Si-O nanocomposite to X7R ceramics. . . . .	216
L. Li, Y. Liu, B. Cui, R. Niu, Q. Zhang and Z. Chang (Xi'an, PR China)	
Characterizing thermodynamic properties of Ti-Cu-Ni-Zr bulk metallic glasses by hyperbolic expression . . . . .	221
P. Li (Harbin, People's Republic of China), G. Wang, D. Ding (Shanghai, Republic of China) and J. Shen (Harbin, People's Republic of China)	
Preparation and luminescent properties of a new red phosphor (Sr <sub>4</sub> Al <sub>14</sub> O <sub>25</sub> :Mn <sup>4+</sup> ) for white LEDs. . . . .	226
Y.D. Xu, D. Wang, L. Wang (Hefei, China), N. Ding (Bengbu, China), M. Shi, J.G. Zhong and S. Qi (Hefei, China)	
The effects of temperature and humidity on the growth of tin whisker and hillock from Sn5Nd alloy. . . . .	231
C.-F. Li, Z.-Q. Liu and J.-K. Shang (Shenyang, China)	
Metal Ti-Cr alloy powders nitriding under atmospheric pressure by microwave heating . . . . .	239
K. Kashimura (Kyoto, Japan), J. Fukushima (Miyagi, Japan), T. Mitani (Kyoto, Japan), M. Sato (Gifu, Japan) and N. Shinohara (Kyoto, Japan)	
Influence of mineralizer agents on the growth of crystalline CeO <sub>2</sub> nanospheres by the microwave-hydrothermal method. . . . .	245
R.C. Deus (Guaratinguetá-SP, Brazil), M. Cilense, C.R. Foschini (Araraquara, Brazil), M.A. Ramirez (Guaratinguetá-SP, Brazil), E. Longo (Araraquara, Brazil) and A.Z. Simões (Guaratinguetá-SP, Itabira, Brazil)	
Microstructure and magnetic properties of Ni <sub>3</sub> Fe solid solution thin films deposited by DC-magnetron sputtering. . . . .	252
M. Arab Pour Yazdi, N. Fenineche, E. Aubry (Belfort cedex, France), A. Kaibi (Algiers, Algeria) and A. Billard (Belfort cedex, France)	
Influence of the substrate bias voltage on the physical properties of dc reactive sputtered Ta <sub>2</sub> O <sub>5</sub> films. . . . .	258
K. Cang (Jiangsu, Ningbo, China), L.Y. Liang, Z.M. Liu, L. Wu, H. Luo, H.T. Cao (Ningbo, China) and Y.S. Zou (Jiangsu, China)	
Effect of passive film on electrochemical surface treatment for indium tin oxide. . . . .	263
Y.-F. Wu and C.-H. Chen (Taipei, Taiwan)	
A study of Eu-doped La <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> nanocrystals prepared by salt-assistant combustion synthesis. . . . .	268
Y. Tong, S. Zhao, W. Feng and L. Ma (Zhengzhou, China)	
Effect of heat treatment on the microstructures and mechanical properties of the extruded Mg-11Gd-1Zn alloy. . . . .	273
R. Zhen, Y. Sun, F. Xue, J. Sun and J. Bai (Nanjing, China)	
Narrow-band photoluminescence at room-temperature in amorphous SiC <sub>x</sub> :H film . . . . .	279
H.P. Zhou (Singapore, Singapore), M. Xu (Chengdu, China), D.Y. Wei, T. Ong, S.Q. Xiao, L.X. Xu, S.Y. Huang, Y.N. Guo and S. Xu (Singapore, Singapore)	
Effect of quantum confinement on electronic and dielectric properties of niobium dichalcogenides NbX <sub>2</sub> (X = S, Se, Te) . . . . .	283
A. Kumar and P.K. Ahluwalia (Himachal Pradesh, India)	

Synthesis and anti-oxidation performance of nanoflake-decorated boron nitride hollow microspheres . . . . .	292
J. Li (Nanning, China), H. Lin (Beijing, China), Y. Chen (Nanning, Haikou, China), Q. Su and X. Bi (Nanning, China)	
High damping capacity in porous NiTi alloy with bimodal pore architecture . . . . .	297
X.X. Zhang, H.W. Hou, L.S. Wei, Z.X. Chen, W.T. Wei and L. Geng (Harbin, China)	
Physical properties of the ternary borides Ni <sub>21</sub> Zn <sub>2</sub> B <sub>20</sub> and Ni <sub>3</sub> ZnB <sub>2</sub> . . . . .	302
Z. Malik, A. Grytsiv, H. Michor, G. Rogl, S. Puchegger, H. Müller, M. Kriegisch, E. Bauer, C. Eisenmenger-Sittner and P. Rogl (Vienna, Austria)	
A model considering mechanical anisotropy of magnetic-field-induced superelastic strain in magnetic shape memory alloys. . . . .	308
Y. Zhu and K. Yu (Zhenjiang, China)	
Preparation and photocatalytic activities of Sb <sub>2</sub> S <sub>3</sub> /TiO <sub>2</sub> nanotube coaxial heterogeneous structure arrays via an ion exchange adsorption method . . . . .	314
H. Xie, W. Que, Z. He, P. Zhong, Y. Liao and G. Wang (Shaanxi, People's Republic of China)	
Effect of composition on the luminescence of Ce <sup>3+</sup> activated Sr <sub>3</sub> AlO <sub>4</sub> F phosphor for light-emitting diode . . . . .	320
W. Chen (Huaihua, PR China)	
Capped CuInS <sub>2</sub> quantum dots for H <sub>2</sub> evolution from water under visible light illumination . . . . .	326
T.-L. Li, C.-D. Cai, T.-F. Yeh and H. Teng (Tainan, Taiwan)	
Coloring problem and magnetocaloric effect of Gd <sub>3</sub> Co <sub>2.2</sub> Si <sub>1.8</sub> . . . . .	331
J. Yao (Suzhou, PR China, Ontario, Canada), A.V. Morozkin (Moscow, Russia) and Y. Mozharivskiy (Ontario, Canada)	
Structure and electrical properties of bismuth and sodium modified SrBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> ferroelectric ceramics. . . . .	335
P. Fang, H. Fan, Z. Xi, W. Chen, S. Chen, W. Long and X. Li (Xi'an, China)	
Microstructure and hardness evolution in MAR-M247 Ni-based superalloy processed by controlled cooling and double heat treatment . . . . .	339
M. Rahimian, S. Milenkovic and I. Sabirov (Madrid, Spain)	
Optical operation by electrooptical features of ZnO nanocrystalline films doped by Tm <sup>3+</sup> ions . . . . .	345
A. Douayar, A. Belayachi, M. Abd-Lefdil, K. Nouneh, Z. Laghfour (Rabat, Morocco), I.V. Kityk (Lutsk, Ukraine), A. Slezak and R. Miedzinski (Czestochowa, Poland)	
High-yield synthesis and magnetic properties of ZnFe <sub>2</sub> O <sub>4</sub> single crystal nanocubes in aqueous solution . . . . .	348
Z.P. Chen, W.Q. Fang, B. Zhang and H.G. Yang (Shanghai, China)	
Synthesis of Sn nanoparticle decorated graphene sheets for enhanced field emission properties . . . . .	353
Z.J. Li, B.C. Yang, G.Q. Yun, S.R. Zhang, M. Zhang and M.X. Zhao (Zhengzhou, China)	
Structural, magnetic and magnetocaloric properties of La <sub>0.8</sub> Ba <sub>0.2</sub> Mn <sub>1-x</sub> Fe <sub>x</sub> O <sub>3</sub> compounds with 0 ≤ x ≤ 0.1 . . . . .	358
S. Ghodhbane, A. Dhahri, N. Dhahri (Monastir, Tunisia), E.K. Hlil (Gronoble, France) and J. Dhahri (Monastir, Tunisia)	
Spin-dependent transport properties of oleic acid molecule self-assembled La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> nanoparticles . . . . .	365
L. Xi, J.H. Du, J.H. Ma, Z. Wang, Y.L. Zuo and D.S. Xue (Lanzhou, PR China)	
Fracture behaviors of A390 aluminum cylinder liner alloys under static loading . . . . .	370
G. Cha, J. Li, S. Xiong and Z. Han (Beijing, PR China)	
Investigation on the formation of Cu–Fe nano crystalline super-saturated solid solution developed by mechanical alloying . . . . .	380
M. Mojtahedi, M. Goodarzi, M.R. Aboutalebi (Tehran, Iran), M. Ghaffari (Ankara, Turkey) and V. Soleimanian (Shahrekord, Iran)	
UV-irradiation-enhanced ferromagnetism of barium vanadate (Ba <sub>3</sub> V <sub>2</sub> O <sub>8</sub> ) nanoflowers . . . . .	389
D. Guo, C. Hu and Y. Xi (Chongqing, PR China)	
Rapid synthesis and optical properties of hematite (α-Fe <sub>2</sub> O <sub>3</sub> ) nanostructures using a simple thermal decomposition method. . . . .	395
R. Al-Gaashani (Selangor, Malaysia, Dhamar, Republic of Yemen), S. Radiman (Selangor, Malaysia), N. Tabet (Dhahran, Saudi Arabia) and A.R. Daud (Selangor, Malaysia)	
Nanostructured Al–ZrAl <sub>3</sub> materials consolidated via spark plasma sintering: Evaluation of their mechanical properties. . . . .	402
C. Rodríguez, F.J. Belzunce, C. Betegón (Gijón, Spain), L. Goyos, L.A. Díaz and R. Torrecillas (Llanera, Spain)	
Theoretical investigation on structural and thermodynamic properties of the intermetallic compound in Mg–Zn–Ag alloy under high pressure and high temperature . . . . .	406
Z.-W. Lu, D.-W. Zhou, J.-P. Bai (Nanyang, China), C. Lu (Nanyang, Changchun, China), Z.-G. Zhong and G.-Q. Li (Nanyang, China)	
Development of high performance lightweight aluminum alloy/SiC hollow sphere syntactic foams and compressive characterization at quasi-static and high strain rates. . . . .	412
D.D. Luong (Brooklyn, NY, USA), O.M. Strbik III (Toledo, OH, USA), V.H. Hammond (Aberdeen Proving Ground, MD, USA), N. Gupta (Brooklyn, NY, USA) and K. Cho (Aberdeen Proving Ground, MD, USA)	
3-D flower like FeCo alloy nanostructures assembled with nanotriangular prism: Facile synthesis, magnetic properties, and effect of NaOH on its formation . . . . .	423
M.Y. Rafique (Beijing, China), L. Pan (Yichang, China), M. Zubair Iqbal, Q.-u. Javed, H. Qiu (Beijing, China) Rafi-ud-din (Islamabad, Pakistan), M.H. Farooq and Z. Guo (Beijing, China)	
Characterization of phase change Ga <sub>15</sub> Se <sub>77</sub> Ag <sub>8</sub> chalcogenide thin films by laser-irradiation . . . . .	431
M.A. Alvi (Jeddah, Saudi Arabia), M. Zulfequar (New Delhi, India) and A.A. Al-Ghamdi (Jeddah, Saudi Arabia)	
Hot deformation and processing map of a typical Al–Zn–Mg–Cu alloy . . . . .	438
Y.C. Lin, L.-T. Li, Y.-C. Xia and Y.-Q. Jiang (Changsha, China)	
Electric-field-controlled magnetic responses in Metglas and lead zirconate titanate laminated composite. . . . .	446
H.C. Xuan (Taiyuan, PR China), D.H. Wang and Y.W. Du (Nanjing, PR China)	
Violet–blue up conversion photostimulated luminescence properties and first principles calculations of a novel un-doped CaZrO <sub>3</sub> phosphor for application in optical storage. . . . .	451
X. Liu, J. Zhang, X. Ma, H. Sheng, P. Feng, L. Shi, R. Hu and Y. Wang (Lanzhou, PR China)	

Synthesis and luminescent properties of a new phosphor, $\text{La}_2\text{CaB}_8\text{O}_{16}:\text{RE}^{3+}$ (RE = Eu, Tb) . . . . .	459
R. Guo (Jiangxi Province, China), S. Tang, F. Zheng (Shandong Province, China), Z. Yang and D. Tan (Jiangxi Province, China)	
Facile hydrothermal synthesis of alpha manganese sesquioxide ( $\alpha\text{-Mn}_2\text{O}_3$ ) nanodumb-bells: Structural, magnetic, optical and photocatalytic properties . . . . .	463
S. Gnanam and V. Rajendran (Chennai, India)	
Temperature-dependent absorption edge and photoconductivity of $\text{Tl}_2\text{In}_2\text{S}_3\text{Se}$ layered single crystals . . . . .	471
I. Guler (Ankara, Turkey), M. Ambrico, T. Ligonzo (Bari, Italy) and N.M. Gasanly (Ankara, Turkey)	
Synthesis of square-like anatase $\text{TiO}_2$ nanocrystals based on $\text{TiOF}_2$ quantum dots . . . . .	475
X. Ding, Z. Hong, Y. Wang, R. Lai and M. Wei (Fujian, China)	
Effects of S on solid solubility of Ag and electrical properties of Ag-doped ZnO films grown by radio frequency magnetron sputtering . . . . .	479
J.C. Li, Y.F. Li, T. Yang, B. Yao, Z.H. Ding, Y. Xu, Z.Z. Zhang, L.G. Zhang, H.F. Zhao and D.Z. Shen (Changchun, PR China)	
Miedema model based methodology to predict amorphous-forming-composition range in binary and ternary systems . . . . .	483
N. Das, J. Mittra (Mumbai, India), B.S. Murty (Chennai, India), S.K. Pabi (Kharagpur, India), U.D. Kulkarni and G.K. Dey (Mumbai, India)	
Effect of Mn substitution on the phase transition and magnetocaloric effect in $\text{Dy}(\text{Co}_{1-x}\text{Mn}_x)_2$ alloys . . . . .	496
Z. Han, B. Qian, Q. Tao, J. Wang, P. Zhang, R. Cui and X. Jiang (Changshu, PR China)	
First principles calculation of mixing enthalpy of $\beta\text{-Ti}$ with transition elements . . . . .	501
M. Chandran (Bangalore, India), P.R. Subramanian and M.F. Gigliotti (Niskayuna, NY, USA)	
White upconversion emission in $\text{Yb}^{3+}/\text{Tm}^{3+}/\text{Ho}^{3+}$ doped $\text{SrMoO}_4$ nanocrystals by high excited state energy transfer . . . . .	509
D. Li (Harbin, Zhanjiang, PR China), Y. Wang, X. Zhang, G. Shi, G. Liu and Y. Song (Harbin, PR China)	
Brillouin spectroscopic study of central peak in $\text{NaNbO}_3$ single crystal . . . . .	514
K.K. Mishra, V. Sivasubramanian, A.K. Arora and R.M. Sarguna (Kalpakkam, India)	
Phase equilibria at 1473 K in the ternary Al–Cr–Ti system . . . . .	519
M.J. Kriegel (Freiberg, Germany), D. Pavlyuchkov (Freiberg, Germany, Kiev, Ukraine), D.M. Cupid (Karlsruhe, Germany), O. Fabrichnaya, D. Heger, D. Rafaja (Freiberg, Germany) and H.J. Seifert (Karlsruhe, Germany)	
Optical and structural analysis of rare earth and Li co-doped ZnO nanoparticles . . . . .	526
H. Li, Z. Zhang, J. Huang, R. Liu and Q. Wang (Jinan, China)	
Synthesis and photoluminescence properties of $\text{GdBO}_3:\text{Ln}^{3+}$ (Ln = Eu, Tb) nanofibers by electrospinning . . . . .	531
H. Shen (Changchun, PR China), S. Feng (Beijing, PR China), Y. Wang, Y. Gu, J. Zhou, H. Yang, G. Feng, L. Li, W. Wang, X. Liu and D. Xu (Changchun, PR China)	
ZnO incorporated $\text{LiFePO}_4$ for high rate electrochemical performance in lithium ion rechargeable batteries . . . . .	536
J. Lee, P. Kumar, J. Lee, B.M. Moudgil and R.K. Singh (Gainesville, FL, USA)	
Electrolytic reduction of mixed (Fe, Ti) oxide using molten calcium chloride electrolyte . . . . .	545
M. Panigrahi, A. Iizuka, E. Shibata and T. Nakamura (Sendai, Japan)	
The microstructures of Nb–18Si–5Ge–5Al and Nb–24Ti–18Si–5Ge–5Al in situ composites . . . . .	553
Z. Li and P. Tsakirooulos (England, UK)	
Nonadiabatic direct measurement electrocaloric effect in lead-free $\text{Ba,Ca}(\text{Zr,Ti})\text{O}_3$ ceramics . . . . .	561
J. Wang, T. Yang, S. Chen, G. Li, Q. Zhang and X. Yao (Shanghai, China)	
Effect of $\text{Tb}^{3+}$ substitution on the structural and magnetic properties of M-type hexaferrites synthesized by sol–gel auto-combustion technique . . . . .	564
I. Ali, M.U. Islam (Multan, Pakistan), M.S. Awan (Islamabad, Pakistan), M. Ahmad, M.N. Ashiq (Multan, Pakistan) and S. Naseem (Lahore, Pakistan)	
Keywords . . . . .	I