



Volume 551

25 February 2013  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**  
L. SCHULTZ

**EDITORS**  
K.H.J. BUSCHOW  
J. CHAN  
D.G. ESKIN  
H. FAN  
J.-M. GRENECHE  
V.G. HARRIS  
H. KLEINKE  
C. KOCH  
H.G. PAN  
V. PECHARSKY  
H. SAKAGUCHI  
H. ZUR LOYE



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Rapid synthesis of titania–silica nanoparticles photocatalyst by a modified sol–gel method for cyanide degradation and heavy metals removal

- F.A. Harraz (Cairo, Egypt), O.E. Abdel-Salam (Giza, Egypt), A.A. Mostafa (Helwan, Egypt), R.M. Mohamed (Cairo, Egypt, Saudi Arabia) and M. Hanafy (Giza, Egypt) ..... 1

Hydrogen storage properties of LiBH<sub>4</sub> destabilized by SrH<sub>2</sub>

- D.M. Liu (Anhui, Hangzhou, PR China), W.J. Huang, T.Z. Si and Q.A. Zhang (Anhui, PR China) ..... 8

Intrinsic surface hardening and precipitation kinetics of Al<sub>0.3</sub>CrFe<sub>1.5</sub>MnNi<sub>0.5</sub> multi-component alloy

- M.-H. Chuang, M.-H. Tsai, C.-W. Tsai, N.-H. Yang (Hsinchu, Taiwan), S.-Y. Chang (Taichung, Taiwan), J.-W. Yeh, S.-K. Chen and S.-J. Lin (Hsinchu, Taiwan) ..... 12

Al doping influence on crystal growth, structure and superconducting properties of Y(Ca)<sub>2</sub>Ba<sub>2</sub>Cu<sub>3</sub>O<sub>7-y</sub> whiskers

- L. Calore (Torino, Italy), M.M. Rahman Khan (Torino, Italy, Sylhet, Bangladesh), S. Cagliero, A. Agostino, M. Truccato and L. Operti (Torino, Italy) ..... 19

Facile synthesis of Cu<sub>2</sub>ZnSnS<sub>4</sub> nanocrystals and its use for dye-sensitized solar cells applications

- L. Li, B.L. Zhang, M. Cao, Y. Sun, J.C. Jiang, P.F. Hu, Y. Shen and L.J. Wang (Shanghai, China) ..... 24

Phase transformations in Higher Manganese Silicides

- A. Allam, P. Boulet (Marseille Cedex, France), C.A. Nunes (São Paulo, Brazil), J. Sopousek, P. Broz (Brno, Czech Republic) and M.-C. Record (Marseille Cedex, France) ..... 30

Observation of spin glass behavior in monoclinic Li<sub>0.33</sub>MnO<sub>2</sub>

- X. Bie, Y. Wei, L. Liu (Changchun, PR China), K. Nikolowski, H. Ehrenberg (Eggenstein-Leopoldshafen, Germany), H. Chen (Jilin, PR China), C. Wang, G. Chen and F. Du (Changchun, PR China) ..... 37

Fluorine doping inducing high temperature ferromagnetism in (In<sub>1-x</sub>Fe<sub>x</sub>)<sub>2</sub>O<sub>3</sub>

- S. Yan, K. Liu, G. Lv and Z. Fan (Zhengzhou, PR China) ..... 40

Three hundred micron squared all-solid-state Li ion secondary battery fabricated by Si very large scale integration technology

- Y. Yamada, T. Nozaki, K. Kuriyama (Tokyo, Japan) and K. Kushida (Osaka, Japan) ..... 44

Broadened near-ultraviolet absorption and enhanced luminescence intensities of Ca<sub>6</sub>La<sub>2-x</sub>Eu<sub>x</sub>Na<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>F<sub>2</sub> by co-doping Sm<sup>3+</sup> for light emitting diodes

- M. Xie and R. Pan (Zhanjiang, PR China) ..... 48

High rate capability and long cycle stability Fe<sub>3</sub>O<sub>4</sub>–graphene nanocomposite as anode material for lithium ion batteries

- M. Zhang and M. Jia (Beijing, China) ..... 53

Enhanced superplasticity in friction stir processed Mg–Gd–Y–Zr alloy

- Q. Yang, B.L. Xiao and Z.Y. Ma (Shenyang, China) ..... 61

First-principles study of hydrogen storage in non-stoichiometric TiC<sub>x</sub>

- H. Ding, X. Fan, C. Li (Baoding, PR China), X. Liu (Jinan, PR China), D. Jiang and C. Wang (Jinan, PR China) ..... 67

Cation distribution by Rietveld technique and magnetocrystalline anisotropy of Zn substituted nanocrystalline cobalt ferrite

- L. Kumar (Patna, Ranchi, India), P. Kumar and M. Kar (Patna, India) ..... 72

Improved morphology and photovoltaic performance in TiO<sub>2</sub> nanorod arrays based dye sensitized solar cells by using a seed layer

- J. Wang, T. Zhang, D. Wang, R. Pan, Q. Wang and H. Xia (Wuhan, PR China) ..... 82

Effect of B<sub>4</sub>C size on the fabrication and compression properties of in situ TiB<sub>2</sub>–Ti<sub>2</sub>AlC/TiAl composites

- S. Shu, F. Qiu, Y. Lin, Y. Wang, J. Wang and Q. Jiang (Changchun, PR China) ..... 88

The grain size-dependent electrical properties of Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> piezoelectric ceramics

- H. Chen, B. Shen (Shanghai, China), J. Xu (Urumqi, China) and J. Zhai (Shanghai, China) ..... 92

Polarized Raman study on phase transitions in 0.24Pb(In<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub>–0.43Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>–0.33PbTiO<sub>3</sub> single crystal

- F. Wu, B. Yang, E. Sun, R. Zhang (Harbin, China), D. Xu, J. Zhou (Changchun, China) and W. Cao (Harbin, China, PA, USA) ..... 98

The effect of sintering time on synthesis of <i>in situ</i> submicron $\alpha$ -Al <sub>2</sub> O <sub>3</sub> particles by the exothermic reactions of CuO particles in molten pure Al B. Dikici (Van, Turkey) and M. Gavgali (Erzurum, Turkey) . . . . .	101
A first-principles study of the structural, elastic, electronic and phonon properties of LiMgP and LiMgAs in the $\alpha$ , $\beta$ and $\gamma$ phases F. Soyalp (Van, Turkey), G. Uğur, Ş. Uğur (Ankara, Turkey), H.C. Şen (Van, Turkey) and M.R. Ellialtıoğlu (Ankara, Turkey) . . . . .	108
Electronic properties of rutile TiO <sub>2</sub> doped with 4d transition metals: First-principles study K. Song, X. Han and G. Shao (Bolton, UK) . . . . .	118
Facile fabrication of porous ZnO by thermal treatment of zeolitic imidazolate framework-8 and its photocatalytic activity Y. Du, R.Z. Chen (Nanjing, PR China), J.F. Yao and H.T. Wang (Vic, Australia) . . . . .	125
Visible photoluminescence from amorphous barium titanate nanofibers H. Li, S. Huang, W. Zhang and W. Pan (Beijing, PR China) . . . . .	131
Single phase melt processed powellite (Ba,Ca)MoO <sub>4</sub> for the immobilization of Mo-rich nuclear waste K. Brinkman, K. Fox, J. Marra, J. Reppert (Aiken, SC, USA), J. Crum (Richland, WA, USA) and M. Tang (Los Alamos, NM, USA) . . . . .	136
Synthesis and property evaluation of CuFeS <sub>2-x</sub> as earth-abundant and environmentally-friendly thermoelectric materials J. Li, Q. Tan and J.-F. Li (Beijing, China) . . . . .	143
Tuning emission property of CdS nanowires via indium doping W. Zhou, D. Tang (Changsha, People's Republic of China) and B. Zou (Beijing, People's Republic of China) . . . . .	150
Diffusion mobilities in the fcc_A1 Cu-Si, Al-Si and Al-Cu-Si alloys D. Cao (Hunan Province, PR China), Y. Liu (Jiangsu Province, PR China), X. Su (Hunan Province, Jiangsu Province, PR China), J. Wang, H. Tu (Jiangsu Province, PR China) and J. Huang (Hunan Province, PR China) . . . . .	155
Correlation between fragility and structural relaxation dynamics of bulk metallic glass-forming liquids M. Zhang (Wuhan, China) . . . . .	164
Characterization of gas tunnel type plasma sprayed TiN reinforced Fe-based metallic glass coatings S. Yugesswaran, A. Kobayashi (Osaka, Japan), K. Suresh (Hong Kong Special Administrative Region, China) and B. Subramanian (Karaikudi, India) . . . . .	168
Sol-modified ZnO photoanode for highly-efficient quantum dots sensitized solar cells G. Wu, Y. Shen, Q. Wu, F. Gu, M. Cao and L. Wang (Shanghai, China) . . . . .	176
Nd-Fe-B permanent magnets fabricated by low temperature sintering process J.W. Kim (Seoul, Republic of Korea), S.H. Kim (Sendai, Japan), S.Y. Song and Y.D. Kim (Seoul, Republic of Korea) . . . . .	180
Structural evolution of Lanthanide-based metallic glasses under high pressure annealing Y. Wang, W. Zhao, G. Li (Qinhuangdao, China), Y. Li (Beijing, China) and R. Liu (Qinhuangdao, China) . . . . .	185
A model for the "quasi" 60 K plateau in the YBa <sub>2</sub> Cu <sub>3</sub> O <sub>6+x</sub> high- $T_c$ compound V.M. Matic, N.Dj. Lazarov and M. Milic (Belgrade, Serbia) . . . . .	189
Magnetocaloric effect of La <sub>0.7-x</sub> Pr <sub>x</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> perovskites M. Suemitsu, T. Nakagawa, Y. Hirayama, S. Seino and T.A. Yamamoto (Osaka, Japan) . . . . .	195
Electrical and ferroelectric properties of undoped and La-doped PZT (52/48) electroceramics synthesized by sol-gel method M. Prabu, I.B. Shameem Banu (Chennai, India), S. Gobalakrishnan and M. Chavali (Kanyakumari, India) . . . . .	200
Temperature dependence of a resonance frequency of <sup>59</sup> Co NMR in a ferromagnetic Heusler alloy Co <sub>2</sub> FeSi H. Nishihara (Otsu, Japan), N. Okui, A. Okubo (Sendai, Japan), T. Kanomata (Sendai, Tagajo, Japan), R.Y. Umetsu, R. Kainuma (Sendai, Japan) and T. Sakon (Otsu, Japan) . . . . .	208
Effect of the intercalated cation-exchanged on the properties of nanocomposites prepared by 2-aminobenzene sulfonic acid with aniline and montmorillonite I. Toumi, A. Benyoucef, A. Yahiaoui (Mascara, Algeria), C. Quijada and E. Morallon (Alicante, Spain) . . . . .	212
Photoluminescence and electrical performance of smart material: Pr-doped (1 - $x$ )(Na <sub>0.5</sub> Bi <sub>0.5</sub> )TiO <sub>3</sub> - $x$ CaTiO <sub>3</sub> ceramics P. Du, L. Luo, W. Li, Y. Zhang and H. Chen (Ningbo, China) . . . . .	219
Defect models of two tetragonal Ce <sup>3+</sup> centers T <sub>1</sub> and T <sub>2</sub> in Ce <sup>3+</sup> -doped cubic fluorperovskites KMgF <sub>3</sub> and BaLiF <sub>3</sub> W.-C. Zheng (Chengdu, PR China), Y. Mei (Mianyang, PR China), H.-G. Liu and Y.-G. Yang (Chengdu, PR China) . . . . .	224
Growth and spectral properties of a new nonlinear laser crystal of Nd <sup>3+</sup> :Ca <sub>9</sub> Y <sub>0.5</sub> La <sub>0.5</sub> (VO <sub>4</sub> ) <sub>7</sub> S. Sun (Fujian, Beijing, China), Z. Lin, L. Zhang, Y. Huang and G. Wang (Fujian, China) . . . . .	229
Controlled synthesis of ZnO nanostructures with assorted morphologies via simple solution chemistry P.K. Baviskar (Jalgaon, India, Berlin, Germany), P.R. Nikam (Jalgaon, India), S.S. Gargote (Shevgaon, India), A. Ennaoui (Berlin, Germany) and B.R. Sankapal (Nagpur, India) . . . . .	233
Effect of Cu on the microstructure and electrical properties of Cu/ZnO thin films K. Muhammed Shafi, R. Vinodkumar, R.J. Bose (Thiruvananthapuram, India), V.N. Uvais (Calicut, India) and V.P. Mahadevan Pillai (Thiruvananthapuram, India) . . . . .	243
Gibbs energies of formation of the intermetallic compounds of U-Sn system A.K. Pattanaik, R. Kandan, K. Nagarajan and P.R. Vasudeva Rao (Kalpakkam, India) . . . . .	249
Catalytic oxidation of soot over alkaline niobates G. Pecchi, B. Cabrera, A. Buljan, E.J. Delgado (Concepcion, Chile), A.L. Gordon and R. Jimenez (Concepción, Chile) . . . . .	255
Photoluminescence properties of Ce and Eu co-doped YVO <sub>4</sub> crystals Y. Wang, S. Wang, Z. Wu, W. Li and Y. Ruan (Tianjin, China) . . . . .	262

Sol-gel chemistry synthesis and DTA-TGA, XRPD, SIC and $^{7}\text{Li}$ , $^{31}\text{P}$ , $^{29}\text{Si}$ MAS-NMR studies on the Li-NASICON $\text{Li}_3\text{Zr}_{2-y}\text{Si}_{2-4y}\text{P}_{1+4y}\text{O}_{12}$ ( $0 \leq y \leq 0.5$ ) system W. Belam (Bizerta, Tunisia) . . . . .	267
Structural, tribological and resistivity studies of Ga substituted $(\text{Al}_{71-x}\text{Ga}_x)\text{Pd}_{21}\text{Mn}_8$ icosahedral and other intermetallic phases M. Bohra, M.C. de Weerd, V. Fourneau (Nancy, France), R.K. Mandal, N.K. Mukhopadhyay (Varanasi, India), R. Chatterjee (Delhi, India) and G.V.S. Sastry (Varanasi, India) . . . . .	274
High pyroelectric response of low-temperature sintered $\text{Pb}_{0.87}\text{Ba}_{0.1}\text{La}_{0.02}(\text{Zr}_{0.7}\text{Sn}_{0.24}\text{Ti}_{0.06})\text{O}_3$ antiferroelectric ceramics Q. Zhang (Shanghai, China), M. Fan, S. Jiang (Wuhan, China), T. Yang, J. Wang and X. Yao (Shanghai, China) . . . . .	279
One-step hydrothermal synthesis of C, W-codoped mesoporous $\text{TiO}_2$ with enhanced visible light photocatalytic activity Q. Xiao and L. Gao (Changsha, China) . . . . .	286
Thermodynamic assessment of the Si-Ta system I. Drouelle and C. Servant (Orsay Cedex, France) . . . . .	293
Spin dynamics evidenced by EPR in $\text{Sn}_{1-x}\text{Mn}_x\text{O}_2$ nanoparticles annealed at different temperatures A. Popa, D. Toloman, O. Raita, M. Stan (Cluj-Napoca, Romania), B.S. Vasile (Bucharest, Romania), C. Leostean and L.M. Giurgiu (Cluj-Napoca, Romania) . . . . .	300
Ab initio study of $\text{ZnCoO}$ diluted magnetic semiconductor and its magnetic properties S. Lardjane (Belfort Cedex, France, Algeria), G. Merad (Algeria), N. Fenineche, A. Billard (Belfort Cedex, France) and H.I. Faraoun (Algeria) . . . . .	306
Microstructural changes during the slow-cooling annealing of nanocrystalline SmCo 2:17 type magnets S.A. Romero (São Paulo, Brazil Brazil), M.F. de Campos, J.A. de Castro (Volta Redonda, Brazil), A.J. Moreira and F.J.G. Landgraf (São Paulo, Brazil Brazil) . . . . .	312
Effects of liquid source mass and slow-cooling time on the infiltration growth of single-grain Y-Ba-Cu-O bulk superconductors G.-Z. Li, D.-J. Li, J.-H. Deng (Tianjin, China) and W.-M. Yang (Xi'an, China) . . . . .	318
Movement of minor phase in undercooled immiscible Fe-Co-Cu alloys N. Liu (Jiangsu, Shaanxi, PR China), F. Liu (Shaanxi, PR China), W. Yang (Shaanxi, Jiangxi, PR China), Z. Chen (Shaanxi, Jiangsu, PR China) and G.C. Yang (Shaanxi, PR China) . . . . .	323
Solvothermal synthesis of graphene-CdS nanocomposites for highly efficient visible-light photocatalyst F. Liu (Lanzhou, Beijing, PR China), X. Shao (Lanzhou, Liaocheng, PR China), J. Wang, S. Yang (Lanzhou, PR China), H. Li, X. Meng, X. Liu and M. Wang (Liaocheng, PR China) . . . . .	327
Synthesis and electrical properties of $\text{BaCeO}_3$ -based proton conductors by calcinations of metal-polyvinyl alcohol gel J.-H. Xu, J. Xiang, H. Ding, T.-Q. Yu, J.-L. Li, Z.-G. Li, Y.-W. Yang and X.-L. Shao (Zhenjiang, China) . . . . .	333
First-principles calculations of elastic and electronic properties of tetragonal $\text{Th}_2\text{NiC}_2$ as a parent phase for new superconductors I.R. Shein and A.L. Ivanovskii (Ekaterinburg, Russia) . . . . .	338
Preparation and dielectric property of B and N-codoped SiC powder by combustion synthesis X. Su, W. Zhou, J. Xu, J. Wang, X. He and C. Fu (Shaanxi, PR China) . . . . .	343
Electron field emission from screen-printed graphene/DWCNT composite films J. Xu, R. Pan, Y. Chen, X. Piao, M. Qian, T. Feng and Z. Sun (Shanghai, China) . . . . .	348
Spectroscopic ellipsometry study on the optical dielectric properties of silver platinum alloy thin films G. Yang, X.-J. Fu, J.-B. Sun and J. Zhou (Beijing, People's Republic of China) . . . . .	352
Effect of grain size on nano-indentation property of $\text{Co}_{60}\text{Fe}_{20}\text{B}_{20}$ thin film Y.-T. Chen and C.-W. Wu (Kaohsiung, Taiwan) . . . . .	360
Evolution of phase transformation behavior and dielectric temperature stability of $\text{BaTiO}_3-\text{Bi}(\text{Zn}_{0.5}\text{Zr}_{0.5})\text{O}_3$ ceramics system Y. Wang, X. Chen, H. Zhou, L. Fang, L. Liu and H. Zhang (Guilin, China) . . . . .	365
Raman and Fourier-transform infrared spectroscopic study of nanosized zinc ferrite irradiated with 200 MeV $\text{Ag}^{15+}$ beam J.P. Singh (Pantnagar, India), G. Dixit (Pantnagar, New Delhi, India), R.C. Srivastava, H.M. Agrawal (Pantnagar, India) and R. Kumar (Hameerpur, India) . . . . .	370
Crystallization behavior and hydrogen storage kinetics of amorphous $\text{Mg}_{11}\text{Y}_2\text{Ni}_2$ alloy Q.A. Zhang, L.X. Zhang and Q.Q. Wang (Anhui, PR China) . . . . .	376
One-pot microwave-assisted combustion synthesis of graphene oxide-TiO <sub>2</sub> hybrids for photodegradation of methyl orange X. Pu, D. Zhang, Y. Gao, X. Shao (Shandong, PR China), G. Ding (Shanghai, PR China), S. Li and S. Zhao (Shandong, PR China) . . . . .	382
Kinetics and mechanism of multilayer Mg-Al intermetallic compound coating formation of magnesium alloy by $\text{AlCl}_3-\text{NaCl}$ molten salt bath treatment H. Meifeng, L. Lei, W. Yating, Z. Cheng, H. Wenbin and P. Deng (Shanghai, China) . . . . .	389
Electron spin resonance and optical absorption spectroscopic studies of $\text{Cu}^{2+}$ ions in aluminium lead borate glasses G. SivaRamaiah (Kadapa, India) and J. LakshmanaRao (Tirupati, India) . . . . .	399
Sonication-assisted synthesis of multi-functional gold nanorod/silica core-shell nanostructures J. Liu, M.-J. Chang, B. Gao, Z.-G. Xu and H.-L. Zhang (Gansu, China) . . . . .	405
Anomalous dielectric response with suppression in Neel temperature of $\text{Bi}_{0.9}\text{Y}_{0.1}\text{Fe}_{1-x}\text{Mn}_x\text{O}_3$ ( $0 \leq x \leq 0.07$ ) ceramics V. Kumar, A. Gaur (Kurukshetra, India) and R.K. Kotnala (New Delhi, India) . . . . .	410
Effect of pulse frequency on microstructure and surface properties of Ck45 steel treated by plasma electrolysis method S. Abuali Galedari and S.M. Mousavi Khoei (Tehran, Iran) . . . . .	415

Characterization and formation of hydroxyapatite on Ti6Al4V coated by plasma electrolytic oxidation S. Durdu, Ö.F. Deniz, I. Kutbay and M. Usta (Kocaeli, Turkey) . . . . .	422
Effect of Ag-doping on microstructural, optical and electrical properties of sputtering-derived ZnS films X. Song, S. Shi, C. Cao (Hefei, PR China), X. Chen (Shanghai, PR China), J. Cui (AR, USA), G. He (Hefei, PR China) and Z. Sun (Hefei, PR China, AR, USA) . . . . .	430
Elastic metastability, lattice compressibility and thermodynamic properties of $(Cr_{0.5}V_{0.5})_2GeC$ from first-principles Y. Ze-jin (Hangzhou, China), L. Jin (Haikou, China), L. Rong-feng (Guiyang, China), C. Xin-lu and Y. Xiang-dong (Chengdu, China) . . . . .	435
One-pot solvothermal synthesis of multi-shelled $\alpha$ -Fe <sub>2</sub> O <sub>3</sub> hollow spheres with enhanced visible-light photocatalytic activity Y. Liu, C. Yu, W. Dai, X. Gao, H. Qian, Y. Hu (Jinhua, PR China) and X. Hu (Singapore, Singapore) . . . . .	440
Microstructure and mechanical properties of NiFe <sub>2</sub> O <sub>4</sub> ceramics reinforced with ZrO <sub>2</sub> particles with different sintering temperatures X. Long, Y. Liu, G. Yao, J. Du, X. Zhang, J. Cheng and Z. Hua (China) . . . . .	444
Phase transformation of hierarchical nanobranch structure from SnO to SnO <sub>2</sub> and its electrochemical capacitance J.H. Shin, H.M. Park and J.Y. Song (Daejeon, Republic of Korea) . . . . .	451
Dielectric properties of Zr doped CaCu <sub>3</sub> Ti <sub>4</sub> O <sub>12</sub> synthesized by sol-gel route S. Jesurani (Periyakulam, Kattankulathur, India), S. Kanagesan, M. Hashim and I. Ismail (Selangor, Malaysia) . . . . .	456
The influence of Cu substitution on the microwave dielectric properties of BaZn <sub>2</sub> Ti <sub>4</sub> O <sub>11</sub> ceramics B. Tang, S. Yu, H. Chen, S. Zhang and X. Zhou (Chengdu, China) . . . . .	463
Effects of Co addition on Fe-bearing intermetallic compounds and mechanical properties of AlSi <sub>20</sub> Cu <sub>2</sub> Ni <sub>1</sub> Fe <sub>0.7-1</sub> alloys M. Sha, S. Wu, X. Wang and L. Wan (Wuhan, PR China) . . . . .	468
Microstructure and mechanical properties of Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> eutectic ceramic composites prepared by explosion synthesis Y. Zheng, H. Li, T. Zhou, J. Zhao and P. Yang (Harbin, PR China) . . . . .	475
Facile synthesis of hierarchical anatase microspheres T. Jardiel, D.G. Calatayud, M. Rodríguez, M. Peiteado (Madrid, Spain), D. Fernández-Hevia (Gran Canaria, Toledo, Spain) and A.C. Caballero (Madrid, Spain) . . . . .	481
Observation of efficient energy transfer from host to rare-earth ions in KBaY(BO <sub>3</sub> ) <sub>2</sub> :Tb <sup>3+</sup> phosphor for plasma display panel L. Han, Y. Wang, Y. Wang, J. Zhang (Lanzhou, China) and Y. Tao (Beijing, China) . . . . .	485
Structural and magnetic properties of SrFe <sub>12-2x</sub> Ti <sub>x</sub> Ru <sub>x</sub> O <sub>19</sub> I. Bsoul (Mafraq, Jordan), S.H. Mahmood (Amman, Jordan), A.-F. Lehlooh (Irbid, Jordan) and A. Al-Jamel (Mafraq, Jordan) . . . . .	490
In situ synthesis of CNTs in Mg powder at low temperature for fabricating reinforced Mg composites F. Sun, C. Shi (Tianjin, China), K.Y. Rhee (Yongin, Republic of Korea) and N. Zhao (Tianjin, China) . . . . .	496
Evidence by EPR of ferromagnetic phase in Mn-doped ZnO nanoparticles annealed at different temperatures D. Toloman, A. Mesaros, A. Popa, O. Raita, T.D. Silipas (Cluj-Napoca, Romania), B.S. Vasile (Bucharest, Romania), O. Pana and L.M. Giurgiu (Cluj-Napoca, Romania) . . . . .	502
Study on dehydrogenation properties of the LiAlH <sub>4</sub> -NH <sub>4</sub> Cl system X. Zheng, J. Zheng (Xi'an, China), Q. Ma (Zhengzhou, China), S. Liu, X. Feng, X. Lin and G. Xiao (Xi'an, China) . . . . .	508
Experimental investigation of the Ag-Bi-I ternary system and thermodynamic properties of the ternary phases L.F. Mashadieva, Z.S. Aliev (Azerbaijan), A.V. Shevelkov (Russia) and M.B. Babanly (Azerbaijan) . . . . .	512
An electron energy loss spectroscopy and electron diffraction study of the <i>Pmn</i> b polymorph of Li <sub>2</sub> MnSiO <sub>4</sub> R.J. Gummow (Townsville, Australia), M.G. Blackford, G.R. Lumpkin (Kirrawee, Australia) and Y. He (Townsville, Australia) . . . . .	521
Magnetic studies on LiFe <sub>5-x</sub> Mn <sub>x</sub> O <sub>8</sub> (0 ≤ x ≤ 0.9) ferrites B. Ramesh and M. Lakshmi pathi Rao (Hyderabad, India) . . . . .	527
Investigation on the influence of sodium zirconate nanoparticles on the structural characteristics and electrical properties of polyvinyl alcohol nanocomposite films H.N. Chandrakala (Tumkur, Mysore, India), B. Ramaraj (Ahmedabad, India), Shivakumaraiah (Tumkur, India), G.M. Madhu (Bangalore, India), and Siddaramaiah (Mysore, India) . . . . .	531
Large half-metallic gaps in the quaternary Heusler alloys CoFeCrZ (Z = Al, Si, Ga, Ge): A first-principles study G.Y. Gao, L. Hu, K.L. Yao, B. Luo and N. Liu (Wuhan, China) . . . . .	539
Monoclinic BiVO <sub>4</sub> micro-/nanostructures: Microwave and ultrasonic wave combined synthesis and their visible-light photocatalytic activities Y. Zhang, G. Li, X. Yang, H. Yang, Z. Lu and R. Chen (Wuhan, PR China) . . . . .	544
Oxygen-doped Sb <sub>4</sub> Te phase change films for high-temperature data retention and low-power application Y. Hu (Shanghai, Changzhou, China), M. Sun, S. Song, Z. Song and J. Zhai (Shanghai, China) . . . . .	551
Microwave dielectric properties of tunable Ba <sub>0.5</sub> Sr <sub>0.5</sub> TiO <sub>3</sub> and scheelite AMoO <sub>4</sub> (A = Ba, Sr) composite ceramics L. Tang, J. Zhai (Shanghai, PR China), H. Zhang (Hubei Province, PR China) and X. Yao (Shanghai, PR China) . . . . .	556
On thickness and annealing dependence of optical properties of Te <sub>67.5</sub> Ga <sub>2.5</sub> As <sub>30</sub> thin film as optoelectronic material M.I. Abd-Elrahman and M.M. Hafiz (Assiut, Egypt) . . . . .	562
Alignment of weakly magnetic metals during solidification in a strong magnetic field Z.H.I. Sun (Brisbane, Australia), X. Guo, M. Guo, J. Vleugels, O. Van der Biest and B. Blanpain (Heverlee (Leuven), Belgium) . . . . .	568
Effect of Mo on microstructure and mechanical properties of Nb-Ti-C-B multiphase alloy X. He, X. Zhang, Y. Li and J. Huang (Harbin, PR China) . . . . .	578

Formation and characterization of amorphous–nanocrystalline $\text{Al}_{80}\text{Fe}_{10}\text{M}_{10}$ [ $\text{M} = \text{Fe}, \text{Nb}, \text{Ti}, \text{Ni}, (\text{Ni}_{0.5}\text{Ti}_{0.5})$ ] alloys M. Tavoosi, F. Karimzadeh and M.H. Enayati (Isfahan, Iran).....	584
Extremely low temperature coefficient of resistivity in antiperovskite compounds $\text{M}_\sigma\text{Ga}_{1-\sigma}\text{CFe}_3$ ( $\text{M} = \text{Cu}, \text{Ag}$ ) S. Lin, B.S. Wang, P. Tong, J.C. Lin, Y.N. Huang, W.J. Lu, B.C. Zhao, W.H. Song and Y.P. Sun (Hefei, People's Republic of China).....	591
Phase formation in as-solidified and heat-treated Al–Si–Cu–Mg–Ni alloys: Thermodynamic assessment and experimental investigation for alloy design A.R. Farkoosh, M. Javidani, M. Hoseini, D. Larouche and M. Pekguleryuz (Quebec, Canada).....	596
Thermoelectric n-type silicon germanium synthesized by unidirectional solidification in microgravity T. Okutani, Y. Kabeya (Yokohama, Japan) and H. Nagai (Tsukuba, Japan) .....	607
Assembly and tunable luminescence of lanthanide–organic frameworks constructed from 4-(3,5-dicarboxyphenyl)pyridine-2,6-dicarboxylate ligand W. Zhang, J. Yu, Y. Cui, X. Rao, Y. Yang and G. Qian (Hangzhou, China) .....	616
Effect of zirconium on grain growth and mechanical properties of a ball-milled nanocrystalline FeNi alloy H. Kotan (Raleigh, NC, USA), K.A. Darling (Aberdeen Proving Ground, MD, USA), M. Saber, C.C. Koch and R.O. Scattergood (Raleigh, NC, USA) .....	621
Crystal structure and microwave dielectric properties of $(\text{Zn}_{1-x}\text{Co}_x)\text{TiNb}_2\text{O}_8$ ceramics Z. Huan, Q. Sun, W. Ma, L. Wang, F. Xiao and T. Chen (Tianjin, China) .....	630
Measurement and model on thermal properties of sintered diamond composites T. Moussa, B. Garnier and H. Peerhossaini (Nantes, France) .....	636
Effect of growth rate on rod spacing and undercooling of Bridgeman-grown Si–TaSi <sub>2</sub> eutectic <i>in situ</i> composite X. Yang, J. Zhang, H. Su, Z. Jie, L. Liu and H. Fu (Xi'an, PR China) .....	643
Thermoelectric properties of Mg doped p-type BiCuSeO oxyselenides J. Li, J. Sui (Harbin, China), C. Barreteau, D. Berardan, N. Dragoe (Orsay, France), W. Cai (Harbin, China), Y. Pei (Beijing, China) and L.-D. Zhao (Orsay, France) .....	649
Structural and magnetic properties of geometrically frustrated multiferroic ErMnO <sub>3</sub> nanoparticles B. Raneesh (Kottayam, India), A. Saha, D. Das (Kolkata, India) and N. Kalarikkal (Kottayam, India) .....	654
The kinetics of hydrogen absorption/desorption within nanostructured composite Ni <sub>79.1</sub> Co <sub>18.6</sub> Cu <sub>2.3</sub> alloy using resistometry M. Spasojević, A. Marićić, L. Ribić Zelenović (Čačak, Belgrade, Republic of Serbia), N. Krstajić and P. Spasojević (Belgrade, Republic of Serbia) .....	660
Activation of room temperature ferromagnetism in ZnO films by surface functionalization with thiol and amine G. Jayalakshmi, N. Gopalakrishnan and T. Balasubramanian (Tiruchirappalli, India) .....	667
Elastic and electronic properties of Ce <sub>2</sub> O <sub>3</sub> from first principles Z.-W. Niu, Y. Cheng (Chengdu, China), X.-R. Chen (Chengdu, Shenyang, China), K. Xu (Chengdu, China) and G.-F. Ji (Mianyang, China) ..	672
Toughened polymer composites with flake carbonyl iron powders and their electromagnetic/absorption properties Z. Song, J. Xie, P. Zhou, X. Wang, T. Liu and L. Deng (Chengdu, People's Republic of China) .....	677
Cold compaction behavior of nano-structured Nd–Fe–B alloy powders prepared by different processes X. Liu, L. Hu and E. Wang (Harbin, PR China) .....	682
Influence of tin doping onto structural, morphological, optoelectronic and impedance properties of sprayed ZnO thin films S.S. Shinde, A.P. Korade, C.H. Bhosale and K.Y. Rajpure (Kolhapur, India) .....	688
Comparison on the magnetic properties, phase evolution and microstructure of directly quenched Pr–Fe–Ti–B-based ribbons and rods H.W. Chang (Taichung, Taiwan), T.H. Hsiao, Y.T. Cheng, C.W. Shih, C.C. Hsieh and W.C. Chang (Chia-Yi, Taiwan) .....	694
Magnetic properties of TbCo <sub>2</sub> compound at high pressures E. Burzo, P. Vlaic (Cluj-Napoca, Romania), D.P. Kozlenko, S.E. Kichanov, N.T. Dang, E.V. Lukin and B.N. Savenko (Dubna Moscow Reg, Russia) .....	702
Photoluminescence properties of Zn <sub>0.9</sub> Mg <sub>0.1</sub> S phosphors doped by europium and manganese ions Y. Liang, J. Wu, D. Yu and G. Li (Wuhan, PR China) .....	711
Structural, magnetic and Mössbauer spectral studies of aluminum substituted Mg–Mn–Ni ferrites ( $\text{Mg}_{0.2}\text{Mn}_{0.5}\text{Ni}_{0.3}\text{Al}_y\text{Fe}_{2-y}\text{O}_4$ ) S. Verma, J. Chand (Solan, India), K.M. Batoo (Riyadh, Saudi Arabia) and M. Singh (Shimla, India) .....	715
Hydrothermal synthesis of PtRu on CNT/SnO <sub>2</sub> composite as anode catalyst for methanol oxidation fuel cell [J. Alloys Comp. 509 (2011) 5617–5622] N. Kakati, J. Maiti, S.H. Jee, S.H. Lee and Y.S. Yoon (Seoul, Republic of Korea) .....	722
Keywords .....	1