

ПН  
У80/2ас



Volume 552

5 March 2013  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

# Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jallcom](http://www.elsevier.com/locate/jallcom)

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Effects of oxygen gas pressure on properties of iron oxide films grown by pulsed laser deposition Q. Guo (Shanghai, China, Saga, Japan), W. Shi, F. Liu (Shanghai, China), M. Arita, Y. Ikoma (Fukuoka, Japan), K. Saito, T. Tanaka and M. Nishio (Saga, Japan) . . . . .	1
Fabrication, structure and luminescence properties of Ce:Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> polycrystalline films Q. Ma, J. Xie, X. Zhu, Y. Shi, W. Xiong, X. Pan and G. Song (Shanghai, China) . . . . .	6
Structure and molecular modeling of tungsten borotellurate glasses S. Rada, M. Rada and E. Culea (Cluj-Napoca, Romania) . . . . .	10
Advanced W-HfC cermet using in-situ powder and spark plasma sintering J. Lee, J.-H. Kim and S. Kang (Seoul, Republic of Korea) . . . . .	14
Grain growth, phase evolution and properties of NbC carbide-doped WC-10AlSi304 hardmetals produced by pseudo hot isostatic pressing T.B. Trung (Penang, Malaysia, Kyoto, Japan), H. Zuhailawati, Z.A. Ahmad (Penang, Malaysia) and K.N. Ishihara (Kyoto, Japan) . . . . .	20
Synthesis of GaN cauliflowers by ammoniating Ga <sub>2</sub> O <sub>3</sub> K. Bao (Henan, PR China), L. Wang (Anhui, PR China), J. Yan, H. Sun, R. Guo and Y. Wu (Henan, PR China) . . . . .	26
Corrosion investigation of Al–SiC nano-composite fabricated by accumulative roll bonding (ARB) process E. Darmiani, I. Danaee (Abadan, Iran), M.A. Golozar and M.R. Toroghnejad (Isfahan, Iran) . . . . .	31
Synthesis and characterization of cubic cadmium selenide by chemical route P.A. Chate (Alibag, India), D.J. Sathe, P.P. Hankare (Kolhapur, India), S.D. Lakade and V.D. Bhabad (Rajasthan, Pen, India) . . . . .	40
Microstructure and mechanical properties of thin-wall and high-rib parts of AM60B Mg alloy formed by double control forming and die casting under the optimal conditions J. Jiang, G. Chen, Y. Wang, Z. Du (Harbin, PR China), W. Shan and Y. Li (Shen Zhen, PR China) . . . . .	44
Interatomic potential to predict favored composition for Hf–Cu–Ni metallic glasses formation Y.Y. Cui, X. Bai, S.Y. Luo, Q. Wang, J.H. Li and B.X. Liu (Beijing, China) . . . . .	55
Si/mesoporous carbon composite as an anode material for lithium ion batteries X. Shen, D. Mu, S. Chen, B. Xu, B. Wu and F. Wu (Beijing, China) . . . . .	60
Highly ordered CoFe <sub>2</sub> O <sub>4</sub> nanowires array prepared via a modified sol–gel templated approach and its optical and magnetic properties J. Chen, Y. Wang and Y. Deng (Beijing, China) . . . . .	65
Synthesis, structural characterization and photoluminescent properties of mesoporous ZnO by direct precipitation with lignin-phosphate quaternary ammonium salt Y.-R. Guo, F.-D. Yu, G.-Z. Fang and Q.-J. Pan (Harbin, China) . . . . .	70
Improvement of electrochemical properties of LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> by coating with V <sub>2</sub> O <sub>5</sub> layer X. Liu, P. He, H. Li, M. Ishida and H. Zhou (Tsukuba, Japan) . . . . .	76
Effect of glass fluxing on densification and microwave dielectric properties of LiInSiO <sub>4</sub> ceramic A. Sunny, K.A. Lazer, K.M. Manu, K.P. Surendran and M.T. Sebastian (Thiruvananthapuram, India) . . . . .	83
Crystallization characteristics of the Mg-rich metallic glasses in the Ca–Mg–Zn system Y.N. Zhang, G.J. Rocher, B. Briccoli, D. Kevorkov, X.B. Liu, Z. Altounian and M. Medraj (Quebec, Canada) . . . . .	88
Lithium borohydride–melamine complex as a promising material for chemical hydrogen storage L. Liu, D. Hu, T. He, Y. Zhang, G. Wu, H. Chu, P. Wang, Z. Xiong and P. Chen (Dalian, PR China) . . . . .	98
Effects of Ag addition on crystallization, microstructure and mechanical properties of Zr–Cu–Ni–Al–Ag bulk metallic glasses W. Zhou (Shanghai, PR China), X. Lin (Xi'an, PR China) and J.F. Li (Shanghai, PR China) . . . . .	102
Improvement of thermoelectric properties of screen-printed Bi <sub>2</sub> Te <sub>3</sub> thick film by optimization of the annealing process J.H. We, S.J. Kim (Daejeon, Republic of Korea), G.S. Kim (Gyeongsangbuk-do, Republic of Korea) and B.J. Cho (Daejeon, Republic of Korea) . . . . .	107

Microstructure, mechanical properties and wetting behavior of F: Si-C-N films as bio-mechanical coating grown by DC unbalanced magnetron sputtering Z. Shi, Y. Wang (Guangzhou, China), N. Huang (Chengdu, China), C. Ning and L. Wang (Guangzhou, China) . . . . .	111
An investigation on phase transformation and electrochemical properties of as-cast and annealed $\text{La}_{0.75}\text{Mg}_{0.25}\text{Ni}_x$ ( $x = 3.0, 3.3, 3.5, 3.8$ ) alloys J. Liu, S. Han, Y. Li, S. Yang, W. Shen, L. Zhang (Qinhuangdao, PR China) and Y. Zhou (Baotou, PR China). . . . .	119
Impact of oxygen source parameters on homoepitaxial ZnO films grown at low-temperature on Zn-polar substrates M. Wei, R.C. Boutwell (Orlando, United States), G.A. Garrett, K. Goodman, P. Rotella, M. Wraback (Adelphi, United States) and W.V. Schoenfeld (Orlando, United States) . . . . .	127
Comparison of thin film properties and selenization behavior of CuGaln precursors prepared by co-evaporation and co-sputtering J. Han, J. Koo, H. Jung and W.K. Kim (Gyeongang, Republic of Korea) . . . . .	131
Joining and interface characterization of <i>in situ</i> reinforced silicon nitride R. Asthana (Menomonie, USA), M. Singh (Cleveland, USA) and J. Martinez-Fernandez (Sevilla, Spain) . . . . .	137
Structure and magnetic properties of ball-mill prepared nanocrystalline Ni-Zn ferrite powders at elevated temperatures Kh. Gheisari, Sh. Shahriari (Ahvaz, Iran) and S. Javadpour (Shiraz, Iran) . . . . .	146
Enhanced luminescence of novel $\text{Y}_2\text{Zr}_2\text{O}_7:\text{Dy}^{3+}$ phosphors by $\text{Li}^+$ co-doping Q. Du, G. Zhou, J. Zhou, X. Jia and H. Zhou (Jinan, PR China) . . . . .	152
Mixed alkali tungsten borate glasses – Optical and structural properties A. Edukondalu, B. Kavitha, M.A. Samee, S. Kareem Ahmed, S. Rahman and K. Siva Kumar (Hyderabad, India) . . . . .	157
Crystallization kinetics of Se-Zn-Sb nano composites chalcogenide alloys A.K. Singh (Bangalore, India) . . . . .	166
Microwave dielectric properties of $\text{Li}_2\text{TiO}_3$ ceramics doped with LiF for LTCC applications Y.-Z. Hao, H. Yang (Hangzhou, China), G.-H. Chen (Guilin, China) and Q.-L. Zhang (Hangzhou, China) . . . . .	173
Optimization of citrate complex combustion for synthesis of transition metal oxide nanostructures V.M. Nair (Trivandrum, India), R. Jose (Kuantan, Malaysia), K. Raju and P.R.S. Warier (Trivandrum, India). . . . .	180
In situ magnetic annealing effects on multiferroic Mn-doped $\text{BiFeO}_3$ thin films X. Tang, J. Dai, X. Zhu and Y. Sun (Hefei, PR China) . . . . .	186
$^{111}\text{Cd}$ -TDPAC study of pressure effect on the valence of Yb in the $\text{YbGe}_{2.85}$ cubic phase A.V. Tsvyashchenko (Troitsk, Moscow, Russia), A.I. Velichkov (Moscow, Russia, Sofia, Bulgaria), A.V. Salamatin (Moscow, Russia), L.N. Fomicheva (Troitsk, Russia), D.A. Salamatin (Troitsk, Dolgoprudny, Russia), G.K. Ryasny (Moscow, Russia), A.V. Nikolaev (Moscow, Dolgoprudny, Russia), M. Budzynski (Lublin, Poland), R.A. Sadykov (Troitsk, Russia) and A.V. Spasskiy (Moscow, Russia) . . . . .	190
Morphological and microstructural properties of two-phase Ni-Cu films electrodeposited at different electrolyte temperatures U. Sarac (Bartın, Turkey) and M. C. Baykul (Eskişehir, Turkey). . . . .	195
Microstructural evolution and formation mechanism of FCC titanium during heat treatment processing R. Jing, C.Y. Liu, M.Z. Ma and R.P. Liu (Qinhuangdao, China) . . . . .	202
Highly efficient green light harvesting from Mg doped ZnO nanoparticles: Structural and optical studies S. Sharma, R. Vyas, N. Sharma (Jaipur, India), V. Singh (Okinawa, Japan), A. Singh (Mumbai, India), V. Kataria, B.K. Gupta (New Delhi, India) and Y.K. Vijay (Jaipur, India) . . . . .	208
Dendrite core grain refining and interdendritic coarsening behaviour in W-containing $\gamma$ -TiAl based alloys H.L. Sun, Z.W. Huang, D.G. Zhu and X.S. Jiang (Sichuan, PR China) . . . . .	213
Microwave dielectric properties of $(1-x)\text{Mg}_{0.95}\text{Zn}_{0.05}\text{TiO}_3-(x)\text{Ca}_{0.6}\text{La}_{0.8/3}\text{TiO}_3$ ceramic composites S.S. Rajput, S. Keshri and V.R. Gupta (Ranchi, India) . . . . .	219
Precipitation strengthening of Al- $\text{B}_4\text{C}$ metal matrix composites alloyed with Sc and Zr J. Lai, Z. Zhang and X.-G. Chen (Saguenay, Canada) . . . . .	227
Thermoelectric properties of n-type $\text{Ca}_{1-x}\text{Bi}_x\text{Mn}_{1-y}\text{Si}_y\text{O}_{3-\delta}$ ( $x = y = 0.00, 0.02, 0.03, 0.04, \text{ and } 0.05$ ) system A. Bhaskar, C.-J. Liu, J.J. Yuan (Changhua, Taiwan) and C.-L. Chang (Tamsui, Taiwan). . . . .	236
Polyaniline-polypyrrole nanograin composite via electrostatic adsorption for high performance electrochemical supercapacitors D.P. Dubal (Chemnitz, Germany, Kolhapur, India), S.V. Patil, G.S. Gund and C.D. Lokhande (Kolhapur, India). . . . .	240
Method of the correlative optimization of heat capacities of isostructural compounds V.P. Vassiliev (Moscow, Russia), W. Gong (Guangdong, PR China), A.F. Taldrik (Moscow, Russia) and S.A. Kulinich (Osaka, Japan). . . . .	248
Transparent conductive Ga-doped $\text{Mg}_x\text{Zn}_{1-x}\text{O}$ films with high optical transmittance prepared by radio frequency magnetron sputtering W.-S. Liu, W.-K. Chen and K.-P. Hsueh (Chung-Li, Taiwan). . . . .	255
Structural, magnetic and Mössbauer spectral studies of $\text{Sm}^{3+}$ ions doped Mg ferrites synthesized by solid state reaction technique J. Chand, S. Verma (Shimla, Solan, India) and M. Singh (Shimla, India) . . . . .	264
Improved leakage property and reduced crystallization temperature by $\text{V}_2\text{O}_5$ seed layer in $\text{K}_{0.4}\text{Na}_{0.6}\text{NbO}_3$ thin films derived from chemical solution deposition N. Li (Harbin, Shenyang, PR China), W.L. Li, L.D. Wang, D. Xu (Harbin, PR China), Q.G. Chi and W.D. Fei (Harbin, PR China) . . . . .	269
Role of Co doping on structural, optical and magnetic properties of $\text{TiO}_2$ A. Kaushik (Vidyapith, India), B. Dalela (Jaipur, India), S. Kumar (Udaipur, India), P.A. Alvi (Vidyapith, India) and S. Dalela (Vidyapith, Kota, India) . . . . .	274

Oxygen-vacancy-related relaxations of Sr <sub>3</sub> CuNb <sub>2</sub> O <sub>9</sub> at high temperatures L. Liu, C. Wang, X. Sun, G. Wang, C. Lei and T. Li (Hefei, China) . . . . .	279
Thermal, magnetic, electric, and adhesive properties of amorphous Co <sub>60</sub> Fe <sub>20</sub> B <sub>20</sub> thin films Y.-T. Chen and W.H. Hsieh (Kaohsiung, Taiwan) . . . . .	283
Hydrothermal synthesis and upconversion luminescent properties of YVO <sub>4</sub> :Yb <sup>3+</sup> ,Er <sup>3+</sup> nanoparticles Y. Liang, P. Chui, X. Sun, Y. Zhao, F. Cheng and K. Sun (Jinan, PR China) . . . . .	289
Surface plasmon driven enhancement in UV-emission of electrochemically grown Zn <sub>1-x</sub> Cd <sub>x</sub> O nanorods using Au nanoparticles T. Singh, D.K. Pandya and R. Singh (New Delhi, India) . . . . .	294
Photocatalytic property of ZnO microrods modified by Cu <sub>2</sub> O nanocrystals K. Liu, J. Zhang, H. Gao (Beijing, PR China), T. Xie and D. Wang (Changchun, PR China) . . . . .	299
A study on electrical transport vis-à-vis the effect of thermal annealing on the p-type conductivity in arsenic-doped MOCVD grown ZnO in the temperature range 10–300K P. Biswas, S. Kundu and P. Banerji (Kharagpur, India) . . . . .	304
Influence of thermal hysteresis and field cycling on the magnetocaloric effect in LaFe <sub>11.6</sub> Si <sub>1.4</sub> K.P. Skokov (Darmstadt, Dresden, Germany), K.-H. Müller, J.D. Moore, J. Liu (Dresden, Germany), A.Yu. Karpenkov (Tver, Russia), M. Krautz (Dresden, Germany) and O. Gutfleisch (Darmstadt, Dresden, Germany) . . . . .	310
Effect of Fe-incorporation on photovoltaic characteristics of nano-structured CdSe thin films A.A. Yadav (Maharashtra, India) . . . . .	318
Theoretical study on the electronic structures and magnetism of Fe <sub>3</sub> Si intermetallic compound R. Ma, Q. Xie, J. Huang, W.Y. Yan and X.T. Guo (Guiyang, China) . . . . .	324
Structural characterizations of Cu <sub>3</sub> Pt electrocatalyst featuring Pt-rich surface layers synthesized via mechanical alloying and selective dissolution routes Y.-F. Hsieh, Y.-C. Hsieh, Y.-C. Tseng, P.-W. Wu, C.G. Chao, P. Lin and J.-F. Lee (Hsin-Chu, Taiwan) . . . . .	329
Enhancement in magnetic and dielectric properties of La and Pr co substituted BiFeO <sub>3</sub> A. Srivastava (Varanasi, India), H.K. Singh, V.P.S. Awana (New Delhi, India) and O.N. Srivastava (Varanasi, India) . . . . .	336
Size-dependent and intra-band photoluminescence of NiS <sub>2</sub> nano-alloys synthesized by microwave assisted hydrothermal technique E.C. Liganiso (Pretoria, Wits, South Africa), S.D. Mhlanga, N.J. Coville (Wits, South Africa) and B.W. Mwakikunga (Pretoria, South Africa, Blantyre, Malawi) . . . . .	345
Facile fabrication of PtAu alloy clusters using solution plasma sputtering and their electrocatalytic activity X. Hu (Nanjing, China, Nagoya, Japan), X. Shen (Nanjing, China), O. Takai and N. Saito (Nagoya, Japan) . . . . .	351
Porous-shaped silicon carbide ultraviolet photodetectors on porous silicon substrates N. Naderi and M.R. Hashim (Penang, Malaysia) . . . . .	356
Deformation and dynamic recrystallization behavior of a high Nb containing TiAl alloy L. Cheng, H. Chang, B. Tang, H. Kou and J. Li (Shaanxi, China) . . . . .	363
Temperature-dependent photoluminescence properties of deep-red emitting Mn <sup>4+</sup> -activated magnesium fluorogermanate phosphors Q. Shao, H. Lin, J. Hu, Y. Dong and J. Jiang (Nanjing, PR China) . . . . .	370
Study of MgB <sub>2</sub> phase formation by using XRD, SEM, thermal and magnetic measurements E. Aksu (Ankara, Turkey) . . . . .	376
Hydrothermal synthesis and characterization of rare earth doped yttrium aluminium perovskite – R:YAlO <sub>3</sub> (R = Nd, Eu & Er) B. Basavalingu (Karnataka, India), M.S. Vijaya Kumar (Karnataka, Japan), H.N. Girish (Karnataka, India) and S. Yoda (Karnataka, Japan) . . . . .	382
Thermodynamic assessment of the Ho–Te system supported by ab initio calculations H. Ghamri, A. Belgacem-Bouzida, Y. Djaballah and A. Hidoussi (Batna, Algeria) . . . . .	387
Preparation of SnO <sub>2</sub> @C-doping TiO <sub>2</sub> nanotube arrays and its electrochemical and photoelectrochemical properties X. Meng, J. Yao, F. Liu, H. He, M. Zhou, P. Xiao and Y. Zhang (Chongqing, China) . . . . .	392
Integrated broadband near-infrared luminescence in transparent glass ceramics containing γ-Ga <sub>2</sub> O <sub>3</sub> : Ni <sup>2+</sup> and β-YF <sub>3</sub> : Er <sup>3+</sup> nanocrystals R. Zhang, H. Lin, D. Chen, Y. Yu and Y. Wang (Fujian, People's Republic of China) . . . . .	398
Facile synthesis and catalytic property of spinel ferrites by a template method K. Yan, X. Wu, X. An and X. Xie (Taiyuan, China) . . . . .	405
Enhanced microstructure homogeneity and mechanical properties of AZ31–Si composite by cyclic closed-die forging W. Guo, Q. Wang, B. Ye and H. Zhou (Shanghai, China) . . . . .	409
Cu <sub>2</sub> ZnSnS <sub>4</sub> thin films: Facile and cost-effective preparation by RF-magnetron sputtering and texture control J. Wang, S. Li, J. Cai, B. Shen, Y. Ren and G. Qin (Shenyang, China) . . . . .	418
Temperature dependence of forward and reverse bias current–voltage characteristics in Al–TiW–PtSi/n-Si Schottky barrier diodes with the amorphous diffusion barrier I.M. Afandiyeva (Baku, Azerbaijan), S. Demirezen and Ş. Altındal (Ankara, Turkey) . . . . .	423
Investigation of phases in Al <sub>23</sub> Co <sub>15</sub> Cr <sub>23</sub> Cu <sub>8</sub> Fe <sub>15</sub> Ni <sub>16</sub> and Al <sub>8</sub> Co <sub>17</sub> Cr <sub>17</sub> Cu <sub>8</sub> Fe <sub>17</sub> Ni <sub>33</sub> high entropy alloys and comparison with equilibrium phases predicted by Thermo-Calc A. Manzoni (Berlin, Germany), H. Daoud, S. Mondal, S. van Smaalen, R. Völkl, U. Glatzel (Bayreuth, Germany) and N. Wanderka (Berlin, Germany) . . . . .	430
The electrical characteristics of the Fe <sub>3</sub> O <sub>4</sub> /Si junctions Z. Çaldıran, A.R. Deniz, Y. Şahin, Ö. Metin, K. Meral and Ş. Aydoğan (Erzurum, Turkey) . . . . .	437

Site occupancies of Co–Mg–Cr–Fe ions and their impact on the properties of $\text{Co}_{0.5}\text{Mg}_{0.5}\text{Cr}_x\text{Fe}_{2-x}\text{O}_4$ M.V. Chaudhari (Aurangabad, India), S.E. Shirsath (Nagano, Japan), A.B. Kadam (Andoor, India), R.H. Kadam, S.B. Shelke (Osmanabad, India) and D.R. Mane (Aurangabad, India) . . . . .	443
Mechanochemical synthesis of yttrium manganite M. Počuča-Nešić, Z. Marinković Stanojević, Z. Branković (Belgrade, Serbia), P. Cotič, S. Bernik (Ljubljana, Slovenia), M. Sousa Góes (Araraquara, Brazil), B.A. Marinković (Rio de Janeiro, Brazil), J.A. Varela (Araraquara, Brazil) and G. Branković (Belgrade, Serbia) . . . . .	451
A first-principles study of hydrogen interaction and saturation on $\text{ScAl}_3$ M. Samolia and T.J. Dhillip Kumar (Rupnagar, India) . . . . .	457
Er doped $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$ multifunctional ferroelectrics: Up-conversion photoluminescence, dielectric and ferroelectric properties D. Peng (Shanghai, China, Saga, Japan), H. Zou (Shanghai, China), C. Xu (Saga, Japan), X. Wang and X. Yao (Shanghai, China) . . . . .	463
Capacitance–voltage and current–voltage characteristics for the study of high background doping and conduction mechanisms in GaAsN grown by chemical beam epitaxy B. Bouzazi, N. Kojima, Y. Ohshita and M. Yamaguchi (Nagoya, Japan) . . . . .	469
Synthesis of a rare-earth doped LNT (Li–Nb–Ti–O) phosphor by millimeter-wave heating H. Nakano, S. Suehiro (Toyohashi, Japan), T. Saji and S. Miyake (Higashiosaka, Japan) . . . . .	475
Effect of Pb addition on dielectric relaxation in $\text{Se}_{80}\text{In}_{20}$ glassy system I.S. Ram, R.K. Singh, P. Singh and K. Singh (Varanasi, India) . . . . .	480
Facilely synthesized $\text{Fe}_2\text{O}_3$ –graphene nanocomposite as novel electrode materials for supercapacitors with high performance Z. Wang, C. Ma, H. Wang (Beijing, PR China), Z. Liu (Xi'an, PR China) and Z. Hao (Beijing, PR China) . . . . .	486
Fracture toughness of $\text{Co}_4\text{Sb}_{12}$ and $\text{In}_{0.1}\text{Co}_4\text{Sb}_{12}$ thermoelectric skutterudites evaluated by three methods J. Eilertsen, M.A. Subramanian and J.J. Kruzic (Corvallis, USA) . . . . .	492
Effects of annealing treatment on the microstructure and mechanical properties of the $\text{AlN}$ – $\text{SiC}$ – $\text{TiB}_2$ ceramic composites prepared by SHS–HIP L. Zhou (ZiBo, PR China), H. Li and Y. Zheng (Harbin, PR China) . . . . .	499
Full mineralization of toluene by photocatalytic degradation with porous $\text{TiO}_2/\text{SiC}$ nanocomposite film T. Zou, C. Xie, Y. Liu, S. Zhang, Z. Zou and S. Zhang (Wuhan, PR China) . . . . .	504
The effects of fabrication parameters on the structure–property of an alumina–chromium cermet developed by combustion synthesis method L. Fazeli and M. Kalantar (Yazd, Iran) . . . . .	511
Preparation and characterization of single-crystal multiferroic nanofiber composites Z. Ren, Z. Xiao, S. Yin, J. Mai, Z. Liu, G. Xu, X. Li, G. Shen and G. Han (Hangzhou, PR China) . . . . .	518
Keywords . . . . .	I