



Volume 553

15 March 2013
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

Journal of Alloys and Compounds

journal homepage: www.elsevier.com/locate/jallcom

Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalishe Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

The control of thermal expansion and impedance of Al–Zr ₂ (WO ₄)(PO ₄) ₂ nano-cermet for near-zero-strain Al alloy and fine electrical components X.-S. Liu, F.-X. Cheng, J.-Q. Wang, W.-B. Song, B.-H. Yuan and E.-J. Liang (Zhengzhou, China)	1
Structures and dielectric properties of pyrochlore bismuth zinc niobate thin films with zinc compensation X. Zhang, W. Ren, P. Shi, X. Wu, X. Chen and X. Yao (Xi'an, China)	8
Confined fracture behavior of bulk metallic glass-coated tungsten composite wires produced by continuously coating process B. Zhang, X. Chen and X. Hui (Beijing, China)	14
Photocatalytic degradation of methylene blue dye using Fe ₂ O ₃ /TiO ₂ nanoparticles prepared by sol-gel method M.A. Ahmed (Egypt), E.E. El-Katori and Z.H. Gharni (Saudi Arabia)	19
Carbon re-incorporation in phosphorus-doped Si _{1-y} C _y epitaxial layers during thermal annealing H.-T. Chang, I.-Ping Lin, S.-C. Twan, W.-Y. Woon and S.-W. Lee (Jhong-Li, Taiwan, ROC)	30
Nanocrystal formation using laser irradiation on Nd ³⁺ doped barium titanium silicate glasses L.L. Martin, S. Ríos, I.R. Martín, P. Haro-González, J.M. Cáceres and A. Hernández-Creus (Tenerife, Spain)	35
Effect of Fe content on glass-forming ability and crystallization behavior of a (Ti _{69.7} Nb _{23.7} Zr _{4.9} Ta _{1.7}) _{100-x} Fe _x alloy synthesized by mechanical alloying L.M. Zou, Y.H. Li, C. Yang, S.G. Qu and Y.Y. Li (Guangzhou, PR China)	40
Electrical and photoelectrical properties of CuInS ₂ –ZnIn ₂ S ₄ solid solutions V.V. Bozhko, A.V. Novosad, G.E. Davidiyuk, V.R. Kozor, O.V. Parasyuk (Luts'k, Ukraine), N. Vainorius, V. Janonis, A. Sakavičius and V. Kažukauskas (Vilnius, Lithuania)	48
Raman spectrum, crystal structure and superconductivity in Zn/Fe-doped GdBa ₂ Cu ₃ O _{7-δ} systems Z. Chen, R. Xue, T. Li, H. Dai and Z. Zhang (Zhengzhou, China)	53
Effect of cooling rate on mechanism of β → α phase transformation on continuous cooling in Ti–5Ta–1.8Nb alloy M. Behera, R. Mythili, S. Raju and S. Saroja (Kalpakkam, India)	59
Hydrothermal synthesis of hierarchical LiFePO ₄ microspheres for lithium ion battery Q. Wang, S. Deng, H. Wang, M. Xie, J. Liu and H. Yan (Beijing, PR China)	69
Magnetic field influence on optical properties of Cd _{1-x} Mn _x S (x = 0; 0.3) quantum dots: Photoluminescence study N. Romčević, M. Petrović-Damjanović, M. Romčević, M. Gilić (Belgrade, Serbia), L. Klopotoski, W.D. Dobrowolski, J. Kossut (Warsaw, Poland), I.A. Janković and M.I. Čomor (Belgrade, Serbia)	75
One-step hydrothermal synthesis and characterization of high magnetization CoFe ₂ O ₄ /Co _{0.7} Fe _{0.3} nanocomposite permanent magnets F.L. Zan, Y.Q. Ma, Q. Ma, G.H. Zheng, Z.X. Dai, M.Z. Wu, G. Li, Z.Q. Sun and X.S. Chen (Hefei, People's Republic of China)	79
Unique dependence of magnetoelectric voltage coefficient on bias magnetic field in Terfenol-D/Pb(Zr,Ti)O ₃ bi-layered composites L. Li, X.M. Chen and H.Y. Zhu (Hangzhou, China)	86
Properties of Czochralski grown Ce,Gd:Y ₃ Al ₅ O ₁₂ single crystal for white light-emitting diode A. Latynina (Tsukuba, Tokyo, Japan), M. Watanabe, D. Inomata, K. Aoki, Y. Sugahara (Tokyo, Japan), E. García Villora (Tsukuba, Japan) and K. Shimamura (Tsukuba, Tokyo, Japan)	89
First principles investigation of the electronic, elastic and vibrational properties of tungsten disilicide L.G.V. Briquet and P. Philipp (Belvaux, Luxembourg)	93
Stable ductility of an electrodeposited nanocrystalline Ni–20 wt.%Fe alloy in tensile plastic deformation J. Mu, X. Li, L. Zhao, Z. Jiang, J. Lian and Q. Jiang (Changchun, China)	99
Reaction evolution and alternating layer formation in Sn/(Bi _{0.25} Sb _{0.75}) ₂ Te ₃ and Sn/Sb ₂ Te ₃ couples S.-w. Chen, H.-j. Wu, C.-y. Wu, C.-f. Chang and C.-y. Chen (Hsin-Chu, Taiwan)	106
Synthesis of Pt ₇₅ Sn ₂₅ /SnO ₂ /CNT nanoscaled electrode: Low onset potential of ethanol electrooxidation A. Tabet-Aoul and M. Mohamedi (Québec, Canada)	113

Role of starting phase of boron on the mechanical alloying of FeNbB composition J.J. Ipus, J.S. Blázquez, V. Franco (Sevilla, Spain), S. Lozano-Pérez (Oxford, UK) and A. Conde (Sevilla, Spain)	119
Photoluminescence and electron field-emission properties of SiC–SiO ₂ core–shell fibers and 3C–SiC nanowires on silicon nanoporous pillar array H. Wang, W. Jiang, L. Kang and Z. Li (Zhengzhou, PR China)	125
Effects of substitution of Pr, Nd, and Sm for La on the magnetic properties and magnetocaloric effect of La _{1.4} Ca _{1.6} Mn ₂ O ₇ R. Dudric, F. Goga, S. Mican and R. Tetean (Cluj-Napoca, Romania)	129
Synthesis and third-order optical nonlinearities of In ₂ S ₃ quantum dots glass W. Xiang (Wenzhou, Shanghai, PR China), H. Zhao (Wenzhou, PR China), J. Zhong (Shanghai, PR China), H. Luo, X. Zhao, Z. Chen, X. Liang and X. Yang (Wenzhou, PR China)	135
Enhanced ferroelectric and dielectric properties in (La _{0.7} Ca _{0.3})MnO ₃ -buffered (Bi _{0.5} Na _{0.5})TiO ₃ -based lead-free thin film by pulsed laser deposition C.C. Jin, F.F. Wang, Q.R. Yao, Y.X. Tang, T. Wang and W.Z. Shi (Shanghai, China)	142
Influence of field-annealing on the microstructure, magnetic and microwave properties of electrodeposited Co _{0.3} Fe _{0.7} films L.X. Phua, N.N. Phuoc and C.K. Ong (Singapore, Singapore)	146
Amorphous and crystallized (Gd ₄ Co ₃) _{100-x} B _x alloys for magnetic refrigerants working in the vicinity of 200 K X.C. Zhong, B.B. Gao, Z.W. Liu, Z.G. Zheng and D.C. Zeng (Guangzhou, China)	152
Fabrication of Cu ²⁺ substituted nanocrystalline Ni–Zn ferrite by solution combustion route: Investigations on structure, cation occupancy and magnetic behavior V.V. Awati (Shirur Pune, India), S.M. Rathod (Pune, India), S.E. Shirsath (Nagano, Japan) and M.L. Mane (Paranda, India)	157
Synthesis of cellular-like Co ₃ O ₄ nanocrystals with controlled structural, electronic and catalytic properties L. Lv, Y. Su, X. Liu, H. Zheng and X. Wang (Inner Mongolia, PR China)	163
Preparation of NiO–Ni/natural graphite composite anode for lithium ion batteries T. Li, S. Ni, X. Lv, X. Yang and S. Duan (Yichang, PR China)	167
Single-phased emission-tunable Mg-doped ZnO phosphors for white LEDs Q. Shi, Z. Wang, Y. Liu, B. Yang, G. Wang, W. Wang (Shandong, PR China) and J. Zhang (Beijing, PR China)	172
Nb ₂ O ₅ nanosize powders prepared by sol–gel – Structure, morphology and dielectric properties M.P.F. Graça, A. Meireles, C. Nico and M.A. Valente (Aveiro, Portugal)	177
Luminescence and structure of a novel red-emitting phosphor Eu ³⁺ -doped tellurate garnet Li ₃ Y ₃ Te ₂ O ₁₂ W. Zhang (Beijing, PR China) and H.J. Seo (Busan, Republic of Korea)	183
Metal-ion doped p-type TiO ₂ thin films and their applications for heterojunction devices S. Das, D. Liu, J.B. Park and Y.-B. Hahn (Jeonju, Republic of Korea)	188
Thermal properties of nanocrystalline goethite, magnetite, and maghemite Y.H. Chen (Tainan City, Taiwan)	194
Metamagnetic transition of martensitic type in electron-doped manganites Ca _{1-x} Ce _x MnO ₃ (x = 0.10, 0.12) N.N. Loshkareva (Ekaterinburg, Russia), D.I. Gorbunov (Ekaterinburg, Russia, Prague, Czech Republic), A.V. Andreev (Prague, Czech Republic), N.V. Mushnikov (Ekaterinburg, Russia), Y. Skourski and F. Wolff-Fabris (Dresden, Germany)	199
A nano-architected porous electrode assembly of copper rich Cu ₆ Sn ₅ thin film for rechargeable lithium batteries B.D. Polat, N. Sezgin, O. Keles, K. Kazmanlı (Istanbul, Turkey), A. Abouimrane and K. Amine (Argonne, USA)	204
Conduction-type control of SnS _x films prepared by the sol–gel method for different sulfur contents C.-C. Huang, Y.-J. Lin, C.-Y. Chuang, C.-J. Liu and Y.-W. Yang (Changhua, Taiwan)	208
Applying a new criterion to predict glass forming alloys in the Zr–Ni–Cu ternary system L.P. Déo, M.A.B. Mendes (São Carlos, Brazil), A.M.S. Costa (Lorena, Brazil), N.D. Campos Neto and M.F. de Oliveira (São Carlos, Brazil)	212
Microstructure and properties of Al ₂ CrFeCoCuTiNi _x high-entropy alloys prepared by laser cladding X.-W. Qiu and C.-G. Liu (Deyang, China)	216
An efficient charge compensated red phosphor Sr ₃ WO ₆ : K ⁺ , Eu ³⁺ – For white LEDs X. Zhao, Y. Ding, Z. Li, T. Yu (Nanjing, People's Republic of China) and Z. Zou (Nanjing, Kunsan, People's Republic of China)	221
Effect of Na doping on the microstructures and optical properties of ZnO nanorods S. Ilican (Eskisehir, Turkey)	225
Magnetostriction of Fe _{100-x} V _x alloys for 5.2 ≤ x ≤ 40.7 C. Bormio-Nunes (Lorena, Brazil), C. Paduani (Santa Catarina, Brazil), C.T. dos Santos, H.J. Izário F ^o (Lorena, Brazil), A.A. Coelho (São Paulo, Brazil) and L. Ghivelder (Rio de Janeiro, Brazil)	233
Modification of the optoelectronic properties of sprayed In ₂ S ₃ thin films by indium diffusion for application as buffer layer in CZTS based solar cell V.G. Rajeshmon, N. Poornima, C. Sudha Kartha and K.P. Vijayakumar (Cochin, India)	239
Electronic properties of bivalent cations (Be, Mg and Ca) substitution for Al in delafossite CuAlO ₂ semiconductor by first-principles calculations H. Jiang (Chizhou, Hefei, China), X. Wang, X. Zang, W. Wu (Chizhou, China), S. Sun, C. Xiong (Changzhou, China), W. Yin, C. Gui (Chizhou, China) and X. Zhu (Hefei, China)	245
Microstructures, mechanical properties and corrosion resistance of Hastelloy C22 coating produced by laser cladding Q.-Y. Wang, Y.-F. Zhang, S.-L. Bai and Z.-D. Liu (Beijing, China)	253

Influence of pH on the structural optical and magnetic properties of Zn _{1-x} Mn _x O thin films grown by sol-gel method A. Goktas (Sanliurfa, Turkey, Matsue, Japan), I.H. Mutlu (Sanliurfa, Turkey), Y. Yamada (Matsue, Japan) and E. Celik (Izmir, Turkey)	259
Complete matrix properties of [001] _c and [011] _c poled 0.33Pb(In _{1/2} Nb _{1/2})O ₃ -0.38Pb(Mg _{1/3} Nb _{2/3})O ₃ -0.29PbTiO ₃ single crystals E. Sun, R. Zhang, F. Wu (Harbin, China) and W. Cao (Harbin, China, USA)	267
Thermoelectric properties of In _{1.3-x} Sn _x Se prepared by spark plasma sintering method Y. Zhai, Q. Zhang, J. Jiang, T. Zhang, Y. Xiao, S. Yang and G. Xu (Ningbo, China)	270
Structural and spectroscopic studies on concentration dependent Sm ³⁺ doped boro-tellurite glasses K. Selvaraju and K. Marimuthu (Gandhigram, India)	273
Pulsed laser deposition and characterization of epitaxial CuInS ₂ thin films on <i>c</i> -plane sapphire substrates X. Shang, J. Fang, L. Zhang, M. Li, G. Chang, P. Li and Y. He (Wuhan, China)	282
Magnetocaloric properties and magnetic refrigerant capacity of MnFeP _{1-x} Si _x K. Katagiri, K. Nakamura and H. Wada (Fukuoka, Japan)	286
Synthesis and luminescent properties of novel red-emitting CaGd ₄ O ₇ : Eu ³⁺ nanocrystalline phosphors E. Pavitra, G. Seeta Rama Raju (Gyeonggi-do, Republic of Korea), J.Y. Park (Busan, Republic of Korea), Y.H. Ko and J.S. Yu (Gyeonggi-do, Republic of Korea)	291
Cu precipitation kinetics during martensite tempering in a medium C steel J.-G. Jung, M. Jung, S.-M. Lee (Seoul, Republic of Korea), E. Shin (Daejeon, Republic of Korea), H.-C. Shin (Incheon, Republic of Korea) and Y.-K. Lee (Seoul, Republic of Korea)	299
Synthesis, characterization and studies on magnetic and electrical properties of LaAl _y Fe _{1-y} O ₃ nanomultiferroic M.A. Ahmed (Giza, Egypt), N. Okasha (Cairo, Egypt) and B. Hussein (Giza, Egypt)	308
Alloying behavior and deformation twinning in a CoNiFeCrAl _{0.6} Ti _{0.4} high entropy alloy processed by spark plasma sintering Z. Fu, W. Chen, S. Fang (Guangdong, China), D. Zhang (Birmingham, United Kingdom), H. Xiao and D. Zhu (Guangdong, China)	316
Surface morphology, corrosion resistance and <i>in vitro</i> bioactivity of P containing ZrO ₂ films formed on Zr by plasma electrolytic oxidation M. Sandhyarani, N. Rameshbabu, K. Venkateswarlu, D. Sreekanth (Tiruchirappalli, India) and Ch. Subrahmanyam (Hyderabad, India)	324
Controlled synthesis and characterization of large-scale, uniform sheet-shaped dysprosium hydroxide nanosquares by hydrothermal method J. Jin, Y. Ni, W. Huang, C. Lu and Z. Xu (Nanjing, PR China)	333
Preparation and photoluminescence characteristics of In(OH) ₃ :xTb ³⁺ obtained by Microwave-Assisted Hydrothermal method F.V. Motta (Natal, Brazil), A.P.A. Marques (Diadema, Brazil), M.S. Li, M.F.C. Abreu (São Carlos, Brazil), C.A. Paskocimas, M.R.D. Bomio, R.P. Souza (Natal, Brazil), J.A. Varela (Araraquara, Brazil) and E. Longo (São Carlos, Brazil)	338
Microstructure evolution of sputtered BiSb-Te thermoelectric films during post-annealing and its effects on the thermoelectric properties S.-j. Jeon (Daejeon, Suwon, South Korea), H. Jeon, S. Na (Suwon, South Korea), S.D. Kang, H.-K. Lyeo, S. Hyun (Daejeon, South Korea) and H.-J. Lee (Suwon, South Korea)	343
Synthesis and physico-chemical property evaluation of PANI-NiFe ₂ O ₄ nanocomposite as electrodes for supercapacitors B. Senthilkumar, K. Vijaya Sankar (Coimbatore, India), C. Sanjeeviraja (Karaikudi, India) and R. Kalai Selvan (Coimbatore, India)	350
High-field magnetization of a DyFe ₅ Al ₇ single crystal D.I. Gorbunov (Prague, Czech Republic, Ekaterinburg, Russia), A.V. Andreev (Prague, Czech Republic), Y. Skourski and M.D. Kuz'min (Dresden, Germany)	358
Hydrogenation studies on structural and magnetic properties of antiferromagnetic Kondo lattice Ce ₂ Cu ₂ In W. Iwasieczko and D. Kaczorowski (Wrocław, Poland)	364
Preparation of carbon-encapsulated iron nanoparticles in high yield by DC arc discharge and their characterization F. Zhang, L. Cui, K. Lin, F.-m. Jin, B. Wang, S.-x. Shi, D.-a. Yang, H. Wang, F. He, X.-p. Chen and S. Cui (Tianjin, PR China)	367
Superhydrophobic and antireflecting behavior of densely packed and size controlled ZnO nanorods P. S. Kumar (Singapore, Singapore, Coimbatore, India), J. Sundaramurthy, X. Zhang (Singapore, Singapore), D. Mangalaraj (Coimbatore, India), V. Thavasi and S. Ramakrishna (Singapore, Singapore)	375
Synthesis and characterization of nickel substituted cobalt ferrite nanoparticles by sol-gel auto-combustion method P.P. Hankare, K.R. Sanadi, K.M. Garadkar, D.R. Patil (Maharashtra, India) and I.S. Mulla (Pune, India)	383
Metal-insulator-metal transition in Ti substituted antiferromagnetic Ru ₂ MnGe Heusler alloy S. Mizusaki, A. Douzono, T. Ohnishi (Kanagawa, Japan), T.C. Ozawa (Ibaraki, Japan), Y. Noro and Y. Nagata (Kanagawa, Japan)	389
Erratum to "The silicide coatings (Mo,W)Si ₂ + (Mo,W) ₅ Si ₃ on graphite, interaction with carbon" B.A. Gnesin, I.B. Gnesin and A.N. Nekrasov (Academician Ossipyan Str., Russia)	395
Keywords	1