

Volume 554

25 March 2013  
ISSN 0925-8388

ПН  
У 80/2ас



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Structure evolution and thermal stability of SMAT-derived nanograined layer on Ti–25Nb–3Mo–3Zr–2Sn alloy at elevated temperatures R. Huang and Y. Han (Xi'an, China) .....	1
Luminescence properties of Sm <sup>3+</sup> -doped TiO <sub>2</sub> nanoparticles: Synthesis, characterization, and mechanism Y. Cao, Z. Zhao, J. Yi, C. Ma, D. Zhou, R. Wang, C. Li and J. Qiu (Kunming, PR China) .....	12
Itinerant electron magnetism of $\eta$ -carbides Co <sub>6</sub> M <sub>6</sub> C and Ni <sub>6</sub> M <sub>6</sub> C (M = Mo and W) T. Waki, D. Furusawa, Y. Tabata, C. Michioka, K. Yoshimura (Kyoto, Japan), A. Kondo, K. Kindo (Kashiwa, Japan) and H. Nakamura (Kyoto, Japan) .....	21
A feasibility study on SnO <sub>2</sub> /NiFe <sub>2</sub> O <sub>4</sub> nanocomposites as anodes for Li ion batteries S. Balaji, R. Vasuki (Madurai, India) and D. Mutharasu (Penang, Malaysia) .....	25
Effect of short-time annealing treatment on the superelastic behavior of cold drawn Ni-rich NiTi shape memory wires F. Khaleghi, J. Khalil-Allafi (Tabriz, Iran), V. Abbasi-Chianeh (Tabriz, Urmia, Iran) and S. Noori (Tabriz, Iran) .....	32
Thermal evolution of the Ni <sub>3</sub> Fe compound obtained by mechanical alloying as probed by differential scanning calorimetry F. Popa (Cluj-Napoca, Romania), O. Isnard (Grenoble, France), I. Chicinaş and V. Pop (Cluj-Napoca, Romania) .....	39
Decoration of PbS nanoparticles on Al-doped ZnO nanorod array thin film with hydrogen treatment as a photoelectrode for solar water splitting C.-H. Hsu, C.-H. Chen and D.-H. Chen (Tainan, Taiwan) .....	45
Nanocrystalline (Fe <sub>60</sub> Al <sub>40</sub> ) <sub>80</sub> Cu <sub>20</sub> alloy prepared by mechanical alloying M. Krifa, M. Mhadhbi (Sfax, Tunisia), L. Escoda, J.M. Güell, J.J. Suñol (Girona, Spain), N. Llorca-Isern, C. Artieda-Guzmán (Barcelona, Spain) and M. Khitouni (Sfax, Tunisia) .....	51
Enhanced NO <sub>2</sub> sensing using ZnO–TiO <sub>2</sub> nanocomposite thin films R. Vyas, S. Sharma, P. Gupta, Y.K. Vijay (Jaipur, India), A.K. Prasad, A.K. Tyagi (Kalpakkam, India), K. Sachdev and S.K. Sharma (Jaipur, India) .....	59
Effects of microwave sintering power on microstructure, dielectric, ferroelectric and magnetic properties of bismuth ferrite ceramics W. Cai (Chongqing, China), C. Fu (Chongqing, Chengdu, China), W. Hu, G. Chen and X. Deng (Chongqing, China) .....	64
Effect of Ag nanoparticle size on the photoelectrochemical properties of Ag decorated TiO <sub>2</sub> nanotube arrays K. Chen, X. Feng, R. Hu, Y. Li, K. Xie, Y. Li and H. Gu (Wuhan, People's Republic of China) .....	72
Dielectric relaxation and conduction mechanism in Ba <sub>2</sub> GdTaO <sub>6</sub> B. Ghosh, A. Dutta and T.P. Sinha (Kolkata, India) .....	80
Controlled synthesis of PbWO <sub>4</sub> dendrites by a simple sonochemical method Y. Wang, L. Yang, Y. Wang, X. Wang (Luoyang, PR China) and G. Han (Hangzhou, PR China) .....	86
Influence of the particle morphology on the Cold Gas Spray deposition behaviour of titanium on aluminum light alloys N. Cinca (Barcelona, Spain), J.M. Rebled (Barcelona, Bellaterra, Spain), S. Estradé, F. Peiró, J. Fernández and J.M. Guilemany (Barcelona, Spain) .....	89
Room temperature structure and multiferroic properties in Bi <sub>0.7</sub> La <sub>0.3</sub> FeO <sub>3</sub> ceramics T.T. Carvalho (Vila Real, Portugal), J.R.A. Fernandes (Porto, Vila Real, Portugal), J. Perez de la Cruz (Porto, Portugal), J.V. Vidal, N.A. Sobolev, F. Figueiras, S. Das, V.S. Amaral (Aveiro, Portugal), A. Almeida, J. Agostinho Moreira (Porto, Portugal) and P.B. Tavares (Vila Real, Portugal) .....	97
Effects of the AlN buffer layer thickness on the properties of ZnO films grown on c-sapphire substrate by pulsed laser deposition H. Xiong, J.N. Dai, X. Hui, Y.Y. Fang, W. Tian, D.X. Fu, C.Q. Chen, M. Li and Y. He (Wuhan, China) .....	104
The effect of Ca addition on microstructures and mechanical properties of Mg-RE based alloys J.-s. Zhang, Y. Sun, W.-l. Cheng, Z.-p. Que, Y.-m. Li (Taiyuan, China) and L. Liushan (Lanzhou, China) .....	110
Growth and optical properties of a- and c-axis oriented Zn–ZnO nanocables fabricated via a facile one-step process Y.-C. Chen, C.-H. Tu, Y.-F. Lai, K.-Y. Hsu and C.-P. Liu (Tainan, Taiwan) .....	115
Photoelectrochemical properties of ZnO–SnO <sub>2</sub> films prepared by sol–gel method H. Uchiyama, R. Nagao and H. Kozuka (Suita, Japan) .....	122

Microstructure evolution of Mo–Si–Al system during self-propagation high-temperature synthesis L. Jia, H. Xie, Z.-l. Lu and C. Zhang (Xi'an, PR China) . . . . .	127
Controlled synthesis and magnetic properties of monodisperse Ni <sub>1-x</sub> Zn <sub>x</sub> Fe <sub>2</sub> O <sub>4</sub> /MWCNT nanocomposites via microwave-assisted polyol process H. Wu, N. Zhang, L. Mao, T. Li and L. Xia (Wuhu, PR China) . . . . .	132
Enhanced magnetodielectric properties of single-phase Bi <sub>0.95-x</sub> La <sub>0.05</sub> LuxFeO <sub>3</sub> multiferroic system A. Kumar and K.L. Yadav (India) . . . . .	138
Microstructure and properties of the super-hydrophobic films fabricated on magnesium alloys J. Jia, J. Fan, B. Xu (Taiyuan, PR China) and H. Dong (Taiyuan, PR China, Leicester, UK) . . . . .	142
Hard magnetic Sm <sub>2</sub> Fe <sub>17</sub> N <sub>3</sub> flakes nitrogenized at lower temperature L. Zhao (Hebei, Newark, USA, Beijing, China), N.G. Akdogan and G.C. Hadjipanayis (Newark, USA) . . . . .	147
Single step nanocrystallization of FeCuNbSiB/CoPt(Cu) soft/hard magnetic multilayer microwires F. Borza, S. Corodeanu, N. Lupu and H. Chiriac (Iasi, Romania) . . . . .	150
Microstructures and thermal stability of the semi-solid 2024 aluminum alloy prepared using the pulsed magnetic field process: Effects of technological parameters L. Zhang, W. Li and J.P. Yao (Nanchang, China) . . . . .	156
The microstructures and mechanical properties of friction stir welded AZ31 with CaO Mg alloys D.-H. Choi (Gyeonggi-do, South Korea), S.-K. Kim (Incheon, South Korea) and S.-B. Jung (Gyeonggi-do, South Korea) . . . . .	162
Electrodeposition and electrocatalytic properties of Pt/Ni–Co nanowires for non-enzymatic glucose detection S.S. Mahshid (Tehran, Iran, Changsha, China), S. Mahshid (Bandar Sunway, Malaysia), A. Dolati, M. Ghorbani (Tehran, Iran), L. Yang (Nanchang, China), S. Luo and Q. Cai (Changsha, China) . . . . .	169
Structural properties of zinc oxide and titanium dioxide nanoparticles prepared by chemical vapor synthesis G. Akgul (Nigde, Turkey, Argonne, USA), F.A. Akgul (Nigde, Turkey), K. Attenkofer (Argonne, USA) and M. Winterer (Germany) . . . . .	177
Investigation on microstructure and wear behavior of the NiAl–TiC–Al <sub>2</sub> O <sub>3</sub> composite fabricated by self-propagation high-temperature synthesis with extrusion L.Y. Sheng (Shenzhen, China, Beijing, China), F. Yang, T.F. Xi (Shenzhen, China) and J.T. Guo (Shenyang, China) . . . . .	182
Synthesis and structural and optical characterization of Mn <sup>2+</sup> doped cadmium sulphide nanoparticles stabilized in DETA matrix A. Mercy, K. Sakthi Murugesan, B. Milton Boaz (Chennai, India), A. Jesper Anandhi (Tirunelveli, India) and R. Kanagadurai (Chennai, India) . . . . .	189
Influence of TiO <sub>2</sub> nanoparticles on IMC growth in Sn–3.0Ag–0.5Cu–xTiO <sub>2</sub> solder joints in reflow process Y. Tang, G.Y. Li and Y.C. Pan (Guangzhou, China) . . . . .	195
Photovoltaic response enhancement of SrTiO <sub>3</sub> /TiO <sub>2</sub> composite Y.T. Zheng, Z.L. Zhang and Y.L. Mao (Kaifeng, China) . . . . .	204
Peculiar influence of Mn/Fe ratio on the magnetic and magnetocaloric properties of Mn <sub>2-x</sub> Fe <sub>x</sub> P <sub>0.6</sub> Si <sub>0.25</sub> Ge <sub>0.15</sub> compounds G.F. Wang, Z.R. Zhao (Baotou, China), L. Song and O. Tegus (Hohhot, China) . . . . .	208
Synthesis, spectral and surface investigation of NaSrBO <sub>3</sub> : Sm <sup>3+</sup> phosphor for full color down conversion in LEDs V. Kumar (Katra, India, Bloemfontein, South Africa), A.K. Bedyal (Katra, India), S.S. Pitale, O.M. Ntwaeaborwa and H.C. Swart (Bloemfontein, South Africa) . . . . .	214
Effects of Li source and calcination temperature on the electrochemical properties of LiNi <sub>0.5</sub> Co <sub>0.2</sub> Mn <sub>0.3</sub> O <sub>2</sub> lithium-ion cathode materials J.-Z. Kong, F. Zhou, C.-B. Wang, X.-Y. Yang, H.-F. Zhai, H. Li (Nanjing, PR China), J.-X. Li, Z. Tang and S.-Q. Zhang (Taixing, PR China) . . . . .	221
Non-isothermal crystallization in Ga–Se–Ag chalcogenide glass by differential scanning calorimetry S.A. Khan, J.K. Lal (Gorakhpur, India), F.A. Al-Agel and M.A. Alvi (Jeddah, Saudi Arabia) . . . . .	227
The standard enthalpies of formation of some binary intermetallic compounds of lanthanide–iron systems by high temperature direct synthesis calorimetry S.V. Meschel, P. Nash (Chicago, USA), Q.N. Gao, J.C. Wang and Y. Du (Hunan, PR China) . . . . .	232
Highly conductive and damp heat stable transparent ZnO based thin films for flexible electronics K. Jung, W.-K. Choi, K.H. Chae, J.-H. Song, S.-J. Yoon, M.-H. Lee and J.-W. Choi (Seoul, Republic of Korea) . . . . .	240
Ordered surface-alloys formation in the Hf/W(100) adsorption system A. Trembulowicz, L. Jurczyszyn, Z. Szczudlo and A. Ciszewski (Wroclaw, Poland) . . . . .	246
High temperature thermoelectric properties of Bi <sub>2</sub> Sr <sub>2</sub> Co <sub>2</sub> O <sub>y</sub> /Ag composites S. Wang, Z. Bai, H. Wang, Q. Lü, J. Wang and G. Fu (Baoding, PR China) . . . . .	254
Properties of nanopillar structures prepared by dry etching of undoped GaN grown by maskless epitaxial overgrowth A.Y. Polyakov (Moscow, Russia), D.-W. Jeon (Chonju, Republic of Korea), A.V. Govorkov, N.B. Smirnov, V.N. Sokolov, E.A. Kozhukhova, E.B. Yakimov (Moscow, Russia) and I.-H. Lee (Chonju, Republic of Korea) . . . . .	258
Electrical characterization of nickel manganite powders in high-frequency range G.M. Stojanović, G. Kitić (Novi Sad, Serbia), S.M. Savić (Belgrade, Serbia) and V. Crnojević-Bengin (Novi Sad, Serbia) . . . . .	264
Observation of high coercivity in multiferroic lanthanum doped BiFeO <sub>3</sub> P. Suresh and S. Srinath (Hyderabad, India) . . . . .	271
Structural and magnetic properties of La <sub>2</sub> NiMnO <sub>6</sub> thin films on LaAlO <sub>3</sub> substrate with varying thickness D. Kumar (Dehradun, India) and D. Kaur (Roorkee, India) . . . . .	277



Ba <sub>0.69</sub> Sr <sub>0.17</sub> Cd <sub>0.07</sub> Zn <sub>0.07</sub> Fe <sub>12</sub> O <sub>19</sub> nanostructures/conducting polyaniline nanocomposites; synthesis, characterization and microwave absorption performance A. Tadjarodi (Tehran, Iran), H. Kerdari (Saveh, Iran) and M. Imani (Tehran, Iran) . . . . .	284
Optical properties change with the addition and diffusion of Bi to As <sub>2</sub> S <sub>3</sub> in the Bi/As <sub>2</sub> S <sub>3</sub> bilayer thin film R. Naik (Bhubaneswar, India), R. Ganesan and K.S. Sangunni (Bangalore, India) . . . . .	293
Double-perovskite multiferroic Bi <sub>2</sub> FeCrO <sub>6</sub> polycrystalline thin film: The structural, multiferroic, and ferroelectric domain properties L. Sha, J. Miao, S.Z. Wu, X.G. Xu, Y. Jiang and L.J. Qiao (Beijing, China) . . . . .	299
Anisotropic magnetization and resistivity of single crystalline RNi <sub>1-x</sub> Bi <sub>2+y</sub> (R = La–Nd, Sm, Gd–Dy) X. Lin, W.E. Straszheim, S.L. Bud'ko and P.C. Canfield (Ames, USA) . . . . .	304
Photoluminescence properties of M <sup>3+</sup> (M <sup>3+</sup> = Bi <sup>3+</sup> , Sm <sup>3+</sup> ) activated Na <sub>5</sub> Eu(WO <sub>4</sub> ) <sub>4</sub> red-emitting phosphors for white LEDs D. Huang, Y. Zhou, W. Xu, Z. Yang, Z. Liu, M. Hong (Fuzhou, People's Republic of China), Y. Lin (Beijing, People's Republic of China) and J. Yu (Fuzhou, People's Republic of China) . . . . .	312
Microstructure and transformation behaviour of Ni <sub>75-x</sub> Ti <sub>x</sub> Pd <sub>25</sub> high temperature shape memory alloys K.V. Ramaiah, C.N. Saikrishna (Bangalore, India), Gouthama (Kanpur, India) and S.K. Bhaumik (Bangalore, India) . . . . .	319
Anisotropic nature and scaling of thermally activated dissipation mechanism in Bi-2223 superconducting thin film G. Yildirim, A. Varilci and C. Terzioglu (Bolu, Turkey) . . . . .	327
Magnetic phase diagram of Heusler alloys Pd <sub>2</sub> Mn <sub>1+x</sub> Sn <sub>1-x</sub> Y. Chieda (Tagajo, Japan), T. Kanomata (Tagajo, Sendai, Japan), R.Y. Umetsu (Sendai, Japan), H. Okada (Tagajo, Japan), H. Nishihara (Otsu, Japan), A. Kimura (Higashi-Hiroshima, Japan), M. Nagasako, R. Kainuma (Sendai, Japan) and K.R.A. Ziebeck (UK) . . . . .	335
Influence of ZnO nano-inclusions on the transport properties of the CoSb <sub>3</sub> skutterudite C. Chubilleau, B. Lenoir, P. Masschelein, A. Dauscher, C. Candolfi (Nancy, France), E. Guilmeau (Caen, France) and C. Godart (Thiais, France) . . . . .	340
Study of order–disorder transitions in Fe–Ge alloys and related anelastic phenomena Z. Belamri, D. Hamana (Constantine, Algeria) and I.S. Golovin (Moscow, Russia) . . . . .	348
Room temperature ferromagnetism in Ni doped ZnS nanoparticles S. Kumar (Patiala, India), C.L. Chen (Taipei, Taiwan), C.L. Dong (Hsinchu, Taiwan), Y.K. Ho (Taipei, Hsinchu, Taiwan), J.F. Lee, T.S. Chan (Hsinchu, Taiwan), R. Thangavel (Taipei, Taiwan), T.K. Chen, B.H. Mok, S.M. Rao and M.K. Wu (Taipei, Taiwan) . . . . .	357
<i>Ab-initio</i> study of phase stability, thermodynamic and elastic properties of beryllium sulfide under extreme condition F. Wang, M. Zhou, P. Zhou (Chongqing, China) and Z. Zheng (Mianyang, China) . . . . .	363
Effect of CeO <sub>2</sub> on the crystallization behavior and magnetic properties of Zn-ferrite glass ceramics S.A.M. Abdel-Hameed, F.H. Margha and M.A. Ouis (Cairo, Egypt) . . . . .	371
Influence of In doping on the structure, stability and electrical conduction behavior of Ba(Ce,Ti)O <sub>3</sub> solid solution X. Chi, J. Zhang, Z. Wen, Y. Liu, M. Wu and X. Wu (Shanghai, PR China) . . . . .	378
Phase relationship of the TbO <sub>1.81</sub> –Mn <sub>3</sub> O <sub>4</sub> –Fe <sub>2</sub> O <sub>3</sub> system synthesized at 1200 °C R. Wang, C. Yang, M. Fan, M. Wu, C. Wang (Beijing, PR China), X. Yu, J. Zhu (Alamos, USA), J. Zhang (Ibaraki, Japan), G. Li (Beijing, PR China), Q. Huang (Gaithersburg (NIST), USA), D. Chen, T. Jin (Beijing, PR China), T. Kamiyama (Ibaraki, Japan), F. Liao and J. Lin (Beijing, PR China) . . . . .	385
Yb <sup>3+</sup> /Er <sup>3+</sup> codoped β-NaYF <sub>4</sub> microrods: Synthesis and tuning of multicolor upconversion D. Gao (Shaanxi, China), X. Zhang (Xi'an, China), H. Zheng, W. Gao and E. He (Shaanxi, China) . . . . .	395
Effects of oxygen ambient on dielectric and ferroelectric properties of lead free Li <sub>x</sub> (K <sub>0.5</sub> Na <sub>0.5</sub> ) <sub>(1-x)</sub> NbO <sub>3</sub> thin films derived from chemical solution deposition P. Ye, G. Liu, S. He, M. Cao, S. Kang, Y. Chen, S. Yan and L. Mei (Jinan, China) . . . . .	400
Studies of anisotropic magnetoresistance and magnetic property of Ni <sub>81</sub> Fe <sub>19</sub> ultra-thin films with the lower base vacuum S. Wang, T. Gao, C. Wang and J. He (Ji'nan, China) . . . . .	405
Crystal structure and electronic properties of the new compound U <sub>3</sub> Fe <sub>4</sub> Ge <sub>4</sub> D. Berthebaud, O. Tougait, M. Potel (Rennes, France), E.B. Lopes, J.C. Waerenborgh, A.P. Gonçalves (Sacavém, Portugal) and H. Noël (Rennes, France) . . . . .	408
High permeability and electromagnetic noise suppression characteristics of Fe–B–P sub-micron particle chains and their composites with NiZn–ferrite nanoparticles Ch. Yao (China, Japan), Y. Shimada, S. Muroga (Japan), G.W. Qin (China), S. Okamoto, O. Kitakami, Y. Endo and M. Yamaguchi (Japan) . . . . .	414
Synthesis of Al-rich bulk metallic glass composites by warm extrusion of gas atomized powders J.Q. Wang (Shenyang, PR China), P. Dong (Shenyang, Taiyuan, PR China), W.L. Hou, X.C. Chang and M.X. Quan (Shenyang, PR China) . . . . .	419
A systematic investigation of the mechanochemical decomposition of Ag oxalate in rod drop experiments G. Ligios, A.M. Bertetto and F. Delogu (Cagliari, Italy) . . . . .	426
Structural features and existence of three photon absorption in Ag doped TiO <sub>2</sub> nanoparticles, synthesized by sol–gel technique K.M. Rahulan, N. Padmanathan, L.D. Stephen and C.C. Kanakam (Chennai, India) . . . . .	432
Electronic structure of cage-type ternaries ARu <sub>2</sub> Al <sub>10</sub> – Theory and XPS experiment (A=Ce and U) M. Samsel-Czekala (Wrocław, Poland), E. Talik (Katowice, Poland), M. Pasturel (Rennes Cedex, France) and R. Troć (Wrocław, Poland) . . . . .	438
The effect of Mo on the glass forming ability, mechanical and magnetic properties of FePC ternary bulk metallic glasses X. Yang, X. Ma (Xinjiang, PR China), Q. Li (Xinjiang, Hunan, PR China) and S. Guo (Chongqing, PR China) . . . . .	446
Complex impedance and magnetoelectric effect analyses of a novel three-ply-structured (Tb <sub>0.3</sub> Dy <sub>0.7</sub> ) <sub>0.75</sub> Pr <sub>0.25</sub> Fe <sub>1.55</sub> –Pb(Zr <sub>0.53</sub> Ti <sub>0.47</sub> )O <sub>3</sub> nanoceramic composites H. Zhang (Suzhou, PR China), C.-L. Mak (Hong Kong, China), D. Zhang (Nanjing, China) and C. Liu (Suzhou, China) . . . . .	450