



Volume 555

5 April 2013  
ISSN 0925-8388

# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



ELSEVIER

Contents lists available at ScienceDirect

## Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jallcom](http://www.elsevier.com/locate/jallcom)

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Effect of doping on trapping center parameters in nanocrystalline CdSe thin films A.S. Al-Kabbi, K. Sharma, G.S.S. Saini and S.K. Tripathi (Chandigarh, India) . . . . .	1
Synthesis of novel core-shell Cu@Mo nanoparticles with good sinterability A. Sun, X. Dong, X. Wang, B. Duan and D. Wang (Changsha, China) . . . . .	6
Reversible sodiation in maricite NaMn <sub>1/3</sub> Co <sub>1/3</sub> Ni <sub>1/3</sub> PO <sub>4</sub> for renewable energy storage M. Minakshi and D. Meyrick (Murdoch, Australia) . . . . .	10
Magnetic properties, microstructure and corrosion behavior of Nd <sub>10</sub> Y <sub>1</sub> Fe <sub>85-x</sub> Nb <sub>3.5</sub> Ti <sub>0.5</sub> B <sub>x</sub> (x = 14–22) and Nd <sub>10</sub> Y <sub>1</sub> Fe <sub>69</sub> Nb <sub>3.5</sub> M <sub>0.5</sub> B <sub>16</sub> (M = Ti, Zr, Cr, Mo) bulk nanocrystalline magnets C. Wang, J.J. Chen, Y. Li, C.L. Luo and W.Z. Chen (Fuzhou, China) . . . . .	16
Synthesis and luminescent properties of color-tunable lanthanide complexes with 5-(pyridin-4-yl)isophthalic acid T. Song, X. Rao, Y. Cui, Y. Yang and G. Qian (Hangzhou, PR China) . . . . .	22
High performance Co <sub>80</sub> Zr <sub>15</sub> Ti <sub>3</sub> B <sub>2</sub> melt-spun ribbons Z. Hou (Changchun, People's Republic of China), S. Xu (Shenyang, PR China), J. Zhang, C. Wu, D. Liu, F. Su and W. Wang (Changchun, People's Republic of China) . . . . .	28
Ideal Ericsson cycle magnetocaloric effect in (La <sub>0.9</sub> Gd <sub>0.1</sub> ) <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> single crystalline nanoparticles J.C. Debnath (Australia, Auckland Park, South Africa), R. Zeng (Australia), A.M. Strydom (Auckland Park, South Africa), J.Q. Wang (Australia, Jinan, PR China) and S.X. Dou (Australia) . . . . .	33
Structural characterization and electrical properties of sintered magnesium-titanate ceramics S. Filipović, N. Obradović, J. Krstić, M. Šćepanović, V. Pavlović (Belgrade, Serbia), V. Paunović (Niš, Serbia) and M.M. Ristić (Belgrade, Serbia) . . . . .	39
Eu <sup>2+</sup> :SrMg <sub>1-x</sub> Mn <sub>x</sub> P <sub>2</sub> O <sub>7</sub> (x = 0–1) phosphors with tunable yellow–red emissions K. Li, D. Chen, R. Zhang, Y. Yu and Y. Wang (Fujian, PR China) . . . . .	45
Dielectric relaxations of LaAlO <sub>3</sub> ceramics over broad temperature range C. Lei, C. Wang, G. Wang, X. Sun, T. Li and L. Liu (Hefei, China) . . . . .	51
Structural, Raman and electrical studies of 2 at.% Dy-doped NBT M. Zannen, H. Khemakhem, A. Kabadou (Sfax, Tunisia) and M. Es-Souni (Kiel, Germany) . . . . .	56
Synthesis of Mg <sub>2</sub> SiO <sub>4</sub> :Eu <sup>3+</sup> by combustion method and investigating its luminescence properties K. Mostafavi, M. Ghahari (Tehran, Iran), S. Baghshahi (Qazvin, Iran) and A.M. Arabi (Tehran, Iran) . . . . .	62
Formation of spherical TiO <sub>2</sub> nanorod aggregates with multiple functions for dye-sensitized solar cells Z. Liu, X. Su, G. Hou, S. Bi, Z. Xiao and H. Jia (Xi'an, PR China) . . . . .	68
Controllable synthesis, formation mechanism and magnetic properties of hierarchical α-Fe <sub>2</sub> O <sub>3</sub> with various morphologies X. Zhang (Taiyuan, Beijing, Shijiazhuang, China), Y. Chen, H. Liu, Y. Wei (Shijiazhuang, China) and W. Wei (Taiyuan, China) . . . . .	74
Mechanism of lower activation energy for tetragonal ZrO <sub>2</sub> crystallite growth in the 3 mol% yttria partially stabilized zirconia (3Y-PSZ) precursor powders Y.-W. Hsu, K.-H. Yang, S.-W. Yeh and M.-C. Wang (Kaohsiung, Taiwan) . . . . .	82
The effects of the minority phase on phase separation in Fe–Sn hypermonotectic alloy L. Zhou, N. Wang, L. Zhang and W.J. Yao (Xi'an, People's Republic of China) . . . . .	88
Microemulsion-based synthesis of porous Co–Ni ferrite nanorods and their magnetic properties Y. Gao, Y. Zhao, Q. Jiao and H. Li (Beijing, PR China) . . . . .	95
Evolution of crystal structure and ferroic properties of La-doped BiFeO <sub>3</sub> ceramics near the rhombohedral-orthorhombic phase boundary D.V. Karpinsky (Aveiro, Portugal), I.O. Troyanchuk (Minsk, Belarus), M. Tovar (Berlin, Germany), V. Sikolenko (Karlsruhe, Germany, Dubna RU, Russia), V. Efimov (Dubna RU, Russia) and A.L. Kholkin (Aveiro, Portugal) . . . . .	101
A system dynamics model to estimate energy, temperature, and particle size in planetary ball milling A. Yazdani, M.J. Hadianfard and E. Salahinejad (Shiraz, Iran) . . . . .	108

Characterization of nano-structured Cu–6 wt.% Zr alloy produced by mechanical alloying and annealing methods M. Azimi and G.H. Akbari (Kerman, Iran) .....	112
Band gap, electronic and optical properties of Zn <sub>1-x</sub> Cr <sub>x</sub> S: An <i>ab initio</i> study Y. Huang, W. Jie and G. Zha (Xi'an, PR China) .....	117
Electro-optical and magnetic properties of monodispersed colloidal Cu <sub>2</sub> O nanoparticles M. Srivastava (Allahabad, India, Jeonbuk, Republic of Korea), J. Singh (Jeonbuk, Republic of Korea), R.K. Mishra and A.K. Ojha (Allahabad, India) .....	123
Comparative study of electrochemical performances of the as-melt Mg <sub>20</sub> Ni <sub>10-x</sub> M <sub>x</sub> (M = None, Cu, Co, Mn; x = 0, 4) alloys applied to Ni/metal hydride (MH) battery Y. Zhang, C. Zhao, T. Yang, H. Shang, C. Xu (Baotou, Beijing, PR China) and D. Zhao (Beijing, PR China) .....	131
The synthesis and thermal stability of CaKCe(PO <sub>4</sub> ) <sub>2</sub> phosphate. Phase equilibria in the CaKPO <sub>4</sub> –CePO <sub>4</sub> system A. Matraszek, I. Szczygiel and T. Znamierowska (Wrocław, Poland) .....	138
Microwave absorption properties of Nd <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> prepared using high-energy ball milling X. Feng, H. Wen and Y. Shen (Nanjing, China) .....	145
Synthesis and magnetocaloric properties of La <sub>0.7</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> nanoparticles with different sizes H. Yang, Y.H. Zhu, T. Xian and J.L. Jiang (Lanzhou, People's Republic of China) .....	150
Resonance magnetoelectric couplings of piezoelectric ceramic and ferromagnetic constant-elasticity alloy composites with different layer structures L. Chen, P. Li, Y. Wen and Y. Zhu (Chongqing City, People's Republic of China) .....	156
Preparation and characterization of a novel system of CdS nanoparticles embedded in borophosphate glass matrix S. Wageh (Jeddah, Saudi Arabia, Menouf, Egypt), A.M. El-Nahas, A.A. Higazy and M.A.M. Mahmoud (Shebin El-Kom, Egypt) .....	161
Further investigation of Ce <sub>0.9</sub> Sr <sub>0.1</sub> Cr <sub>0.5</sub> Fe <sub>0.5</sub> O <sub>3±δ</sub> as anode for solid oxide fuel cell fuelled with H <sub>2</sub> S X. Zhu (Jiangsu, Nanjing, PR China), Q. Zhong, D. Xu, H. Yan and W. Tan (Nanjing, PR China) .....	169
Dielectric, modulus and impedance spectroscopic studies of nanostructured CaCu <sub>2.70</sub> Mg <sub>0.30</sub> Ti <sub>4</sub> O <sub>12</sub> electro-ceramic synthesized by modified sol-gel route L. Singh, U.S. Rai and K.D. Mandal (Varanasi, India) .....	176
Experimental investigation of the 3Tl <sub>2</sub> Se + Sb <sub>2</sub> Te <sub>3</sub> ↔ 3Tl <sub>2</sub> Te + Sb <sub>2</sub> Se <sub>3</sub> phase diagram Y.I. Jafarov, M.B. Babanly (Azerbaijan), A.V. Shevelkov (Russia) and Z.S. Aliev (Azerbaijan) .....	184
Preparation, decoration and characterization of graphene sheets for methyl green adsorption A.A. Farghali (Beni-Suef, Egypt), M. Bahgat (Helwan, Egypt), W.M.A. El Rouby and M.H. Khedr (Beni-Suef, Egypt) .....	193
Effect of magnesium content and quenching rate on the phase structure and composition of rapidly solidified La <sub>2</sub> MgNi <sub>9</sub> metal hydride battery electrode alloy C.C. Nwakwuo, T. Holm (Trondheim, Norway), R.V. Denys, W. Hu, J.P. Maehlen (Kjeller, Norway), J.K. Solberg (Trondheim, Norway) and V.A. Yartys (Trondheim, Kjeller, Norway) .....	201
Nuclear magnetic resonance study of hydrogen dynamics in Y(BH <sub>4</sub> ) <sub>3</sub> A.V. Soloninin, A.V. Skripov (Ekaterinburg, Russia), Y. Yan and A. Remhof (Dübendorf, Switzerland) .....	209
Solution-growth and optoelectronic properties of ZnO:Cl@ZnS core-shell nanowires with tunable shell thickness J. Fan, C. Fábrega, R. Zamani, A. Shavel, F. Güell, A. Carrete, T. Andreu, A.M. López, J.R. Morante, J. Arbiol and A. Cabot (Barcelona, Spain) .....	213
Effect of extrusion temperature on texture evolution and recrystallization in extruded Mg–1% Mn and Mg–1% Mn–1.6%Sr alloys H. Borkar, R. Gauvin and M. Pekguleryuz (Quebec, Canada) .....	219
Synthesis of nanosize and sintered Mn <sub>0.3</sub> Ni <sub>0.3</sub> Zn <sub>0.4</sub> Fe <sub>2</sub> O <sub>4</sub> ferrite and their structural and dielectric studies U.B. Gawas, V.M.S. Verenkar (Goa, India), S.R. Barman (Madhya Pradesh, India), S.S. Meena and P. Bhatt (Mumbai, India) .....	225
Composition dependence of luminescence of Eu and Eu/Tb doped silicate glasses for LED applications C. Zhu (Shandong, PR China), S. Chaussedent (Angers Cedex, France), S. Liu, Y. Zhang (Shandong, PR China), A. Monteil, N. Gaumer (Angers Cedex, France) and Y. Yue (Shandong, PR China, Aalborg, Denmark) .....	232
Precipitation induced by diffusivity anisotropy in Sn grains under electron current stressing T.C. Huang, T.L. Yang, J.H. Ke, C.C. Li and C.R. Kao (Taiwan) .....	237
Growth mechanism, optical and photocatalytic properties of the ZnSe nanosheets constructed by the nanoparticles B. Feng (Changchun, Beijing, Siping, PR China), J. Yang, J. Cao, L. Yang, M. Gao, M. Wei (Siping, PR China), H. Zhai (Changchun, PR China), Y. Sun (Siping, PR China) and H. Song (Changchun, PR China) .....	241
Microstructure and properties of AlCrFeNiCoCu high entropy alloy prepared by powder metallurgy X.-W. Qiu (Deyang, China) .....	246
Output power enhancement of InGaN/GaN based green light-emitting diodes with high-density ultra-small In-rich quantum dots C.-H. Lu, Y.-C. Li, Y.-H. Chen, S.-C. Tsai, Y.-L. Lai, Y.-L. Li and C.-P. Liu (Tainan, Taiwan) .....	250
Micro structure and texture evolution during super plastic deformation of Mg–Re extruded alloy L. Li (Hengyang, PR China) .....	255
Influence of Pb doping on structural, electrical and magnetic properties of Sr-hexaferrites Z. Ullah, S. Atiq and S. Naseem (Lahore, Pakistan) .....	263
Hollow ZnO/Zn <sub>2</sub> SiO <sub>4</sub> /SiO <sub>2</sub> sub-microspheres with mesoporous shells: Synthesis, characterization, adsorption and photoluminescence Z.-m. Xu and Y.-x. Wang (Anhui, China) .....	268

Influence of cooling rate on the Fe intermetallic formation in an AA6063 Al alloy A. Verma, S. Kumar, P.S. Grant and K.A.Q. O'Reilly (Oxford, United Kingdom) .....	274
Nanocrystalline CoP thin film as a new anode material for lithium ion battery Y.-H. Cui (Mianyang, China), M.-Z. Xue, Z.-W. Fu (Shanghai, China), X.-L. Wang and X.-J. Liu (Mianyang, China) .....	283
The influence of $\alpha$ - and $\gamma$ -Al <sub>2</sub> O <sub>3</sub> phases on the thermoelectric properties of Al-doped ZnO L. Han, N.V. Nong, L.T. Hung, T. Holgate, N. Pryds (Roskilde, Denmark), M. Ohtaki (Fukuoka, Japan) and S. Linderoth (Roskilde, Denmark)	291
Color-tunable binary solid-solution phosphor, (Sr <sub>3</sub> SiO <sub>5</sub> ) <sub>1-x</sub> (Sr <sub>3</sub> AlO <sub>4</sub> F) <sub>x</sub> , for white LEDs: Energy transfer mechanism between Ce <sup>3+</sup> and Tb <sup>3+</sup> J.S. Lee, S. Unithrattil and W.B. Im (Gwangju, Republic of Korea) .....	297
Magnetic, thermal, and transport properties of single-crystalline U <sub>3</sub> Fe <sub>4</sub> Ge <sub>4</sub> M.S. Henriques (Sacavém, Portugal), D.I. Gorbunov (Prague, Czech Republic, Ekaterinburg, Russia), J.C. Waerenborgh (Sacavém, Portugal), L. Havela, A.V. Andreev (Prague, Czech Republic), Y. Skourski (Dresden, Germany) and A.P. Gonçalves (Sacavém, Portugal) .....	304
Reducing dislocations of thick AlGaN epilayer by combining low-temperature AlN nucleation layer on c-plane sapphire substrates W. Dang-Hui, H. Yue, X. Sheng-Rui, X. Tian-Han (Xi'an, China), W. Dang-Chao (Xianyang, China), Y. Ting-Zhen and Z. Ya-Ni (Xi'an, China)	311
Evidence of defect-mediated magnetic coupling on hydrogenated Co-doped ZnO M.P.F. de Godoy (São Carlos-SP, Brazil), A. Mesquita (Alfenas-MG, Brazil), W. Avansi (Araraquara-SP, Brazil), P.P. Neves (Alfenas-MG, Brazil), V.A. Chitta (São Paulo-SP, Brazil), W.B. Ferraz, M.A. Boselli (Uberlândia-MG, Brazil), A.C.S. Sabioni (Ouro Preto-MG, Brazil) and H.B. de Carvalho (Alfenas-MG, Brazil) .....	315
Ba <sub>4</sub> Mg[Si <sub>2</sub> N <sub>6</sub> ], Ba <sub>3</sub> Ca <sub>2</sub> [Si <sub>2</sub> N <sub>6</sub> ] and Ba <sub>1,6</sub> Sr <sub>3,4</sub> [Si <sub>2</sub> N <sub>6</sub> ] – Quaternary barium alkaline-earth silicon nitrides containing isolated nitridosilicate anions of [Si <sub>2</sub> N <sub>6</sub> ] <sup>10-</sup> H. Yamane and H. Morito (Sendai, Japan) .....	320
Direct vapor transport synthesis of ZnGa <sub>2</sub> O <sub>4</sub> nanowires with superior photocatalytic activity L.-C. Tien, C.-C. Tseng, Y.-L. Chen (Hualien, Taiwan) and C.-H. Ho (Taipei, Taiwan) .....	325
Structural, morphological, dielectrical, magnetic and impedance properties of Co <sub>1-x</sub> Mn <sub>x</sub> Fe <sub>2</sub> O <sub>4</sub> S.P. Yadav (Maharashtra, India), S.S. Shinde (Kolhapur, India), A.A. Kadam (Pune, India) and K.Y. Rajpure (Kolhapur, India) .....	330
First principles study of structural and vibrational properties of Ba <sub>2</sub> YTaO <sub>6</sub> in cubic and tetragonal phases Karandeep, H.C. Gupta and S. Kumar (New Delhi, India) .....	335
The effect of a small addition of boron on the sintering densification, microstructure and mechanical properties of powder metallurgy Ti-7Ni alloy S.D. Luo, Y.F. Yang, G.B. Schaffer and M. Qian (Brisbane, Australia) .....	339
Experimental investigation and thermodynamic calculations of the Al-Cu-Sb phase diagram D. Minić, M. Premović (Mitrovica, Serbia), V. Ćosović (Belgrade, Serbia), D. Manasijević, D. Živković, A. Kostov (Bor, Serbia) and N. Talijan (Belgrade, Serbia) .....	347
Tensile deformation behaviors and damping properties of small-sized Cu-Zr-Al metallic glasses W. Liao, Y. Zhao, J. He and Y. Zhang (Beijing, China) .....	357
Calculation of the lattice constant of hexagonal compounds with two dimensional search of equation of state and with semilocal functionals a new package (2D-optimize) A.H. Reshak (Nove Hradý, Czech Republic, Perlis, Malaysia) and M. Jamal (Tehran, Iran) .....	362
Microstructure, phase transition and tribological performances of Ni <sub>3</sub> Si-based self-lubricating composite coatings M. Niu (Lanzhou, Beijing, PR China), Q. Bi, S. Zhu, J. Yang and W. Liu (Lanzhou, PR China) .....	367
Reaction synthesis of TiSi <sub>2</sub> and Ti <sub>5</sub> Si <sub>3</sub> by ball-milling and shock loading and their photocatalytic activities J. Liu, Y. Bai, P. Chen, N. Cui and H. Yin (Beijing, China) .....	375
Mobilities and diffusivities for bcc Nb-W, Nb-Ta, Zr-Mo and Zr-Hf alloys Y. Liu, G. Wang (Guangdong, PR China), J. Wang (Guangxi, PR China) and Z. Kang (Atlanta, USA) .....	381
Effects of calcination temperature on the piezoelectric properties of lead-free Ag doped (Na,K)NbO <sub>3</sub> -LiTaO <sub>3</sub> piezoelectric ceramics D.-J. Shin and J.-H. Koh (Seoul, Republic of Korea) .....	390
Effects of Sn substitution on structural and electrical properties of BaSn <sub>0,75</sub> M <sub>0,25</sub> O <sub>3-<math>\delta</math></sub> (M = Sc, In, Y, Gd, Nd...) Y. Wang (Taiyuan, PR China), A. Chesnaud (Evry Cedex, France), E. Bévilion (Châtenay-Malabry Cedex, France), J. Xiong and J. Yang (Taiyuan, PR China) .....	395
Low-temperature sintering and properties of Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> /Ni <sub>0,37</sub> Cu <sub>0,20</sub> Zn <sub>0,43</sub> Fe <sub>1,92</sub> O <sub>3,88</sub> composites H. Yang, Y. Yang, L. Lu and Y. Lin (Shaanxi, China) .....	402
Facile synthesis of Nb-Al alloy powders via sodiothermic reduction in molten salts C. Du, N. Wang, J. Hou, S. Jiao and H. Zhu (Beijing, China) .....	405
Keywords .....	III