

Volume 556

15 April 2013  
ISSN 0925-8388



# Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal  
of Materials Science and  
Solid-State Chemistry and Physics**

**EDITOR-IN-CHIEF**

L. SCHULTZ

**EDITORS**

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE

C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



Contents lists available at ScienceDirect

# Journal of Alloys and Compounds

journal homepage: [www.elsevier.com/locate/jallcom](http://www.elsevier.com/locate/jallcom)

## Contents

**Abstracting Services** Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.<sup>®</sup> Full text available on ScienceDirect.<sup>®</sup>

Blue-shift of UV emission in ZnO/graphene composites J. Yang, X. Zhao (Siping, People's Republic of China), X. Shan (Changchun, People's Republic of China), H. Fan, L. Yang, Y. Zhang and X. Li (Siping, People's Republic of China) . . . . .	1
Green and red long lasting phosphorescence (LLP) in $\gamma$ -Zn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> :Mn <sup>2+</sup> /Ga <sup>3+</sup> Z. Liu and R. Zhong (Qinhuangdao, China) . . . . .	6
Synthesis and characterization of LTCC composites based on the spodumene/anorthite crystallizable glass L. He, G. Xia and D. Yang (Tianjin, PR China) . . . . .	12
Phase formation, sintering behavior and magnetic property of Bi–Co–Ti substituted M-type barium hexaferrite W. Zhang, Y. Bai, X. Han, L. Wang, X. Lu, L. Qiao, J. Cao and D. Guo (Beijing, China) . . . . .	20
Enhanced ductility of the ZA85 magnesium alloy fabricated by equal-channel angular pressing C.-Y. Lin (Hsinchu City, Taiwan), H.-Y. Bor (Taoyuan County, Taiwan), C.-G. Chao and T.-F. Liu (Hsinchu City, Taiwan) . . . . .	26
Re effects on phase stability and mechanical properties of Mo <sub>55</sub> +Mo <sub>3</sub> Si+Mo <sub>5</sub> SiB <sub>2</sub> alloys Y. Yang, H. Bei (Oak Ridge, USA), J. Tiley (Wright-Patterson AFB, USA) and E.P. George (Oak Ridge, Knoxville, USA) . . . . .	32
Cadmium tin oxide thin films deposited by RF magnetron sputtering for photovoltaic applications T. Meng, B. McCandless, W. Buchanan, E. Kimberly and R. Birkmire (Newark, United States) . . . . .	39
Kinetics and modeling studies of the CaH <sub>2</sub> /LiBH <sub>4</sub> , MgH <sub>2</sub> /LiBH <sub>4</sub> , Ca(BH <sub>4</sub> ) <sub>2</sub> and Mg(BH <sub>4</sub> ) <sub>2</sub> systems A.A. Ibikunle, S.T. Sabitu and A.J. Goudy (Dover, USA) . . . . .	45
Effect of a small addition of Cr on soft magnetic and mechanical properties of Fe–49Co–2V alloy C. Hou, Y. Shan, H. Wu and X. Bi (Beijing, China) . . . . .	51
Hydrothermal-synthesized NiO nanowall array for lithium ion batteries X. Yan, X. Tong, J. Wang, C. Gong, M. Zhang and L. Liang (Taiyuan, PR China) . . . . .	56
Ti/Ni/Ti/Au Ohmic contact and Schottky transformation to Al-doped ZnO thin films J.L. Gu, Y.F. Lu, J. Zhang, L.X. Chen and Z.Z. Ye (Hangzhou, People's Republic of China) . . . . .	62
The modifier/former role of MoO <sub>3</sub> in some calcium-phosphate glasses D. Toloman, R. Ciceo-Lucacel, D.A. Magdas, A. Regos, A.R. Biris, C. Leostean and I. Ardelean (Cluj-Napoca, Romania) . . . . .	67
Competition balance between mesoporous self-assembly and crystallization of zeolite: A key to the formation of mesoporous zeolite H. Li (Jiangsu Province, PR China), H. Wu (Fujian Province, PR China) and J.-I. Shi (Shanghai, PR China) . . . . .	71
Effect of W and Zr on structural, thermal and magnetic properties of AlCoCrCuFeNi high entropy alloy N.H. Tariq, M. Naem, B.A. Hasan, J.I. Akhter and M. Siddique (Islamabad, Pakistan) . . . . .	79
The mechanical and thermo-physical properties and electronic structures of SnS and SnSe in orthorhombic structure X. He, H. Shen, W. Wang, Z. Wang, B. Zhang and X. Li (Nanjing, China) . . . . .	86
Effects of annealing on luminescence of CaWO <sub>4</sub> :Eu <sup>3+</sup> nanoparticles and its thermoluminescence study K. Gayatri Sharma, N. Shanta Singh, Y. Rangeela Devi, N. Rajmuhon Singh and Sh. Dorendrajit Singh (Manipur, India) . . . . .	94
Controllable synthesis and optical properties of nano-CeO <sub>2</sub> via a facile hydrothermal route F. Meng (Hefei, Dalian, PR China), L. Wang (Hefei, PR China) and J. Cui (Little Rock, USA) . . . . .	102
Magnetization study of single-crystalline ErFe <sub>5</sub> Al <sub>7</sub> D.I. Gorbunov (Prague, Czech Republic), (Ekaterinburg, Russia) and A.V. Andreev (Prague, Czech Republic) . . . . .	109
Predicted crystal structures of molybdenum under high pressure B. Wang, G.B. Zhang (Kaifeng, People's Republic of China) and Y.X. Wang (Kaifeng, Guiyang, People's Republic of China) . . . . .	116
Dye-sensitized solar cell based on AZO/Ag/AZO multilayer transparent conductive oxide film J.-H. Qi, Y. Li (Shanghai, PR China), T.-T. Duong, H.-J. Choi and S.-G. Yoon (Daejeon, Republic of Korea) . . . . .	121
Effects of mechanical grinding and low temperature annealing on crystal structure of Er <sub>5</sub> Si <sub>4</sub> Q. Cao, L.S. Chumbley, Y. Mudryk, M. Zou, V.K. Pecharsky and K.A. Gschneidner Jr. (Ames, USA) . . . . .	127

Synthesis of Eu and Dy doped Sr <sub>3</sub> B <sub>2</sub> SiO <sub>8</sub> using solid state reaction and investigation of radio and photoluminescence properties of these materials İ. Şabikoğlu (Manisa, Turkey) . . . . .	135
Effect of Al thin film and Ni foil interlayer on diffusion bonded Mg–Al dissimilar joints J. Zhang, G. Luo, Y. Wang (Wuhan, PR China), Y. Xiao (Aachen, Germany), Q. Shen and L. Zhang (Wuhan, PR China) . . . . .	139
MgB <sub>2</sub> inclusions in Bi-2223 matrix: The evaluation of microstructural, mechanical and superconducting properties of new system, Bi-2223+MgB <sub>2</sub> M. Dogruer, G. Yildirim, A. Varilci and C. Terzioglu (Bolu, Turkey) . . . . .	143
Synthesis of wurtzite ZnS nanoparticles using the microwave assisted solvothermal method F.A. La Porta (Araraquara, Brazil, Castelló de la Plana, Spain), M.M. Ferrer, Y.V.B. de Santana, C.W. Raubach (São Carlos, Brazil), V.M. Longo (Araraquara, Brazil), J.R. Sambrano (Bauru, Brazil), E. Longo (Araraquara, Brazil), J. Andrés (Castelló de la Plana, Spain), M.S. Li (São Paulo, Brazil) and J.A. Varela (Araraquara, Brazil) . . . . .	153
First-principles study on ferrite/TiC heterogeneous nucleation interface J. Yang, P. Zhang, Y. Zhou, J. Guo (Qinhuangdao, China), X. Ren (Liverpool, UK), Y. Yang and Q. Yang (Qinhuangdao, China) . . . . .	160
Effects of mould temperature and grain refiner amount on microstructure and tensile properties of thixoforged AZ63 magnesium alloy T.J. Chen, L.K. Huang, X.F. Huang, Y. Ma and Y. Hao (Lanzhou, China) . . . . .	167
Luminescence, structural and ferromagnetic properties of Zn <sub>1-x</sub> Mn <sub>x</sub> S <sub>y</sub> films for different manganese contents W.-S. Ni, Y.-J. Lin, C.-J. Liu, Y.-W. Yang and L. Horng (Changhua, Taiwan) . . . . .	178
Effect of crystal structure on optical properties of sol–gel derived zirconia thin films X. Wang, G. Wu, B. Zhou and J. Shen (Shanghai, PR China) . . . . .	182
On the perfect MgH <sub>2</sub> (–Nb,–Zr) systems and the influence of vacancy-like defects on their structural properties. A self-consistent first principle calculations study of the electron and positron parameters C.R. Luna, E. Germán, C. Macchi (Tandil, Argentina), A. Juan (Bahía Blanca, Argentina) and A. Somoza (Tandil, Argentina) . . . . .	188
Ambient synthesis and optoelectronic properties of copper iodide semiconductor nanoparticles B. Sharma and M.K. Rabinal (Dharwad, India) . . . . .	198
Experimental investigation and thermodynamic modeling of molybdenum and vanadium-containing carbide hardened iron-based alloys E. Cabrol, C. Bellot (Albi Cedex, Les Ancizes, France), P. Lamesle, D. Delagnes (Albi Cedex, France) and E. Povoden-Karadeniz (Vienna, Austria) . . . . .	203
Subsolidus phase relations in the SrO–CuO–TiO <sub>2</sub> ternary system at 950 °C in air S.-Y. Lee, H.E. Kim and S.-I. Yoo (Seoul, Republic of Korea) . . . . .	210
Theoretical investigations on phase stability, elastic constants and electronic structures of DO <sub>22</sub> - and L1 <sub>2</sub> -Al <sub>3</sub> Ti under high pressure J. Li, M. Zhang and X. Luo (Xi'an, China) . . . . .	214
Luminescence properties and energy transfer mechanism of Er <sup>3+</sup> /Tm <sup>3+</sup> co-doped tellurite glasses X. Xu, Y. Zhou, S. Zheng, D. Yin and X. Wang (Zhejiang, China) . . . . .	221
Suppressed spin-density-wave transition and enhanced electrical conductivity in chlorine doped Ca <sub>3</sub> Co <sub>4</sub> O <sub>9-x</sub> Cl <sub>x</sub> ceramics D. Dai, B. Zhao, Y. Huang, Y. Sun, A. Xie and Y. Shen (Hefei, People's Republic of China) . . . . .	228
Invariant reactions, monovariant liquidus projections and their topological relations for isobaric multicomponent systems Y. Liu (Guangdong, PR China) and Z. Kang (Atlanta, USA) . . . . .	234
Microstructure evolution in undercooled Al–8wt%Fe melts: Comparison between terrestrial and parabolic flight conditions J. Chen (Alberta, Canada), R. Lengsdorf (Köln, Germany), H. Henein (Alberta, Canada), D.M. Herlach (Köln, Germany), U. Dahlborg and M. Calvo-Dahlborg (France) . . . . .	243
Temperature-dependent current–voltage characteristics of Er-silicide Schottky contacts to strained Si-on-insulator I. Jyothi, M.-W. Seo, V. Janardhanam, K.-H. Shim, Y.-B. Lee (Jeonju, Republic of Korea), K.-S. Ahn (Gyeongsan, Republic of Korea) and C.-J. Choi (Jeonju, Republic of Korea) . . . . .	252
Band structure, density of states, and crystal chemistry of ZrGa <sub>2</sub> and ZrGa <sub>3</sub> single crystals A.H. Reshak (Nove Hradky, Czech Republic, Perlis, Malaysia), G. Lakshminarayana (Los Alamos, USA), J. Ebothe (Reims cedex, France), A.O. Fedorchuk, M.F. Fedyna (Lviv, Ukraine), H. Kamarudin (Perlis, Malaysia), P. Mandracci (Torino, Italy) and S. Auluck (New Delhi, India) . . . . .	259
Electrochemical evaluation of dual-doped LiMn <sub>2</sub> O <sub>4</sub> spinels synthesized via co-precipitation method as cathode material for lithium rechargeable batteries R. Thirunakaran, R. Ravikumar, S. Gopukumar and A. Sivashanmugam (Karaikudi, India) . . . . .	266
Wetting of B <sub>4</sub> C by molten Ni at 1753 K Q. Lin (Lanzhou, Changchun, PR China) and R. Sui (Lanzhou, PR China) . . . . .	274
Experimental determination of phase equilibria in the Co–V–Mo ternary system J.J. Ruan, C.C. Zhao, Y. Yu, S.Y. Yang, C.P. Wang and X.J. Liu (Xiamen, PR China) . . . . .	280
Magnetic anisotropy and spin-glass behavior in spin-chain compound Ca <sub>3</sub> Co <sub>1.62</sub> Mn <sub>0.38</sub> O <sub>6</sub> S.S. Sheng, Z.W. Ouyang, J. Chen, M.Y. Ruan, X.M. Shi and Z.C. Xia (Wuhan, People's Republic of China) . . . . .	287
Sinterability and mechanical properties of plasma-sintered beryllides with different Ti contents J.-H. Kim and M. Nakamichi (Aomori, Japan) . . . . .	292
Phase equilibria of the Al–Mn–Zn system at 600 °C H. Xu, F. Zhang (Hunan, PR China), H.-L. Chen (Stockholm, Sweden), X. Xiong (Hunan, PR China), J.L. Liang (Guangxi, PR China), F. Yin (Xiangtan, PR China), Y. Du and Z. Jin (Hunan, PR China) . . . . .	296
Keywords . . . . .	III