


21 March 2015

Volume 142 Number 11

AIP | The Journal of Chemical Physics



Volume 142, Issue 11, 21 March 2015

ARTICLES

Theoretical Methods and Algorithms

Deep proton tunneling in the electronically adiabatic and non-adiabatic limits: Comparison of the quantum and classical treatment of donor-acceptor motion in a protein environment

Abdelkrim Benabbas, Bridget Salna, J. Timothy Sage and Paul M. Champion
J. Chem. Phys. **142**, 114101 (2015); <http://dx.doi.org/10.1063/1.4913591>

Relativistic four-component calculations of indirect nuclear spin-spin couplings with efficient evaluation of the exchange-correlation response kernel

Anežka Křístková, Stanislav Komorovsky, Michal Repisky, Vladimir G. Malkin and Olga L. Malkina
J. Chem. Phys. **142**, 114102 (2015); <http://dx.doi.org/10.1063/1.4913639>

An elementary singularity-free Rotational Brownian Dynamics algorithm for anisotropic particles

Ioana M. Ilie, Wim J. Briels and Wouter K. den Otter
J. Chem. Phys. **142**, 114103 (2015); <http://dx.doi.org/10.1063/1.4914322>

One-electron reduced density matrices of strongly correlated harmonium atoms

Jerzy Cioslowski
J. Chem. Phys. **142**, 114104 (2015); <http://dx.doi.org/10.1063/1.4914171>

The Coulomb, exchange, and correlation components of the electron-electron repulsion in harmonium atoms

Jerzy Cioslowski
J. Chem. Phys. **142**, 114105 (2015); <http://dx.doi.org/10.1063/1.4914021>

Iterative universal state selective correction for the Brillouin-Wigner multireference coupled-cluster theory

Subrata Banik, Lalitha Ravichandran, Jiří Brabec, Ivan Hubač, Karol Kowalski and Jiří Pittner
J. Chem. Phys. **142**, 114106 (2015); <http://dx.doi.org/10.1063/1.4914311>

3D RISM theory with fast reciprocal-space electrostatics

Jochen Heil and Stefan M. Kast
J. Chem. Phys. **142**, 114107 (2015); <http://dx.doi.org/10.1063/1.4914321>

Theoretical and numerical investigations of inverse patchy colloids in the fluid phase

Yurij V. Kalyuzhnyi, Emanuela Bianchi, Silvano Ferrari and Gerhard Kahl
J. Chem. Phys. **142**, 114108 (2015); <http://dx.doi.org/10.1063/1.4914345>

Molecular response properties from a Hermitian eigenvalue equation for a time-periodic Hamiltonian

Filip Pawłowski, Jeppe Olsen and Poul Jorgensen
J. Chem. Phys. **142**, 114109 (2015); <http://dx.doi.org/10.1063/1.4913364>

On the convergence of diffusion Monte Carlo in non-Euclidean spaces. I. Free diffusion

E. Curotto and Massimo Mella
J. Chem. Phys. **142**, 114110 (2015); <http://dx.doi.org/10.1063/1.4914515>

On the convergence of diffusion Monte Carlo in non-Euclidean spaces. II. Diffusion with sources and sinks

E. Curotto and Massimo Mella
J. Chem. Phys. **142**, 114111 (2015); <http://dx.doi.org/10.1063/1.4914516>

Optimized molecular reconstruction procedure combining hybrid reverse Monte Carlo and molecular dynamics

Colin Bousige, Alexandru Boțan, Franz-Josef Ulm, Roland J.-M. Pellenq and Benoît Coasne
J. Chem. Phys. **142**, 114112 (2015); <http://dx.doi.org/10.1063/1.4914921>

Polarizable embedding with a multiconfiguration short-range density functional theory linear response method

Erik Donovan Hedegård, Jógvan Magnus Haugaard Olsen, Stefan Knecht, Jacob Kongsted and Hans Jørgen Aagaard Jensen
J. Chem. Phys. **142**, 114113 (2015); <http://dx.doi.org/10.1063/1.4914922>

Quantum Monte Carlo estimation of complex-time correlations for the study of the ground-state dynamic structure function

R. Rota, J. Casulleras, F. Mazzanti and J. Boronat
J. Chem. Phys. **142**, 114114 (2015); <http://dx.doi.org/10.1063/1.4914995>

A unified approach to computation of solid and liquid free energy to revisit the solid-fluid equilibrium of Lennard-Jones chains

Bart Vorselaars
J. Chem. Phys. **142**, 114115 (2015); <http://dx.doi.org/10.1063/1.4914318>

The same number of optimized parameters scheme for determining intermolecular interaction energies

Kasper Kristensen, Patrick Ettenhuber, Janus Juul Eriksen, Frank Jensen and Poul Jørgensen
J. Chem. Phys. **142**, 114116 (2015); <http://dx.doi.org/10.1063/1.4915141>

Order and correlation contributions to the entropy of hydrophobic solvation

Maoyuan Liu, Quinn Alexander Besford, Thomas Mulvaney and Angus Gray-Weale
J. Chem. Phys. **142**, 114117 (2015); <http://dx.doi.org/10.1063/1.4908532>

Advanced Experimental Techniques

Wavelength dependent resonance Raman band intensity of broadband stimulated Raman spectroscopy of malachite green in ethanol

Qiongyan Cen (岑琼燕), Yuhan He (何玉韩), Mei Xu (徐媚), Jingjing Wang (王静静) and Zhaohui Wang (王朝晖)
J. Chem. Phys. **142**, 114201 (2015); <http://dx.doi.org/10.1063/1.4914188>

Atoms, Molecules, and Clusters

Infrared spectroscopy of the methanol cation and its methylene-oxonium isomer

J. D. Mosley, J. W. Young, M. Huang, A. B. McCoy and M. A. Duncan
J. Chem. Phys. **142**, 114301 (2015); <http://dx.doi.org/10.1063/1.4914146>

High-resolution laser spectroscopy and magnetic effect of the $B^2E' \leftarrow X^2A_2'$ transition of the ^{15}N substituted nitrate radical

Kohei Tada, Kanon Teramoto, Takashi Ishiwata, Eizi Hirota and Shunji Kasahara
J. Chem. Phys. **142**, 114302 (2015); <http://dx.doi.org/10.1063/1.4914331>

Atoms, Molecules, and Clusters

Barrierless proton transfer across weak $\text{CH}\cdots\text{O}$ hydrogen bonds in dimethyl ether dimer

Bruce L. Yoder, Ksenia B. Bravaya, Andras Bodi, Adam H. C. West, Bálint Sztáray and Ruth Signorell
J. Chem. Phys. **142**, 114303 (2015); <http://dx.doi.org/10.1063/1.4914456>

Dissociative recombination and mutual neutralization of heavier molecular ions: $\text{C}_{10}\text{H}_8^+$, WF_5^+ , and C_nF_m^+

Justin P. Wiens, Nicholas S. Shuman and Albert A. Viggiano
J. Chem. Phys. **142**, 114304 (2015); <http://dx.doi.org/10.1063/1.4913829>

Excitonic optical properties of wurtzite ZnS quantum dots under pressure

Zaiping Zeng, Christos S. Garoufalos, Sotirios Baskoutas and Gabriel Bester
J. Chem. Phys. **142**, 114305 (2015); <http://dx.doi.org/10.1063/1.4914473>

Proton transfer in histidine-tryptophan heterodimers embedded in helium droplets

Bruno Bellina, Daniel J. Merthe and Vitaly V. Kresin
J. Chem. Phys. **142**, 114306 (2015); <http://dx.doi.org/10.1063/1.4914902>

Effect of solvent on the charging mechanisms of poly(ethylene glycol) in droplets

Sepideh Soltani, Myong In Oh and Styliani Consta
J. Chem. Phys. **142**, 114307 (2015); <http://dx.doi.org/10.1063/1.4914923>

Rotational study of the $\text{NH}_3\text{-CO}$ complex: Millimeter-wave measurements and *ab initio* calculations

L. A. Surin, A. Potapov, A. A. Dolgov, I. V. Tarabukin, V. A. Panfilov, S. Schlemmer, Y. N. Kalugina, A. Faure and A. van der Avoird
J. Chem. Phys. **142**, 114308 (2015); <http://dx.doi.org/10.1063/1.4915119>

Ultraviolet relaxation dynamics of aniline, *N,N*-dimethylaniline and 3,5-dimethylaniline at 250 nm

James O. F. Thompson, Lisa Saalbach, Stuart W. Crane, Martin J. Paterson and Dave Townsend
J. Chem. Phys. **142**, 114309 (2015); <http://dx.doi.org/10.1063/1.4914330>

Formation of ultracold $^7\text{Li}^{85}\text{Rb}$ molecules in the lowest triplet electronic state by photoassociation and their detection by ionization spectroscopy

Adeel Altaf, Sourav Dutta, John Lorenz, Jesús Pérez-Ríos, Yong P. Chen and D. S. Elliott
J. Chem. Phys. **142**, 114310 (2015); <http://dx.doi.org/10.1063/1.4914917>

Application of vibrational correlation formalism to internal conversion rate: Case study of $\text{Cu } n$ ($n = 3, 6,$ and 9) and H_2/Cu_3

Sandro Giuseppe Chiodo and Tzonka Mineva
J. Chem. Phys. **142**, 114311 (2015); <http://dx.doi.org/10.1063/1.4915127>

Ab initio calculations of the electronic structure of the low-lying states for the ultracold LiYb molecule

Samir N. Tohme, Mahmoud Korek and Ramadan Awad
J. Chem. Phys. **142**, 114312 (2015); <http://dx.doi.org/10.1063/1.4914472>

Liquids, Glasses, and Crystals

Discrete perturbation theory for continuous soft-core potential fluids

L. A. Cervantes, G. Jaime-Muñoz, A. L. Benavides, J. Torres-Arenas and F. Sastre
J. Chem. Phys. **142**, 114501 (2015); <http://dx.doi.org/10.1063/1.4909550>

Interpreting the nonlinear dielectric response of glass-formers in terms of the coupling model

K. L. Ngai
J. Chem. Phys. **142**, 114502 (2015); <http://dx.doi.org/10.1063/1.4913980>

Molecular ring rotation in solid ferrocene revisited

Markus Appel, Bernhard Frick, Tinka Luise Spehr and Bernd Stühn
J. Chem. Phys. **142**, 114503 (2015); <http://dx.doi.org/10.1063/1.4915067>

Revealing and resolving degeneracies in stretching exponents in temporally heterogeneous environments

Kevin Stokely, Alyssa S. Manz and Laura J. Kaufman
J. Chem. Phys. **142**, 114504 (2015); <http://dx.doi.org/10.1063/1.4915267>

Surfaces, Interfaces, and Materials

Surface thermodynamics of planar, cylindrical, and spherical vapour-liquid interfaces of water

Gabriel V. Lau, Ian J. Ford, Patricia A. Hunt, Erich A. Müller and George Jackson
J. Chem. Phys. **142**, 114701 (2015); <http://dx.doi.org/10.1063/1.4913371>

Polymers and Soft Matter

Polymers encapsulated in short single wall carbon nanotubes: Pseudo-1D morphologies and induced chirality

Sunil Kumar, Sudip K. Pattanayek and Gerald G. Pereira
J. Chem. Phys. **142**, 114901 (2015); <http://dx.doi.org/10.1063/1.4914463>

Chain architecture and micellization: A mean-field coarse-grained model for poly(ethylene oxide) alkyl ether surfactants

Fabián A. García Daza, Alexander J. Colville and Allan D. Mackie
J. Chem. Phys. **142**, 114902 (2015); <http://dx.doi.org/10.1063/1.4913960>

Co-non-solvency: Mean-field polymer theory does not describe polymer collapse transition in a mixture of two competing good solvents

Debashish Mukherji, Carlos M. Marques, Torsten Stuehn and Kurt Kremer
J. Chem. Phys. **142**, 114903 (2015); <http://dx.doi.org/10.1063/1.4914870>

Modeling the effects of pH and ionic strength on swelling of polyelectrolyte gels

A. D. Drozdov and J. deClaville Christiansen
J. Chem. Phys. **142**, 114904 (2015); <http://dx.doi.org/10.1063/1.4914924>

Fragmentation and depolymerization of non-covalently bonded filaments

A. Zaccone, I. Terentjev, L. Di Michele and E. M. Terentjev
J. Chem. Phys. **142**, 114905 (2015); <http://dx.doi.org/10.1063/1.4914925>

Polymers and Soft Matter

Water uptake profile in a model ion-exchange membrane: Conditions for water-rich channels

Daniel C. Herbst, Thomas A. Witten, Tsung-Han Tsai, E. Bryan Coughlin, Ashley M. Maes and Andrew M. Herring
J. Chem. Phys. **142**, 114906 (2015); <http://dx.doi.org/10.1063/1.4914512>

Biological Molecules and Networks

Nonlinear vs. linear biasing in Trp-cage folding simulations

Vojtěch Spiwok, Pavel Oborský, Jana Pazúriková, Aleš Křenek and Blanka Králová
J. Chem. Phys. **142**, 115101 (2015); <http://dx.doi.org/10.1063/1.4914828>