



Volume 406

15 November 2014

ISSN 0022-0248

JOURNAL OF

# CRYSTAL GROWTH

EDITORS:

T.F. KUECH (Principal Editor),  
University of Wisconsin-Madison

R.S. FEIGELSON, Stanford University

K. NAKAJIMA, Kyoto University

G.B. STRINGFELLOW,  
University of Utah

FOUNDING EDITOR: M. SCHIEBER

CO-FOUNDERS: N. CABRERA, B. CHALMERS,  
F.C. FRANK

FORMER ADVISOR: R.A. LAUDISE<sup>†</sup>

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**



Abstracted/Indexed in: Aluminium Industry Abstracts; Chemical Abstracts; Current Contents: Physical, Chemical and Earth Sciences; EI Compendex Plus; Engineered Materials Abstracts; Engineering Index: INSPEC; Metals Abstracts. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

## CONTENTS

### Classical semiconductors

The influence of growth temperature on Sb incorporation in InAsSb, and the temperature-dependent impact of Bi surfactants

W.L. Sarney, S.P. Svensson, E.M. Anderson, A.M. Lundquist, C. Pearson and J.M. Millunchick

Graphene mediated growth of polycrystalline indium phosphide nanowires and monocrystalline-core, polycrystalline-shell silicon nanowires on copper

K.J. Norris, M. Garrett, E. Coleman, G.S. Tompa, J. Zhang and N.P. Kobayashi

Effect of silicon delta-doping density on optical properties of type-II InAs/GaAsSb quantum dots

Y. Kim, K.-Y. Ban, D. Kuciauskas, P.C. Dippo and C.B. Honsberg

Single-crystalline Bi<sub>2</sub>Te<sub>3</sub> nanosheets with uniform morphology via a simple, efficient, and high-yield microwave-assisted synthesis

Z. Li, R. Teng, S. Zheng, Y. Zhang, T. Huang and G. Lu

4选择性纳米区域刻蚀和局部再生长的InP/InGaAs由MOVPE

N. Kuznetsova, I.V. Kulkova, E.S. Semenova, S. Kadhdadzadeh, N.V. Kryzhanovskaya, A.E Zhukov and K. Yvind

### Electronic materials

Synthesis and characterization of indium monoselenide nanosheets: A proposed pseudo top-down mechanism

M.A. Airo, S. Gqoba, M.P. Kalenga, S. Govindraju, M.J. Moloto and N. Moloto

MBE growth of germanium nanowires along <110>

J. Schmidtbauer, R. Bansen, R. Heimburger, T. Teubner and T. Boeck

Defect structure of a free standing GaN wafer grown by the ammonothermal method

S. Sintonen, S. Suihkonen, H. Jussila, H. Lipsanen, T.O. Tuomi, E. Letts, S. Hoff and T. Hashimoto

### Solution growth; industrial biological and molecular crystallization

Simple and rapid green synthesis of micrometer scale single crystalline gold nanoplates using chitosan as the reducing agent

S. Alex, K. Tian, S. Teng, G. Siegel and A. Tiwari

Exploration of crystal simulation potential by fluconazole isomorphism and its application in improvement of pharmaceutical properties

A. Thakur, D. Kumar, R. Thipparaboina and N.R. Shastri

18

Evaluation of the difficulty of crystallization of organic compounds using the critical supersaturation ratio ( $S^*$ )

D. Nagamatsu, Y. Ida and H. Takiyama

48

Thin interface analysis of a phase-field model for epitaxial growth with nucleation and Ehrlich-Schwoebel effects

X.L. Dong, H. Xing, C.L. Chen, B.C. Luo, Z. Chen, R.L. Zhang and K.X. Jin

59

Anisotropic solid-liquid interfacial energy measurement by grain boundary groove method

L. Wang, X. Lin, M. Wang and W. Huang

85

### General subjects

Structural properties of ZnO nanowires directly grown on a carbon film in ZnCl<sub>2</sub> aqueous solution

H.W. Choi, N.D. Theodore, S. Das, A. Dhar and T.L. Alford

26

Crystal growth, optical and scintillation properties of Nd<sup>3+</sup> doped GdTaO<sub>4</sub> single crystal

F. Peng, W. Liu, Q. Zhang, H. Yang, C. Shi, R. Mao, D. Sun, J. Luo and G. Sun

31

Numerical simulation of the gallium nitride thin film layer grown on 6-inch wafer by commercial multi-wafer hydride vapor phase epitaxy

X.-F. Han, M.-J. Hur, J.-H. Lee, Y.-j. Lee, C.-s. Oh and K.-W. Yi

53

Partitioning of ionic species during growth of impurity-doped lithium niobate by electric current injection

J. Nozawa, S. Iida, C. Koyama, K. Maeda, K. Fujiwara, H. Koizumi and S. Uda

78

Shape evolution of decahedral and icosahedral Ag flags and their intermediates from Ag nanorod seeds in DMF solution in the presence of polyvinylpyrrolidone

M. Tsuji, N. Nakamura, X. Tang, K. Uto and M. Matsunaga

94

