

# Journal of Display Technology

A JOINT IEEE / OSA PUBLICATION

OCTOBER 2016

VOLUME 12

NUMBER 10

IJDTAL

(ISSN 1551-319X)

---

PAPERS

**Liquid Crystal Displays**

Submillisecond Inverse TN Bidirectional Field Switching Mode . . . . .	992
..... <i>S. P. Palto, M. I. Barnik, A. R. Geivandov, I. V. Kasyanova, and V. S. Palto</i>	
Numerical Alignment of Spatial Light Modulators for Complex Modulation in Holographic Displays . . . . .	1000
..... <i>T. Leportier, M.-C. Park, and T. Kim</i>	
Polymer-Stabilized Blue-Phase Liquid Crystal Fresnel Lens Cured With Patterned Light Using a Spatial Light Modulator . . . . .	1008
..... <i>N. Rong, Y. Li, X. Li, P. Zhou, S. Liu, J. Lu, and Y. Su</i>	
Smart Reflector Using Photoluminescence Cholesteric Liquid Crystal for Electrowetting Displays . . . . .	1013
..... <i>D.-K. Lee, J. M. Choi, C. G. Jhun, and J.-K. Song</i>	
A New Dot Inversion Data Addressing Technique Using Double Rate Driving Method for High Image Quality and Low-Power TFT-LCDs . . . . .	1019
..... <i>D.-S. Kim and O.-K. Kwon</i>	
Diffraction-Based Phase Calibration of Spatial Light Modulators With Binary Phase Fresnel Lenses . . . . .	1027
..... <i>O. Mendoza-Yero, G. Mínguez-Vega, L. Martínez-León, M. Carbonell-Leal, M. Fernández-Alonso, C. Doñate-Buendía, J. Pérez-Vizcaino, and J. Lancis</i>	
High-Performance and Low-Cost Aluminum Zinc Oxide and Gallium Zinc Oxide Electrodes for Liquid Crystal Displays . . . . .	1033
..... <i>A. Varanytsia, L. Weng, T.-C. Lin, J. Yang, and L.-C. Chien</i>	
Insertion of Simple Structure Between Gate Driver Circuits to Prevent Stress Degradation in In-Cell Touch Panel Using Multi-V Blanking Method . . . . .	1040
..... <i>C.-L. Lin, C.-E. Wu, C.-E. Lee, F.-H. Chen, P.-S. Chen, and M.-X. Wang</i>	

(Contents Continued on Page 990)

JOURNAL OF DISPLAY TECHNOLOGY (ISSN 1551-319X) is published monthly by The Institute of Electrical and Electronics Engineers, Inc. Responsibility for the contents rest upon the authors and not upon the IEEE, the Society/Council, or its members. **IEEE Corporate Office**, 3 Park Avenue, 17th Floor, New York, NY 10016-5997. **IEEE Operations Center**, 445 Hoes Lane, Piscataway, NJ 08854-4141. **NJ Telephone**: +1 732 981 0060. **Price/Publication Information**: Individual copies: IEEE Members \$20.00 (first copy only), nonmembers price \$248.00 per copy. (Note: Postage and handling charge not included.) Member and nonmember subscription prices available on request. Available in microfiche and microfilm. **Copyright and Reprint Permissions**: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy for private use of patrons, provided the per-copy fee of \$31.00 is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For all other copying, reprint, or republication permission, write to Copyrights and Permissions Department, IEEE Publications Administration, 445 Hoes Lane, Piscataway, NJ 08854-4141. Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved. **Postmaster**: Send address changes to JOURNAL OF DISPLAY TECHNOLOGY, IEEE, 445 Hoes Lane, Piscataway, NJ 08854-4141. GST Registration No. 125634188. CPC Sales Agreement #40013087. Return undeliverable Canada addresses to: Pitney Bowes IMEX, P.O. Box 4332, Stanton Rd., Toronto, ON M5W3J4, Canada. IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/nondiscrimination>. Printed in U.S.A.



**TFT Backplanes**

Low Temperature Fabrication of an Amorphous InGaZnO Thin-Film Transistor With a sol-gel SiO <sub>2</sub> Gate Dielectric . . . . .	<i>C.-C. Hsu, M.-W. Chu, J.-K. Sun, and H.-T. Chou</i>	1043
A Novel Driving Method for High-Performance Amorphous Silicon Gate Driver Circuits in Flat Panel Display Industry . . . . .	<i>C.-H. Chiang and Y. Li</i>	1051
A High Conversion Ratio Component-Efficient Charge Pump for Display Drivers . . . . .	<i>H. Lin, W. C. Chan, W. K. Lee, Z. Chen, M. Chan, and M. Zhang</i>	1057
Power Consumption Model for AMOLED Display Panel Based on 2T-1C Pixel Circuit . . . . .	<i>L. Zhou, M. Xu, X.-H. Xia, J.-H. Zou, L.-R. Zhang, D.-X. Luo, W.-J. Wu, L. Wang, and J.-B. Peng</i>	1064
Effects of Nitrogen on Amorphous Nitrogenated InGaZnO (a-IGZO:N) Thin Film Transistors . . . . .	<i>P.-T. Liu, C.-H. Chang, C.-S. Fuh, Y.-T. Liao, and S. M. Sze</i>	1070
Effect of Rising Edge during Dynamic Stress With Duty Ratio in Amorphous InGaZnO Thin Film Transistors . . . . .	<i>Y.-H. Lee, S. Seok, T.-K. Lee, S.-H. Kim, B.-K. Kim, and O. Kim</i>	1078
A 2822-ppi Resolution Pixel Circuit With High Luminance Uniformity for OLED Microdisplays . . . . .	<i>B.-C. Kwak and O.-K. Kwon</i>	1083

**LED Backlights**

Design of Direct LED Backlighting Based on an Analytical Method of Uniform Illumination . . . . .	<i>S.-H. Kuo and C.-F. Chen</i>	1089
Dimmable AC LED Driver Based on Series Drive . . . . .	<i>K. I. Hwu and J.-J. Shieh</i>	1097
Light Efficiency Enhancement of Deep Ultraviolet Light-Emitting Diodes Packaged by Nanostructured Silica Glass . . . . .	<i>Y. Peng, S. Wang, H. Cheng, H. Wang, M. Chen, and S. Liu</i>	1106
Graded AlGaIn/AlGaIn Superlattice Insert Layer Improved Performance of AlGaIn-Based Deep Ultraviolet Light-Emitting Diodes . . . . .	<i>S. Wang, Y. A. Yin, H. Gu, N. Wang, and L. Liu</i>	1112
Efficiency Enhancement of InGaIn MQW LED Using Compositionally Step Graded InGaIn Barrier on SiC Substrate . . . . .	<i>P. Prajoon, D. Nirmal, M. A. Menokey, and J. C. Pravin</i>	1117
Dimmable LED Driver Based on Twin-Bus Converter and Differential-Mode Transformer . . . . .	<i>K. I. Hwu, W. Z. Jiang, and C. W. Hsiao</i>	1122
Perceived Distortion-Based Progressive LCD Backlight Dimming Method . . . . .	<i>C. Y. Jang, S.-J. Kang, and Y. H. Kim</i>	1130
512 × 512, 100 Hz Mid-Wave Infrared LED Microdisplay System . . . . .	<i>G. A. Ejzak, J. Dickason, J. A. Marks, K. Nabha, R. T. McGee, N. A. Waite, J. T. Benedict, M. A. Hernandez, S. R. Provence, D. T. Norton, J. P. Prineas, K. W. Goossen, F. E. Kiamilev, and T. F. Boggess</i>	1139

**Electrophoretic Displays**

Preparation and Characterization of Microcapsule-Encapsulated Colored Electrophoretic Fluid in Trifluorotoluene System for Electrophoretic Display . . . . .	<i>G.-X. Li, S.-C. Qin, Y.-Q. Feng, S. Fang, and S.-X. Meng</i>	1145
--	---	------

**Quantum Dots**

Light Conversion Efficiency Enhancement of Modified Quantum Dot Films Integrated With Micro SiO <sub>2</sub> Particles . . . . .	<i>Y. Zhu, W. Chen, J. Hu, B. Xie, J. Hao, D. Wu, X. Luo, and K. Wang</i>	1152
Application of Solvent Modified PEDOT:PSS in All-Solution-Processed Inverted Quantum Dot Light-Emitting Diodes . . . . .	<i>J. Pan, Q. Huang, Y. Zhang, J. Chen, Z. Tao, C. He, K. Zhou, and W. Lei</i>	1157

**Image Quality**

Speckle Reduction by Optimized Multimode Fiber Combined With Dielectric Elastomer Actuator and Lightpipe Homogenizer . . . . .	<i>Q. Ma, C.-Q. Xu, A. Kitai, and D. Stadler</i>	1162
Backlight Dimming Algorithm Based on Video Quality Metric (VQM) for Video Contents . . . . .	<i>T.-L. Lin, P.-Y. Wu, K.-H. Tung, and G.-J. Fan</i>	1168
A Design Method for LEDs Arrays Structure Illumination . . . . .	<i>F. Wu, S. Li, X. Zhang, and W. Ye</i>	1177

**3-D Displays**

3D Quantitative Evaluation System for Autostereoscopic Display . . . . .	<i>Z. Fan, S. Zhang, Y. Weng, G. Chen, and H. Liao</i>	1185
Subpixel Multiplexing Method for 3D Lenticular Display . . . . .	<i>R. Pei, Z. Geng, and Z. Zhang</i>	1197
Integral Imaging Pickup Method With Extended Depth-of-Field by Gradient-Amplitude Modulation . . . . .	<i>C.-G. Luo, H. Deng, L. Li, F. Wu, and Q.-H. Wang</i>	1205
Active Matrix Magneto-Optical Spatial Light Modulator Driven by Spin-Transfer-Switching . . . . .	<i>K. Aoshima, H. Kinjo, K. Machida, D. Kato, K. Kuga, T. Ishibashi, and H. Kikuchi</i>	1212

**Touch Interactivity**

Implementation of a Touch Screen Panel With Triangle Twist Sensor Pattern and Controller IC . . . . .	<i>H. Lim, Y. Jun, S. Han, S. Ha, Y. Jung, and S. Lee</i>	1218
---	---	------

**Phosphors**

Optical Studies of Erbium and Ytterbium Doped $Gd_2Zr_2O_7$ Phosphor for Display and Optical Communication Applications . . . . .	<i>V. K. Singh, S. Tripathi, M. K. Mishra, R. Tiwari, V. Dubey, and N. Tiwari</i>	1224
ACU Optimization of pcLEDs by Combining the Pulsed Spray and Feedback Method . . . . .	<i>J.-S. Li, Y.-H. Chen, Z.-T. Li, S.-D. Yu, Y. Tang, X.-R. Ding, and W. Yuan</i>	1229

---