

# Journal of Electroanalytical Chemistry


An International Journal
also devoted to
All Physicochemical Aspects of
Fundamental and Applied Electrochemistry

### Editors:

J.M. Feliu T. Kakiuchi P. Unwin X.H. Xia

Available online at www.sciencedirect.com

**ScienceDirect** 





# Journal of Electroanalytical Chemistry



journal homepage: www.elsevier.com/locate/jelechem

# **Contents**

Abstracts and/or contents lists of this journal are published in: Analytical Abstracts, Metals Abstracts, World Aluminum Abstracts, Chemical Abstracts, Current Contents (Physical, Chemical & Earth Sciences), Engineering Index, INSPEC. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

Electrochemical coating of [trans-L <sup>14</sup> Co <sup>III</sup> CNFe <sup>II</sup> (CN) <sub>5</sub> ]Na on ITO/Au electrode and its electrocatalytic properties towards nitrite reduction	
C. Cáceres, M. Martínez, C. Rodríguez, P. Dreyse, V. Ortega and M. Isaacs	1
Improved contrast between the coloured and transparent states in electrochromic Ni–Al layered double hydroxide films in mixtures of electroactive ions	
D. Mondal, M. Jack and G. Villemure	7
Analytical performances of Ni LDH films electrochemically deposited on Pt surfaces: Phenol and glucose detection E. Scavetta, A. Casagrande, I. Gualandi and D. Tonelli	15
Influences of anion exchange and phase transformation on the supercapacitive properties of $\alpha$ -Co(OH) $_2$ J.P. Cheng, L. Liu, J. Zhang, F. Liu and X.B. Zhang	23
Electrogeneration of hydrogen peroxide in gas diffusion electrodes: Application of iron (II) phthalocyanine as a modifier of carbon black F.L. Silva, R.M. Reis, W.R.P. Barros, R.S. Rocha and M.R.V. Lanza	32
An electrochemical sensor based on the three-dimensional functionalized graphene for simultaneous determination of hydroquinone and catechol J. Du, L. Ma, D. Shan, Y. Fan, L. Zhang, L. Wang and X. Lu	38
	50
Electro-Fenton degradation of the food dye amaranth using a gas diffusion electrode modified with cobalt (II) phthalocyanine W.R.P. Barros, P.C. Franco, J.R. Steter, R.S. Rocha and M.R.V. Lanza	46
High rate Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> @C anode material fabricated by a facile carbon coating method T. Li, L. Shao, X. Lin, M. Shui, K. Wu, D. Wang, N. Long, Y. Ren and J. Shu	54
Studies on deposition of gold atomic clusters on to polycrystalline gold electrode from aqueous cetyl trimethyl ammonium bromide solutions	
S.R. Nambiar, P.K. Aneesh and T.P. Rao	60
Regulation of interfacial chemistry by coupled reaction-diffusion processes in the electrolyte: A stiff solution dynamics model for corrosion and passivity of metals	68
I.G. Bosco, I.S. Cole and B. Emmanuel	08
Mass transport and modulation effects in rocking dual-semi-disc electrode voltammetry S.D. Ahn, P.E. Frith, A.C. Fisher, A.M. Bond and F. Marken	78
More conductive polypyrrole electrodeposited on substrates with close-packed gold nanoparticles HY. Lou, KH. Yang, HC. Chen, YC. Liu and CC. Yu	83

(Contents continued on inside back cover)



## (Contents continued from outside back cover)

Doped pencil leads for drawing modified electrodes on paper-based electrochemical devices N. Dossi, R. Toniolo, F. Impellizzieri and G. Bontempelli	90
The effect of electrode material on the electrochemical formation of porous copper surfaces using hydrogen bubble templating I. Najdovski and A.P. O'Mullane	95
Electrochemistry of CoB alloy in 6M KOH solution Q. Zhu, D.S. Lu, J.J. Lin and L. Du	102
The impact of electrodic adsorption on Zn, Cd and Pb speciation measurements with AGNES J. Galceran, M. Lao, C. David, E. Companys, C. Rey-Castro, J. Salvador and J. Puy	110
Application of the Lippmann electrocapillary equation to adsorption potential shift at the air/solution interface – Analysis for undissociated n-decanoic acid W. Barzyk and A. Pomianowski	119
Effect of surface pretreatment on self-assembly of thiol-modified DNA monolayers on gold electrode Z. Li, L. Zhang, S. Zeng, M. Zhang, E. Du and B. Li	131
Electrochemical properties of carbon nanotube/graphene oxide hybrid electrodes fabricated via layer-by-layer self-assembly SC. Wang, I. Yang, XY. Zhou, I. Xie, II., Ma and B. Huang	141