

volume 118
number 7
July 2013

Articles published online
1 July – 31 July 2013

**Journal of
Geophysical
Research
Solid Earth**

**J
G
R**

The online article is the official version and may contain additional content not available in this print issue. To access the full article, including multimedia, enhanced figures, supporting information, and other nonprinted content, go to <http://wileyonlinelibrary.com/journal/jgrb>.

Geomagnetism and Paleomagnetism/Marine Geology and Geophysics

- 3275** *Simon E. Williams, Joanne M. Whittaker, Roi Granot, and Dietmar R. Müller*
Early India–Australia spreading history revealed by newly detected Mesozoic magnetic anomalies in the Perth Abyssal Plain (doi 10.1002/jgrb.50239)
- 3285** *Anne Hegewald and Wilfried Jokat*
Tectonic and sedimentary structures in the northern Chukchi region, Arctic Ocean (doi 10.1002/jgrb.50282)
- 3297** *A. K. Greve, H. Roshan, B. F. J. Kelly, and R. I. Acworth*
Electrical conductivity of partially saturated porous media containing clay: An improved formulation (doi 10.1002/jgrb.50270)

Chemistry and Physics of Minerals and Rocks/Volcanology

- 3304** *A. Schepers and H. Milsch*
Relationships between fluid–rock interactions and the electrical conductivity of sandstones (doi 10.1002/jgrb.50241)
- 3318** *A. Gerst, M. Hort, R. C. Aster, J. B. Johnson, and P. R. Kyle*
The first second of volcanic eruptions from the Erebus volcano lava lake, Antarctica—Energies, pressures, seismology, and infrasound (doi 10.1002/jgrb.50234)
- 3341** *Shantanu Keshav and Gudmundur H. Gudfinnsson*
Silicate liquid–carbonatite liquid transition along the melting curve of model, vapor-saturated peridotite in the system CaO–MgO–Al₂O₃–SiO₂–CO₂ from 1.1 to 2 Gpa (doi 10.1002/jgrb.50249)
- 3354** *Claire W. Thomas and Paul D. Asimow*
Preheated shock experiments in the molten CaAl₂Si₂O₈–CaFeSi₂O₆–CaMgSi₂O₆ ternary: A test for linear mixing of liquid volumes at high pressure and temperature (doi 10.1002/jgrb.50269)
- 3366** *P. Schmidt, B. Lund, C. Hieronymus, J. MacLennan, T. Árnadóttir, and C. Pagli*
Effects of present-day deglaciation in Iceland on mantle melt production rates (doi 10.1002/jgrb.50273)
- 3380** *Nicola Tisato and Stefano Marelli*
Laboratory measurements of the longitudinal and transverse wave velocities of compacted bentonite as a function of water content, temperature, and confining pressure (doi 10.1002/jgrb.50252)
- 3394** *A. Neuville, E. G. Flekkoy, and R. Toussaint*
Influence of asperities on fluid and thermal flow in a fracture: A coupled lattice Boltzmann study (doi 10.1002/jgrb.50256)
- 3408** *Changrong He, Li Luo, Quan-Ming Hao, and Yongsheng Zhou*
Velocity-weakening behavior of plagioclase and pyroxene gouges and stabilizing effect of small amounts of quartz under hydrothermal conditions (doi 10.1002/jgrb.50280)

Seismology

- 3431** *Shu-Hao Chang, Jean-Philippe Avouac, Sylvain Barbot, and Jian-Cheng Lee*
Spatially variable fault friction derived from dynamic modeling of aseismic afterslip due to the 2004 Parkfield earthquake (doi 10.1002/jgrb.50231)
- 3448** *Simona Colombelli, Richard M. Allen, and Aldo Zollo*
Application of real-time GPS to earthquake early warning in subduction and strike-slip environments (doi 10.1002/jgrb.50242)
- 3462** *M. Marot, T. Monfret, M. Pardo, G. Ranalli, and G. Nolet*
A double seismic zone in the subducting Juan Fernandez Ridge of the Nazca Plate (32°S), central Chile (doi 10.1002/jgrb.50240)
- 3476** *Ayoub Kaviani, Rami Hofstetter, Georg Rumpker, and Michael Weber*
Investigation of seismic anisotropy beneath the Dead Sea fault using dense networks of broadband stations (doi 10.1002/jgrb.50250)
- 3492** *Junichi Nakajima, Keisuke Yoshida, and Akira Hasegawa*
An intraslab seismic sequence activated by the 2011 Tohoku-oki earthquake: Evidence for fluid-related embrittlement (doi 10.1002/jgrb.50246)
- 3506** *Won-Young Kim*
Induced seismicity associated with fluid injection into a deep well in Youngstown, Ohio (doi 10.1002/jgrb.50247)
- 3519** *D. Patanè, A. Aiuppa, M. Aloisi, B. Behncke, A. Cannata, M. Coltelli, G. Di Grazia, S. Gambino, S. Gurrieri, M. Mattia, and G. Salerno*
Insights into magma and fluid transfer at Mount Etna by a multiparametric approach: A model of the events leading to the 2011 eruptive cycle (doi 10.1002/jgrb.50248)
- 3540** *Yuki Abe, Takahiro Ohkura, Kazuro Hirahara, and Takuo Shibutani*
Along-arc variation in water distribution in the uppermost mantle beneath Kyushu, Japan, as derived from receiver function analyses (doi 10.1002/jgrb.50257)
- 3557** *Serge A. Shapiro, Oliver S. Krüger, and Carsten Dinske*
Probability of inducing given-magnitude earthquakes by perturbing finite volumes of rocks (doi 10.1002/jgrb.50264)
- 3576** *Xiaofeng Meng, Zhigang Peng, and Jeanne L. Hardebeck*
Seismicity around Parkfield correlates with static shear stress changes following the 2003 M_w 6.5 San Simeon earthquake (doi 10.1002/jgrb.50271)
- 3592** *Shengji Wei, Don Helmberger, and Jean-Philippe Avouac*
Modeling the 2012 Wharton basin earthquakes off-Sumatra: Complete lithospheric failure (doi 10.1002/jgrb.50267)
- 3610** *Peter D. Bromirski, Ralph A. Stephen, and Peter Gerstoft*
Are deep-ocean-generated surface-wave microseisms observed on land? (doi 10.1002/jgrb.50268)
- 3630** *Grzegorz Kwiatek and Yehuda Ben-Zion*
Assessment of P and S wave energy radiated from very small shear-tensile seismic events in a deep South African mine (doi 10.1002/jgrb.50274)
- 3642** *Zijun Fang and Eric M. Dunham*
Additional shear resistance from fault roughness and stress levels on geometrically complex faults (doi 10.1002/jgrb.50262)
- 3655** *Rodolfo Console, Giuseppe Falcone, Vassilis Karakostas, Maura Murru, Eleftheria Papadimitriou, and David Rhoades*
Renewal models and coseismic stress transfer in the Corinth Gulf, Greece, fault system (doi 10.1002/jgrb.50277)

Geodesy and Gravity/Tectonophysics

- 3674** *R. J. Walters, J. R. Elliott, Z. Li, and B. Parsons*
Rapid strain accumulation on the Ashkabad fault (Turkmenistan) from atmosphere-corrected InSAR
(doi 10.1002/jgrb.50236)
- 3691** *Mikhail G. Kogan, Nikolay F. Vasilenko, Dmitry I. Frolov, Jeffrey T. Freymueller, Grigory M. Steblou, Alexandr S. Prytkov, and Göran Ekström*
Rapid postseismic relaxation after the great 2006–2007 Kuril earthquakes from GPS observations in 2007–2011
(doi 10.1002/jgrb.50245)
- 3707** *J. Hollingsworth, Sébastien Leprince, François Ayoub, and Jean-Philippe Avouac*
New constraints on dike injection and fault slip during the 1975–1984 Krafla rift crisis, NE Iceland
(doi 10.1002/jgrb.50223)
- 3728** *Andrew P. Rathbun and Chris Marone*
Symmetry and the critical slip distance in rate and state friction laws (doi 10.1002/jgrb.50224)
- 3742** *Jeffrey Zurek and Glyn Williams-Jones*
The shallow structure of Kīlauea caldera from high-resolution Bouguer gravity and total magnetic anomaly mapping: Insights into progressive magma reservoir growth (doi 10.1002/jgrb.50243)
- 3753** *Ryan D. Gold, William J. Stephenson, Jack K. Odum, Richard W. Briggs, Anthony J. Crone, and Stephen J. Angster*
Concealed Quaternary strike-slip fault resolved with airborne lidar and seismic reflection: The Grizzly Valley fault system, northern Walker Lane, California (doi 10.1002/jgrb.50238)
- 3767** *F. Storti, L. Aldega, F. Balsamo, S. Corrado, F. Del Monaco, L. Di Paolo, M. Mastalerz, P. Monaco, and M. Tallini*
Evidence for strong middle Pleistocene earthquakes in the epicentral area of the 6 April 2009 L'Aquila seismic event from sediment paleofluidization and overconsolidation (doi 10.1002/jgrb.50254)
- 3785** *J. C. Hawthorne and A. M. Rubin*
Laterally propagating slow slip events in a rate and state friction model with a velocity-weakening to velocity-strengthening transition (doi 10.1002/jgrb.50261)
- 3809** *Meredith A. Langstaff and Brendan J. Meade*
Edge-driven mechanical microplate models of strike-slip faulting in the Tibetan plateau (doi 10.1002/jgrb.50272)
- 3820** *Sungchan Choi, Chang-Whan Oh, and H.-J. Götze*
Three-dimensional density modeling of the EGM2008 gravity field over the Mount Paekdu volcanic area
(doi 10.1002/jgrb.50266)
- 3837** *C. Kyriakopoulos, T. Masterlark, S. Stramondo, M. Chini, and C. Bignami*
Coseismic slip distribution for the M_w 9.0 2011 Tohoku-Oki earthquake derived from 3-D FE modeling
(doi 10.1002/jgrb.50265)
- 3848** *M. Weigelt, T. van Dam, A. Jäggi, L. Prange, M. J. Tourian, W. Keller, and N. Sneeuw*
Time-variable gravity signal in Greenland revealed by high-low satellite-to-satellite tracking (doi 10.1002/jgrb.50283)
- 3860** *Mariko Sato, Masayuki Fujita, Yoshihiro Matsumoto, Tadashi Ishikawa, Hiroaki Saito, Masashi Mochizuki, and Akira Asada*
Interplate coupling off northeastern Japan before the 2011 Tohoku-oki earthquake, inferred from seafloor geodetic data (doi 10.1002/jgrb.50275)