

Networks and  
Switching

Systems and  
Subsystems

Fibers and Cables

Active Components

Passive Components

Integrated Optics

Optoelectronics


Sensors

Theory

# *Journal of* **Lightwave Technology**

*This Print Collection Contains the Following Issues:*

January 1, 2016	Volume 34	Number 1	JLTEDG
January 15, 2016	Volume 34	Number 2	
February 1, 2016	Volume 34	Number 3	
February 15, 2016	Volume 34	Number 4	



## **Special Issue on the Optical Fiber Communication Conference (OFC) 2015**

For the January 1, 2016 issue, see p. 1 for the Table of Contents.

## **Selected Papers From the Optical Fiber Communication Conference (OFC) 2015**

For the January 15, 2016 issue, see p. 222 for the Table of Contents.

For the February 1, 2016 issue, see p. 834 for the Table of Contents.

For the February 15, 2016 issue, see p. 1048 for the Table of Contents.



**IEEE** A JOINT IEEE / OSA PUBLICATION

**OSA**  
The Optical Society

# Journal of Lightwave Technology

A JOINT IEEE / OSA PUBLICATION

JANUARY 15, 2016

VOLUME 34

NUMBER 2

JLTEDG

(ISSN 0733-8724)

## SELECTED PAPERS FROM THE OPTICAL FIBER COMMUNICATION CONFERENCE (OFC) 2015

### GUEST EDITORIAL

Selected Papers From OFC 2015 ..... P. J. Winzer 226

### Devices

High Reliability of Silica-Based $1 \times 8$ Optical Splitter Modules for Outside Plant (Invited Paper) .....	A. Aratake	227
Techno-Economic Comparison of Silicon Photonics and Multimode VCSELs (Invited Paper) .....		
..... D. Mahgerefteh, C. Thompson, C. Cole, G. Denoyer, T. Nguyen, I. Lyubomirsky, C. Kocot, and J. Tatum		233
High-Speed Avalanche Photodiode and High-Sensitivity Receiver Optical Subassembly for 100-Gb/s Ethernet (Invited Paper) .....	F. Nakajima, M. Nada, and T. Yoshimatsu	243
High Efficiency On-Chip Single-Photon Detection for Diamond Nanophotonic Circuits (Invited Paper) .....		
..... O. Kahl, S. Ferrari, P. Rath, A. Vetter, C. Nebel, and W. H. P. Pernice		249
Silicon-Organic Hybrid (SOH) and Plasmonic-Organic Hybrid (POH) Integration (Invited Paper) .....		
..... C. Koos, J. Leuthold, W. Freude, M. Kohl, L. Dalton, W. Bogaerts, A. L. Giesecke, M. Lauer mann, A. Melikyan, S. Koeber, S. Wolf, C. Weimann, S. Muehlbrandt, K. Koehnle, J. Pfeifle, W. Hartmann, Y. Kutuvantavida, S. Ummethala, R. Palmer, D. Korn, L. Alloatti, P. C. Schindler, D. L. Elder, T. Wahlbrink, and J. Bolten		256
High-Speed VCSELs With Strong Confinement of Optical Fields and Carriers (Invited Paper) .....		
..... E. Haglund, P. Westbergh, J. S. Gustavsson, E. P. Haglund, and A. Larsson		269
Recent Advances in Avalanche Photodiodes (Invited Paper) .....	J. C. Campbell	278
Silicon Photonics R&D and Manufacturing on 300-mm Wafer Platform (Invited Paper) .....		
..... F. Boeuf, S. Cr�mer, E. Temporiti, M. Fer�, M. Shaw, C. Baudot, N. Vulliet, T. Pinguet, A. Mekis, G. Masini, H. Petiton, P. Le Maitre, M. Traldi, and L. Maggi		286
Flip-Chip Interconnection Technique for Beyond 100-Gb/s ( $4 \times 25.8$ -Gb/s) EADFB Laser Array Transmitter (Invited Paper) .....	S. Kanazawa, T. Fujisawa, K. Takahata, Y. Ueda, H. Ishii, R. Iga, W. Kobayashi, and H. Sanjoh	296
Intramodal Dispersion Properties of Step-Index Few-Mode Spun Fibers (Invited Paper) ...	L. Palmieri and A. Galtarossa	303
Transmission of Commercial Low Latency Interfaces Over Hollow-Core Fiber (Invited Paper) .....		
..... M. Kuschnerov, B. J. Mangan, K. Gong, V. A. J. M. Sleiffer, M. Herrmann, J. W. Nicholson, J. M. Fini, L. Meng, R. S. Windeler, E. M. Monberg, A. DeSantolo, K. Mukasa, V. Mikhailov, U. Feiste, W. Zhang, and R. C. Yu		314

(Contents Continued on Page 223)

JOURNAL OF LIGHTWAVE TECHNOLOGY (ISSN 0733-8724) is published semimonthly by the Institute of Electrical and Electronics Engineers, Inc. Responsibility for the contents rests upon the authors and not upon the IEEE, the Society/Council, or its members. **IEEE Corporate Office:** 3 Park Avenue, 17th Floor, New York, NY 10016-5997. **IEEE Operations Center:** 445 Hoes Lane, Piscataway, NJ 08854-4141. **NJ Telephone:** +1 732 981 0060. **Price/Publication Information:** Individual copies: IEEE Members \$20.00 (first copy only), nonmembers \$427.00 per copy. (Note: Postage and handling charge not included.) Member and nonmember subscription prices available upon request. Available in microfiche and microfilm. **Copyright and Reprint Permissions:** Abstracting is permitted with credit to the source. Libraries are permitted to photocopy for private use of patrons, provided the per-copy fee of \$31.00 is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For all other copying, reprint, or republication permission, write to Copyrights and Permissions Department, IEEE Publications Administration, 445 Hoes Lane, Piscataway, NJ 08854-4141. Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. **Postmaster:** Send address changes to JOURNAL OF LIGHTWAVE TECHNOLOGY, IEEE, 445 Hoes Lane, Piscataway, NJ 08854-4141. GST Registration No. 125634188. CPC Sales Agreement #40013087. Return undeliverable Canada addresses to: Pitney Bowes IMEX, P.O. Box 4332, Stanton Rd., Toronto, ON M5W 3J4, Canada. IEEE prohibits discrimination, harassment and bullying. For more information visit <http://www.ieee.org/nondiscrimination>. Printed in U.S.A.



---

Low-Loss and Low-Nonlinearity Pure-Silica-Core Fiber for C- and L-band Broadband Transmission ( <i>Invited Paper</i> ) . . . . .	321
. . . . . <i>Y. Yamamoto, Y. Kawaguchi, and M. Hirano</i>	
All-Optical Signal Processing Based on Self-Induced Polarization Control in Optical Fibers ( <i>Invited Paper</i> ) . . . . .	327
. . . . . <i>M. Guasoni, P.-Y. Bony, M. Gilles, A. Picozzi, and J. Fatome</i>	
Advanced Coding Techniques for Long-Range Raman/BOTDA Distributed Strain and Temperature Measurements ( <i>Invited Paper</i> ) . . . . .	342
. . . . . <i>Y. S. Muanenda, M. Taki, T. Nannipieri, A. Signorini, C. J. Oton, F. Zaidi, I. Toccafondo, and F. D. Pasquale</i>	
MPO Type 8-Multicore Fiber Connector With Physical Contact Connection ( <i>Top-Scoring Paper</i> ) . . . . .	351
. . . . . <i>K. Watanabe, T. Saito, K. Kawasaki, M. Iwaya, T. Ando, K. Suematsu, and M. Shiino</i>	
Cost-Effective Optical Sub-Assembly Using Lens-Integrated Surface-Emitting Laser ( <i>Top-Scoring Paper</i> ) . . . . .	358
. . . . . <i>T. Suzuki, K. Adachi, A. Takei, K. R. Tamura, A. Nakanishi, K. Naoe, T. Ohtoshi, K. Nakahara, S. Tanaka, and K. Uomi</i>	
Highly Scalable Digital Silicon Photonic MEMS Switches ( <i>Top-Scoring Paper</i> ) . . . . .	365
. . . . . <i>T. J. Seok, N. Quack, S. Han, R. S. Muller, and M. C. Wu</i>	
Silicon Photonic Polarization-Multiplexing Nanotaper for Chip-to-Fiber Coupling ( <i>Top-Scoring Paper</i> ) . . . . .	372
. . . . . <i>S. P. Anderson, and M. Webster</i>	
Fine Resolution Photonic Spectral Processor Using a Waveguide Grating Router With Permanent Phase Trimming ( <i>Top-Scoring Paper</i> ) . . . . .	379
. . . . . <i>N. Goldshtein, D. Sinefeld, O. Ori, L. Pascar, L. Pascar, R. Zektzer, and D. M. Marom</i>	
Vertically Stacked Multilayer Photonics on Bulk Silicon Toward Three-Dimensional Integration ( <i>Top-Scoring Paper</i> ) . . . . .	386
. . . . . <i>S. Zhu and G.-Q. Lo</i>	
108 Gbit/s Plasmonic Mach–Zehnder Modulator with >70-GHz Electrical Bandwidth ( <i>Top-Scoring Paper</i> ) . . . . .	393
. . . . . <i>W. Heni, C. Haffner, B. Baeuerle, Y. Fedoryshyn, A. Josten, D. Hillerkuss, J. Niegemann, A. Melikyan, M. Kohl, D. L. Elder, L. R. Dalton, C. Hafner, and J. Leuthold</i>	
Low Switching Voltage Mach–Zehnder Modulator Monolithically Integrated With DFB Laser for Data Transmission up to 107.4 Gb/s ( <i>Top-Scoring Paper</i> ) . . . . .	401
. . . . . <i>S. Lange, M. Gruner, C. Meuer, R. Kaiser, M. Hamacher, K.-O. Velthaus, and M. Schell</i>	
Tunable 100 Gbaud Transmitter Based on Hybrid Polymer-to-Polymer Integration for Flexible Optical Interconnects ( <i>Top-Scoring Paper</i> ) . . . . .	407
. . . . . <i>P. Groumas, Z. Zhang, V. Katopodis, A. Konczykowska, J. Y. Dupuy, A. Beretta, A. Dede, J. H. Choi, P. Harati, F. Jorge, V. Nodjiadjim, M. Riet, R. Dinu, G. Cangini, E. Miller, A. Vannucci, N. Keil, H. G. Bach, N. Grote, M. Spyropoulou, H. Avramopoulos, and Ch. Kouloumentas</i>	
56 Gb/s Germanium Waveguide Electro-Absorption Modulator ( <i>Top-Scoring Paper</i> ) . . . . .	419
. . . . . <i>S. A. Srinivasan, M. Pantouvaki, S. Gupta, H. T. Chen, P. Verheyen, G. Lepage, G. Roelkens, K. Saraswat, D. Van Thourhout, P. Absil, and J. Van Campenhout</i>	
Low-Differential-Mode-Group-Delay 9-LP-Mode Fiber ( <i>Top-Scoring Paper</i> ) . . . . .	425
. . . . . <i>P. Sillard, D. Molin, M. Bigot-Astruc, K. De Jongh, F. Achten, A. M. Velázquez-Benítez, R. Amezcua-Correa, and C. M. Okonkwo</i>	
Optimized WDM Transmission Impairment Mitigation by Multiple Phase Conjugations ( <i>Top-Scoring Paper</i> ) . . . . .	431
. . . . . <i>K. Solis-Trapala, M. Pelusi, H. N. Tan, T. Inoue, and S. Namiki</i>	
Time and Modulation Frequency Dependence of Crosstalk in Homogeneous Multi-Core Fibers ( <i>Top-Scoring Paper</i> ) . . . . .	441
. . . . . <i>R. S. Luís, B. J. Puttnam, A. V. T. Cartaxo, W. Klaus, J. M. D. Mendinueta, Y. Awaji, N. Wada, T. Nakanishi, T. Hayashi, and T. Sasaki</i>	
Programmable Fiber-Optics Pulse Repetition-Rate Multiplier ( <i>Top-Scoring Paper</i> ) . . . . .	448
. . . . . <i>R. Maram, L. R. Cortés, and J. Azaña</i>	
A Five-Mode Erbium-Doped Fiber Amplifier for Mode-Division Multiplexing Transmission ( <i>Top-Scoring Paper</i> ) . . . . .	456
. . . . . <i>P. Genevaux, C. Simonneau, G. L. Cocq, Y. Quiquempois, L. Bigot, A. Boutin, and G. Charlet</i>	
Directional Phase-Matched Interaction in the Saturated Parametric Mixer ( <i>Top-Scoring Paper</i> ) . . . . .	463
. . . . . <i>A. Pejkcic, R. R. Nissim, E. Myslivets, A. O. J. Wiberg, N. Alic, and S. Radic</i>	
Photonic Implementation of Spike-Timing-Dependent Plasticity and Learning Algorithms of Biological Neural Systems ( <i>Top-Scoring Paper</i> ) . . . . .	470
. . . . . <i>R. Toole, A. N. Tait, T. Ferreira de Lima, M. A. Nahmias, B. J. Shastri, P. R. Prucnal, and M. P. Fok</i>	

---

**Systems and Subsystems**

400 Gb/s Real-Time Trials on Commercial Systems for Next Generation Networks ( <i>Invited Paper</i> ) . . . . .	477
. . . . . <i>B. Lavigne, O. Bertran-Pardo, C. Bresson, M. Lefrancois, E. Balmefrezol, M. L. Monnier, L. Raddatz, and L. Suberini</i>	
Operational Issues Facing Commercial Raman Amplifier System: Safety Measures and System Designs ( <i>Invited Paper</i> ) . . . . .	484
. . . . . <i>T. Matsuda and A. Naka</i>	

---

---

Solutions for 80 km DWDM Systems (Invited Paper) . . . A. Dochhan, H. Griesser, N. Eiselt, M. H. Eiselt, and J.-P. Elbers	491
Photonics for Radars Operating on Multiple Coherent Bands (Invited Paper) . . . . . P. Ghelfi, F. Laghezza, F. Scotti, D. Onori, and A. Bogoni	500
Photonic Integrated Circuits for Radio-Frequency Signal Generation (Invited Paper) . . . . . G. Carpintero, R. C. Guzmán, C. Gordón, G. Kervella, M. Chitoui, and F. Van Dijk	508
Linearization of Direct Detection Optical Channels Using Self-Coherent Subsystems (Invited Paper) . . . . . D. Che, Q. Hu, and W. Shieh	516
Optical Performance Monitoring: A Review of Current and Future Technologies (Invited Paper) . . . . . Z. Dong, F. N. Khan, Q. Sui, K. Zhong, C. Lu, and A. Pak Tao Lau	525
Fiber Nonlinearity Compensation: Commercial Applications and Complexity Analysis (Invited Paper) . . . . . D. Rafique	544
Merit of Raman Pumping in Uniform and Uncompensated Links Supporting NyWDM Transmission (Invited Paper) . . . . . V. Curri and A. Carena	554
Stochastic Digital Backpropagation With Residual Memory Compensation (Invited Paper) . . . . . N. V. Irukulapati, D. Marsella, P. Johannisson, E. Agrell, M. Secondini, and H. Wymeersch	566
Iteration-Aware LDPC Code Design for Low-Power Optical Communications (Invited Paper) . . . . . T. Koike-Akino, D. S. Millar, K. Kojima, K. Parsons, Y. Miyata, K. Sugihara, and W. Matsumoto	573
Dense Space-Division Multiplexed Transmission Systems Using Multi-Core and Multi-Mode Fiber (Invited Paper) . . . . . T. Mizuno, H. Takara, A. Sano, and Y. Miyamoto	582
Pulse Collision Picture of Inter-Channel Nonlinear Interference in Fiber-Optic Communications (Invited Paper) . . . . . R. Dar, M. Feder, A. Mecozzi, and M. Shtaif	593
Large-Scale Optical-Switch Prototypes Utilizing Cyclic Arrayed-Waveguide Gratings for Datacenters . . . . . K. Ueda, Y. Mori, H. Hasegawa, K.-I. Sato, and T. Watanabe	608
Distributed Aggregation of Spectrally Efficient Single- and Dual-Polarization Super-Channels by Optical Frequency Conversion in Fiber . . . R. Elschner, T. Richter, C. Schmidt-Langhorst, T. Kato, T. Tanimura, S. Watanabe, and C. Schubert	618
All-Optical Ultra-High-Speed OFDM to Nyquist-WDM Conversion Based on Complete Optical Fourier Transformation . . . . . P. Guan, K. M. Røge, H. C. H. Mulvad, M. Galili, H. Hu, M. Lillieholm, T. Morioka, and L. K. Oxenløwe	626
Wavelength Translation of Dual-Polarization Phase-Modulated Nyquist OTDM at Terabit/s . . . . . H. N. Tan, T. Inoue, T. Kurosu, and S. Namiki	633
A Novel Phase-Locking-Free Phase Sensitive Amplifier-Based Regenerator . . . . . N.-K. Kjølner, K. M. Røge, P. Guan, H. C. H. Mulvad, M. Galili, and L. K. Oxenløwe	643
Coordinated Multipoint Transmissions in Millimeter-Wave Radio-Over-Fiber Systems . . . . . L. Cheng, M. M. U. Gul, F. Lu, M. Zhu, J. Wang, M. Xu, X. Ma, and G.-K. Chang	653
Long-Distance Wireless mm-Wave Signal Delivery at W-Band . . . . . X. Li, J. Xiao, and J. Yu	661
Polarization-Independent Rectangular Microwave Photonic Filter Based on Stimulated Brillouin Scattering . . . . . L. Yi, W. Wei, Y. Jaouën, M. Shi, B. Han, M. Morvan, and W. Hu	669
On the Suitability of Multicore Fiber for LTE-Advanced MIMO Optical Fronthaul Systems . . . . . M. Morant, A. Macho, and R. Llorente	676
Laser-Phase-Fluctuation-Insensitive Optical Coherent Transmission of 16-Quadrature-Amplitude-Modulation Radio-Over-Fiber Signal . . . . . T. Kuri, T. Sakamoto, and T. Kawanishi	683
Full-Duplex Transmission of LTE-A Carrier Aggregation Signal Over a Bidirectional Seamless Fiber-Millimeter-Wave System (Invited Paper) . . . . . P. T. Dat, A. Kanno, N. Yamamoto, and T. Kawanishi	691
All-Optical Full-Band RF Receiver Based on an Integrated Ultra-High-Q Bandpass Filter . . . . . H. Yu, M. Chen, Q. Guo, M. Hoekman, H. Chen, A. Leinse, R. G. Heideman, R. Mateman, S. Yang, and S. Xie	701
Replacing the Soft-Decision FEC Limit Paradigm in the Design of Optical Communication Systems . . . . . A. Alvarado, E. Agrell, D. Lavery, R. Maher, and P. Bayvel	707
Corrections to “Replacing the Soft-Decision FEC Limit Paradigm in the Design of Optical Communication Systems” . . . . . A. Alvarado, E. Agrell, D. Lavery, R. Maher, and P. Bayvel	722
Beyond 100-Gb/s Transmission Over 80-km SMF Using Direct-Detection SSB-DMT at C-Band . . . . . L. Zhang, T. Zuo, Y. Mao, Q. Zhang, E. Zhou, G. N. Liu, and X. Xu	723
Silicon IQ Modulator for Next-Generation Metro Network . . . . . C. Y. Wong, S. Zhang, Y. Fang, L. Liu, T. Wang, Q. Zhang, S. Deng, G. N. Liu, and X. Xu	730
Optical Spectrally Sliced Transmitter for High Fidelity and Bandwidth Scalable Waveform Generation . . . . . B. Guan, N. K. Fontaine, R. Ryf, S. Chen, H. Chen, G. Raybon, C. Xie, R. P. Scott, and S. J. B. Yoo	737

---



---

Blind Phase Noise Estimation for CO-OFDM Transmissions . . . . .	<i>S. T. Le, P. A. Haigh, A. D. Ellis, and S. K. Turitsyn</i>	745
Polarization Demultiplexing for Stokes Vector Direct Detection . . . . .	<i>D. Che and W. Shieh</i>	754
51.1-Tbit/s MCF Transmission Over 2520 km Using Cladding-Pumped Seven-Core EDFAs . . .	<i>K. Takeshima, T. Tsuritani, Y. Tsuchida, K. Maeda, T. Saito, K. Watanabe, T. Sasa, K. Imamura, R. Sugizaki, K. Igarashi, I. Morita, and M. Suzuki</i>	761
Single-Channel 1.92 Tbit/s, 64 QAM Coherent Nyquist Orthogonal TDM Transmission With a Spectral Efficiency of 10.6 Bit/s/Hz . . . . .	<i>D. O. Otuya, K. Kasai, T. Hirooka, and M. Nakazawa</i>	768

---

**Networks and Access**

Demystification of the Self-Seeded WDM Access ( <i>Invited Paper</i> ) . . . . .	<i>A. Maho, G. Simon, S. Barbet, F. Lelarge, F. Saliou, P. Chanclou, P. Parolari, L. Marazzi, M. Brunero, M. Martinelli, S. A. Grebewold, J. Leuthold, and R. Brenot</i>	776
Technologies for Cost-Effective udWDM-PONs ( <i>Invited Paper</i> ) . . . . .	<i>J. Prat, I. N. Cano, M. Presi, I. Tomkos, D. Klionidis, G. Vall-Ilosera, R. Brenot, R. Pous, G. Papastergiou, A. Rafael, and E. Ciaramella</i>	783
Software-Defined Transceivers in Dynamic Access Networks ( <i>Invited Paper</i> ) . . . . .	<i>D. Hillerkuss and J. Leuthold</i>	792
Overview of the FABULOUS EU Project: Final System Performance Assessment With Discrete Components ( <i>Invited Paper</i> ) . . . . .	<i>S. Abrate, S. Straullu, A. Nespola, P. Savio, J. Chang, V. Ferrero, B. Charbonnier, and R. Gaudino</i>	798
Field Demonstration of up to 3 Tb/s Real-Time Superchannel Transport Over 359 km Using a Fully Managed Flexible Grid Infrastructure With Net Spectral Efficiency of 5.97 b/s/Hz . . . . .	<i>Y. R. Zhou, K. Smith, R. Payne, A. Lord, J. Hopewell, J. Weatherhead, J. Chen, J. Yao, W. Liu, C. Zhao, Y. Xiong, Z. Xiao, and P. Du</i>	805
Tunable WDM-PON System With Centralized Wavelength Control . . . . .	<i>S. Pachnicke, J. Zhu, M. Lawin, M. H. Eiselt, S. Mayne, B. Quemeneur, D. Sayles, H. Schwuchow, A. Wonfor, P. Marx, M. Fellhofer, P. Neuber, M. Dietrich, M. J. Wale, R. V. Penty, I. H. White, and J.-P. Elbers</i>	812
An Asymmetric High Serial Rate TDM-PON With Single Carrier 25 Gb/s Upstream and 50 Gb/s Downstream . . . . .	<i>X. Yin, J. Van Kerrebrouck, J. Verbist, B. Moeneclae, X.-Z. Qiu, J. Bauwelinck, D. Lanteri, F. Blache, M. Achouche, and P. Demeester</i>	819
Coherent Nyquist UDWDM-PON With Digital Signal Processing in Real Time . . . . .	<i>R. M. Ferreira, J. D. Reis, S. M. Rossi, S. B. Amado, F. P. Guíomar, A. Shahpari, J. R. F. Oliveira, A. N. Pinto, and A. L. Teixeira</i>	826

---